NYC 9/11 Public Portal Document

Galson Laboratories
6601 Kirkville Rd. E. Syracuse,NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

Date Sampled : 17-JAN-02
Date Received : 23-JAN-02
Date Analyzed : 24-JAN-02

Account No. : 10597
Login No. : L78323

Aluminum

Sample ID	Lab ID	Total ug
1-17-02-2	L78323-33	32.2
1-17-02-4	L78323-34	9.50
1-17-02-7	L78323-35	8.61
1-17-02-9	L78323-36	40.6
1-17-02-11	L78323-37	45.7
1-17-02-14	L78323-38	10.9
1-17-02-17	L78323-39	103
1-17-02-20	L78323-40	6.10
1-17-02-23	L78323-41	18.1
1-17-02-25	L78323-42	<3.0
1-17-02-27	L78323-43	11.7
1-17-02-30	L78323-44	7.33
1-17-02-32	L78323-45	17.9
1-17-02-35	L78323-46	1990
1-17-02-38	L78323-47	5.70
1-17-02-40	L78323-48	49.4
1-17-02-43	L78323-49	7.18
1-17-02-45	L78323-50	3.41
1-17-02-47	L78323-51	10.8
1-17-02-50	L78323-52	34.8
1-17-02-53	L78323-53	20.6
1-17-02-55	L78323-54	25.0
1-17-02-58	L78323-55	9.94
1-17-02-59	L78323-56	17.3
1-17-02-62	L78323-57	10.5

Level of quantitation: 3 ug
Analytical Method : modified NIOSH 7300; ICP
OSHA PEL (TWA) : NA
Collection Media : Wipe

Submitted by: KB
Approved by : AMW
Date : 25-JAN-02
QC by: QC STAFF
NYS DOH # : 11626

< -Less Than mg -Milligrams m3 -Cubic Meters kg -Kilograms
> -Greater Than ug -Micrograms l -Liters NS -Not Specified
NA -Not Applicable ND -Not Detected ppm -Parts per Million

CITY_21MC100_012359685

NYC-WTC_000208518

NYC 9/11 Public Portal Document

Galson
Laboratories
6601 Kirkville Rd. E. Syracuse,NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

Date Sampled : 17-JAN-02
Date Received : 23-JAN-02
Date Analyzed : 24-JAN-02

Account No : 10597
Login No. : L78323

Aluminum

Sample ID	Lab ID	Total ug
1-17-02-64	L78323-58	5.59
1-17-02-66	L78323-59	8.69
1-17-02-70	L78323-60	12.0
1-17-02-73	L78323-61	7.43
1-17-02-74	L78323-62	6.04

Level of quantitation: 3 ug
Analytical Method : modified NIOSH 7300; ICP
OSHA PEL (TWA) : NA
Collection Media : Wipe

Submitted by: KB
Approved by : AMW
Date : 25-JAN-02
QC by: QC STAFF
NYS DOH # : 11626

< -Less Than
> -Greater Than
NA -Not Applicable
mg -Milligrams
ug -Micrograms
ND -Not Detected
m3 -Cubic Meters
l -Liters
ppm -Parts per Million
kg -Kilograms
NS -Not Specified

NYC-WTC_000208519

NYC 9/11 Public Portal Document

Galson Laboratories
6601 Kirkville Rd. E. Syracuse,NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

Date Sampled : 17-JAN-02
Date Received : 23-JAN-02
Date Analyzed : 24-JAN-02

Account No. : 10597
Login No. : L78323

Cadmium

Sample ID	Lab ID	Total ug
1-17-02-2	L78323-33	<0.15
1-17-02-4	L78323-34	<0.15
1-17-02-7	L78323-35	<0.15
1-17-02-9	L78323-36	0.535
1-17-02-11	L78323-37	0.476
1-17-02-14	L78323-38	0.423
1-17-02-17	L78323-39	<0.15
1-17-02-20	L78323-40	0.204
1-17-02-23	L78323-41	<0.15
1-17-02-25	L78323-42	<0.15
1-17-02-27	L78323-43	<0.15
1-17-02-30	L78323-44	<0.15
1-17-02-32	L78323-45	0.242
1-17-02-35	L78323-46	1.75
1-17-02-38	L78323-47	<0.15
1-17-02-40	L78323-48	<0.15
1-17-02-43	L78323-49	<0.15
1-17-02-45	L78323-50	<0.15
1-17-02-47	L78323-51	<0.15
1-17-02-50	L78323-52	0.304
1-17-02-53	L78323-53	<0.15
1-17-02-55	L78323-54	<0.15
1-17-02-58	L78323-55	<0.15
1-17-02-59	L78323-56	0.158
1-17-02-62	L78323-57	<0.15

Level of quantitation: 0.15 ug
Analytical Method : modified NIOSH 7300; ICP
OSHA PEL (TWA) : NA
Collection Media : Wipe

Submitted by: KE
Approved by : AMW
Date : 25-JAN-02
QC by: QC STAFF
NYS DOH # : 11626

< -Less Than
> -Greater Than
NA -Not Applicable
mg -Milligrams
ug -Micrograms
ND -Not Detected
m3 -Cubic Meters
l -Liters
ppm -Parts per Million
kg -Kilograms
NS -Not Specified

CITY_21MC100_012359687

NYC-WTC_000208520

NYC 9/11 Public Portal Document

Galson Laboratories
6601 Kirkville Rd. E. Syracuse,NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

Date Sampled : 17-JAN-02
Date Received : 23-JAN-02
Date Analyzed : 24-JAN-02

Account No.: 10397
Login No. : L78323

Cadmium

Sample ID	Lab ID	Total ug
1-17-02-64	L78323-58	<0.15
1-17-02-66	L78323-59	<0.15
1 17-02-70	L78323-60	<0.15
1-17-02-73	L78323-61	<0.15
1-17-02-74	L78323-62	0.620

Level of quantitation: 0.15 ug
Analytical Method : modified NIOSH 7300; ICP
OSHA PEL (TWA) : NA
Collection Media : Wipe

Submitted by: KB
Approved by : AMW
Date : 25-JAN-02
QC by: QC STAFF
NYS DOH # : 11626

< -Less Than
> -Greater Than
NA -Not Applicable
mg -Milligrams
ug -Micrograms
ND -Not Detected
m3 -Cubic Meters
l -Liters
ppm -Parts per Million
kg -Kilograms
NS -Not Specified

NYC-WTC_000208521

NYC 9/11 Public Portal Document

Galson Laboratories
6601 Kirkville Rd. E. Syracuse,NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

Date Sampled : 17-JAN-02
Date Received : 23-JAN-02
Date Analyzed : 24-JAN-02

Account No. : 10597
Login No. : L78323

Cobalt

Sample ID	Lab ID	Total ug
1-17-02-2	L78323-33	<0.45
1-17-02-4	L78323-34	<0.45
1-17-02-7	L78323-35	<0.45
1-17-02-9	L78323-36	<0.45
1-17-02-11	L78323-37	<0.45
1-17-02-14	L78323-38	<0.45
1-17-02-17	L78323-39	<0.45
1-17-02-20	L78323-40	<0.45
1-17-02-23	L78323-41	<0.45
1-17-02-25	L78323-42	<0.45
1-17-02-27	L78323-43	<0.45
1-17-02-30	L78323-44	<0.45
1-17-02-32	L78323-45	<0.45
1-17-02-35	L78323-46	0.703
1-17-02-38	L78323-47	<0.45
1-17-02-40	L78323-48	<0.45
1-17-02-43	L78323-49	<0.45
1-17-02-45	L78323-50	<0.45
1-17-02-47	L78323-51	<0.45
1-17-02-50	L78323-52	<0.45
1-17-02-53	L78323-53	<0.45
1-17-02-55	L78323-54	<0.45
1-17-02-58	L78323-55	<0.45
1-17-02-59	L78323-56	<0.45
1-17-02-62	L78323-57	<0.45

Level of quantitation: 0.45 ug
Analytical Method : modified NIOSH 7300; ICP
OSHA PEL (TWA) : NA
Collection Media : Wipe

Submitted by: KB
Approved by : AMW
Date : 25-JAN-02
QC by: QC STAFF
NYS DOH # : 11626

< -Less Than
> -Greater Than
NA -Not Applicable
mg -Milligrams
ug -Micrograms
ND -Not Detected
m3 -Cubic Meters
l -Liters
ppm -Parts per Million
kg -Kilograms
NS -Not Specified

CITY_21MC100_012359689

NYC-WTC_000208522

NYC 9/11 Public Portal Document

Galson
Laboratories
6601 Kirkville Rd. E. Syracuse,NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

Date Sampled : 17-JAN-02
Date Received : 23-JAN-02
Date Analyzed : 24-JAN-02

Account No.: 10597
Login No. : L78323

Cobalt

Sample ID	Lab ID	Total ug
1-17-02-54	L78323-58	<0.45
1-17-02-56	L78323-59	<0.45
1-17-02-70	L78323-60	<0.45
1-17-02-73	L78323-61	<0.45
1-17-02-74	L78323-62	<0.45

Level of quantitation: 0.45 ug
Analytical Method : modified NIOSH 7300; ICP
OSHA PEL (TWA) : NA
Collection Media : Wipe

Submitted by: KB
Approved by : AMW
Date : 25-JAN-02
QC by: QC STAFF
NYS DOH # : 11626

<	-Less Than	mg	-Milligrams	m3	-Cubic Meters	kg	-Kilograms
>	-Greater Than	ug	-Micrograms	l	-Liters	NS	-Not Specified
NA	-Not Applicable	ND	-Not Detected	ppm	-Parts per Million		

NYC-WTC_000208523

NYC 9/11 Public Portal Document

Galson Laboratories
6601 Kirkville Rd. E. Syracuse,NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

Date Sampled : 17-JAN-02
Date Received : 23-JAN-02
Date Analyzed : 24-JAN-02

Account No.: 10597
Login No. : L78323

Copper

Sample ID	Lab ID	Total ug
1-17-02-2	L78323-33	4.25
1-17-02-4	L78323-34	1.88
1-17-02-7	L78323-35	4.82
1-17-02-9	L78323-36	6.56
1-17-02-11	L78323-37	6.21
1-17-02-14	L78323-38	2.39
1-17-02-17	L78323-39	1.84
1-17-02-20	L78323-40	1.58
1-17-02-23	L78323-41	2.93
1-17-02-25	L78323-42	1.78
1-17-02-27	L78323-43	2.87
1-17-02-30	L78323-44	2.31
1-17-02-32	L78323-45	3.40
1-17-02-35	L78323-46	54.8
1-17-02-38	L78323-47	1.34
1-17-02-40	L78323-48	3.72
1-17-02-43	L78323-49	1.68
1-17-02-45	L78323-50	1.68
1-17-02-47	L78323-51	1.79
1-17-02-50	L78323-52	4.75
1-17-02-53	L78323-53	2.86
1-17-02-55	L78323-54	3.90
1-17-02-58	L78323-55	2.26
1-17-02-59	L78323-56	3.42
1-17-02-62	L78323-57	1.95

COMMENTS: Copper is inherently present as background in some types of wipes. Client did not submit a media blank. Blank correction was not performed. Instrument blanks are <LOQ. Laboratory prep/media blank concentration was 0.7ug.

Level of quantitation: 0.3 ug
Analytical Method : modified NIOSH 7300; ICP
OSHA PEL (TWA) : NA
Collection Media : Wipe

Submitted by: KB
Approved by : AMW
Date : 25-JAN-02
QC by: QC STAFF
NYS DOH # : 11626

< -Less Than
> -Greater Than
NA -Not Applicable
mg -Milligrams
ug -Micrograms
ND -Not Detected
m3 -Cubic Meters
l -Liters
ppm -Parts per Million
kg -Kilograms
NS -Not Specified

NYC-WTC_000208524

NYC 9/11 Public Portal Document

Galson
Laboratories
6601 Kirkville Rd. E. Syracuse, NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

Date Sampled : 17-JAN-02
Date Received : 23-JAN-02
Date Analyzed : 24-JAN-02

Account No. : 10597
Login No. : L78323

Copper

Sample ID	Lab ID	Total ug
1-17-02-64	L78323-58	1.47
1-17-02-66	L78323-59	6.82
1-17-02-70	L78323-60	1.84
1-17-02-73	L78323-61	1.42
1-17-02-74	L78323-62	1.74

COMMENTS: Copper is inherently present as background in some types of wipes. Client did not submit a media blank. Blank correction was not performed. Instrument blanks are <LOQ. Laboratory prep/media blank concentration was 0.7ug.

Level of quantitation: 0.3 ug
Analytical Method : modified NIOSH 7300; ICP
OSHA PEL (TWA) : NA
Collection Media : Wipe

Submitted by: KB
Approved by : AMW
Date : 25-JAN-02
QC by: QC STAFF
NYS DOH # : 11626

< -Less Than mg -Milligrams m3 -Cubic Meters kg -Kilograms
> -Greater Than ug -Micrograms l -Liters NS -Not Specified
NA -Not Applicable ND -Not Detected ppm -Parts per Million

NYC-WTC_000208525

NYC 9/11 Public Portal Document

Galson
Laboratories
6601 Kirkville Rd. E. Syracuse,NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

Date Sampled : 17-JAN-02
Date Received : 23-JAN-02
Date Analyzed : 24-JAN-02

Account No.: 10597
Login No. : L78323

Iron

Sample ID	Lab ID	Total ug
1-17-02-64	L78323-58	22.3
1-17-02-66	L78323-59	38.8
1-17-02-70	L78323-60	25.8
1-17-02-73	L78323-61	22.0
1-17-02-74	L78323-62	22.7

Level of quantitation: 7.5 ug
Analytical Method : modified NIOSH 7300; ICP
OSHA PEL (TWA) : NA
Collection Media : Wipe

Submitted by: KB
Approved by : AMW
Date : 25-JAN-02
QC by: QC STAFF
NYS DOH # : 11626

< -Less Than
> -Greater Than
NA -Not Applicable
mg -Milligrams
ug -Micrograms
ND -Not Detected
m3 -Cubic Meters
l -Liters
ppm -Parts per Million
kg -Kilograms
NS -Not Specified

NYC-WTC_000208526

NYC 9/11 Public Portal Document

Galson Laboratories
6601 Kirkville Rd. E. Syracuse,NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

Date Sampled : 17-JAN-02
Date Received : 23-JAN-02
Date Analyzed : 25-JAN-02

Account No. : 10597
Login No. : L78323

Mercury

Sample ID	Lab ID	Total ug
_-17-02-5	L78323-63	<0.04
1-17-02-12	L78323-64	<0.04
1-17-02-18	L78323-65	<0.04
1-17-02-28	L78323-66	<0.04
1-17-02-33	L78323-67	<0.04
1-17-02-36	L78323-68	<0.04
1-17-02-44	L78323-69	<0.04
1-17-02-48	L78323-70	<0.04
1-17-02-51	L78323-71	<0.04
1-17-02-56	L78323-72	<0.04
1-17-02-63	L78323-73	<0.04
1-17-02-68	L78323-74	<0.04
1-17-02-71	L78323-75	<0.04

Level of quantitation: 0.04 ug
Analytical Method : NIOSH 6009
OSHA PEL (TWA) : NA
Collection Media : Wipe

Submitted by: AP
Approved by : AMW
Date : 25-JAN-02
QC by. QC STAFF
NYS DOH # : 11626

< -Less Than
> -Greater Than
NA -Not Applicable
mg -Milligrams
ug -Micrograms
ND -Not Detected
m3 -Cubic Meters
l -Liters
ppm -Parts per Million
kg -Kilograms
NS -Not Specified

NYC-WTC_000208527

NYC 9/11 Public Portal Document

Galson Laboratories
6601 Kirkville Rd. E. Syracuse,NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

Date Sampled : 17-JAN-02
Date Received : 23-JAN-02
Date Analyzed : 24-JAN-02

Account No.: 10597
Login No. : L78323

Magnesium

Sample ID	Lab ID	Total ug
1-17-02-2	L78323-33	58.7
1-17-02-4	L78323-34	18.1
1-17-02-7	L78323-35	16.3
1-17-02-9	L78323-36	53.4
1-17-02-11	L78323-37	73.6
1-17-02-14	L78323-38	16.0
1-17-02-17	L78323-39	22.6
1-17-02-20	L78323-40	12.9
1-17-02-23	L78323-41	34.8
1-17-02-25	L78323-42	8.14
1-17-02-27	L78323-43	18.3
1-17-02-30	L78323-44	16.6
1-17-02-32	L78323-45	37.5
1-17-02-35	L78323-46	2520
1-17-02-38	L78323-47	13.9
1-17-02-40	L78323-48	70.3
1-17-02-43	L78323-49	12.5
1-17-02-45	L78323-50	9.22
1-17-02-47	L78323-51	14.5
1-17-02-50	L78323-52	58.6
1-17-02-53	L78323-53	88.3
1-17-02-55	L78323-54	44.2
1-17-02-58	L78323-55	19.4
1-17-02-59	L78323-56	30.8
1-17-02-62	L78323-57	22.4

COMMENTS: Magnesium is inherently present as background in some types of wipes. Client did not submit a media blank. Blank correction was not performed. Instrument blanks were <LOQ. Laboratory prep/media blank concentration was 16.5ug.

Level of quantitation: 3 ug
Analytical Method : modified NIOSH 7300; ICP
OSHA PEL (TWA) : NA
Collection Media : Wipe

Submitted by: KB
Approved by : AMW
Date : 25-JAN-02
QC by: QC STAFF
NYS DOH # : 11626

< -Less Than
> -Greater Than
NA -Not Applicable
mg -Milligrams
ug -Micrograms
ND -Not Detected
mS -Cubic Meters
l -Liters
ppm -Parts per Million
kg -Kilograms
NS -Not Specified

CITY_21MC100_012359695

NYC-WTC_000208528

NYC 9/11 Public Portal Document

Gilson
Laboratories
6601 Kirkville Rd. E. Syracuse,NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

Date Sampled : 17-JAN-02
Date Received : 23-JAN-02
Date Analyzed : 24-JAN-02

Account No.: 10597
Login No. : L78323

Magnesium

Sample ID	Lab ID	Total ug
1-17-02-64	L78323-58	12.6
1-17-02-66	L78323-59	18.1
1-17-02-70	L78323-60	21.3
1-17-02-73	L78323-61	15.8
1-17-02-74	L78323-62	14.6

COMMENTS: Magnesium is inherently present as background in some types of wipes. Client did not submit a media blank. Blank correction was not performed. Instrument blanks were <LOQ. Laboratory prep/media blank concentration was 16.5ug.

Level of quantitation: 3 ug
Analytical Method : modified NIOSH 7300; ICP
OSHA PEL (TWA) : NA
Collection Media : Wipe

Submitted by: KB
Approved by : AMW
Date : 25-JAN-02
QC by: QC STAFF
NYS DOH # : 11626

< -Less Than
> -Greater Than
NA -Not Applicable
mg -Milligrams
ug -Micrograms
ND -Not Detected
m3 -Cubic Meters
l -Liters
ppm -Parts per Million
kg -Kilograms
NS -Not Specified

CITY_21MC100_012359696

NYC-WTC_000208529

NYC 9/11 Public Portal Document

Galson Laboratories
5601 Kirkville Rd. E. Syracuse,NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

Date Sampled : 17-JAN-02
Date Received : 23-JAN-02
Date Analyzed : 24-JAN-02

Account No.: 10597
Login No. : L78323

Manganese

Sample ID	Lab ID	Total ug
1-17-02-2	L78323-33	1.33
1-17-02-4	L78323-34	0.461
1-17-02-7	L78323-35	0.428
1-17-02-9	L78323-36	1.95
1-17-02-11	L78323-37	3.42
1-17-02-14	L78323-38	0.440
1-17-02-17	L78323-39	0.498
1-17-02-20	L78323-40	0.308
1-17-02-23	L78323-41	1.00
1-17-02-25	L78323-42	0.150
1-17-02-27	L78323-43	0.513
1-17-02-30	L78323-44	0.384
1-17-02-32	L78323-45	1.13
1-17-02-35	L78323-46	99.8
1-17-02-38	L78323-47	0.321
1-17-02-40	L78323-48	2.64
1-17-02-43	L78323-49	0.313
1-17-02-45	L78323-50	0.195
1-17-02-47	L78323-51	0.336
1-17-02-50	L78323-52	1.83
1-17-02-53	L78323-53	1.26
1-17-02-55	L78323-54	1.18
1-17-02-58	L78323-55	0.463
1-17-02-59	L78323-56	1.01
1-17-02-62	L78323-57	0.574

Level of quantitation: 0.15 ug
Analytical Method : modified NIOSH 7300; ICP
OSHA PEL (TWA) : NA
Collection Media : Wipe

Submitted by: KB
Approved by : AMW
Date : 25-JAN-02
QC by: QC STAFF
NYS DOH # : 11626

< -Less Than
> -Greater Than
NA -Not Applicable
mg -Milligrams
ug -Micrograms
ND -Not Detected
m3 -Cubic Meters
l -Liters
ppm -Parts per Million
kg -Kilograms
NS -Not Specified

NYC-WTC_000208530

NYC 9/11 Public Portal Document

Galson
Laboratories
6601 Kirkville Rd. E. Syracuse.NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

Date Sampled : 17-JAN-02
Date Received : 23-JAN-02
Date Analyzed : 24-JAN-02

Account No.: 10597
Login No. : L78323

Manganese

Sample ID	Lab ID	Total ug
1-17-02-64	L78323-58	0.305
1-17-02-66	L78323-59	0.410
1-17-02-70	L78323-60	0.648
1-17-02-73	L78323-61	0.360
1-17-02-74	L78323-62	0.310

Level of quantitation: 0.15 ug
Analytical Method : modified NIOSH 7300; ICP
OSHA PEL (TWA) : NA
Collection Media : Wipe

Submitted by: KB
Approved by : AMW
Date . 25-JAN-02
QC by: QC STAFF
NYS DOH # : 11626

< -Less Than
> -Greater Than
NA -Not Applicable
mg -Milligrams
ug -Micrograms
ND -Not Detected
m3 -Cubic Meters
l -Liters
ppm -Parts per Million
kg -Kilograms
NS -Not Specified

NYC-WTC_000208531

NYC 9/11 Public Portal Document

Galson Laboratories
6601 Kirkville Rd. E. Syracuse,NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

Date Sampled : 17-JAN-02
Date Received : 23-JAN-02
Date Analyzed : 24-JAN-02

Account No.: 10597
Login No. : L78323

Nickel

Sample ID	Lab ID	Total ug
1-17-02-2	L78323-33	0.455
1-17-02-4	L78323-34	<0.30
1-17-02-7	L78323-35	<0.30
1-17-02-9	L78323-36	1.11
1-17-02-11	L78323-37	0.814
1-17-02-14	L78323-38	0.711
1-17-02-17	L78323-39	0.334
1-17-02-20	L78323-40	<0.30
1-17-02-23	L78323-41	0.534
1-17-02-25	L78323-42	<0.30
1-17-02-27	L78323-43	<0.30
1-17-02-30	L78323-44	<0.30
1-17-02-32	L78323-45	0.372
1-17-02-35	L78323-46	1.31
1-17-02-38	L78323-47	<0.30
1-17-02-40	L78323-48	0.475
1-17-02-43	L78323-49	<0.30
1-17-02-45	L78323-50	<0.30
1-17-02-47	L78323-51	<0.30
1-17-02-50	L78323-52	0.715
1-17-02-53	L78323-53	0.577
1-17-02-55	L78323-54	0.954
1-17-02-58	L78323-55	<0.30
1-17-02-59	L78323-56	0.514
1-17-02-62	L78323-57	<0.30

Level of quantitation: 0.3 ug
Analytical Method : modified NIOSH 7300; ICP
OSHA PEL (TWA) : NA
Collection Media : Wipe

Submitted by: KB
Approved by : AMW
Date : 25-JAN-02
QC by: QC STAFF
NYS DOH # : 11626

< -Less Than
> -Greater Than
NA -Not Applicable
mg -Milligrams
ug -Micrograms
ND -Not Detected
m3 -Cubic Meters
l -Liters
ppm -Parts per Million
kg -Kilograms
NS -Not Specified

NYC-WTC_000208532

NYC 9/11 Public Portal Document

Galson
Laboratories
6601 Kirkville Rd. E. Syracuse,NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

Date Sampled : 17-JAN-02
Date Received : 23-JAN-02
Date Analyzed : 24-JAN-02

Account No.: 10597
Login No. : L78323

Nickel

Sample ID	Lab ID	Total ug
1-17-02-64	L78323-58	<0.30
1-17-02-66	L78323-59	<0.30
1-17-02-70	L78323-60	<0.30
1-17-02-73	L78323-61	<0.30
1-17-02-74	L78323-62	<0.30

Level of quantitation: 0.3 ug
Analytical Method : modified NIOSH 7300; ICP
OSHA PEL (TWA) : NA
Collection Media : Wipe

Submitted by: KB
Approved by : AMW
Date : 25-JAN-02
QC by: QC STAFF
NYS DOH # : 11626

< -Less Than
> -Greater Than
NA -Not Applicable
mg -Milligrams
ug -Micrograms
ND -Not Detected
m3 -Cubic Meters
l -Liters
ppm -Parts per Million
kg -Kilograms
NS -Not Specified

NYC-WTC_000208533

NYC 9/11 Public Portal Document

Galson Laboratories
6601 Kirkville Rd. E. Syracuse,NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

Date Sampled : 17-JAN-02
Date Received : 23-JAN-02
Date Analyzed : 24-JAN-02

Account No.: 10597
Login No. : L78323

Inorganic Lead

Sample ID	Lab ID	Total ug
1-17-02-2	L78323-33	3.58
1-17-02-4	L78323-34	1.48
1-17-02-7	L78323-35	1.22
1-17-02-9	L78323-36	11.2
1-17-02-11	L78323-37	9.10
1-17-02-14	L78323-38	2.29
1-17-02-17	L78323-39	0.777
1-17-02-20	L78323-40	1.03
1-17-02-23	L78323-41	2.36
1-17-02-25	L78323-42	0.431
1-17-02-27	L78323-43	3.94
1-17-02-30	L78323-44	1.19
1-17-02-32	L78323-45	4.35
1-17-02-35	L78323-46	44.5
1-17-02-38	L78323-47	0.560
1-17-02-40	L78323-48	3.09
1-17-02-43	L78323-49	1.04
1-17-02-45	L78323-50	0.454
1-17-02-47	L78323-51	1.20
1-17-02-50	L78323-52	3.61
1-17-02-53	L78323-53	2.64
1-17-02-55	L78323-54	3.58
1-17-02-58	L78323-55	1.77
1-17-02-59	L78323-56	3.35
1-17-02-62	L78323-57	0.977

Level of quantitation: 0.38 ug
Analytical Method : modified NIOSH 7300; ICP
OSHA PEL (TWA) : NA
Collection Media : Wipe

Submitted by: KB
Approved by : AMW
Date : 25-JAN-02
QC by: QC STAFF
NYS DOH # : 11626

< -Less Than
> -Greater Than
NA -Not Applicable
mg -Milligrams
ug -Micrograms
ND -Not Detected
m3 -Cubic Meters
l -Liters
ppm -Parts per Million
kg -Kilograms
NS -Not Specified

CITY_21MC100_012359701

NYC-WTC_000208534

NYC 9/11 Public Portal Document

Galson
Laboratories
5601 Kirkville Rd. E. Syracuse,NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

Date Sampled : 17-JAN-02
Date Received : 23-JAN-02
Date Analyzed : 24-JAN-02

Account No.: 10597
Login No. : L78323

Inorganic Lead

Sample ID	Lab ID	Total ug
1-17-02-64	L78323-58	0.748
1-17-02-66	L78323-59	1.02
1-17-02-70	L78323-60	2.18
1-17-02-73	L78323-61	0.705
1-17-02-74	L78323-62	1.02

Level of quantitation: 0.38 ug
Analytical Method : modified NIOSH 7300; ICP
OSHA PEL (TWA) : NA
Collection Media : Wipe

Submitted by: KB
Approved by : AMW
Date : 25-JAN-02
QC by: QC STAFF
NYS DOH # : 11626

< -Less Than
> -Greater Than
NA -Not Applicable
mg -Milligrams
ug -Micrograms
ND -Not Detected
m3 -Cubic Meters
l -Liters
ppm -Parts per Million
kg -Kilograms
NS -Not Specified

NYC-WTC_000208535

NYC 9/11 Public Portal Document

Galson Laboratories
6601 Kirkville Rd. E. Syracuse,NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

Date Sampled : 17-JAN-02
Date Received : 23-JAN-02
Date Analyzed : 24-JAN-02

Account No.: 10597
Login No. : L78323

Zinc

Sample ID	Lab ID	Total ug
1-17-02-2	L78323-33	10.2
1-17-02-4	L78323-34	4.23
1-17-02-7	L78323-35	4.74
1-17-02-9	L78323-36	45.6
1-17-02-11	L78323-37	26.5
1-17-02-14	L78323-38	14.5
1-17-02-17	L78323-39	4.28
1-17-02-20	L78323-40	5.14
1-17-02-23	L78323-41	9.70
1-17-02-25	L78323-42	2.34
1-17-02-27	L78323-43	12.3
1-17-02-30	L78323-44	6.22
1-17-02-32	L78323-45	13.3
1-17-02-35	L78323-46	241
1-17-02-38	L78323-47	2.64
1-17-02-40	L78323-48	14.0
1-17-02-43	L78323-49	5.07
1-17-02-45	L78323-50	1.91
1-17-02-47	L78323-51	4.39
1-17-02-50	L78323-52	18.5
1-17-02-53	L78323-53	17.5
1-17-02-55	L78323-54	14.8
1-17-02-58	L78323-55	6.80
1-17-02-59	L78323-56	10.7
1-17-02-62	L78323-57	6.47

NYC-WTC_000208536