NYC 9/11 Public Portal Document

ATHENICA
ENVIRONMENTAL SERVICES INC.
Tel (718) 784-7490
Fax (718) 784-4085

AIRBORNE ASBESTOS ANALYSIS BY TRANSMISSION ELECTRON MICROSCOPY

CLIENT: Warren & Panzer Engineers, P. C.
LABORATORY ID #: T03-03-037
ANALYT. METHODOLOGY: AHERA
FILTER TYPE: M.C.E.
AVERAGE G.O. AREA (mm^2): 0.012820

PROJECT: NYC DEP, 2 South End Ave. NYC
DATE OF REPORT: 03/26/03
DATE OF ANALYSIS: 03/26/03
EFFECTIVE FILTER AREA (mm^2): 385

LABORATORY RESULTS

CLIENT #	LAB. ID #	LOCATION	VOLUME (l)	G.O.'s ANALYZED	AREA ANALYZED (mm^2)	ANALYT. SENSITIV. (struct./cm^3)	TOTAL ASBESTOS AIR CONC. (struc./cm^3)	TOTAL ASBESTOS FILTER CONC. (str./mm^2)	AIR CONC. FOR STRUCT. 0.5≤S<5µm	AIR CONC. FOR STRUCT. S≥5.0µm	ASBEST. TYPE CHRYS.	AMPHIB. ASBEST TYPE SPECIFY
01	T03-03-037-525	Middle of roof	1620	4	0.0513	0.0046	<0.0046	<19.50	NA	NA	NA	NA
02	T03-03-037-526	East side of roof	1620	4	0.0513	0.0046	<0.0046	<19.50	NA	NA	NA	NA
03	T03-03-037-527	2nd east side of roof	1620	4	0.0513	0.0046	<0.0046	<19.50	NA	NA	NA	NA
04	T03-03-037-528	South east of roof	1632	4	0.0513	0.0046	<0.0046	<19.50	NA	NA	NA	NA
05	T03-03-037-529	South east of roof	1632	4	0.0513	0.0046	<0.0046	<19.50	NA	NA	NA	NA

ANALYST
E. Dimitrakas

LABORATORY DIRECTOR
Spiro Dongaris

LABORATORY CERTIFICATION NUMBERS: NVLAP 101958, ELAP 10955

- Athenica Environmental Services Inc. (AES) is responsible only for information pertaining to samples taken by its employees.
- Air sampling cassettes will be stored for sixty (60) days. AES Inc., should be notified within this time frame for asbestos duplicate analysis.
- If AES Inc., did not conduct the sampling, the reported airborne concentration was derived based on information provided by the client. Under these circumstances, the air concentration data is supplied solely for the convenience of the client.
- The report relates only to items tested. This report must not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. Test reports may not be reproduced except in full and with prior approval of AES Inc.
- The liability of Athenica Environmental Services Inc. with respect to the services charged, shall in no event exceed the amount of the invoice.

04/04/2003 12:07 FAX
003
CITY_21MC100_002841821
NYC-WTC_000209662