

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211379

CLIENT: BOSTON PROPERTIES

LOCATION: 90 CHURCH STREET, 12TH FLOOR

TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/14/01

DATE RECEIVED: 10/14/01

DATE ANALYZED: 10/14/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
12-A1 DB2852	LOCATION #1-BULK	CELLULOSE	23.0%
		FIBER GLASS	30.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	20.0%
		RUST	5.0%
		CARBON PARTICLES	10.0%
		CHRYSTOTILE	2.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

DUST CHARACTERIZATION LABORATORY DATA REPORT

CITY_DEP_WORBY_CANNATA_SUBP_000002353

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

PROJECT ID: 211379
CLIENT: BOSTON PROPERTIES
LOCATION: 90 CHURCH STREET, 12TH FLOOR
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/14/01
DATE RECEIVED: 10/14/01
DATE ANALYZED: 10/14/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
12-A2 DB2853	LOCATION #2-BULK	CELLULOSE	18.0%
		FIBER GLASS	30.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		CHRYSTOLE	2.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211379

CLIENT: BOSTON PROPERTIES

LOCATION: 90 CHURCH STREET, 12TH FLOOR

TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/14/01

DATE RECEIVED: 10/14/01

DATE ANALYZED: 10/14/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
12-A3 DB2854	LOCATION #3-SLIDE	CELLULOSE	20.0%
		FIBER GLASS	20.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	35.0%
		CARBON PARTICLES	15.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211379
CLIENT: BOSTON PROPERTIES
LOCATION: 90 CHURCH STREET, 12TH FLOOR
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/14/01
DATE RECEIVED: 10/14/01
DATE ANALYZED: 10/14/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
12-A4 DB2855	LOCATION #4-SLIDE	CELLULOSE	10.0%
		FIBER GLASS	40.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211379
CLIENT: BOSTON PROPERTIES
LOCATION: 90 CHURCH STREET, 12TH FLOOR
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/14/01
DATE RECEIVED: 10/14/01
DATE ANALYZED: 10/14/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
12-A5 DB2856	LOCATION #5-SLIDE	CELLULOSE	20.0%
		FIBER GLASS	30.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

CITY_DEP_WORBY_CANNATA_SUBP_000002357

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211379
CLIENT: BOSTON PROPERTIES
LOCATION: 90 CHURCH STREET, 12TH FLOOR
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/14/01
DATE RECEIVED: 10/14/01
DATE ANALYZED: 10/14/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
12-A6 DB2857	LOCATION #6-SLIDE	CELLULOSE	20.0%
		FIBER GLASS	30.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations

CITY_DEP_WORBY_CANNATA_SUBP_000002358

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211379
CLIENT: BOSTON PROPERTIES
LOCATION: 90 CHURCH STREET, 12TH FLOOR
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/14/01
DATE RECEIVED: 10/14/01
DATE ANALYZED: 10/14/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
12-A7		CELLULOSE	20.0%
DB2858	LOCATION #7-SLIDE	FIBER GLASS	20.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

CITY_DEP_WORBY_CANNATA_SUBP_000002359

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211379
CLIENT: BOSTON PROPERTIES
LOCATION: 90 CHURCH STREET, 12TH FLOOR
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/14/01
DATE RECEIVED: 10/14/01
DATE ANALYZED: 10/14/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
12-A8 DB2859	LOCATION #8-SLIDE	CELLULOSE	20.0%
		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	15.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	35.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

CITY_DEP_WORBY_CANNATA_SUBP_000002360

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211379
CLIENT: BOSTON PROPERTIES
LOCATION: 90 CHURCH STREET, 12TH FLOOR
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/14/01
DATE RECEIVED: 10/14/01
DATE ANALYZED: 10/14/01

FIELD ID	DESCRIPTION	SAMPLE	PERCENT OF
LABORATORY ID		CONSTITUENTS	SAMPLE **
12-A9		FIBER GLASS	25.0%
DB2860	LOCATION #9-SLIDE	CEMENT DUST	5.0%
		GRAVEL ROAD DUST	25.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	35.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.