

**Environmental Testing Laboratories, Inc.**

208 Route 109, Farmingdale NY 11735

Phone - 631-249-1456 Fax - 631-249-8344

10/26/2001

**PCB (Aroclor) Compounds - EPA 8082/608****Sample: M1951-9**

Client Sample ID: 90-09 8th Fl SW Office 8176 Conf Table

Collected 10/13/2001

Matrix: Solid

Type: Grab

Remarks

Analyzed Date: 10/23/2001

| Cas No     | Analyte  | File ID  | MDL  | Concentration | Units | Q |
|------------|----------|----------|------|---------------|-------|---|
| 12674-11-2 | PCB 1016 | G 388-60 | 9.81 | 9.81          | ppb   | U |
| 11104-28-2 | PCB 1221 | G 388-60 | 46.2 | 46.2          | ppb   | U |
| 11141-16-5 | PCB 1232 | G 388-60 | 10.2 | 10.2          | ppb   | U |
| 53469-21-9 | PCB 1242 | G 388-60 | 7.69 | 7.69          | ppb   | U |
| 12672-29-6 | PCB 1248 | G 388-60 | 17.3 | 17.3          | ppb   | U |
| 11097-69-1 | PCB 1254 | G 388-60 | 26.2 | 625           | ppb   |   |
| 11096-82-5 | PCB 1260 | G 388-60 | 30.1 | 30.1          | ppb   | U |

| Cas No    | Surrogate            | File ID | % Recovery | QC Limits  | Q |
|-----------|----------------------|---------|------------|------------|---|
| 877-09-8  | Tetrachloro m-xylene | G388-60 | 48.9 %     | (30 - 150) |   |
| 2051-24-3 | Decachlorobiphenyl   | G388-60 | 38.7 %     | (30 - 150) |   |



- M1951 -

Page 14 of 18

CITY\_DEP\_WORBY\_CANNATA\_SUBP\_000002494

**Environmental Testing Laboratories, Inc.**

208 Route 109, Farmingdale NY 11735  
 Phone - 631-249-1456 Fax - 631-249-8344

10/26/2001

**Polychlorinated Biphenyls (PCB) in Wipes****Sample: M1951-10**

Client Sample ID: 90-10 8th Fl SE Cubicle 8066 File Cabinet

Collected: 10/13/2001

Matrix: Wipe

Type: Grab

Remarks:

Analyzed Date: 10/19/2001

| Cas No     | Analyte  | File ID  | MDL   | Concentration | Units   | Q |
|------------|----------|----------|-------|---------------|---------|---|
| 12674-11-2 | PCB 1016 | G 386-23 | 0.080 | 0.080         | ug/Wipe | U |
| 11104-28-2 | PCB 1221 | G 386-23 | 0.030 | 0.030         | ug/Wipe | U |
| 11141-16-5 | PCB 1232 | G 386-23 | 0.11  | 0.11          | ug/Wipe | U |
| 53469-21-9 | PCB 1242 | G 386-23 | 0.020 | 0.020         | ug/Wipe | U |
| 12672-29-6 | PCB 1248 | G 386-23 | 0.090 | 0.090         | ug/Wipe | U |
| 11097-69-1 | PCB 1254 | G 386-23 | 0.040 | 0.26          | ug/Wipe |   |
| 11096-82-5 | PCB 1260 | G 386-23 | 0.080 | 0.080         | ug/Wipe | U |

| Cas No    | Surrogate            | File ID | % Recovery | QC Limits  | Q |
|-----------|----------------------|---------|------------|------------|---|
| 877-09-8  | Tetrachloro m-xylene | G386-23 | 80.3 %     | (30 - 150) |   |
| 2051-24-3 | Decachlorobiphenyl   | G386-23 | 61.8 %     | (30 - 150) |   |



- M1951 -

Page 17 of 18

CITY\_DEP\_WORBY\_CANNATA\_SUBP\_000002495

**Environmental Testing Laboratories, Inc.**

208 Route 109, Farmingdale NY 11735

Phone - 631-249-1456 Fax - 631-249-8344

10th

10/26/2001

**Polychlorinated Biphenyls (PCB) in Wipes****Sample: M1951-5**

Client Sample ID: 90-05 10th Fl East Side File Cabinet

Collected: 10/13/2001

Matrix: Wipe

Type: Grab

Remarks:

Analyzed Date: 10/19/2001

| Cas No     | Analyte  | File ID  | MDL   | Concentration | Units   | Q |
|------------|----------|----------|-------|---------------|---------|---|
| 12674-11-2 | PCB 1016 | G 386-21 | 0.080 | 0.080         | ug/Wipe | U |
| 11104-28-2 | PCB 1221 | G 386-21 | 0.030 | 0.030         | ug/Wipe | U |
| 11141-16-5 | PCB 1232 | G 386-21 | 0.11  | 0.11          | ug/Wipe | U |
| 53469-21-9 | PCB 1242 | G 386-21 | 0.020 | 0.020         | ug/Wipe | U |
| 12672-29-6 | PCB 1248 | G 386-21 | 0.090 | 0.090         | ug/Wipe | U |
| 11097-69-1 | PCB 1254 | G 386-21 | 0.040 | 0.040         | ug/Wipe | U |
| 11096-82-5 | PCB 1260 | G 386-21 | 0.080 | 0.080         | ug/Wipe | U |

| Cas No    | Analyte             | File ID  | MDL   | Concentration | Units   | Q |
|-----------|---------------------|----------|-------|---------------|---------|---|
| 877-09-8  | Tetrachlorobiphenyl | G 386-21 | 0.030 | 0.030         | ug/Wipe | U |
| 2051-24-3 | Decachlorobiphenyl  | G 386-21 | 0.020 | 0.020         | ug/Wipe | U |

**Sample: M1951-8**

Client Sample ID: 90-08 9th Fl NW Cubicle 9247 File Cabinet

Collected: 10/13/2001

Matrix: Wipe

Type: Grab

Remarks:

Analyzed Date: 10/19/2001

| Cas No     | Analyte  | File ID  | MDL   | Concentration | Units   | Q |
|------------|----------|----------|-------|---------------|---------|---|
| 12674-11-2 | PCB 1016 | G 386-22 | 0.080 | 0.080         | ug/Wipe | U |
| 11104-28-2 | PCB 1221 | G 386-22 | 0.030 | 0.030         | ug/Wipe | U |
| 11141-16-5 | PCB 1232 | G 386-22 | 0.11  | 0.11          | ug/Wipe | U |
| 53469-21-9 | PCB 1242 | G 386-22 | 0.020 | 0.020         | ug/Wipe | U |
| 12672-29-6 | PCB 1248 | G 386-22 | 0.090 | 0.090         | ug/Wipe | U |
| 11097-69-1 | PCB 1254 | G 386-22 | 0.040 | 0.17          | ug/Wipe |   |
| 11096-82-5 | PCB 1260 | G 386-22 | 0.080 | 0.080         | ug/Wipe | U |

| Cas No    | Analyte             | File ID  | MDL   | Concentration | Units   | Q |
|-----------|---------------------|----------|-------|---------------|---------|---|
| 877-09-8  | Tetrachlorobiphenyl | G 386-22 | 0.030 | 0.030         | ug/Wipe | U |
| 2051-24-3 | Decachlorobiphenyl  | G 386-22 | 0.020 | 0.020         | ug/Wipe | U |



- M1951 -

Page 16 of 18

**Environmental Testing Laboratories, Inc.**

208 Route 109, Farmingdale NY 11735  
 Phone - 631-249-1456 Fax - 631-249-8344

10/26/2001

**PCB (Aroclor) Compounds - EPA 8082/608****Sample: M1951-6**

Client Sample ID: 90-06 10th Fl SW Ofc Adj to Cubicle 10223 Conf Tbl Collected: 10/13/2001

Matrix: Solid

Type: Grab

Remarks:

Analyzed Date: 10/23/2001

| Cas No     | Analyte  | File ID  | MDL  | Concentration | Units | Q |
|------------|----------|----------|------|---------------|-------|---|
| 12674-11-2 | PCB 1016 | G 388-58 | 33.4 | 33.4          | ppb   | U |
| 11104-28-2 | PCB 1221 | G 388-58 | 157  | 157           | ppb   | U |
| 11141-16-5 | PCB 1232 | G 388-58 | 34.9 | 34.9          | ppb   | U |
| 53469-21-9 | PCB 1242 | G 388-58 | 26.2 | 26.2          | ppb   | U |
| 12672-29-6 | PCB 1248 | G 388-58 | 59.0 | 59.0          | ppb   | U |
| 11097-69-1 | PCB 1254 | G 388-58 | 89.3 | 1040          | ppb   |   |
| 11096-82-5 | PCB 1260 | G 388-58 | 103  | 103           | ppb   | U |

| Cas No    | Analyte             | File ID  | MDL | Concentration | Units | Q |
|-----------|---------------------|----------|-----|---------------|-------|---|
| 877-09-8  | Tetrachlorobiphenyl | G 388-58 | 157 | 157           | ppb   | U |
| 2051-24-3 | Decachlorobiphenyl  | G 388-58 | 103 | 103           | ppb   | U |

**Sample: M1951-7**

Client Sample ID: 90-07 9th Fl SW Office 9208 Book Shelf

Collected: 10/13/2001

Matrix: Solid

Type: Grab

Remarks:

Analyzed Date: 10/23/2001

| Cas No     | Analyte  | File ID  | MDL  | Concentration | Units | Q |
|------------|----------|----------|------|---------------|-------|---|
| 12674-11-2 | PCB 1016 | G 388-59 | 14.8 | 14.8          | ppb   | U |
| 11104-28-2 | PCB 1221 | G 388-59 | 69.6 | 69.6          | ppb   | U |
| 11141-16-5 | PCB 1232 | G 388-59 | 15.4 | 15.4          | ppb   | U |
| 53469-21-9 | PCB 1242 | G 388-59 | 11.6 | 11.6          | ppb   | U |
| 12672-29-6 | PCB 1248 | G 388-59 | 26.1 | 26.1          | ppb   | U |
| 11097-69-1 | PCB 1254 | G 388-59 | 39.5 | 421           | ppb   |   |
| 11096-82-5 | PCB 1260 | G 388-59 | 45.4 | 45.4          | ppb   | U |

| Cas No    | Analyte             | File ID  | MDL | Concentration | Units | Q |
|-----------|---------------------|----------|-----|---------------|-------|---|
| 877-09-8  | Tetrachlorobiphenyl | G 388-59 | 157 | 157           | ppb   | U |
| 2051-24-3 | Decachlorobiphenyl  | G 388-59 | 103 | 103           | ppb   | U |



- M1951 -

Page 13 of 18

**Environmental Testing Laboratories, Inc.**

208 Route 109, Farmingdale NY 11735  
 Phone - 631-249-1456 Fax - 631-249-8344

10/26/2001

**PCB (Aroclor) Compounds - EPA 8082/608****Sample: M1951-2**

Client Sample ID: 90-02 12th Fl SW/S Office 12193 Desk Top

Collected: 10/13/2001

Matrix: Solid

Type: Grab

Remarks:

Analyzed Date: 10/23/2001

| Cas No     | Analyte  | File ID  | MDL  | Concentration | Units | Q |
|------------|----------|----------|------|---------------|-------|---|
| 12674-11-2 | PCB 1016 | G 388-56 | 40.0 | 40.0          | ppb   | U |
| 11104-28-2 | PCB 1221 | G 388-56 | 188  | 188           | ppb   | U |
| 11141-16-5 | PCB 1232 | G 388-56 | 41.8 | 41.8          | ppb   | U |
| 53469-21-9 | PCB 1242 | G 388-56 | 31.4 | 31.4          | ppb   | U |
| 12672-29-6 | PCB 1248 | G 388-56 | 70.6 | 70.6          | ppb   | U |
| 11097-69-1 | PCB 1254 | G 388-56 | 107  | 107           | ppb   | U |
| 11096-82-5 | PCB 1260 | G 388-56 | 123  | 123           | ppb   | U |

| Cas No    | Analyte             | File ID  | MDL | Concentration | Units | Q |
|-----------|---------------------|----------|-----|---------------|-------|---|
| 877-09-8  | TetraChloroBiphenyl | G 388-56 | 100 | 100           | ppb   | U |
| 2051-24-3 | Decachlorobiphenyl  | G 388-56 | 100 | 100           | ppb   | U |

**Sample: M1951-3**

Client Sample ID: 90-03 11th Fl SW/S Office 11201 Conf Table

Collected: 10/13/2001

Matrix: Solid

Type: Grab

Remarks:

Analyzed Date: 10/23/2001

| Cas No     | Analyte  | File ID  | MDL  | Concentration | Units | Q |
|------------|----------|----------|------|---------------|-------|---|
| 12674-11-2 | PCB 1016 | G 388-57 | 47.4 | 47.4          | ppb   | U |
| 11104-28-2 | PCB 1221 | G 388-57 | 223  | 223           | ppb   | U |
| 11141-16-5 | PCB 1232 | G 388-57 | 49.5 | 49.5          | ppb   | U |
| 53469-21-9 | PCB 1242 | G 388-57 | 37.2 | 37.2          | ppb   | U |
| 12672-29-6 | PCB 1248 | G 388-57 | 83.7 | 83.7          | ppb   | U |
| 11097-69-1 | PCB 1254 | G 388-57 | 127  | 874           | ppb   |   |
| 11096-82-5 | PCB 1260 | G 388-57 | 146  | 146           | ppb   | U |

| Cas No    | Analyte             | File ID  | MDL | Concentration | Units | Q |
|-----------|---------------------|----------|-----|---------------|-------|---|
| 877-09-8  | TetraChloroBiphenyl | G 388-57 | 100 | 100           | ppb   | U |
| 2051-24-3 | Decachlorobiphenyl  | G 388-57 | 100 | 100           | ppb   | U |



- M1951 -

Page 12 of 18

**Environmental Testing Laboratories, Inc.**

208 Route 109, Farmingdale NY 11735

Phone - 631-249-1456 Fax - 631-249-8344

12m

10/26/2001

**Polychlorinated Biphenyls (PCB) in Wipes****Sample: M1951-1**

Client Sample ID: 90-01 12th Fl E/S Cubicle 12079 File Cabinet

Collected: 10/13/2001

Matrix: Wipe

Type: Grab

Remarks:

Analyzed Date: 10/19/2001

| Cas No     | Analyte  | File ID  | MDL   | Concentration | Units   | Q |
|------------|----------|----------|-------|---------------|---------|---|
| 12674-11-2 | PCB 1016 | G 386-19 | 0.080 | 0.080         | ug/Wipe | U |
| 11104-28-2 | PCB 1221 | G 386-19 | 0.030 | 0.030         | ug/Wipe | U |
| 11141-16-5 | PCB 1232 | G 386-19 | 0.11  | 0.11          | ug/Wipe | U |
| 53469-21-9 | PCB 1242 | G 386-19 | 0.020 | 0.020         | ug/Wipe | U |
| 12672-29-6 | PCB 1248 | G 386-19 | 0.090 | 0.090         | ug/Wipe | U |
| 11097-69-1 | PCB 1254 | G 386-19 | 0.040 | 0.085         | ug/Wipe |   |
| 11096-82-5 | PCB 1260 | G 386-19 | 0.080 | 0.080         | ug/Wipe | U |

| Cas No     | Analyte  | File ID  | MDL   | Concentration | Units   | Q |
|------------|----------|----------|-------|---------------|---------|---|
| 12674-11-2 | PCB 1016 | G 386-19 | 0.080 | 0.080         | ug/Wipe | U |
| 11104-28-2 | PCB 1221 | G 386-19 | 0.030 | 0.030         | ug/Wipe | U |
| 11141-16-5 | PCB 1232 | G 386-19 | 0.11  | 0.11          | ug/Wipe | U |
| 53469-21-9 | PCB 1242 | G 386-19 | 0.020 | 0.020         | ug/Wipe | U |
| 12672-29-6 | PCB 1248 | G 386-19 | 0.090 | 0.090         | ug/Wipe | U |
| 11097-69-1 | PCB 1254 | G 386-19 | 0.040 | 0.085         | ug/Wipe |   |
| 11096-82-5 | PCB 1260 | G 386-19 | 0.080 | 0.080         | ug/Wipe | U |

**Sample: M1951-4**

Client Sample ID: 90-04 11th Fl NE/S Cubicle 11326 File Cabinet

Collected: 10/13/2001

Matrix: Wipe

Type: Grab

Remarks:

Analyzed Date: 10/19/2001

| Cas No     | Analyte  | File ID  | MDL   | Concentration | Units   | Q |
|------------|----------|----------|-------|---------------|---------|---|
| 12674-11-2 | PCB 1016 | G 386-20 | 0.080 | 0.080         | ug/Wipe | U |
| 11104-28-2 | PCB 1221 | G 386-20 | 0.030 | 0.030         | ug/Wipe | U |
| 11141-16-5 | PCB 1232 | G 386-20 | 0.11  | 0.11          | ug/Wipe | U |
| 53469-21-9 | PCB 1242 | G 386-20 | 0.020 | 0.020         | ug/Wipe | U |
| 12672-29-6 | PCB 1248 | G 386-20 | 0.090 | 0.090         | ug/Wipe | U |
| 11097-69-1 | PCB 1254 | G 386-20 | 0.040 | 0.044         | ug/Wipe |   |
| 11096-82-5 | PCB 1260 | G 386-20 | 0.080 | 0.080         | ug/Wipe | U |

| Cas No     | Analyte  | File ID  | MDL   | Concentration | Units   | Q |
|------------|----------|----------|-------|---------------|---------|---|
| 12674-11-2 | PCB 1016 | G 386-20 | 0.080 | 0.080         | ug/Wipe | U |
| 11104-28-2 | PCB 1221 | G 386-20 | 0.030 | 0.030         | ug/Wipe | U |
| 11141-16-5 | PCB 1232 | G 386-20 | 0.11  | 0.11          | ug/Wipe | U |
| 53469-21-9 | PCB 1242 | G 386-20 | 0.020 | 0.020         | ug/Wipe | U |
| 12672-29-6 | PCB 1248 | G 386-20 | 0.090 | 0.090         | ug/Wipe | U |
| 11097-69-1 | PCB 1254 | G 386-20 | 0.040 | 0.044         | ug/Wipe |   |
| 11096-82-5 | PCB 1260 | G 386-20 | 0.080 | 0.080         | ug/Wipe | U |



- M1951 -

Page 15 of 18