

DRAFT

Inter-Agency Environmental Sampling Log

10/31/2001, Isom1027a, Page: 1 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1_NORTH_SOUTH_STREET_OR_AVENUE	2_NORTH_SOUTH_STREET_OR_AVENUE	1_EAST_WEST_STREET	2_EAST_WEST_STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE_DETECTION_LIMIT	RESULTS_CONCENTRATION	UNIT	ANALYSIS_TIME_STANDARD METHOD
		PM 2.5		NYSDEC		10/27/2001	0		PS 274	Roof top					Ambient Air	1 hour		6.93 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	1		PS 274	Roof top					Ambient Air	1 hour		6.97 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	2		PS 274	Roof top					Ambient Air	1 hour		7.45 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	3		PS 274	Roof top					Ambient Air	1 hour		6.84 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	4		PS 274	Roof top					Ambient Air	1 hour		8.58 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	5		PS 274	Roof top					Ambient Air	1 hour		7.40 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	6		PS 274	Roof top					Ambient Air	1 hour		7.46 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	7		PS 274	Roof top					Ambient Air	1 hour		8.56 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	8		PS 274	Roof top					Ambient Air	1 hour		8.92 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	9		PS 274	Roof top					Ambient Air	1 hour		7.44 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	10		PS 274	Roof top					Ambient Air	1 hour		5.78 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	11		PS 274	Roof top					Ambient Air	1 hour		4.83 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	12		PS 274	Roof top					Ambient Air	1 hour		4.49 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	13		PS 274	Roof top					Ambient Air	1 hour		4.24 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	14		PS 274	Roof top					Ambient Air	1 hour		5.17 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	15		PS 274	Roof top					Ambient Air	1 hour		5.07 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	16		PS 274	Roof top					Ambient Air	1 hour		6.11 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	17		PS 274	Roof top					Ambient Air	1 hour		5.17 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	18		PS 274	Roof top					Ambient Air	1 hour		6.00 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	19		PS 274	Roof top					Ambient Air	1 hour		5.55 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	20		PS 274	Roof top					Ambient Air	1 hour		5.56 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	21		PS 274	Roof top					Ambient Air	1 hour		6.02 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	22		PS 274	Roof top					Ambient Air	1 hour		5.16 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	23		PS 274	Roof top					Ambient Air	1 hour		4.80 ug/m3		
		PM 2.5		NYSDEC		10/27/2001				Roof top					Ambient Air	24 hour/ave		ug/m3		24 Hr Avg
									PS 274 Daily Average									6.19		
		PM 2.5		NYSDEC		10/27/2001	0		PS 64	Roof top					Ambient Air	1 hour		7.54 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	1		PS 64	Roof top					Ambient Air	1 hour		7.35 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	2		PS 64	Roof top					Ambient Air	1 hour		7.61 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	3		PS 64	Roof top					Ambient Air	1 hour		6.83 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	4		PS 64	Roof top					Ambient Air	1 hour		8.58 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	5		PS 64	Roof top					Ambient Air	1 hour		7.70 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	6		PS 64	Roof top					Ambient Air	1 hour		13.33 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	7		PS 64	Roof top					Ambient Air	1 hour		13.51 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	8		PS 64	Roof top					Ambient Air	1 hour		22.61 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	9		PS 64	Roof top					Ambient Air	1 hour		13.61 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	10		PS 64	Roof top					Ambient Air	1 hour		6.81 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	11		PS 64	Roof top					Ambient Air	1 hour		5.65 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	12		PS 64	Roof top					Ambient Air	1 hour		5.64 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	13		PS 64	Roof top					Ambient Air	1 hour		5.28 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	14		PS 64	Roof top					Ambient Air	1 hour		6.73 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	15		PS 64	Roof top					Ambient Air	1 hour		5.61 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	16		PS 64	Roof top					Ambient Air	1 hour		7.79 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	17		PS 64	Roof top					Ambient Air	1 hour		6.57 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	18		PS 64	Roof top					Ambient Air	1 hour		8.06 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	19		PS 64	Roof top					Ambient Air	1 hour		9.31 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	20		PS 64	Roof top					Ambient Air	1 hour		8.58 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	21		PS 64	Roof top					Ambient Air	1 hour		17.82 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	22		PS 64	Roof top					Ambient Air	1 hour		9.33 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	23		PS 64	Roof top					Ambient Air	1 hour		8.38 ug/m3		
		PM 2.5		NYSDEC		10/27/2001				Roof top					Ambient Air	24 hour/ave		ug/m3		24 Hr Avg
									PS 64 Daily Average									9.18		
		PM 2.5		NYSDEC		10/27/2001	0		Fresh Kills Met	Roof top					Ambient Air	1 hour		6.07 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	1		Fresh Kills Met	Roof top					Ambient Air	1 hour		5.73 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	2		Fresh Kills Met	Roof top					Ambient Air	1 hour		6.31 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	3		Fresh Kills Met	Roof top					Ambient Air	1 hour		5.04 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	4		Fresh Kills Met	Roof top					Ambient Air	1 hour		5.87 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	5		Fresh Kills Met	Roof top					Ambient Air	1 hour		6.20 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	6		Fresh Kills Met	Roof top					Ambient Air	1 hour		5.71 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	7		Fresh Kills Met	Roof top					Ambient Air	1 hour		5.85 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	8		Fresh Kills Met	Roof top					Ambient Air	1 hour		6.91 ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000021604

DRAFT

Inter-Agency Environmental Sampling Log

10/31/2001, team1027a, Page: 2 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1_NORTH_SOUTH_STREET_OR_AVENUE	2_NORTH_SOUTH_STREET_OR_AVENUE	3_EAST_WEST_CROSS_STREET	4_EAST_WEST_CROSS_STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE	RESULTS	CONCENTRATION	UNIT	ANALYSIS_METHOD	STANDARD
		PM 2.5		NYSDEC		10/27/2001		9	Fresh Kills Met	Roof top					Ambient Air	1 hour		5.89	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		10	Fresh Kills Met	Roof top					Ambient Air	1 hour		4.61	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		11	Fresh Kills Met	Roof top					Ambient Air	1 hour		3.35	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		12	Fresh Kills Met	Roof top					Ambient Air	1 hour		3.87	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		13	Fresh Kills Met	Roof top					Ambient Air	1 hour		3.65	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		14	Fresh Kills Met	Roof top					Ambient Air	1 hour		1.51	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		15	Fresh Kills Met	Roof top					Ambient Air	1 hour		3.07	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		16	Fresh Kills Met	Roof top					Ambient Air	1 hour		4.14	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		17	Fresh Kills Met	Roof top					Ambient Air	1 hour		4.70	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		18	Fresh Kills Met	Roof top					Ambient Air	1 hour		3.70	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		19	Fresh Kills Met	Roof top					Ambient Air	1 hour		5.62	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		20	Fresh Kills Met	Roof top					Ambient Air	1 hour		4.03	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		21	Fresh Kills Met	Roof top					Ambient Air	1 hour		3.44	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		22	Fresh Kills Met	Roof top					Ambient Air	1 hour		3.16	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		23	Fresh Kills Met	Roof top					Ambient Air	1 hour		3.45	ug/m3			
		PM 2.5		NYSDEC		10/27/2001			Fresh Kills Daily Average	Roof top					Ambient Air	24 hour/ave		4.66	ug/m3			24 Hr Avg
		PM 2.5		NYSDEC		10/27/2001		0	PS 44	Roof top					Ambient Air	1 hour		6.06	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		1	PS 44	Roof top					Ambient Air	1 hour		6.46	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		2	PS 44	Roof top					Ambient Air	1 hour		6.61	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		3	PS 44	Roof top					Ambient Air	1 hour		5.59	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		4	PS 44	Roof top					Ambient Air	1 hour		6.50	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		5	PS 44	Roof top					Ambient Air	1 hour		6.83	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		6	PS 44	Roof top					Ambient Air	1 hour		7.07	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		7	PS 44	Roof top					Ambient Air	1 hour		7.51	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		8	PS 44	Roof top					Ambient Air	1 hour		7.99	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		9	PS 44	Roof top					Ambient Air	1 hour		5.55	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		10	PS 44	Roof top					Ambient Air	1 hour		3.79	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		11	PS 44	Roof top					Ambient Air	1 hour		3.12	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		12	PS 44	Roof top					Ambient Air	1 hour		3.34	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		13	PS 44	Roof top					Ambient Air	1 hour		3.95	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		14	PS 44	Roof top					Ambient Air	1 hour		3.11	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		15	PS 44	Roof top					Ambient Air	1 hour		3.76	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		16	PS 44	Roof top					Ambient Air	1 hour		5.02	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		17	PS 44	Roof top					Ambient Air	1 hour		4.76	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		18	PS 44	Roof top					Ambient Air	1 hour		5.13	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		19	PS 44	Roof top					Ambient Air	1 hour		5.16	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		20	PS 44	Roof top					Ambient Air	1 hour		3.85	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		21	PS 44	Roof top					Ambient Air	1 hour		4.28	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		22	PS 44	Roof top					Ambient Air	1 hour		3.45	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		23	PS 44	Roof top					Ambient Air	1 hour		4.57	ug/m3			
		PM 2.5		NYSDEC		10/27/2001			PS44 Daily Average	Roof top					Ambient Air	24 hour/ave		5.14	ug/m3			24 Hr Avg
		PM 2.5		NYSDEC		10/27/2001		0	IS 74	Roof top					Ambient Air	1 hour		6.19	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		1	IS 74	Roof top					Ambient Air	1 hour		7.87	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		2	IS 74	Roof top					Ambient Air	1 hour		5.70	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		3	IS 74	Roof top					Ambient Air	1 hour		6.43	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		4	IS 74	Roof top					Ambient Air	1 hour		7.26	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		5	IS 74	Roof top					Ambient Air	1 hour		6.56	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		6	IS 74	Roof top					Ambient Air	1 hour		8.87	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		7	IS 74	Roof top					Ambient Air	1 hour		7.13	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		8	IS 74	Roof top					Ambient Air	1 hour		10.36	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		9	IS 74	Roof top					Ambient Air	1 hour		6.09	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		10	IS 74	Roof top					Ambient Air	1 hour		6.93	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		11	IS 74	Roof top					Ambient Air	1 hour		6.86	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		12	IS 74	Roof top					Ambient Air	1 hour		4.11	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		13	IS 74	Roof top					Ambient Air	1 hour		5.28	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		14	IS 74	Roof top					Ambient Air	1 hour		5.03	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		15	IS 74	Roof top					Ambient Air	1 hour		3.98	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		16	IS 74	Roof top					Ambient Air	1 hour		5.16	ug/m3			
		PM 2.5		NYSDEC		10/27/2001		17	IS 74	Roof top					Ambient Air	1 hour		4.11	ug/m3			

CITY_DEP_WORBY_CANNATA_SUBP_000021605

DRAFT

Inter-Agency Environmental Sampling Log

10/31/2001, team1027a, Page: 3 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1. NORTH SOUTH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	3. EAST WEST STREET	4. EAST WEST STREET	TEST METHOD	SAMPLE DURATION	DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS TIME STANDARD METHOD
		PM 2.5		NYSDEC		10/27/2001	18	IS 74		Roof top					Ambient Air	1 hour		4.79 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	19	IS 74		Roof top					Ambient Air	1 hour		4.91 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	20	IS 74		Roof top					Ambient Air	1 hour		7.60 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	21	IS 74		Roof top					Ambient Air	1 hour		6.33 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	22	IS 74		Roof top					Ambient Air	1 hour		6.56 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	23	IS 74		Roof top					Ambient Air	1 hour		5.18 ug/m3		
		PM 2.5		NYSDEC		10/27/2001		IS 74 Daily Average		Roof top					Ambient Air	24 hour/ave		6.39 ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		10/27/2001	0	PS 154		Roof top					Ambient Air	1 hour		6.98 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	1	PS 154		Roof top					Ambient Air	1 hour		6.93 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	2	PS 154		Roof top					Ambient Air	1 hour		6.92 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	3	PS 154		Roof top					Ambient Air	1 hour		7.01 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	4	PS 154		Roof top					Ambient Air	1 hour		7.14 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	5	PS 154		Roof top					Ambient Air	1 hour		7.79 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	6	PS 154		Roof top					Ambient Air	1 hour		7.63 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	7	PS 154		Roof top					Ambient Air	1 hour		7.95 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	8	PS 154		Roof top					Ambient Air	1 hour		7.45 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	9	PS 154		Roof top					Ambient Air	1 hour		5.64 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	10	PS 154		Roof top					Ambient Air	1 hour		4.88 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	11	PS 154		Roof top					Ambient Air	1 hour		5.61 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	12	PS 154		Roof top					Ambient Air	1 hour		4.11 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	13	PS 154		Roof top					Ambient Air	1 hour		4.42 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	14	PS 154		Roof top					Ambient Air	1 hour		6.53 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	15	PS 154		Roof top					Ambient Air	1 hour		6.71 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	16	PS 154		Roof top					Ambient Air	1 hour		6.39 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	17	PS 154		Roof top					Ambient Air	1 hour		6.46 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	18	PS 154		Roof top					Ambient Air	1 hour		6.38 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	19	PS 154		Roof top					Ambient Air	1 hour		6.60 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	20	PS 154		Roof top					Ambient Air	1 hour		6.89 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	21	PS 154		Roof top					Ambient Air	1 hour		5.70 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	22	PS 154		Roof top					Ambient Air	1 hour		5.60 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	23	PS 154		Roof top					Ambient Air	1 hour		4.52 ug/m3		
		PM 2.5		NYSDEC		10/27/2001		PS 154 Daily Average		Roof top					Ambient Air	24 hour/ave		6.34 ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		10/27/2001	0	Maspeth Library		Roof top					Ambient Air	1 hour		7.25 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	1	Maspeth Library		Roof top					Ambient Air	1 hour		7.17 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	2	Maspeth Library		Roof top					Ambient Air	1 hour		7.73 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	3	Maspeth Library		Roof top					Ambient Air	1 hour		7.07 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	4	Maspeth Library		Roof top					Ambient Air	1 hour		7.40 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	5	Maspeth Library		Roof top					Ambient Air	1 hour		7.87 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	6	Maspeth Library		Roof top					Ambient Air	1 hour		8.60 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	7	Maspeth Library		Roof top					Ambient Air	1 hour		9.41 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	8	Maspeth Library		Roof top					Ambient Air	1 hour		9.33 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	9	Maspeth Library		Roof top					Ambient Air	1 hour		7.98 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	10	Maspeth Library		Roof top					Ambient Air	1 hour		7.55 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	11	Maspeth Library		Roof top					Ambient Air	1 hour		5.36 ug/m3		
		PM 2.5		NYSDEC		10/27/2001	12	Maspeth Library		Roof top					Ambient Air	1 hour		8.58 ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000021606

DRAFT

Inter-Agency Environmental Sampling Log

10/31/2001, team1027a, Page: 4 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1. NORTH SOUTH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	3. EAST WEST STREET	4. EAST WEST STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE DETECTION LIMIT	RESULTS_CONCENTRATION	UNIT	ANALYSIS_TIME_STANDARD METHOD
		PM 2.5		NYSDEC		10/27/2001		13	Maspeth Library	Roof top					Ambient Air	1 hour		9.61	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		14	Maspeth Library	Roof top					Ambient Air	1 hour		13.34	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		15	Maspeth Library	Roof top					Ambient Air	1 hour		8.18	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		16	Maspeth Library	Roof top					Ambient Air	1 hour		9.36	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		17	Maspeth Library	Roof top					Ambient Air	1 hour		12.39	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		18	Maspeth Library	Roof top					Ambient Air	1 hour		15.10	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		19	Maspeth Library	Roof top					Ambient Air	1 hour		19.82	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		20	Maspeth Library	Roof top					Ambient Air	1 hour		17.00	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		21	Maspeth Library	Roof top					Ambient Air	1 hour		12.70	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		22	Maspeth Library	Roof top					Ambient Air	1 hour		5.46	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		23	Maspeth Library	Roof top					Ambient Air	1 hour		3.81	ug/m3	
									Maspeth Library Daily Average	Roof top					Ambient Air	24 hours/ave		9.50		24 Hr Avg
		PM 2.5		NYSDEC		10/27/2001		0	Manhattenville P.O.	Roof top					Ambient Air	1 hour		5.94	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		1	Manhattenville P.O.	Roof top					Ambient Air	1 hour		6.34	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		2	Manhattenville P.O.	Roof top					Ambient Air	1 hour		5.71	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		3	Manhattenville P.O.	Roof top					Ambient Air	1 hour		5.50	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		4	Manhattenville P.O.	Roof top					Ambient Air	1 hour		6.46	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		5	Manhattenville P.O.	Roof top					Ambient Air	1 hour		6.24	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		6	Manhattenville P.O.	Roof top					Ambient Air	1 hour		6.49	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		7	Manhattenville P.O.	Roof top					Ambient Air	1 hour		5.82	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		8	Manhattenville P.O.	Roof top					Ambient Air	1 hour		6.61	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		9	Manhattenville P.O.	Roof top					Ambient Air	1 hour		2.92	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		10	Manhattenville P.O.	Roof top					Ambient Air	1 hour		4.27	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		11	Manhattenville P.O.	Roof top					Ambient Air	1 hour		4.64	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		12	Manhattenville P.O.	Roof top					Ambient Air	1 hour		3.10	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		13	Manhattenville P.O.	Roof top					Ambient Air	1 hour		3.47	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		14	Manhattenville P.O.	Roof top					Ambient Air	1 hour		4.40	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		15	Manhattenville P.O.	Roof top					Ambient Air	1 hour		5.13	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		16	Manhattenville P.O.	Roof top					Ambient Air	1 hour		4.65	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		17	Manhattenville P.O.	Roof top					Ambient Air	1 hour		4.88	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		18	Manhattenville P.O.	Roof top					Ambient Air	1 hour		4.50	ug/m3	
		PM 2.5		NYSDEC		10/27/2001		19	Manhattenville P.O.	Roof top					Ambient Air	1 hour		5.72	ug/m3	

CITY_DEP_WORBY_CANNATA_SUBP_000021607

DRAFT

Inter-Agency Environmental Sampling Log

10/31/2001, team1027a, Page: 5 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILD_FLOOR	1_NORTH_SOUTH_STREET_OR_AVENUE	2_NORTH_SOUTH_STREET_OR_AVENUE	1_EAST_WEST_CROSS_STREET	2_EAST_WEST_CROSS_STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE_DETECTION_LIMIT	RESULTS_CONCENTRATION	UNIT	ANALYSIS_METHOD	TIME_STANDARD
		PM 2.5		NYSDEC		10/27/2001		20	Manhattenville P.O.	Roof top					Ambient Air	1 hour		4.81	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		21	Manhattenville P.O.	Roof top					Ambient Air	1 hour		4.36	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		22	Manhattenville P.O.	Roof top					Ambient Air	1 hour		4.28	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		23	Manhattenville P.O.	Roof top					Ambient Air	1 hour		4.15	ug/m3		
		PM 2.5		NYSDEC		10/27/2001			Manhattenville P.O. Daily Average	Roof top					Ambient Air	24 hour		5.02	ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		10/27/2001		0	PS 199	Roof top					Ambient Air	1 hour		6.80	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		1	PS 199	Roof top					Ambient Air	1 hour		6.70	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		2	PS 199	Roof top					Ambient Air	1 hour		7.38	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		3	PS 199	Roof top					Ambient Air	1 hour		6.59	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		4	PS 199	Roof top					Ambient Air	1 hour		6.35	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		5	PS 199	Roof top					Ambient Air	1 hour		7.10	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		6	PS 199	Roof top					Ambient Air	1 hour		8.04	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		7	PS 199	Roof top					Ambient Air	1 hour		12.92	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		8	PS 199	Roof top					Ambient Air	1 hour		12.48	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		9	PS 199	Roof top					Ambient Air	1 hour		6.75	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		10	PS 199	Roof top					Ambient Air	1 hour		5.70	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		11	PS 199	Roof top					Ambient Air	1 hour		4.16	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		12	PS 199	Roof top					Ambient Air	1 hour		3.67	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		13	PS 199	Roof top					Ambient Air	1 hour		4.05	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		14	PS 199	Roof top					Ambient Air	1 hour		5.24	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		15	PS 199	Roof top					Ambient Air	1 hour		3.58	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		16	PS 199	Roof top					Ambient Air	1 hour		8.64	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		17	PS 199	Roof top					Ambient Air	1 hour		5.92	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		18	PS 199	Roof top					Ambient Air	1 hour		8.06	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		19	PS 199	Roof top					Ambient Air	1 hour		6.92	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		20	PS 199	Roof top					Ambient Air	1 hour		5.13	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		21	PS 199	Roof top					Ambient Air	1 hour		6.83	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		22	PS 199	Roof top					Ambient Air	1 hour		6.02	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		23	PS 199	Roof top					Ambient Air	1 hour		4.97	ug/m3		
									PS 199 Daily Average	Roof top					Ambient Air	24 hour		6.50	ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		10/27/2001		0	IS 143	Roof top					Ambient Air	1 hour		9.44	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		1	IS 143	Roof top					Ambient Air	1 hour		9.09	ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000021608

DRAFT

Inter-Agency Environmental Sampling Log

10/31/2001, team1027a, Page: 6 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILD_FLOOR	1_NORTH_SOUTH_STREET_OR_AVENUE	2_NORTH_SOUTH_STREET_OR_AVENUE	1_EAST_WEST_CROSS_STREET	2_EAST_WEST_CROSS_STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE	RESULTS_CONCENTRATION	UNIT	ANALYSIS_METHOD	TIME_STANDARD
		PM 2.5		NYSDEC		10/27/2001		2	IS 143	Roof top					Ambient Air	1 hour		8.39	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		3	IS 143	Roof top					Ambient Air	1 hour		8.75	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		4	IS 143	Roof top					Ambient Air	1 hour		7.73	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		5	IS 143	Roof top					Ambient Air	1 hour		12.05	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		6	IS 143	Roof top					Ambient Air	1 hour		12.33	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		7	IS 143	Roof top					Ambient Air	1 hour		13.42	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		8	IS 143	Roof top					Ambient Air	1 hour		13.33	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		9	IS 143	Roof top					Ambient Air	1 hour			ug/m3		
		PM 2.5		NYSDEC		10/27/2001		10	IS 143	Roof top					Ambient Air	1 hour		4.88	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		11	IS 143	Roof top					Ambient Air	1 hour		5.72	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		12	IS 143	Roof top					Ambient Air	1 hour		5.38	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		13	IS 143	Roof top					Ambient Air	1 hour		6.87	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		14	IS 143	Roof top					Ambient Air	1 hour		4.94	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		15	IS 143	Roof top					Ambient Air	1 hour		6.65	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		16	IS 143	Roof top					Ambient Air	1 hour		13.67	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		17	IS 143	Roof top					Ambient Air	1 hour		6.12	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		18	IS 143	Roof top					Ambient Air	1 hour		5.13	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		19	IS 143	Roof top					Ambient Air	1 hour		6.07	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		20	IS 143	Roof top					Ambient Air	1 hour		6.49	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		21	IS 143	Roof top					Ambient Air	1 hour		6.27	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		22	IS 143	Roof top					Ambient Air	1 hour		6.29	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		23	IS 143	Roof top					Ambient Air	1 hour		4.99	ug/m3		
									IS 143 Daily Average	Roof top					Ambient Air	24 hour		8.00	ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		10/27/2001		0	Kew Gardens	Roof top					Ambient Air	1 hour		6.94	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		1	Kew Gardens	Roof top					Ambient Air	1 hour		6.98	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		2	Kew Gardens	Roof top					Ambient Air	1 hour		7.16	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		3	Kew Gardens	Roof top					Ambient Air	1 hour		6.99	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		4	Kew Gardens	Roof top					Ambient Air	1 hour		6.67	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		5	Kew Gardens	Roof top					Ambient Air	1 hour		7.37	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		6	Kew Gardens	Roof top					Ambient Air	1 hour		7.11	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		7	Kew Gardens	Roof top					Ambient Air	1 hour		7.49	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		8	Kew Gardens	Roof top					Ambient Air	1 hour		8.25	ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000021609

CITY_DEP_WORBY_CANNATA_SUBP_000021610

DRAFT

Inter-Agency Environmental Sampling Log

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START TIME SAMPLED	COUNTY	SITE_NAME OR ADDRESS	BUILDING FLOOR	1. NORTH_SOUTH_STREET OR AVENUE	2. NORTH_SOUTH_STREET OR AVENUE	3. EAST_WEST_CROSS STREET	4. EAST_WEST_CROSS STREET	TEST METHOD	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS TIME	STANDARD METHOD
		PM 2.5		NYSDEC		10/27/2001		9	Kew Gardens	Roof top					Ambient Air	1 hour		5.74	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		10	Kew Gardens	Roof top					Ambient Air	1 hour		5.39	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		11	Kew Gardens	Roof top					Ambient Air	1 hour		4.51	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		12	Kew Gardens	Roof top					Ambient Air	1 hour		4.24	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		13	Kew Gardens	Roof top					Ambient Air	1 hour		4.04	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		14	Kew Gardens	Roof top					Ambient Air	1 hour		4.79	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		15	Kew Gardens	Roof top					Ambient Air	1 hour		4.80	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		16	Kew Gardens	Roof top					Ambient Air	1 hour		5.69	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		17	Kew Gardens	Roof top					Ambient Air	1 hour		6.09	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		18	Kew Gardens	Roof top					Ambient Air	1 hour		5.05	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		19	Kew Gardens	Roof top					Ambient Air	1 hour		5.89	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		20	Kew Gardens	Roof top					Ambient Air	1 hour		4.91	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		21	Kew Gardens	Roof top					Ambient Air	1 hour		5.09	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		22	Kew Gardens	Roof top					Ambient Air	1 hour		5.11	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		23	Kew Gardens	Roof top					Ambient Air	1 hour		5.13	ug/m3		
		PM 2.5		NYSDEC		10/27/2001			Kew Gardens Daily Average	Roof top					Ambient Air	24 hour		5.93	ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		10/27/2001		0	IS 52	Roof top					Ambient Air	1 hour		6.13	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		1	IS 52	Roof top					Ambient Air	1 hour		6.85	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		2	IS 52	Roof top					Ambient Air	1 hour		6.57	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		3	IS 52	Roof top					Ambient Air	1 hour		6.94	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		4	IS 52	Roof top					Ambient Air	1 hour		5.81	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		5	IS 52	Roof top					Ambient Air	1 hour		6.80	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		6	IS 52	Roof top					Ambient Air	1 hour		6.66	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		7	IS 52	Roof top					Ambient Air	1 hour		6.77	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		8	IS 52	Roof top					Ambient Air	1 hour		10.69	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		9	IS 52	Roof top					Ambient Air	1 hour		6.96	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		10	IS 52	Roof top					Ambient Air	1 hour		4.43	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		11	IS 52	Roof top					Ambient Air	1 hour		4.52	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		12	IS 52	Roof top					Ambient Air	1 hour		4.91	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		13	IS 52	Roof top					Ambient Air	1 hour		3.81	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		14	IS 52	Roof top					Ambient Air	1 hour		3.81	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		15	IS 52	Roof top					Ambient Air	1 hour		5.07	ug/m3		

DRAFT

Inter-Agency Environmental Sampling Log

10/31/2001, laom1027a, Page: 8 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME	COUNTY	SITE_NAME OR ADDRESS	BUILDING FLOOR	1_NORTH_SOUTH_STREET OR AVENUE	2_NORTH_SOUTH_STREET OR AVENUE	3_EAST_WEST_CROSS STREET	4_EAST_WEST_CROSS STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE	RESULTS	CONCENTRATION	UNIT	ANALYSIS METHOD	TIME STANDARD
		PM 2.5		NYSDEC		10/27/2001		16	IS 52	Roof top					Ambient Air	1 hour			7.05	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		17	IS 52	Roof top					Ambient Air	1 hour			5.34	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		18	IS 52	Roof top					Ambient Air	1 hour			5.94	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		19	IS 52	Roof top					Ambient Air	1 hour			7.18	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		20	IS 52	Roof top					Ambient Air	1 hour			6.99	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		21	IS 52	Roof top					Ambient Air	1 hour			6.20	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		22	IS 52	Roof top					Ambient Air	1 hour			6.91	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		23	IS 52	Roof top					Ambient Air	1 hour			6.42	ug/m3		
		PM 2.5		NYSDEC		10/27/2001			IS 52 Daily Average	Roof top					Ambient Air	24 hour			6.20	ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		10/27/2001		0	PS 293	Roof top					Ambient Air	1 hour			6.13	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		1	PS 293	Roof top					Ambient Air	1 hour			6.22	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		2	PS 293	Roof top					Ambient Air	1 hour			6.45	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		3	PS 293	Roof top					Ambient Air	1 hour			5.63	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		4	PS 293	Roof top					Ambient Air	1 hour			6.37	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		5	PS 293	Roof top					Ambient Air	1 hour			7.02	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		6	PS 293	Roof top					Ambient Air	1 hour			8.63	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		7	PS 293	Roof top					Ambient Air	1 hour			8.34	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		8	PS 293	Roof top					Ambient Air	1 hour			9.65	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		9	PS 293	Roof top					Ambient Air	1 hour			4.63	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		10	PS 293	Roof top					Ambient Air	1 hour			4.37	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		11	PS 293	Roof top					Ambient Air	1 hour			3.65	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		12	PS 293	Roof top					Ambient Air	1 hour			3.42	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		13	PS 293	Roof top					Ambient Air	1 hour			3.52	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		14	PS 293	Roof top					Ambient Air	1 hour			4.32	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		15	PS 293	Roof top					Ambient Air	1 hour			4.23	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		16	PS 293	Roof top					Ambient Air	1 hour			4.61	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		17	PS 293	Roof top					Ambient Air	1 hour			4.94	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		18	PS 293	Roof top					Ambient Air	1 hour			6.24	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		19	PS 293	Roof top					Ambient Air	1 hour			7.94	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		20	PS 293	Roof top					Ambient Air	1 hour			5.47	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		21	PS 293	Roof top					Ambient Air	1 hour			5.21	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		22	PS 293	Roof top					Ambient Air	1 hour			5.05	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		23	PS 293	Roof top					Ambient Air	1 hour			4.27	ug/m3		
		PM 2.5		NYSDEC		10/27/2001			PS 293 Daily Average	Roof top					Ambient Air	24 hour			5.68	ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		10/27/2001		0	Albany Street	Roof top					Ambient Air	1 hour			7.90	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		1	Albany Street	Roof top					Ambient Air	1 hour			7.92	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		2	Albany Street	Roof top					Ambient Air	1 hour			8.77	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		3	Albany Street	Roof top					Ambient Air	1 hour			7.33	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		4	Albany Street	Roof top					Ambient Air	1 hour			7.96	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		5	Albany Street	Roof top					Ambient Air	1 hour			8.55	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		6	Albany Street	Roof top					Ambient Air	1 hour			9.53	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		7	Albany Street	Roof top					Ambient Air	1 hour			9.55	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		8	Albany Street	Roof top					Ambient Air	1 hour			10.55	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		9	Albany Street	Roof top					Ambient Air	1 hour			7.61	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		10	Albany Street	Roof top					Ambient Air	1 hour			7.44	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		11	Albany Street	Roof top					Ambient Air	1 hour				ug/m3		
		PM 2.5		NYSDEC		10/27/2001		12	Albany Street	Roof top					Ambient Air	1 hour				ug/m3		
		PM 2.5		NYSDEC		10/27/2001		13	Albany Street	Roof top					Ambient Air	1 hour			4.64	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		14	Albany Street	Roof top					Ambient Air	1 hour			7.31	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		15	Albany Street	Roof top					Ambient Air	1 hour			6.20	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		16	Albany Street	Roof top					Ambient Air	1 hour			6.61	ug/m3		
		PM 2.5		NYSDEC		10/27/2001		17	Albany Street	Roof top					Ambient Air	1 hour			6.20	ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000021611

CITY_DEP_WORBY_CANNATA_SUBP_000021612

DRAFT

Inter-Agency Environmental Sampling Log

10/31/2001, team1027a, Page: 9 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1_NORTH_10TH_STREET_OR_AVENUE	2_NORTH_10TH_STREET_OR_AVENUE	1_EAST_10TH_STREET_OR_AVENUE	2_EAST_10TH_STREET_OR_AVENUE	TEST_MEDIUM	SAMPLE_DURATION	CODE	RESULTS	CONCENTRATION	UNIT	ANALYSIS_METHOD	STANDARD
		PM 2.5		NYSDEC		10/27/2001	18		Albany Street	Roof top					Ambient Air	1 hour		6.35	ug/m3			
		PM 2.5		NYSDEC		10/27/2001	19		Albany Street	Roof top					Ambient Air	1 hour		6.51	ug/m3			
		PM 2.5		NYSDEC		10/27/2001	20		Albany Street	Roof top					Ambient Air	1 hour		5.10	ug/m3			
		PM 2.5		NYSDEC		10/27/2001	21		Albany Street	Roof top					Ambient Air	1 hour		6.97	ug/m3			
		PM 2.5		NYSDEC		10/27/2001	22		Albany Street	Roof top					Ambient Air	1 hour		5.83	ug/m3			
		PM 2.5		NYSDEC		10/27/2001	23		Albany Street	Roof top					Ambient Air	1 hour		4.58	ug/m3			
		PM 2.5		NYSDEC		10/27/2001			Albany Street Daily Average	Roof top					Ambient Air	24 hours ave		7.25	ug/m3		24 Hr Avg	

Inter-Agency Environmental Sampling Log

10/31/2001, team1027a, Page: 10 of 18

NYC-WTC_000210883

Inter-Agency Environmental Sampling Log

10/31/2001, Mon1027a, Page: 11 of 18

NYC-WTC 000210884

Inter-Agency Environmental Sampling Log

10/31/2001, team1027a, Page: 12 of 18

NYC-WTC 000210885

Inter-Agency Environmental Sampling Log

10/31/2001, team1027a, Page: 13 of 18

NYC-WTC_000210886

Inter-Agency Environmental Sampling Log

10/31/2001, team1027a, Page: 14 of 18

NYC-WTC_000210887

Inter-Agency Environmental Sampling Log

10/31/2001, team1027a, Page: 15 of 18

NYC-WTC_000210888

CITY_DEP_WORBY_CANNATA_SUBP_000021619

DRAFT											
Inter-Agency Environmental Sampling Log											
UNIQUE_ID	DATE_DOH_REQD_TEST	COMMENTS	PAM_ACTIVITY	ZONE	SampleID	CASRN	END_DATE	END_TIME	SOURCE	LATITUDE	LONGITUDE
	10/27/2001			Distant from zone	709614					1033255.37138	207544.40243
	10/27/2001			Distant from zone	709614					1033255.37138	207544.40243
	10/27/2001			Distant from zone	709614					1033255.37138	207544.40243
	10/27/2001			Distant from zone	709614					1033255.37138	207544.40243
	10/27/2001			Distant from zone	709614					1033255.37138	207544.40243
	10/27/2001			Distant from zone	709614					1033255.37138	207544.40243
	10/27/2001			Distant from zone	709614					1033255.37138	207544.40243
	10/27/2001			Distant from zone	709614					1033255.37138	207544.40243
	10/27/2001			Distant from zone	709614					1033255.37138	207544.40243
	10/27/2001			Distant from zone	709614					1033255.37138	207544.40243
	10/27/2001			Distant from zone	709614					1033255.37138	207544.40243
	10/27/2001			Distant from zone	709614					1033255.37138	207544.40243
	10/27/2001			Distant from zone	709614					1033255.37138	207544.40243
	10/27/2001			Distant from zone	709614					1033255.37138	207544.40243
	10/27/2001			Distant from zone	709614					1033255.37138	207544.40243
	10/27/2001			Distant from zone	709614					1033255.37138	207544.40243
	10/27/2001			Distant from zone	709614					1033255.37138	207544.40243
	10/27/2001			Distant from zone	709614					1033255.37138	207544.40243
	10/27/2001	24 readings, Meets Standards		Distant from zone	709614					1033255.37138	207544.40243
	10/27/2001			Distant from zone	709407					1011426.74203	236498.78856
	10/27/2001			Distant from zone	709407					1011426.74203	236498.78856
	10/27/2001			Distant from zone	709407					1011426.74203	236498.78856
	10/27/2001			Distant from zone	709407					1011426.74203	236498.78856
	10/27/2001			Distant from zone	709407					1011426.74203	236498.78856
	10/27/2001			Distant from zone	709407					1011426.74203	236498.78856
	10/27/2001			Distant from zone	709407					1011426.74203	236498.78856
	10/27/2001			Distant from zone	709407					1011426.74203	236498.78856
	10/27/2001			Distant from zone	709407					1011426.74203	236498.78856
	10/27/2001			Distant from zone	709407					1011426.74203	236498.78856
	10/27/2001			Distant from zone	709407					1011426.74203	236498.78856
	10/27/2001			Distant from zone	709407					1011426.74203	236498.78856
	10/27/2001			Distant from zone	709407					1011426.74203	236498.78856
	10/27/2001			Distant from zone	709407					1011426.74203	236498.78856
	10/27/2001			Distant from zone	709407					1011426.74203	236498.78856
	10/27/2001			Distant from zone	709407					1011426.74203	236498.78856
	10/27/2001			Distant from zone	709407					1011426.74203	236498.78856

Inter-Agency Environmental Sampling Log

NYC-WTC_000210890

[illegible]

DRAFT

Inter-Agency Environmental Sampling Log

10/31/2001, team1027a, Page: 18 of 18

UNIQUE_ID	DATE_DOH_REC_D_TEST	COMMENTS	PAM_ACTIVITY	ZONE	SampleID	CASRN	END_DATE	END_TIME	SOURCE	LATITUDE	LONGITUDE
	10/27/2001			Distant from zone	709544						
	10/27/2001			Distant from zone	709544						
	10/27/2001			Distant from zone	709544						
	10/27/2001			Distant from zone	709544						
	10/27/2001			Distant from zone	709544						
	10/27/2001			Distant from zone	709544						
	10/27/2001	22 readings, Meets Standards		Distant from zone	709544						

CITY_DEP_WORBY_CANNATA_SUBP_000021621