

DRAFT

Inter-Agency Environmental Sampling Log

10/23/2001, team1020a, Page: 1 of 16

UNIQUE DOCUMENT ID	SAMPLE_ID	ANALYTE	SUB ANALYTE	AGENCY	LAB	DATE_SAMPLED	START TIME_SAMP	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING FLOOR	1. NORTH SOUTH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	3. EAST WEST CROSS STREET	4. EAST WEST CROSS STREET	TEST METHOD	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS TIME STANDARD METHOD
		PM2.5		NYSDEC		10/20/2001	0	PS 274	Roof top						Ambient Air	1 hour		7.95 ug/m3		
		PM2.5		NYSDEC		10/20/2001	1	PS 274	Roof top						Ambient Air	1 hour		10.33 ug/m3		
		PM2.5		NYSDEC		10/20/2001	2	PS 274	Roof top						Ambient Air	1 hour		10.27 ug/m3		
		PM2.5		NYSDEC		10/20/2001	3	PS 274	Roof top						Ambient Air	1 hour		10.05 ug/m3		
		PM2.5		NYSDEC		10/20/2001	4	PS 274	Roof top						Ambient Air	1 hour		12.65 ug/m3		
		PM2.5		NYSDEC		10/20/2001	5	PS 274	Roof top						Ambient Air	1 hour		10.49 ug/m3		
		PM2.5		NYSDEC		10/20/2001	6	PS 274	Roof top						Ambient Air	1 hour		15.16 ug/m3		
		PM2.5		NYSDEC		10/20/2001	7	PS 274	Roof top						Ambient Air	1 hour		14.64 ug/m3		
		PM2.5		NYSDEC		10/20/2001	8	PS 274	Roof top						Ambient Air	1 hour		18.79 ug/m3		
		PM2.5		NYSDEC		10/20/2001	9	PS 274	Roof top						Ambient Air	1 hour		23.12 ug/m3		
		PM2.5		NYSDEC		10/20/2001	10	PS 274	Roof top						Ambient Air	1 hour		22.05 ug/m3		
		PM2.5		NYSDEC		10/20/2001	11	PS 274	Roof top						Ambient Air	1 hour		20.36 ug/m3		
		PM2.5		NYSDEC		10/20/2001	12	PS 274	Roof top						Ambient Air	1 hour		20.69 ug/m3		
		PM2.5		NYSDEC		10/20/2001	13	PS 274	Roof top						Ambient Air	1 hour		17.43 ug/m3		
		PM2.5		NYSDEC		10/20/2001	14	PS 274	Roof top						Ambient Air	1 hour		18.54 ug/m3		
		PM2.5		NYSDEC		10/20/2001	15	PS 274	Roof top						Ambient Air	1 hour		19.70 ug/m3		
		PM2.5		NYSDEC		10/20/2001	16	PS 274	Roof top						Ambient Air	1 hour		21.54 ug/m3		
		PM2.5		NYSDEC		10/20/2001	17	PS 274	Roof top						Ambient Air	1 hour		19.37 ug/m3		
		PM2.5		NYSDEC		10/20/2001	18	PS 274	Roof top						Ambient Air	1 hour		23.11 ug/m3		
		PM2.5		NYSDEC		10/20/2001	19	PS 274	Roof top						Ambient Air	1 hour		20.93 ug/m3		
		PM2.5		NYSDEC		10/20/2001	20	PS 274	Roof top						Ambient Air	1 hour		34.03 ug/m3		
		PM2.5		NYSDEC		10/20/2001	21	PS 274	Roof top						Ambient Air	1 hour		41.53 ug/m3		
		PM2.5		NYSDEC		10/20/2001	22	PS 274	Roof top						Ambient Air	1 hour		48.54 ug/m3		
		PM2.5		NYSDEC		10/20/2001	23	PS 274	Roof top						Ambient Air	1 hour		42.81 ug/m3		
								PS 274 Daily Average							Ambient Air	24 hours/ave		21.38 ug/m3		24 Hr Avg
		PM2.5		NYSDEC		10/20/2001	0	PS 64	Roof top						Ambient Air	1 hour		10.22 ug/m3		
		PM2.5		NYSDEC		10/20/2001	1	PS 64	Roof top						Ambient Air	1 hour		11.94 ug/m3		
		PM2.5		NYSDEC		10/20/2001	2	PS 64	Roof top						Ambient Air	1 hour		15.56 ug/m3		
		PM2.5		NYSDEC		10/20/2001	3	PS 64	Roof top						Ambient Air	1 hour		14.59 ug/m3		
		PM2.5		NYSDEC		10/20/2001	4	PS 64	Roof top						Ambient Air	1 hour		14.80 ug/m3		
		PM2.5		NYSDEC		10/20/2001	5	PS 64	Roof top						Ambient Air	1 hour		16.88 ug/m3		
		PM2.5		NYSDEC		10/20/2001	6	PS 64	Roof top						Ambient Air	1 hour		14.26 ug/m3		
		PM2.5		NYSDEC		10/20/2001	7	PS 64	Roof top						Ambient Air	1 hour		16.06 ug/m3		
		PM2.5		NYSDEC		10/20/2001	8	PS 64	Roof top						Ambient Air	1 hour		22.58 ug/m3		
		PM2.5		NYSDEC		10/20/2001	9	PS 64	Roof top						Ambient Air	1 hour		24.03 ug/m3		
		PM2.5		NYSDEC		10/20/2001	10	PS 64	Roof top						Ambient Air	1 hour		21.10 ug/m3		
		PM2.5		NYSDEC		10/20/2001	11	PS 64	Roof top						Ambient Air	1 hour		22.79 ug/m3		
		PM2.5		NYSDEC		10/20/2001	12	PS 64	Roof top						Ambient Air	1 hour		23.00 ug/m3		
		PM2.5		NYSDEC		10/20/2001	13	PS 64	Roof top						Ambient Air	1 hour		18.28 ug/m3		
		PM2.5		NYSDEC		10/20/2001	14	PS 64	Roof top						Ambient Air	1 hour		19.43 ug/m3		
		PM2.5		NYSDEC		10/20/2001	15	PS 64	Roof top						Ambient Air	1 hour		23.52 ug/m3		
		PM2.5		NYSDEC		10/20/2001	16	PS 64	Roof top						Ambient Air	1 hour		23.70 ug/m3		
		PM2.5		NYSDEC		10/20/2001	17	PS 64	Roof top						Ambient Air	1 hour		25.24 ug/m3		
		PM2.5		NYSDEC		10/20/2001	18	PS 64	Roof top						Ambient Air	1 hour		26.55 ug/m3		
		PM2.5		NYSDEC		10/20/2001	19	PS 64	Roof top						Ambient Air	1 hour		29.42 ug/m3		
		PM2.5		NYSDEC		10/20/2001	20	PS 64	Roof top						Ambient Air	1 hour		27.67 ug/m3		
		PM2.5		NYSDEC		10/20/2001	21	PS 64	Roof top						Ambient Air	1 hour		33.17 ug/m3		
		PM2.5		NYSDEC		10/20/2001	22	PS 64	Roof top						Ambient Air	1 hour		38.73 ug/m3		
		PM2.5		NYSDEC		10/20/2001	23	PS 64	Roof top						Ambient Air	1 hour		35.64 ug/m3		
								PS 64 Daily Average							Ambient Air	24 hours/ave		22.05 ug/m3		24 Hr Avg
		PM2.5		NYSDEC		10/20/2001	0	Fresh Kills Met	Roof top						Ambient Air	1 hour		9.99 ug/m3		
		PM2.5		NYSDEC		10/20/2001	1	Fresh Kills Met	Roof top						Ambient Air	1 hour		8.90 ug/m3		
		PM2.5		NYSDEC		10/20/2001	2	Fresh Kills Met	Roof top						Ambient Air	1 hour		10.84 ug/m3		
		PM2.5		NYSDEC		10/20/2001	3	Fresh Kills Met	Roof top						Ambient Air	1 hour		14.17 ug/m3		
		PM2.5		NYSDEC		10/20/2001	4	Fresh Kills Met	Roof top						Ambient Air	1 hour		12.68 ug/m3		
		PM2.5		NYSDEC		10/20/2001	5	Fresh Kills Met	Roof top						Ambient Air	1 hour		11.94 ug/m3		
		PM2.5		NYSDEC		10/20/2001	6	Fresh Kills Met	Roof top						Ambient Air	1 hour		20.85 ug/m3		
		PM2.5		NYSDEC		10/20/2001	7	Fresh Kills Met	Roof top						Ambient Air	1 hour		19.57 ug/m3		
		PM2.5		NYSDEC		10/20/2001	8	Fresh Kills Met	Roof top						Ambient Air	1 hour		14.29 ug/m3		

CITY_21MC100-002862493

DRAFT

Inter-Agency Environmental Sampling Log

10/23/2001, team1020a, Page: 2 of 15

UNIQUE DOCUMENT ID	SAMPLE ID	ANALYTE	SUB ANALYTE	AGENCY	LAB	DATE SAMPLED	START TIME, SAMPLED	COUNTY	SITE NAME OR ADDRESS	BUILDING FLOOR	1. NORTH-SOUTH STREET OR AVENUE	2. NORTH-SOUTH STREET OR AVENUE	3. EAST-WEST STREET	4. EAST-WEST STREET	TEST METHOD	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS TIME STANDARD METHOD
		PM 2.5		NYSDEC		10/23/2001	9		Fresh Kills Met	Roof top					Ambient Air	1 hour		18.19 ug/m3		
		PM 2.5		NYSDEC		10/23/2001	10		Fresh Kills Met	Roof top					Ambient Air	1 hour		17.13 ug/m3		
		PM 2.5		NYSDEC		10/23/2001	11		Fresh Kills Met	Roof top					Ambient Air	1 hour		14.10 ug/m3		
		PM 2.5		NYSDEC		10/23/2001	12		Fresh Kills Met	Roof top					Ambient Air	1 hour		13.95 ug/m3		
		PM 2.5		NYSDEC		10/23/2001	13		Fresh Kills Met	Roof top					Ambient Air	1 hour		15.11 ug/m3		
		PM 2.5		NYSDEC		10/23/2001	14		Fresh Kills Met	Roof top					Ambient Air	1 hour		17.04 ug/m3		
		PM 2.5		NYSDEC		10/23/2001	15		Fresh Kills Met	Roof top					Ambient Air	1 hour		16.26 ug/m3		
		PM 2.5		NYSDEC		10/23/2001	16		Fresh Kills Met	Roof top					Ambient Air	1 hour		16.94 ug/m3		
		PM 2.5		NYSDEC		10/23/2001	17		Fresh Kills Met	Roof top					Ambient Air	1 hour		16.21 ug/m3		
		PM 2.5		NYSDEC		10/23/2001	18		Fresh Kills Met	Roof top					Ambient Air	1 hour		19.52 ug/m3		
		PM 2.5		NYSDEC		10/23/2001	19		Fresh Kills Met	Roof top					Ambient Air	1 hour		27.75 ug/m3		
		PM 2.5		NYSDEC		10/23/2001	20		Fresh Kills Met	Roof top					Ambient Air	1 hour		28.69 ug/m3		
		PM 2.5		NYSDEC		10/23/2001	21		Fresh Kills Met	Roof top					Ambient Air	1 hour		25.79 ug/m3		
		PM 2.5		NYSDEC		10/23/2001	22		Fresh Kills Met	Roof top					Ambient Air	1 hour		26.71 ug/m3		
		PM 2.5		NYSDEC		10/23/2001	23		Fresh Kills Met	Roof top					Ambient Air	1 hour		25.70 ug/m3		
		PM 2.5		NYSDEC		10/23/2001			Fresh Kills Daily Average	Roof top					Ambient Air	24 hour/ave		ug/m3		24 Hr Avg
									17.60											
		PM 2.5		NYSDEC		10/20/2001	0		PS 44	Roof top					Ambient Air	1 hour		7.72 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	1		PS 44	Roof top					Ambient Air	1 hour		9.15 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	2		PS 44	Roof top					Ambient Air	1 hour		10.03 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	3		PS 44	Roof top					Ambient Air	1 hour		10.12 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	4		PS 44	Roof top					Ambient Air	1 hour		12.67 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	5		PS 44	Roof top					Ambient Air	1 hour		13.38 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	6		PS 44	Roof top					Ambient Air	1 hour		14.24 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	7		PS 44	Roof top					Ambient Air	1 hour		17.73 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	8		PS 44	Roof top					Ambient Air	1 hour		15.13 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	9		PS 44	Roof top					Ambient Air	1 hour		16.82 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	10		PS 44	Roof top					Ambient Air	1 hour		13.54 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	11		PS 44	Roof top					Ambient Air	1 hour		15.91 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	12		PS 44	Roof top					Ambient Air	1 hour		13.50 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	13		PS 44	Roof top					Ambient Air	1 hour		14.77 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	14		PS 44	Roof top					Ambient Air	1 hour		17.72 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	15		PS 44	Roof top					Ambient Air	1 hour		18.45 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	16		PS 44	Roof top					Ambient Air	1 hour		17.56 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	17		PS 44	Roof top					Ambient Air	1 hour		17.48 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	18		PS 44	Roof top					Ambient Air	1 hour		19.28 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	19		PS 44	Roof top					Ambient Air	1 hour		20.76 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	20		PS 44	Roof top					Ambient Air	1 hour		23.32 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	21		PS 44	Roof top					Ambient Air	1 hour		29.39 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	22		PS 44	Roof top					Ambient Air	1 hour		27.75 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	23		PS 44	Roof top					Ambient Air	1 hour		27.15 ug/m3		
		PM 2.5		NYSDEC		10/20/2001			PS44 Daily Average	Roof top					Ambient Air	24 hour/ave		ug/m3		24 Hr Avg
									16.82											
		PM 2.5		NYSDEC		10/20/2001	0		IS 74	Roof top					Ambient Air	1 hour		10.14 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	1		IS 74	Roof top					Ambient Air	1 hour		12.38 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	2		IS 74	Roof top					Ambient Air	1 hour		11.63 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	3		IS 74	Roof top					Ambient Air	1 hour		10.33 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	4		IS 74	Roof top					Ambient Air	1 hour		16.14 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	5		IS 74	Roof top					Ambient Air	1 hour		15.58 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	6		IS 74	Roof top					Ambient Air	1 hour		18.14 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	7		IS 74	Roof top					Ambient Air	1 hour		22.61 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	8		IS 74	Roof top					Ambient Air	1 hour		27.18 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	9		IS 74	Roof top					Ambient Air	1 hour		20.85 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	10		IS 74	Roof top					Ambient Air	1 hour		20.82 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	11		IS 74	Roof top					Ambient Air	1 hour		20.82 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	12		IS 74	Roof top					Ambient Air	1 hour		18.77 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	13		IS 74	Roof top					Ambient Air	1 hour		18.56 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	14		IS 74	Roof top					Ambient Air	1 hour		18.89 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	15		IS 74	Roof top					Ambient Air	1 hour		19.66 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	16		IS 74	Roof top					Ambient Air	1 hour		20.28 ug/m3		
		PM 2.5		NYSDEC		10/20/2001	17		IS 74	Roof top					Ambient Air	1 hour		23.17 ug/m3		

CITY_21MC100_002862494

DRAFT

Inter-Agency Environmental Sampling Log

10/23/2001, team1020a, Page: 3 of 16

UNIQUE DOCUMENT ID	SAMPLE ID	ANALYTE	SUB ANALYTE	AGENCY LAB	DATE SAMPLED	START TIME, SAMPLED	COUNTY	SITE NAME OR ADDRESS	BUILDING FLOOR	1. NORTH_SOUTH STREET OR AVENUE	2. NORTH_SOUTH STREET OR AVENUE	3. EAST_WEST STREET OR AVENUE	4. EAST_WEST STREET OR AVENUE	TEST METHOD	SAMPLE DURATION	CODE OF DETECTION LIMIT	RESULTS, CONCENTRATION	UNIT	ANALYSIS TIME, STANDARD METHOD
		PM 2.5		NYSDEC	10/20/2001	18		IS 74	Roof top					Ambient Air	1 hour		25.71 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	19		IS 74	Roof top					Ambient Air	1 hour		23.75 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	20		IS 74	Roof top					Ambient Air	1 hour		18.71 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	21		IS 74	Roof top					Ambient Air	1 hour		22.94 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	22		IS 74	Roof top					Ambient Air	1 hour		35.08 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	23		IS 74	Roof top					Ambient Air	1 hour		41.50 ug/m3		
		PM 2.5		NYSDEC	10/20/2001			IS 74 Daily Average	Roof top					Ambient Air	24 hour/ave		20.57 ug/m3		24 Hr Avg
		PM 2.5		NYSDEC	10/20/2001	0		PS 154	Roof top					Ambient Air	1 hour		10.40 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	1		PS 154	Roof top					Ambient Air	1 hour		12.51 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	2		PS 154	Roof top					Ambient Air	1 hour		14.62 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	3		PS 154	Roof top					Ambient Air	1 hour		16.48 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	4		PS 154	Roof top					Ambient Air	1 hour		15.75 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	5		PS 154	Roof top					Ambient Air	1 hour		18.35 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	6		PS 154	Roof top					Ambient Air	1 hour		19.89 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	7		PS 154	Roof top					Ambient Air	1 hour		22.13 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	8		PS 154	Roof top					Ambient Air	1 hour		23.20 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	9		PS 154	Roof top					Ambient Air	1 hour		20.25 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	10		PS 154	Roof top					Ambient Air	1 hour		19.92 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	11		PS 154	Roof top					Ambient Air	1 hour		20.50 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	12		PS 154	Roof top					Ambient Air	1 hour		19.44 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	13		PS 154	Roof top					Ambient Air	1 hour		18.89 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	14		PS 154	Roof top					Ambient Air	1 hour		19.09 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	15		PS 154	Roof top					Ambient Air	1 hour		20.62 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	16		PS 154	Roof top					Ambient Air	1 hour		21.94 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	17		PS 154	Roof top					Ambient Air	1 hour		24.51 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	18		PS 154	Roof top					Ambient Air	1 hour		27.73 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	19		PS 154	Roof top					Ambient Air	1 hour		23.39 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	20		PS 154	Roof top					Ambient Air	1 hour		27.50 ug/m3		
		PM 2.5		NYSDEC	10/20/2001				Roof top					Ambient Air	1 hour		ug/m3		
		PM 2.5		NYSDEC	10/20/2001	21		PS 154	Roof top					Ambient Air	1 hour		48.17 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	22		PS 154	Roof top					Ambient Air	1 hour		30.16 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	23		PS 154	Roof top					Ambient Air	1 hour		44.07 ug/m3		
		PM 2.5		NYSDEC	10/20/2001			PS 154 Daily Average	Roof top					Ambient Air	24 hour/ave		22.48 ug/m3		24 Hr Avg
		PM 2.5		NYSDEC	10/20/2001	0		Maspeth Library	Roof top					Ambient Air	1 hour		9.92 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	1		Maspeth Library	Roof top					Ambient Air	1 hour		11.43 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	2		Maspeth Library	Roof top					Ambient Air	1 hour		10.94 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	3		Maspeth Library	Roof top					Ambient Air	1 hour		10.49 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	4		Maspeth Library	Roof top					Ambient Air	1 hour		12.54 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	5		Maspeth Library	Roof top					Ambient Air	1 hour		13.01 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	6		Maspeth Library	Roof top					Ambient Air	1 hour		15.34 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	7		Maspeth Library	Roof top					Ambient Air	1 hour		16.87 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	8		Maspeth Library	Roof top					Ambient Air	1 hour		22.10 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	9		Maspeth Library	Roof top					Ambient Air	1 hour		29.12 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	10		Maspeth Library	Roof top					Ambient Air	1 hour		27.57 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	11		Maspeth Library	Roof top					Ambient Air	1 hour		26.64 ug/m3		
		PM 2.5		NYSDEC	10/20/2001	12		Maspeth Library	Roof top					Ambient Air	1 hour		24.57 ug/m3		

CITY_21MC100_002862495

DRAFT

Inter-Agency Environmental Sampling Log

10/23/2001, team1020a, Page 4 of 16

UNIQUE DOCUMENT ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START TIME, SAMPLED	COUNTY	SITE NAME OR ADDRESS	BUILDING LOCATION	1. NORTH SOUTH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	1. EAST WEST CROSS STREET	2. EAST WEST CROSS STREET	TEST METHOD	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS TIME STANDARD METHOD
		PM 2.5		NYSDEC		10/20/2001		13	Maspeth Library	Roof top					Ambient Air	1 hour		22.92	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		14	Maspeth Library	Roof top					Ambient Air	1 hour		19.56	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		15	Maspeth Library	Roof top					Ambient Air	1 hour		21.48	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		16	Maspeth Library	Roof top					Ambient Air	1 hour		21.75	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		17	Maspeth Library	Roof top					Ambient Air	1 hour		22.57	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		18	Maspeth Library	Roof top					Ambient Air	1 hour		26.38	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		19	Maspeth Library	Roof top					Ambient Air	1 hour		30.07	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		20	Maspeth Library	Roof top					Ambient Air	1 hour		25.88	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		21	Maspeth Library	Roof top					Ambient Air	1 hour		31.03	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		22	Maspeth Library	Roof top					Ambient Air	1 hour		36.57	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		23	Maspeth Library	Roof top					Ambient Air	1 hour		40.13	ug/m3	
									Maspeth Library Daily Average	Roof top					Ambient Air	24 hour/ave		22.04	ug/m3	24 Hr Avg
		PM 2.5		NYSDEC		10/20/2001		0	Manhattenville P.O.	Roof top					Ambient Air	1 hour		10.73	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		1	Manhattenville P.O.	Roof top					Ambient Air	1 hour		12.83	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		2	Manhattenville P.O.	Roof top					Ambient Air	1 hour		13.45	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		3	Manhattenville P.O.	Roof top					Ambient Air	1 hour		14.18	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		4	Manhattenville P.O.	Roof top					Ambient Air	1 hour		14.08	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		5	Manhattenville P.O.	Roof top					Ambient Air	1 hour		15.54	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		6	Manhattenville P.O.	Roof top					Ambient Air	1 hour		16.05	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		7	Manhattenville P.O.	Roof top					Ambient Air	1 hour		17.15	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		8	Manhattenville P.O.	Roof top					Ambient Air	1 hour		19.33	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		9	Manhattenville P.O.	Roof top					Ambient Air	1 hour		18.79	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		10	Manhattenville P.O.	Roof top					Ambient Air	1 hour		19.26	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		11	Manhattenville P.O.	Roof top					Ambient Air	1 hour		18.97	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		12	Manhattenville P.O.	Roof top					Ambient Air	1 hour		18.32	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		13	Manhattenville P.O.	Roof top					Ambient Air	1 hour		18.01	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		14	Manhattenville P.O.	Roof top					Ambient Air	1 hour		18.35	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		15	Manhattenville P.O.	Roof top					Ambient Air	1 hour		19.13	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		16	Manhattenville P.O.	Roof top					Ambient Air	1 hour		20.23	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		17	Manhattenville P.O.	Roof top					Ambient Air	1 hour		22.33	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		18	Manhattenville P.O.	Roof top					Ambient Air	1 hour		22.90	ug/m3	
		PM 2.5		NYSDEC		10/20/2001		19	Manhattenville P.O.	Roof top					Ambient Air	1 hour		20.65	ug/m3	

CITY_21MC100_002862496

DRAFT

Inter-Agency Environmental Sampling Log

10/23/2001, team1020a, Page 5 of 16

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1_NORTH_SOUTH_STREET_OR_AVENUE	2_NORTH_SOUTH_STREET_OR_AVENUE	1_EAST_WEST_CROSS_STREET	2_EAST_WEST_CROSS_STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE_DETECTION_LIMIT	RESULTS_CONCENTRATION	UNIT	ANALYSIS_METHOD	STANDARD
		PM 2.5		NYSDEC		10/20/2001			Manhattenville P.O.	Roof top					Ambient Air	1 hour		18.64	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	20		Manhattenville P.O.	Roof top					Ambient Air	1 hour		25.05	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	21		Manhattenville P.O.	Roof top					Ambient Air	1 hour		31.50	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	22		Manhattenville P.O.	Roof top					Ambient Air	1 hour		30.00	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	23		Manhattenville P.O.	Roof top					Ambient Air	24 hour			ug/m3		24 Hr Avg
									Manhattenville P.O. Daily Average									18.98			
		PM 2.5		NYSDEC		10/20/2001	0		PS 199	Roof top					Ambient Air	1 hour		9.75	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	1		PS 199	Roof top					Ambient Air	1 hour		11.40	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	2		PS 199	Roof top					Ambient Air	1 hour		15.43	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	3		PS 199	Roof top					Ambient Air	1 hour		15.50	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	4		PS 199	Roof top					Ambient Air	1 hour		14.81	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	5		PS 199	Roof top					Ambient Air	1 hour		17.50	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	6		PS 199	Roof top					Ambient Air	1 hour		18.92	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	7		PS 199	Roof top					Ambient Air	1 hour		17.25	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	8		PS 199	Roof top					Ambient Air	1 hour		24.56	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	9		PS 199	Roof top					Ambient Air	1 hour		25.82	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	10		PS 199	Roof top					Ambient Air	1 hour		22.09	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	11		PS 199	Roof top					Ambient Air	1 hour		24.62	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	12		PS 199	Roof top					Ambient Air	1 hour		23.09	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	13		PS 199	Roof top					Ambient Air	1 hour		22.99	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	14		PS 199	Roof top					Ambient Air	1 hour		20.66	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	15		PS 199	Roof top					Ambient Air	1 hour		20.24	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	16		PS 199	Roof top					Ambient Air	1 hour		22.40	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	17		PS 199	Roof top					Ambient Air	1 hour		23.67	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	18		PS 199	Roof top					Ambient Air	1 hour		24.97	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	19		PS 199	Roof top					Ambient Air	1 hour		25.27	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	20		PS 199	Roof top					Ambient Air	1 hour		18.94	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	21		PS 199	Roof top					Ambient Air	1 hour		27.53	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	22		PS 199	Roof top					Ambient Air	1 hour		38.79	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	23		PS 199	Roof top					Ambient Air	24 hour		43.42	ug/m3		24 Hr Avg
									PS 199 Daily Average									22.06			
		PM 2.5		NYSDEC		10/20/2001	0		IS 143	Roof top					Ambient Air	1 hour		13.98	ug/m3		
		PM 2.5		NYSDEC		10/20/2001	1		IS 143	Roof top					Ambient Air	1 hour			ug/m3		
																		13.37			

CITY_21MC100_002862497

DRAFT

Inter-Agency Environmental Sampling Log

10/23/2001, Item 1020a, Page: 6 of 16

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME OR ADDRESS	BUILDING	1. NORTH SOUTH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	3. EAST WEST CROSS STREET	4. EAST WEST CROSS STREET	TEST METHOD	SAMPLE_DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS TIME STANDARD METHOD
		PM 2.5		NYSDEC		10/20/2001	2	IS 143	Roof top						Ambient Air	1 hour		15.15	ug/m3	
		PM 2.5		NYSDEC		10/20/2001	3	IS 143	Roof top						Ambient Air	1 hour		14.89	ug/m3	
		PM 2.5		NYSDEC		10/20/2001	4	IS 143	Roof top						Ambient Air	1 hour		21.78	ug/m3	
		PM 2.5		NYSDEC		10/20/2001	5	IS 143	Roof top						Ambient Air	1 hour		23.61	ug/m3	
		PM 2.5		NYSDEC		10/20/2001	6	IS 143	Roof top						Ambient Air	1 hour		28.52	ug/m3	
		PM 2.5		NYSDEC		10/20/2001	7	IS 143	Roof top						Ambient Air	1 hour		22.44	ug/m3	
		PM 2.5		NYSDEC		10/20/2001	8	IS 143	Roof top						Ambient Air	1 hour		21.60	ug/m3	
		PM 2.5		NYSDEC		10/20/2001	9	IS 143	Roof top						Ambient Air	1 hour		21.42	ug/m3	
		PM 2.5		NYSDEC		10/20/2001	10	IS 143	Roof top						Ambient Air	1 hour		24.51	ug/m3	
		PM 2.5		NYSDEC		10/20/2001	11	IS 143	Roof top						Ambient Air	1 hour		23.01	ug/m3	
		PM 2.5		NYSDEC		10/20/2001	12	IS 143	Roof top						Ambient Air	1 hour		24.83	ug/m3	
		PM 2.5		NYSDEC		10/20/2001	13	IS 143	Roof top						Ambient Air	1 hour		22.41	ug/m3	
		PM 2.5		NYSDEC		10/20/2001	14	IS 143	Roof top						Ambient Air	1 hour		20.46	ug/m3	
		PM 2.5		NYSDEC		10/20/2001	15	IS 143	Roof top						Ambient Air	1 hour		22.38	ug/m3	
		PM 2.5		NYSDEC		10/20/2001	16	IS 143	Roof top						Ambient Air	1 hour		24.33	ug/m3	
		PM 2.5		NYSDEC		10/20/2001	17	IS 143	Roof top						Ambient Air	1 hour		25.54	ug/m3	
		PM 2.5		NYSDEC		10/20/2001	18	IS 143	Roof top						Ambient Air	1 hour		26.05	ug/m3	
		PM 2.5		NYSDEC		10/20/2001	19	IS 143	Roof top						Ambient Air	1 hour		23.89	ug/m3	
		PM 2.5		NYSDEC		10/20/2001	20	IS 143	Roof top						Ambient Air	1 hour		20.17	ug/m3	
		PM 2.5		NYSDEC		10/20/2001	21	IS 143	Roof top						Ambient Air	1 hour		24.81	ug/m3	
		PM 2.5		NYSDEC		10/20/2001	22	IS 143	Roof top						Ambient Air	1 hour		32.71	ug/m3	
		PM 2.5		NYSDEC		10/20/2001	23	IS 143	Roof top						Ambient Air	1 hour		33.57	ug/m3	
								IS 143 Daily Average								24 hour		22.75	ug/m3	24 Hr Avg
		PM 2.5		NYSDEC		10/20/2001	0	Kew Gardens	Roof top						Ambient Air	1 hour		7.88	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001	1	Kew Gardens	Roof top						Ambient Air	1 hour		9.87	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001	2	Kew Gardens	Roof top						Ambient Air	1 hour		10.49	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001	3	Kew Gardens	Roof top						Ambient Air	1 hour		9.26	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001	4	Kew Gardens	Roof top						Ambient Air	1 hour		9.90	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001	5	Kew Gardens	Roof top						Ambient Air	1 hour		11.52	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001	6	Kew Gardens	Roof top						Ambient Air	1 hour		13.09	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001	7	Kew Gardens	Roof top						Ambient Air	1 hour		16.00	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001	8	Kew Gardens	Roof top						Ambient Air	1 hour		17.04	ug/m3	Max Hr Avg

CITY_21MC100_002862498

DRAFT

Inter-Agency Environmental Sampling Log

10/23/2001, team1020s, Page: 7 of 16

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START TIME	END TIME	COUNTY	SITE NAME OR ADDRESS	BUILDING FLOOR	1_NORTH_SOUTH_AVE	2_NORTH_SOUTH_AVE	3_EAST_WEST_ST	4_EAST_WEST_ST	TEST_METHOD	SAMPLE_DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS TIME STANDARD METHOD
		PM 2.5		NYSDEC		10/20/2001					Roof top						Ambient Air	1 hour		ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		9		Kew Gardens	Roof top						Ambient Air	1 hour	18.82	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		10		Kew Gardens	Roof top						Ambient Air	1 hour	21.28	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		11		Kew Gardens	Roof top						Ambient Air	1 hour	22.30	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		12		Kew Gardens	Roof top						Ambient Air	1 hour	21.21	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		13		Kew Gardens	Roof top						Ambient Air	1 hour	16.98	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		14		Kew Gardens	Roof top						Ambient Air	1 hour	17.28	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		15		Kew Gardens	Roof top						Ambient Air	1 hour	17.46	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		16		Kew Gardens	Roof top						Ambient Air	1 hour	18.33	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		17		Kew Gardens	Roof top						Ambient Air	1 hour	16.96	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		18		Kew Gardens	Roof top						Ambient Air	1 hour	20.34	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		19		Kew Gardens	Roof top						Ambient Air	1 hour	23.11	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		20		Kew Gardens	Roof top						Ambient Air	1 hour	23.13	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		21		Kew Gardens	Roof top						Ambient Air	1 hour	31.68	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		22		Kew Gardens	Roof top						Ambient Air	1 hour	31.68	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		23		Kew Gardens	Roof top						Ambient Air	1 hour	29.94	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001				Kew Gardens Daily Average	Roof top						Ambient Air	24 hour	18.32	ug/m3	24 Hr Avg
		PM 2.5		NYSDEC		10/20/2001		0		IS 52	Roof top						Ambient Air	1 hour	10.34	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		1		IS 52	Roof top						Ambient Air	1 hour	11.01	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		2		IS 52	Roof top						Ambient Air	1 hour	12.15	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		3		IS 52	Roof top						Ambient Air	1 hour	14.08	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		4		IS 52	Roof top						Ambient Air	1 hour	14.97	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		5		IS 52	Roof top						Ambient Air	1 hour	17.86	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		6		IS 52	Roof top						Ambient Air	1 hour	18.49	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		7		IS 52	Roof top						Ambient Air	1 hour	19.78	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		8		IS 52	Roof top						Ambient Air	1 hour	22.55	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		9		IS 52	Roof top						Ambient Air	1 hour	18.57	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		10		IS 52	Roof top						Ambient Air	1 hour	20.44	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		11		IS 52	Roof top						Ambient Air	1 hour	19.89	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		12		IS 52	Roof top						Ambient Air	1 hour	20.31	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		13		IS 52	Roof top						Ambient Air	1 hour	19.37	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		14		IS 52	Roof top						Ambient Air	1 hour	18.73	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/20/2001		15		IS 52	Roof top						Ambient Air	1 hour	20.72	ug/m3	Max Hr Avg

CITY_21MC100_002862499

DRAFT

Inter-Agency Environmental Sampling Log

10/23/2001, team1020a, Page: 8 of 16

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START TIME SAMPLED	COUNTY	SITE NAME OR ADDRESS	BUILDING FLOOR	1. NORTH_SOUTH STREET OR AVENUE	2. NORTH_SOUTH STREET OR AVENUE	3. EAST_WEST CROSS STREET	4. EAST_WEST CROSS STREET	TEST METHOD	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS TIME STANDARD METHOD
		PM 2.5		NYSDEC		10/23/2001				Roof top					Ambient Air	1 hour			ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/23/2001	16		IS 52	Roof top					Ambient Air	1 hour		19.61	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/23/2001	17		IS 52	Roof top					Ambient Air	1 hour		21.76	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/23/2001	18		IS 52	Roof top					Ambient Air	1 hour		22.96	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/23/2001	19		IS 52	Roof top					Ambient Air	1 hour		22.84	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/23/2001	20		IS 52	Roof top					Ambient Air	1 hour		18.38	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/23/2001	21		IS 52	Roof top					Ambient Air	1 hour		22.98	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/23/2001	22		IS 52	Roof top					Ambient Air	1 hour		34.30	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/23/2001	23		IS 52	Roof top					Ambient Air	1 hour		41.63	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/23/2001			IS 52 Daily Average	Roof top					Ambient Air	24 hour		20.16	ug/m3	24 Hr Avg

Inter-Agency Environmental Sampling Log

10/23/2001, teom1020a, Page: 9 of 16

[illegible]

Inter-Agency Environmental Sampling Log

10/23/2001, team1020a, Page: 10 of 16

NYC-WTC_000210901

Inter-Agency Environmental Sampling Log

10/23/2001, team1020a, Page: 11 of 16

[illegible]

Inter-Agency Environmental Sampling Log

10/23/2001, team1020a, Page: 12 of 16

[illegible]

****TRIAL VERSION****

DRAFT

Inter-Agency Environmental Sampling Log

10/23/2001, team1020a, Page 13 of 16

UNIQUE_ID	DATE_DOM	REQ_ID_TEST	COMMENTS	PAM_ACTIVITY	ZONE	SampleID	CASRN	END_DATE	END_TIME	SOURCE	LATITUDE	LONGITUDE
	10/20/2001				Distant from zone							
	10/20/2001				Distant from zone	709317						
	10/20/2001				Distant from zone	709317						
	10/20/2001				Distant from zone	709317						
	10/20/2001				Distant from zone	709317						
	10/20/2001		24 readings. Meets Standards		Distant from zone	709317						
	10/20/2001				Distant from zone							
	10/20/2001				Distant from zone	709612						
	10/20/2001				Distant from zone	709612						
	10/20/2001				Distant from zone	709612						
	10/20/2001				Distant from zone	709612						
	10/20/2001				Distant from zone	709612						
	10/20/2001				Distant from zone	709612						
	10/20/2001				Distant from zone	709612						
	10/20/2001				Distant from zone	709612						
	10/20/2001				Distant from zone	709612						
	10/20/2001				Distant from zone	709612						
	10/20/2001				Distant from zone	709612						
	10/20/2001				Distant from zone	709612						
	10/20/2001				Distant from zone	709612						
	10/20/2001				Distant from zone	709612						
	10/20/2001				Distant from zone	709612						
	10/20/2001				Distant from zone	709612						
	10/20/2001				Distant from zone	709612						
	10/20/2001				Distant from zone	709612						
	10/20/2001				Distant from zone	709612						
	10/20/2001				Distant from zone	709612						
	10/20/2001				Distant from zone	709612						
	10/20/2001		24 readings. Meets Standards		Distant from zone	709612						
	10/20/2001				Distant from zone	709315						
	10/20/2001				Distant from zone	709315						

CITY_21MC100_002862505

DRAFT

Inter-Agency Environmental Sampling Log

10/23/2001, team1020a, Page: 14 of 16

UNIQUE_ID	DATE_DOH_REQD_TEST	COMMENTS	PAM_ACTIVITY	ZONE	SampleID	CASRN	END_DATE	END_TIME	SOURCE	LATITUDE	LONGITUDE
	10/20/2001			Distant from zone	709315						
	10/20/2001			Distant from zone	709315						
	10/20/2001			Distant from zone	709315						
	10/20/2001			Distant from zone	709315						
	10/20/2001			Distant from zone	709315						
	10/20/2001			Distant from zone	709315						
	10/20/2001			Distant from zone	709315						
	10/20/2001			Distant from zone	709315						
	10/20/2001			Distant from zone	709315						
	10/20/2001			Distant from zone	709315						
	10/20/2001			Distant from zone	709315						
	10/20/2001			Distant from zone	709315						
	10/20/2001			Distant from zone	709315						
	10/20/2001			Distant from zone	709315						
	10/20/2001			Distant from zone	709315						
	10/20/2001			Distant from zone	709315						
	10/20/2001			Distant from zone	709315						
	10/20/2001			Distant from zone	709315						
	10/20/2001			Distant from zone	709315						
	10/20/2001			Distant from zone	709315						
	10/20/2001			Distant from zone	709315						
	10/20/2001	24 readings. Meets Standards		Distant from zone	709315						
	10/20/2001			Distant from zone	709614						
	10/20/2001			Distant from zone	709614						
	10/20/2001			Distant from zone	709614						
	10/20/2001			Distant from zone	709614						
	10/20/2001			Distant from zone	709614						
	10/20/2001			Distant from zone	709614						
	10/20/2001			Distant from zone	709614						
	10/20/2001			Distant from zone	709614						
	10/20/2001			Distant from zone	709614						
	10/20/2001			Distant from zone	709614						

CITY_21MC100_002862506

DRAFT

Inter-Agency Environmental Sampling Log

UNIQUE ID	DATE DOH REC D_TEST	COMMENTS	PAM_ACTIVITY	ZONE	SampleID	CASRN	END_DATE	END_TIME	SOURCE	LATITUDE	LONGITUDE
	10/20/2001			Distant from zone	709614						
	10/20/2001			Distant from zone	709614						
	10/20/2001			Distant from zone	709614						
	10/20/2001			Distant from zone	709614						
	10/20/2001			Distant from zone	709614						
	10/20/2001			Distant from zone	709614						
	10/20/2001			Distant from zone	709614						
	10/20/2001			Distant from zone	709614						
	10/20/2001			Distant from zone	709614						
	10/20/2001			Distant from zone	709614						
	10/20/2001			Distant from zone	709614						
	10/20/2001			Distant from zone	709614						
	10/20/2001			Distant from zone	709614						
	10/20/2001			Distant from zone	709614						
	10/20/2001			Distant from zone	709614						
	10/20/2001	24 readings, Meets Standards		Distant from zone	709614						
	10/20/2001			Distant from zone	709407						
	10/20/2001			Distant from zone	709407						
	10/20/2001			Distant from zone	709407						
	10/20/2001			Distant from zone	709407						
	10/20/2001			Distant from zone	709407						
	10/20/2001			Distant from zone	709407						
	10/20/2001			Distant from zone	709407						
	10/20/2001			Distant from zone	709407						
	10/20/2001			Distant from zone	709407						
	10/20/2001			Distant from zone	709407						
	10/20/2001			Distant from zone	709407						
	10/20/2001			Distant from zone	709407						
	10/20/2001			Distant from zone	709407						
	10/20/2001			Distant from zone	709407						
	10/20/2001			Distant from zone	709407						
	10/20/2001			Distant from zone	709407						

DRAFT

Inter-Agency Environmental Sampling Log

10/23/2001, team1020a, Page: 16 of 16

UNIQUE ID	DATE DOH REQ D_TEST	COMMENTS	PAM_ACTIVITY	ZONE	SampleID	CASRN	END_DATE	END TIME	SOURCE	LATITUDE	LONGITUDE
	10/20/2001			Distant from zone							
	10/20/2001			Distant from zone	709407						
	10/20/2001			Distant from zone	709407						
	10/20/2001			Distant from zone	709407						
	10/20/2001			Distant from zone	709407						
	10/20/2001			Distant from zone	709407						
	10/20/2001			Distant from zone	709407						
	10/20/2001			Distant from zone	709407						
	10/20/2001			Distant from zone	709407						
	10/20/2001 24 readings. Meets Standards			Distant from zone	709407						

CITY_21MC100_002862508