NYC 9/11 Public Portal Document

UNIQUE_DOCUMENT_ID ID	SAMPLE_ID	ANALYTE	SUB ANALYTE	AGENCY	LAB	DATE SAMPLED	START TIME SAMPLED	COUNTY	SITE NAME OR ADDRESS	BUILD FLOOR	1 NORTH SOUTH STREET OR AVENUE	2 NORTH SOUTH STREET OR AVENUE	1 EAST WEST CROSS STREET	2 EAST WEST CROSS STREET	TEST MEDIUM	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS TIME STANDARD METHOD
		PM 2.5		NYSDEC		10/19/2001	0		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		49.1	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	1		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		73.74	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	2		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		44	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	3		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		51.31	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	4		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		34.19	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	5		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		37.28	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	6		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		43.94	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	7		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		47.17	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	8		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		53.81	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	9		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		47.65	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	10		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		21.81	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	11		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		22.61	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	12		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		4.273	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	13		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		5.538	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	14		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		6.637	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	15		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		7.888	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	16		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		9.187	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	17		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		10.46	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	18		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		11.58	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	19		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		10.71	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	20		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		9.512	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	21		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		10.75	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	22		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		11.23	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	23		Pace University	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	1 hour		10.24	ug/m3	
		PM 2.5		NYSDEC					***Pace University Daily***	Roof top	Frankfort	Spruce	Gold	Park Row	Ambient Air	24 hour/ave			ug/m3	24 Hr Avg
						10/19/2001			***Average***									***26.44***		
		PM 2.5		NYSDEC		10/19/2001	0		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		15.43	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	1		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		17.45	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	2		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		17.78	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	3		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		14.99	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	4		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		19.57	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	5		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		17.67	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	6		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		19.7	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	7		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		22.2	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	8		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		27.96	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	9		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		21.3	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	10		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		13.23	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	11		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		11.94	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	12		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		6.184	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	13		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		6.92	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	14		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		9.824	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	15		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		16.01	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	16		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		23.2	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	17		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		18.8	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	18		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		18.02	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	19		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		13.15	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	20		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		10.38	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	21		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		10.32	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	22		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		9.425	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	23		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	1 hour		8.872	ug/m3	
		PM 2.5		NYSDEC					***Coast Guard Battery Park Daily***	Roof top	West	None	S.I. Ferry	Battery Park	Ambient Air	24 hour/ave			ug/m3	24 Hr Avg
						10/19/2001			***Average***									***15.43***		
		PM 2.5		NYSDEC		10/19/2001	0		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		17.16	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	1		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		20.2	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	2		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		21.76	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	3		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		16.45	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	4		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		21.01	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	5		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		20.22	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	6		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		24.25	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	7		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		25.2	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	8		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		29.39	ug/m3	

CITY_21MC100_00286257 4

NYC-WTC_000210924

NYC 9/11 Public Portal Document

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILD_FLOOR	1_NORTH_SOUTH_STREET_OR_AVENUE	2_NORTH_SOUTH_STREET_OR_AVENUE	1_EAST_WEST_CROSS_STREET	2_EAST_WEST_CROSS_STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE_DETECTION_LIMIT	RESULTS_CONCENTRATION	UNIT	ANALYSIS_TIME_STANDARD METHOD
		PM 2.5		NYSDEC		10/19/2001	9		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		25.62	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	10		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		15.7	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	11		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		15.61	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	12		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		12.41	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	13		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		11.83	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	14		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		13.44	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	15		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		12.84	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	16		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		8.934	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	17		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		11.92	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	18		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		20.74	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	19		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		27.12	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	20		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		23.31	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	21		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		17.13	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	22		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		14.05	ug/m3	
		PM 2.5		NYSDEC		10/19/2001	23		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	1 hour		14.61	ug/m3	
		PM 2.5		NYSDEC					***Manhattan Borough***	Roof top	Harrison	Chambers	Greenwich	West	Ambient Air	*24 hour ave*			ug/m3	24 Hr Avg
						10/19/2001			***C.C. Daily Average***									***18.37***		

CITY_21MC100_00286257 5

NYC-WTC_000210925

NYC 9/11 Public Portal Document

UNIQUE_ID	DATE_DOH_RED_TEST	COMMENTS	PAM_ACTIVITY	ZONE	SampleID	CASRN	END_DATE	END_TIME	SOURCE	LATITUDE	LONGITUDE
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001			Distant from zone	709318					982825.6798	198541.7113
	10/19/2001	24 readings. Meets Standards		Distant from zone						982825.6798	198541.7113
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001			Distant from zone	709320					980203.961	194706.2122
	10/19/2001	24 readings. Meets Standards		Distant from zone						980203.961	194706.2122
	10/19/2001			Distant from zone	709319					928371.0819	150752.1873
	10/19/2001			Distant from zone	709319					928371.0819	150752.1873
	10/19/2001			Distant from zone	709319					928371.0819	150752.1873
	10/19/2001			Distant from zone	709319					928371.0819	150752.1873
	10/19/2001			Distant from zone	709319					928371.0819	150752.1873
	10/19/2001			Distant from zone	709319					928371.0819	150752.1873
	10/19/2001			Distant from zone	709319					928371.0819	150752.1873
	10/19/2001			Distant from zone	709319					928371.0819	150752.1873
	10/19/2001			Distant from zone	709319					928371.0819	150752.1873

CITY_21MC100_002862576

NYC-WTC_000210926

NYC 9/11 Public Portal Document

UNIQUE_ID	DATE_DCH_RECD_TEST	COMMENTS	PAM_ACTIVITY	ZONE	SampleID	CASRN	END_DATE	END_TIME	SOURCE	LATITUDE	LONGITUDE
	10/19/2001			Distant from zone	709319					928871.0819	150752.1873
	10/19/2001			Distant from zone	709319					928871.0819	150752.1873
	10/19/2001			Distant from zone	709319					928871.0819	150752.1873
	10/19/2001			Distant from zone	709319					928871.0819	150752.1873
	10/19/2001			Distant from zone	709319					928871.0819	150752.1873
	10/19/2001			Distant from zone	709319					928871.0819	150752.1873
	10/19/2001			Distant from zone	709319					928871.0819	150752.1873
	10/19/2001			Distant from zone	709319					928871.0819	150752.1873
	10/19/2001			Distant from zone	709319					928871.0819	150752.1873
	10/19/2001			Distant from zone	709319					928871.0819	150752.1873
	10/19/2001			Distant from zone	709319					928871.0819	150752.1873
	10/19/2001			Distant from zone	709319					928871.0819	150752.1873
	10/19/2001			Distant from zone	709319					928871.0819	150752.1873
	10/19/2001			Distant from zone	709319					928871.0819	150752.1873
	10/19/2001	24 readings. Meets Standards		Distant from zone						928871.0819	150752.1873

CITY_21MC100_002862577

NYC-WTC_000210927