

DRAFT

Inter-Agency Environmental Sampling Log

10/22/2001, team1019a, Page 1 of 16

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALY TE	AGENCY	LAB	DATE_SAMP LED	START_T IME_SAMP LED	COUNTY	SITE_NAME OR ADDRESS	BUILDING FLOOR	1_NORTH_30 TH_STREET OR AVENUE	2_NORTH_30TH STREET OR AVENUE	1_EAST_W 8TH_STREET	2_EAST_W 8TH_STREET	TEST_MEDI UM	SAMPLE_D URATION	CODE DETECTI ON LIMIT	RESULTS CONCENTRAT ION	UNIT	ANALYSIS METHOD	TIME STANDARD
		PM 2.5		NYSDEC		10/19/2001	0		PS 274	Roof top					Ambient Air	1 hour		25.62 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	1		PS 274	Roof top					Ambient Air	1 hour		32.83 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	2		PS 274	Roof top					Ambient Air	1 hour		21.85 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	3		PS 274	Roof top					Ambient Air	1 hour		17.96 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	4		PS 274	Roof top					Ambient Air	1 hour		20.39 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	5		PS 274	Roof top					Ambient Air	1 hour		17.17 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	6		PS 274	Roof top					Ambient Air	1 hour		23.63 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	7		PS 274	Roof top					Ambient Air	1 hour		31.59 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	8		PS 274	Roof top					Ambient Air	1 hour		28.58 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	9		PS 274	Roof top					Ambient Air	1 hour		11.60 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	10		PS 274	Roof top					Ambient Air	1 hour		9.10 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	11		PS 274	Roof top					Ambient Air	1 hour		7.25 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	12		PS 274	Roof top					Ambient Air	1 hour		8.06 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	13		PS 274	Roof top					Ambient Air	1 hour		6.82 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	14		PS 274	Roof top					Ambient Air	1 hour		10.63 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	15		PS 274	Roof top					Ambient Air	1 hour		9.31 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	16		PS 274	Roof top					Ambient Air	1 hour		10.12 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	17		PS 274	Roof top					Ambient Air	1 hour		11.44 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	18		PS 274	Roof top					Ambient Air	1 hour		12.85 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	19		PS 274	Roof top					Ambient Air	1 hour		7.81 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	20		PS 274	Roof top					Ambient Air	1 hour		11.30 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	21		PS 274	Roof top					Ambient Air	1 hour		10.07 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	22		PS 274	Roof top					Ambient Air	1 hour		10.43 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	23		PS 274	Roof top					Ambient Air	1 hour		9.23 ug/m3			
		PM 2.5		NYSDEC		10/19/2001				Roof top					Ambient Air	24 hours/ave		ug/m3			24 Hr Avg
									PS 274 Daily Average									15.23			
		PM 2.5		NYSDEC		10/19/2001	0		PS 64	Roof top					Ambient Air	1 hour		22.08 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	1		PS 64	Roof top					Ambient Air	1 hour		16.30 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	2		PS 64	Roof top					Ambient Air	1 hour		19.30 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	3		PS 64	Roof top					Ambient Air	1 hour		20.14 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	4		PS 64	Roof top					Ambient Air	1 hour		18.89 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	5		PS 64	Roof top					Ambient Air	1 hour		19.25 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	6		PS 64	Roof top					Ambient Air	1 hour		21.45 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	7		PS 64	Roof top					Ambient Air	1 hour		25.45 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	8		PS 64	Roof top					Ambient Air	1 hour		22.38 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	9		PS 64	Roof top					Ambient Air	1 hour		24.04 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	10		PS 64	Roof top					Ambient Air	1 hour		15.31 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	11		PS 64	Roof top					Ambient Air	1 hour		11.17 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	12		PS 64	Roof top					Ambient Air	1 hour		8.45 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	13		PS 64	Roof top					Ambient Air	1 hour		8.74 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	14		PS 64	Roof top					Ambient Air	1 hour		9.67 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	15		PS 64	Roof top					Ambient Air	1 hour		11.94 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	16		PS 64	Roof top					Ambient Air	1 hour		12.30 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	17		PS 64	Roof top					Ambient Air	1 hour		15.23 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	18		PS 64	Roof top					Ambient Air	1 hour		16.04 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	19		PS 64	Roof top					Ambient Air	1 hour		12.83 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	20		PS 64	Roof top					Ambient Air	1 hour		15.13 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	21		PS 64	Roof top					Ambient Air	1 hour		16.34 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	22		PS 64	Roof top					Ambient Air	1 hour		14.82 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	23		PS 64	Roof top					Ambient Air	1 hour		12.91 ug/m3			
		PM 2.5		NYSDEC		10/19/2001				Roof top					Ambient Air	24 hours/ave		ug/m3			24 Hr Avg
									PS 64 Daily Average									16.24			
		PM 2.5		NYSDEC		10/19/2001	0		Fresh Kills Met	Roof top					Ambient Air	1 hour		12.34 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	1		Fresh Kills Met	Roof top					Ambient Air	1 hour		13.18 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	2		Fresh Kills Met	Roof top					Ambient Air	1 hour		15.55 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	3		Fresh Kills Met	Roof top					Ambient Air	1 hour		16.00 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	4		Fresh Kills Met	Roof top					Ambient Air	1 hour		16.44 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	5		Fresh Kills Met	Roof top					Ambient Air	1 hour		21.26 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	6		Fresh Kills Met	Roof top					Ambient Air	1 hour		20.42 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	7		Fresh Kills Met	Roof top					Ambient Air	1 hour		24.00 ug/m3			
		PM 2.5		NYSDEC		10/19/2001	8		Fresh Kills Met	Roof top					Ambient Air	1 hour		ug/m3			
																		N/A			

TRIAL VERSION

CITY_21MC100_002862578

DRAFT

Inter-Agency Environmental Sampling Log

10/22/2001, team1019a, Page: 2 of 16

UNIQUE_DOCUMENT_ID ID	SAMPLE_ID	ANALYTE	SUB_ANALY TE	AGENCY	LAB	DATE_SAMP LED	START_TI ME_SAMP LED	COUNTY	STE_NAME_OR_ADDRESS	BUILD F LOOR	1. NORTH 4 TH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	3. EAST WEST CROSS STREET	4. EAST WEST CROSS STREET	TEST MEDIA	SAMPLE D URATION	CODE DCTEC HION LN MIT	RESULTS CONCENTRATIO N	UNIT	ANALYSIS METHOD	TIME STANDARD
		PM 2.5		NYSDEC		10/19/2001		9	Fresh Kills Met	Roof top					Ambient Air	1 hour		ug/m3			
		PM 2.5		NYSDEC		10/19/2001		10	Fresh Kills Met	Roof top					Ambient Air	1 hour		N/A	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		11	Fresh Kills Met	Roof top					Ambient Air	1 hour		N/A	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		12	Fresh Kills Met	Roof top					Ambient Air	1 hour		N/A	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		13	Fresh Kills Met	Roof top					Ambient Air	1 hour		N/A	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		14	Fresh Kills Met	Roof top					Ambient Air	1 hour		N/A	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		15	Fresh Kills Met	Roof top					Ambient Air	1 hour		N/A	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		16	Fresh Kills Met	Roof top					Ambient Air	1 hour		N/A	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		17	Fresh Kills Met	Roof top					Ambient Air	1 hour		N/A	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		18	Fresh Kills Met	Roof top					Ambient Air	1 hour		N/A	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		19	Fresh Kills Met	Roof top					Ambient Air	1 hour		N/A	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		20	Fresh Kills Met	Roof top					Ambient Air	1 hour		N/A	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		21	Fresh Kills Met	Roof top					Ambient Air	1 hour		N/A	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		22	Fresh Kills Met	Roof top					Ambient Air	1 hour		N/A	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		23	Fresh Kills Met	Roof top					Ambient Air	1 hour		N/A	ug/m3		
		PM 2.5		NYSDEC		10/19/2001			Fresh Kills Daily Average	Roof top					Ambient Air	24 hours/ave		17.41	ug/m3	24 Hr Avg	
		PM 2.5		NYSDEC		10/19/2001		0	PS 44	Roof top					Ambient Air	1 hour		18.18	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		1	PS 44	Roof top					Ambient Air	1 hour		14.81	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		2	PS 44	Roof top					Ambient Air	1 hour		13.49	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		3	PS 44	Roof top					Ambient Air	1 hour		19.63	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		4	PS 44	Roof top					Ambient Air	1 hour		14.11	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		5	PS 44	Roof top					Ambient Air	1 hour		19.08	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		6	PS 44	Roof top					Ambient Air	1 hour		20.79	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		7	PS 44	Roof top					Ambient Air	1 hour		30.61	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		8	PS 44	Roof top					Ambient Air	1 hour		25.51	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		9	PS 44	Roof top					Ambient Air	1 hour		25.14	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		10	PS 44	Roof top					Ambient Air	1 hour		12.19	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		11	PS 44	Roof top					Ambient Air	1 hour		6.86	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		12	PS 44	Roof top					Ambient Air	1 hour		-7.71	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		13	PS 44	Roof top					Ambient Air	1 hour		-3.39	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		14	PS 44	Roof top					Ambient Air	1 hour		2.78	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		15	PS 44	Roof top					Ambient Air	1 hour		4.58	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		16	PS 44	Roof top					Ambient Air	1 hour		4.99	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		17	PS 44	Roof top					Ambient Air	1 hour		6.89	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		18	PS 44	Roof top					Ambient Air	1 hour		7.24	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		19	PS 44	Roof top					Ambient Air	1 hour		6.27	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		20	PS 44	Roof top					Ambient Air	1 hour		6.43	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		21	PS 44	Roof top					Ambient Air	1 hour		7.25	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		22	PS 44	Roof top					Ambient Air	1 hour		8.73	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		23	PS 44	Roof top					Ambient Air	1 hour		6.82	ug/m3		
		PM 2.5		NYSDEC		10/19/2001			PS44 Daily Average	Roof top					Ambient Air	24 hours/ave		11.30	ug/m3	24 Hr Avg	
		PM 2.5		NYSDEC		10/19/2001		0	IS 74	Roof top					Ambient Air	1 hour		10.94	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		1	IS 74	Roof top					Ambient Air	1 hour		11.60	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		2	IS 74	Roof top					Ambient Air	1 hour		24.61	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		3	IS 74	Roof top					Ambient Air	1 hour		39.55	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		4	IS 74	Roof top					Ambient Air	1 hour		27.05	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		5	IS 74	Roof top					Ambient Air	1 hour		33.13	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		6	IS 74	Roof top					Ambient Air	1 hour		44.68	ug/m3		

CITY_21MC100-002862579

DRAFT

Inter-Agency Environmental Sampling Log

10/22/2001, leom1019a, Page: 3 of 16

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1. NORTH_SOUTH STREET OR AVENUE	2. NORTH_SOUTH STREET OR AVENUE	1. EAST_WEST CROSS STREET	2. EAST_WEST CROSS STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE DETECTION UNIT	RESULTS CONCENTRATION	UNIT	ANALYSIS_METHOD	TIME_STANDARD
		PM 2.5		NYSDEC		10/19/2001	7	IS 74		Roof top					Ambient Air	1 hour		44.78	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	8	IS 74		Roof top					Ambient Air	1 hour		31.94	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	9	IS 74		Roof top					Ambient Air	1 hour		21.93	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	10	IS 74		Roof top					Ambient Air	1 hour		16.69	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	11	IS 74		Roof top					Ambient Air	1 hour		11.07	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	12	IS 74		Roof top					Ambient Air	1 hour		9.30	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	13	IS 74		Roof top					Ambient Air	1 hour		6.95	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	14	IS 74		Roof top					Ambient Air	1 hour		8.70	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	15	IS 74		Roof top					Ambient Air	1 hour		9.55	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	16	IS 74		Roof top					Ambient Air	1 hour		8.69	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	17	IS 74		Roof top					Ambient Air	1 hour		11.10	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	18	IS 74		Roof top					Ambient Air	1 hour		12.10	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	19	IS 74		Roof top					Ambient Air	1 hour		11.45	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	20	IS 74		Roof top					Ambient Air	1 hour		11.17	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	21	IS 74		Roof top					Ambient Air	1 hour		11.12	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	22	IS 74		Roof top					Ambient Air	1 hour		10.26	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	23	IS 74		Roof top					Ambient Air	1 hour		8.99	ug/m3		
		PM 2.5		NYSDEC		10/19/2001			IS 74 Daily Average						Ambient Air	24 hour/ave		18.26	ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		10/19/2001	0	PS 154		Roof top					Ambient Air	1 hour		12.05	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	1	PS 154		Roof top					Ambient Air	1 hour		13.16	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	2	PS 154		Roof top					Ambient Air	1 hour		30.40	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	3	PS 154		Roof top					Ambient Air	1 hour		38.26	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	4	PS 154		Roof top					Ambient Air	1 hour		44.58	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	5	PS 154		Roof top					Ambient Air	1 hour		25.09	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	6	PS 154		Roof top					Ambient Air	1 hour		24.55	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	7	PS 154		Roof top					Ambient Air	1 hour		25.55	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	8	PS 154		Roof top					Ambient Air	1 hour		27.04	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	9	PS 154		Roof top					Ambient Air	1 hour		22.12	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	10	PS 154		Roof top					Ambient Air	1 hour		15.97	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	11	PS 154		Roof top					Ambient Air	1 hour		15.64	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	12	PS 154		Roof top					Ambient Air	1 hour		15.00	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	13	PS 154		Roof top					Ambient Air	1 hour		11.81	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	14	PS 154		Roof top					Ambient Air	1 hour		12.69	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	15	PS 154		Roof top					Ambient Air	1 hour		14.77	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	16	PS 154		Roof top					Ambient Air	1 hour		14.85	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	17	PS 154		Roof top					Ambient Air	1 hour		14.77	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	18	PS 154		Roof top					Ambient Air	1 hour		15.97	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	19	PS 154		Roof top					Ambient Air	1 hour		14.07	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	20	PS 154		Roof top					Ambient Air	1 hour		14.83	ug/m3		
		PM 2.5		NYSDEC		10/19/2001				Roof top					Ambient Air	1 hour			ug/m3		
		PM 2.5		NYSDEC		10/19/2001	21	PS 154		Roof top					Ambient Air	1 hour		13.60	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	22	PS 154		Roof top					Ambient Air	1 hour		12.86	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	23	PS 154		Roof top					Ambient Air	1 hour		11.43	ug/m3		
		PM 2.5		NYSDEC		10/19/2001			PS 154 Daily Average						Ambient Air	24 hour/ave			ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		10/19/2001	0	Maspeth Library		Roof top					Ambient Air	1 hour		24.09	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	1	Maspeth Library		Roof top					Ambient Air	1 hour		30.37	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	2	Maspeth Library		Roof top					Ambient Air	1 hour		29.14	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	3	Maspeth Library		Roof top					Ambient Air	1 hour		19.73	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	4	Maspeth Library		Roof top					Ambient Air	1 hour		24.35	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	5	Maspeth Library		Roof top					Ambient Air	1 hour		21.45	ug/m3		
		PM 2.5		NYSDEC		10/19/2001	6	Maspeth Library		Roof top					Ambient Air	1 hour		26.28	ug/m3		

CITY_21MC100-002862580

DRAFT

Inter-Agency Environmental Sampling Log

10/22/2001, team1019a, Page: 4 of 16

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB ANALYTE	AGENCY	LAB	DATE SAMPLED	START TIME	COUNTY	SITE NAME OR ADDRESS	BUILDING FLOOR	1 NORTH SOUTH STREET OR AVENUE	2 NORTH SOUTH STREET OR AVENUE	1 EAST WEST STREET	2 EAST WEST STREET	TEST METHOD	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS TIME STANDARD METHOD
		PM 2.5		NYSDEC		10/19/2001		7	Maspeth Library	Roof top					Ambient Air	1 hour		35.45	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		8	Maspeth Library	Roof top					Ambient Air	1 hour		34.66	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		9	Maspeth Library	Roof top					Ambient Air	1 hour		16.60	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		10	Maspeth Library	Roof top					Ambient Air	1 hour		11.87	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		11	Maspeth Library	Roof top					Ambient Air	1 hour		9.85	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		12	Maspeth Library	Roof top					Ambient Air	1 hour		10.94	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		13	Maspeth Library	Roof top					Ambient Air	1 hour		9.83	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		14	Maspeth Library	Roof top					Ambient Air	1 hour		10.53	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		15	Maspeth Library	Roof top					Ambient Air	1 hour		9.37	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		16	Maspeth Library	Roof top					Ambient Air	1 hour		10.41	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		17	Maspeth Library	Roof top					Ambient Air	1 hour		11.06	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		18	Maspeth Library	Roof top					Ambient Air	1 hour		11.92	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		19	Maspeth Library	Roof top					Ambient Air	1 hour		10.03	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		20	Maspeth Library	Roof top					Ambient Air	1 hour		11.84	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		21	Maspeth Library	Roof top					Ambient Air	1 hour		10.81	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		22	Maspeth Library	Roof top					Ambient Air	1 hour		10.70	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		23	Maspeth Library	Roof top					Ambient Air	1 hour		9.06	ug/m3	
		PM 2.5		NYSDEC		10/19/2001			Maspeth Library Daily Average	Roof top					Ambient Air	24 hour ave		17.10	ug/m3	24 Hr Avg
		PM 2.5		NYSDEC		10/19/2001		0	Manhattenville P.O.	Roof top					Ambient Air	1 hour		8.23	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		1	Manhattenville P.O.	Roof top					Ambient Air	1 hour		15.44	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		2	Manhattenville P.O.	Roof top					Ambient Air	1 hour		14.59	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		3	Manhattenville P.O.	Roof top					Ambient Air	1 hour		19.68	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		4	Manhattenville P.O.	Roof top					Ambient Air	1 hour		19.90	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		5	Manhattenville P.O.	Roof top					Ambient Air	1 hour		21.96	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		6	Manhattenville P.O.	Roof top					Ambient Air	1 hour		20.70	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		7	Manhattenville P.O.	Roof top					Ambient Air	1 hour		21.13	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		8	Manhattenville P.O.	Roof top					Ambient Air	1 hour		21.74	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		9	Manhattenville P.O.	Roof top					Ambient Air	1 hour		19.79	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		10	Manhattenville P.O.	Roof top					Ambient Air	1 hour		16.12	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		11	Manhattenville P.O.	Roof top					Ambient Air	1 hour		13.01	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		12	Manhattenville P.O.	Roof top					Ambient Air	1 hour		12.38	ug/m3	

CITY_21MC100_002862581

DRAFT

Inter-Agency Environmental Sampling Log

10/22/2001, team1019a, Page: 5 of 16

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1. NORTH_SOUTH_STREET_OR_AVENUE	2. NORTH_SOUTH_STREET_OR_AVENUE	3. EAST_WEST_STREET_OR_AVENUE	4. EAST_WEST_STREET_OR_AVENUE	TEST_MEDIUM	SAMPLE_DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS TIME STANDARD METHOD
		PM 2.5		NYSDEC		10/19/2001		13	Manhattenville P.O.	Roof top					Ambient Air	1 hour		10.81	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		14	Manhattenville P.O.	Roof top					Ambient Air	1 hour		11.70	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		15	Manhattenville P.O.	Roof top					Ambient Air	1 hour		13.04	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		16	Manhattenville P.O.	Roof top					Ambient Air	1 hour		14.66	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		17	Manhattenville P.O.	Roof top					Ambient Air	1 hour		16.31	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		18	Manhattenville P.O.	Roof top					Ambient Air	1 hour		18.57	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		19	Manhattenville P.O.	Roof top					Ambient Air	1 hour		16.38	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		20	Manhattenville P.O.	Roof top					Ambient Air	1 hour		13.81	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		21	Manhattenville P.O.	Roof top					Ambient Air	1 hour		12.69	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		22	Manhattenville P.O.	Roof top					Ambient Air	1 hour		10.78	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		23	Manhattenville P.O.	Roof top					Ambient Air	1 hour		9.78	ug/m3	
		PM 2.5		NYSDEC		10/19/2001			Manhattenville P.O. Daily Average	Roof top					Ambient Air	24 hour		15.55	ug/m3	24 Hr Avg
		PM 2.5		NYSDEC		10/19/2001		0	PS 199	Roof top					Ambient Air	1 hour		23.95	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		1	PS 199	Roof top					Ambient Air	1 hour		28.07	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		2	PS 199	Roof top					Ambient Air	1 hour		33.85	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		3	PS 199	Roof top					Ambient Air	1 hour		26.54	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		4	PS 199	Roof top					Ambient Air	1 hour		28.25	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		5	PS 199	Roof top					Ambient Air	1 hour		25.51	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		6	PS 199	Roof top					Ambient Air	1 hour		31.03	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		7	PS 199	Roof top					Ambient Air	1 hour		33.95	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		8	PS 199	Roof top					Ambient Air	1 hour		32.32	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		9	PS 199	Roof top					Ambient Air	1 hour		21.18	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		10	PS 199	Roof top					Ambient Air	1 hour		20.83	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		11	PS 199	Roof top					Ambient Air	1 hour		14.56	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		12	PS 199	Roof top					Ambient Air	1 hour		9.38	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		13	PS 199	Roof top					Ambient Air	1 hour		8.49	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		14	PS 199	Roof top					Ambient Air	1 hour		10.14	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		15	PS 199	Roof top					Ambient Air	1 hour		11.84	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		16	PS 199	Roof top					Ambient Air	1 hour		11.82	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		17	PS 199	Roof top					Ambient Air	1 hour		12.01	ug/m3	
		PM 2.5		NYSDEC		10/19/2001		18	PS 199	Roof top					Ambient Air	1 hour		14.35	ug/m3	

CITY_21MC100_002862582

DRAFT

Inter-Agency Environmental Sampling Log

10/22/2001, leom1019a, Page 6 of 16

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1. NORTH SOUTH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	3. EAST WEST STREET	4. EAST WEST STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS_METHOD	TIME_STANDARD
		PM 2.5		NYSDEC		10/19/2001		19	PS 199	Roof top					Ambient Air	1 hour		12.15	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		20	PS 199	Roof top					Ambient Air	1 hour		12.96	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		21	PS 199	Roof top					Ambient Air	1 hour		10.66	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		22	PS 199	Roof top					Ambient Air	1 hour		10.16	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		23	PS 199	Roof top					Ambient Air	1 hour		9.01	ug/m3		
		PM 2.5		NYSDEC		10/19/2001			PS 199 Daily Average	Roof top					Ambient Air	24 hour		18.88	ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		10/19/2001		0	IS 143	Roof top					Ambient Air	1 hour		15.31	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		1	IS 143	Roof top					Ambient Air	1 hour		11.61	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		2	IS 143	Roof top					Ambient Air	1 hour		13.37	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		3	IS 143	Roof top					Ambient Air	1 hour		19.21	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		4	IS 143	Roof top					Ambient Air	1 hour		25.22	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		5	IS 143	Roof top					Ambient Air	1 hour		21.33	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		6	IS 143	Roof top					Ambient Air	1 hour		24.23	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		7	IS 143	Roof top					Ambient Air	1 hour		24.66	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		8	IS 143	Roof top					Ambient Air	1 hour		32.32	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		9	IS 143	Roof top					Ambient Air	1 hour		30.46	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		10	IS 143	Roof top					Ambient Air	1 hour		23.39	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		11	IS 143	Roof top					Ambient Air	1 hour		17.13	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		12	IS 143	Roof top					Ambient Air	1 hour		16.75	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		13	IS 143	Roof top					Ambient Air	1 hour		13.83	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		14	IS 143	Roof top					Ambient Air	1 hour		14.98	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		15	IS 143	Roof top					Ambient Air	1 hour		15.04	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		16	IS 143	Roof top					Ambient Air	1 hour		13.07	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		17	IS 143	Roof top					Ambient Air	1 hour		14.07	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		18	IS 143	Roof top					Ambient Air	1 hour		17.52	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		19	IS 143	Roof top					Ambient Air	1 hour		17.98	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		20	IS 143	Roof top					Ambient Air	1 hour		20.49	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		21	IS 143	Roof top					Ambient Air	1 hour		16.04	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		22	IS 143	Roof top					Ambient Air	1 hour		14.67	ug/m3		
		PM 2.5		NYSDEC		10/19/2001		23	IS 143	Roof top					Ambient Air	1 hour		12.76	ug/m3		
		PM 2.5		NYSDEC		10/19/2001			IS 143 Daily Average	Roof top					Ambient Air	24 hour		18.56	ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		10/19/2001		0	Kew Gardens	Roof top					Ambient Air	1 hour		21.63	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		1	Kew Gardens	Roof top					Ambient Air	1 hour		24.31	ug/m3		Max Hr Avg

CITY_21MC100_002862583

DRAFT

Inter-Agency Environmental Sampling Log

10/22/2001, team1019a, Page: 7 of 16

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START TIME SAMPLED	COUNTY	SITE NAME OR ADDRESS	BUILDING FLOOR	1 NORTH OR AVENUE	2 NORTH OR AVENUE	3 EAST CROSS STREET	4 EAST CROSS STREET	TEST MEDIA	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS METHOD	TIME STANDARD
		PM 2.5		NYSDEC		10/19/2001		2	Kew Gardens	Roof top					Ambient Air	1 hour		25.29	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		3	Kew Gardens	Roof top					Ambient Air	1 hour		23.65	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		4	Kew Gardens	Roof top					Ambient Air	1 hour		28.73	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		5	Kew Gardens	Roof top					Ambient Air	1 hour		17.23	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		6	Kew Gardens	Roof top					Ambient Air	1 hour		17.20	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		7	Kew Gardens	Roof top					Ambient Air	1 hour		20.58	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		8	Kew Gardens	Roof top					Ambient Air	1 hour		20.33	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		9	Kew Gardens	Roof top					Ambient Air	1 hour		11.62	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		10	Kew Gardens	Roof top					Ambient Air	1 hour		7.32	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		11	Kew Gardens	Roof top					Ambient Air	1 hour		6.50	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		12	Kew Gardens	Roof top					Ambient Air	1 hour		8.26	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		13	Kew Gardens	Roof top					Ambient Air	1 hour		6.71	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		14	Kew Gardens	Roof top					Ambient Air	1 hour		7.88	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		15	Kew Gardens	Roof top					Ambient Air	1 hour		8.11	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		16	Kew Gardens	Roof top					Ambient Air	1 hour		8.23	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		17	Kew Gardens	Roof top					Ambient Air	1 hour		9.38	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		18	Kew Gardens	Roof top					Ambient Air	1 hour		10.19	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		19	Kew Gardens	Roof top					Ambient Air	1 hour		8.62	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		20	Kew Gardens	Roof top					Ambient Air	1 hour		8.95	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		21	Kew Gardens	Roof top					Ambient Air	1 hour		8.91	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		22	Kew Gardens	Roof top					Ambient Air	1 hour		8.32	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		23	Kew Gardens	Roof top					Ambient Air	1 hour		7.64	ug/m3		Max Hr Avg
									Kew Gardens Daily Average	Roof top					Ambient Air	24 hour					
																	13.56				
		PM 2.5		NYSDEC		10/19/2001		0	IS 52	Roof top					Ambient Air	1 hour		12.86	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		1	IS 52	Roof top					Ambient Air	1 hour		12.66	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		2	IS 52	Roof top					Ambient Air	1 hour		15.81	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		3	IS 52	Roof top					Ambient Air	1 hour		32.11	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		4	IS 52	Roof top					Ambient Air	1 hour		33.72	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		5	IS 52	Roof top					Ambient Air	1 hour		32.16	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		6	IS 52	Roof top					Ambient Air	1 hour		25.99	ug/m3		Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001		7	IS 52	Roof top					Ambient Air	1 hour		23.91	ug/m3		Max Hr Avg

CITY_21MC100_002862584

DRAFT

Inter-Agency Environmental Sampling Log

10/22/2001, team1019a, Page 8 of 16

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME OR ADDRESS	BUILDING FLOOR	1 NORTH-SOUTH STREET OR AVENUE	2 NORTH-SOUTH STREET OR AVENUE	1 EAST-WEST CROSS STREET	2 EAST-WEST CROSS STREET	TEST METHOD	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS TIME STANDARD METHOD
		PM 2.5		NYSDEC		10/19/2001				Roof top					Ambient Air	1 hour		27.27	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001	8	IS 52		Roof top					Ambient Air	1 hour		22.83	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001	9	IS 52		Roof top					Ambient Air	1 hour		14.48	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001	10	IS 52		Roof top					Ambient Air	1 hour		13.08	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001	11	IS 52		Roof top					Ambient Air	1 hour		12.59	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001	12	IS 52		Roof top					Ambient Air	1 hour		8.72	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001	13	IS 52		Roof top					Ambient Air	1 hour		11.87	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001	14	IS 52		Roof top					Ambient Air	1 hour		11.74	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001	15	IS 52		Roof top					Ambient Air	1 hour		10.08	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001	16	IS 52		Roof top					Ambient Air	1 hour		10.08	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001	17	IS 52		Roof top					Ambient Air	1 hour		13.93	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001	18	IS 52		Roof top					Ambient Air	1 hour		13.00	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001	19	IS 52		Roof top					Ambient Air	1 hour		12.05	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001	20	IS 52		Roof top					Ambient Air	1 hour		12.22	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001	21	IS 52		Roof top					Ambient Air	1 hour		10.02	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001	22	IS 52		Roof top					Ambient Air	1 hour		18.68	ug/m3	Max Hr Avg
		PM 2.5		NYSDEC		10/19/2001	23	IS 52		Roof top					Ambient Air	24 hour		17.16	ug/m3	24 Hr Avg
								IS 52 Daily Average												

CITY_21MC100_002862585

Inter-Agency Environmental Sampling Log

10/22/2001, team1019a, Page: 9 of 16

NYC-WTC_000210936

Inter-Agency Environmental Sampling Log

10/22/2001, team1019a, Page: 10 of 16

[illegible]

Inter-Agency Environmental Sampling Log

10/22/2001, team1019a, Page: 11 of 15

[illegible]

Inter-Agency Environmental Sampling Log

10/22/2001, team1019a, Page: 12 of 16

[illegible]

Inter-Agency Environmental Sampling Log

10/22/2001, leom1019a, Page: 13 of 16

[illegible]

****TRIAL VERSION****

DRAFT

Inter-Agency Environmental Sampling Log

UNIQUE_ID	DATE_DOH_TEST	REQUIREMENTS	PAM_ACTIVITY	ZONE	SampleID	CASRN	END_DATE	END_TIME	SOURCE	LATITUDE	LONGITUDE
	10/19/2001			Distant from zone	709612						
	10/19/2001			Distant from zone	709612						
	10/19/2001			Distant from zone	709612						
	10/19/2001			Distant from zone	709612						
	10/19/2001			Distant from zone	709612						
	10/19/2001	24 readings, Meets Standards		Distant from zone	709612						
	10/19/2001			Distant from zone	709315						
	10/19/2001			Distant from zone	709315						
	10/19/2001			Distant from zone	709315						
	10/19/2001			Distant from zone	709315						
	10/19/2001			Distant from zone	709315						
	10/19/2001			Distant from zone	709315						
	10/19/2001			Distant from zone	709315						
	10/19/2001			Distant from zone	709315						
	10/19/2001			Distant from zone	709315						
	10/19/2001			Distant from zone	709315						
	10/19/2001			Distant from zone	709315						
	10/19/2001			Distant from zone	709315						
	10/19/2001			Distant from zone	709315						
	10/19/2001			Distant from zone	709315						
	10/19/2001			Distant from zone	709315						
	10/19/2001			Distant from zone	709315						
	10/19/2001			Distant from zone	709315						
	10/19/2001			Distant from zone	709315						
	10/19/2001			Distant from zone	709315						
	10/19/2001			Distant from zone	709315						
	10/19/2001			Distant from zone	709315						
	10/19/2001	24 readings, Meets Standards		Distant from zone	709315						
	10/19/2001			Distant from zone	709614						
	10/19/2001			Distant from zone	709614						

Inter-Agency Environmental Sampling Log

10/22/2001, team1019a, Page: 15 of 16

[illegible]

Inter-Agency Environmental Sampling Log

10/22/2001, team1019a, Page: 16 of 16

UNIQUE ID	DATE	LOH_REDCOMMENTS D_TEST	FAM ACTIVITY	ZONE	SampleID/CASRN	END_DATE	END_TIME	SOURCE	LATITUDE	LONGITUDE
	10/19/2001			Distant from zone	709407					
	10/19/2001			Distant from zone	709407					
	10/19/2001			Distant from zone	709407					
	10/19/2001			Distant from zone	709407					
	10/19/2001			Distant from zone	709407					
	10/19/2001			Distant from zone	709407					
	10/19/2001			Distant from zone	709407					
	10/19/2001			Distant from zone	709407					
	10/19/2001			Distant from zone	709407					
	10/19/2001			Distant from zone	709407					
	10/19/2001			Distant from zone	709407					
	10/19/2001			Distant from zone	709407					
	10/19/2001			Distant from zone	709407					
	10/19/2001			Distant from zone	709407					
	10/19/2001			Distant from zone	709407					
	10/19/2001			Distant from zone	709407					
	10/19/2001			Distant from zone	709407					
	10/19/2001			Distant from zone	709407					
	10/19/2001			Distant from zone	709407					
	10/19/2001	24 readings, Meets Standards		Distant from zone	709407					