



104 East 25th St  
 New York, New York 10010  
 www.atc-enviro.com  
 212.353.8280  
 Fax 212.353.8306

March 1, 2002

Mr. Bernard P. Orlan  
 Director, Environmental Health & Safety  
 New York City Board of Education  
 28-11 Queens Plaza North  
 Long Island City, NY 11101-4008

**Re: Wipe Samples for Dioxins  
 P. S. 150M  
 ATC Project No. 15-19125-0289**

Dear Mr. Orlan:

ATC Associates Inc. (ATC) is pleased to provide this report of the results of the wipe-samples for polychlorinated dibenzo-p-dioxins (PCDDs) and dibenzofurans (PCDFs) collected on February 4, 2002, at the referenced location. The New York City Board of Education (BOE) requested these samples to evaluate possible contamination in the school building per the recommendation of T. Fusillo of Environ Corp., consultant to the parents association..

#### **SCOPE OF WORK**

Wagdi Abdelshahid, Industrial Hygienist of ATC's New York City office, collected the samples on all three days.

The samples were collected using gauze pads and hexane as a solvent. The pads and solvent were provided and samples were analyzed by Pace Analytical Services, Inc. (Pace) of Minneapolis, MN, a laboratory experienced in dioxin analysis. The analysis was performed by modified EPA Method 8290 using combined capillary column gas chromatography/high resolution mass spectrometry.

ATC's findings and conclusions are based on the laboratory samples results and the conditions present in the school at the time of the assessment.

The sampling was performed consistent with generally accepted industrial hygiene practices. There were inherent limitations created by constraints of time, operational and work practice variability, variations in contaminant concentrations, and sampling and analytical accuracy. The results of the sampling represent conditions found on the date the samples were collected.

Mr. Bernard P. Orlan  
Wipe Sampling for Dioxin  
P. S. 150 (Manhattan)

March 1, 2002

Page 2

ATC Project No. 15-19125-0289

## RESULTS

ATC submitted one wipe sample for PCDDs/PCDFs (plus one blank) to Pace for analysis. The sample area was 1 square meter (1m<sup>2</sup>). The location sampled was the Main Entrance – Lobby.

The sample was analyzed for sixteen (16) PCDD/PCDF isomers. The results for each isomer were then converted to 2, 3, 7, 8 -tetrachloro-dibenzo-p-dioxin (2, 3, 7, 8-TCDD) equivalents by multiplying by an established equivalency factor. This provides a single value (in nanograms) for the analytical results for each sample. Copies of the draft laboratory analysis results are attached. The results of the samples are shown in the following table:

### **DIOXIN WIPE SAMPLE RESULTS (2, 3, 7, 8 TCDD EQUIVALENTS)**

January 29, 2002


| LOCATION/SAMPLE NUMBER    | DIOXIN CONCENTRATION      |
|---------------------------|---------------------------|
| MAIN ENTRANCE – LOBBY/DX1 | 0.00054 ng/m <sup>2</sup> |
| FIELD BLANK/DX2           | 0.00 ng/sample            |

The New York State Department of Health (NYSDOH) established guidelines for dioxin for the re-occupancy of the Binghamton State Office Building following a PCB fire. The NYSDOH guideline for dioxin on surfaces is 25 nanograms per square meter (25 ng/m<sup>2</sup>). The New York State Department of Environmental Conservation (NYSDEC) has set 0.0006 parts per million (ppm) as the allowable concentration of dioxin in soil. The EPA has established a residential clean-up goal of 1 part per billion (ppb).

The dioxin concentration in this sample is *below* the NYSDOH guideline. It is not possible to determine when the 2, 3, 7, 8 - TCDD equivalents detected in this sample was deposited. Dioxin samples were not collected from this location prior to December 13, 2001.

It is our pleasure to provide these indoor environmental services to the NYC Board of Education. If you have any questions about this report, please call (212) 353-8280, extension 212.

Sincerely,  
ATC Associates, Inc.



James R. Cohn, CIH, CSP  
Regional Manager  
Industrial Hygiene Division

Attachment

CITY\_21MC100\_002871411