



104 East 25th St., 10th Floor
New York, New York 10010
www.atc-enviro.com
212.353.8280
Fax 212.353.8306

May 6, 2002

Mr. Bernard P. Orlan
Director, Environmental Health & Safety
New York City Board of Education
28-11 Queens Plaza North
Long Island City, NY 11101-4008

**Re: Wipe Samples for Dioxins
P. S. 150M
ATC Project No. 15-19125-0289**

Dear Mr. Orlan:

ATC Associates Inc. (ATC) is pleased to provide this report of the results of the wipe-samples for polychlorinated dibenzo-p-dioxins (PCDDs) and dibenzofurans (PCDFs) collected on March 15, 18, and 25, 2002, at the referenced location. The New York City Board of Education (BOE) requested these samples to evaluate possible contamination in the school building per the recommendation of Environ Corp., consultant to the parents association..

SCOPE OF WORK

The samples were collected using gauze pads and hexane as a solvent. The pads and solvent were provided and samples were analyzed by Pace Analytical Services, Inc. (Pace) of Minneapolis, MN, a laboratory experienced in dioxin analysis. The analysis was performed by modified EPA Method 8290 using combined capillary column gas chromatography/high resolution mass spectrometry.

ATC's findings and conclusions are based on the laboratory samples results and the conditions present in the school at the time of the assessment.

Wagdi Abdelshahid, Industrial Hygienist of ATC's New York City office, collected the samples consistent with generally accepted industrial hygiene practices. There were inherent limitations created by constraints of time, operational and work practice variability, variations in contaminant concentrations, and sampling and analytical accuracy. The results of the sampling represent conditions found on the dates the samples were collected.

RESULTS

On each day, ATC submitted one wipe sample (and one blank) for PCDDs/PCDFs to Pace for analysis. The sample area was one square meter (1 m²). The location sampled was the Main Entrance -- Lobby.

CITY_21MC100_002871474

Mr. Bernard P. Orlan
Wipe Samples for Dioxin
P. S. 150 (Manhattan)

May 6, 2002

Page 2

ATC Project No. 15-19125-0289

The sample was analyzed for sixteen (16) PCDD/PCDF isomers. The results for each isomer were then converted to 2, 3, 7, 8 -tetrachloro-dibenzo-p-dioxin (2, 3, 7, 8-TCDD) equivalents by multiplying by an established equivalency factor. This provides a single value (in nanograms) for the analytical results for each sample. A copy of the laboratory analysis report is attached. The results of the samples on each day are shown in the following table:

DIOXIN WIPE SAMPLE RESULT
(2, 3, 7, 8 TCDD EQUIVALENTS) - Nanograms per square meter (ng/m²)
March 15, 2002

LOCATION/SAMPLE NUMBER	DIOXIN CONCENTRATION
1 st Floor Main Entrance- Lobby/DX1	0.000068
Blank	0.00

March 18, 2002

LOCATION/SAMPLE NUMBER	DIOXIN CONCENTRATION
1 st Floor Main Entrance- Lobby/DX1	0.00023
Blank	0.00

March 25, 2002

LOCATION/SAMPLE NUMBER	DIOXIN CONCENTRATION
1 st Floor Main Entrance- Lobby/DX1	0.00072
Blank	0.00

The New York State Department of Health (NYSDOH) established guidelines for dioxin for the re-occupancy of the Binghamton State Office Building following a PCB fire. The NYSDOH guideline for dioxin on surfaces is 25 nanograms per square meter (25 ng/m²). The dioxin concentration in this sample is *below* the NYSDOH guideline.

It is not possible to determine when the 2, 3, 7, 8 - TCDD equivalents detected in this sample was deposited. Dioxin samples were not collected from this location prior to December 13, 2001.

It is our pleasure to provide these indoor environmental services to the NYC Board of Education. If you have any questions about this report, please call (212) 353-8280, extension 212.

Sincerely,
ATC Associates, Inc.



James R. Cohn, CIH, CSP
Regional Manager
Industrial Hygiene Division

Attachment

CITY_21MC100_002871475