

ATTACHMENT

ANALYTICAL LABORATORY REPORT

POLYCHLORINATED BIPHENYLS (PCBs)



Chain of Custody Record

4418 Pottsville Pike Reading, PA 19605
phone: (610) 921-8833 fax: (610) 921-9667

Sample Container Information

Bottle Type (G P IH) ☐
of Containers ☒
Preserved? (Y/N) ☐

Report Results To: PO # Job ID 19125-0290
Name JAMES COHN
Company ATC ASSOCIATES
Mailing Address 104 E 25th Street
City New York State NY ZIP 10010
Telephone # 353-8280 Fax # 212-353-8306

Send Invoice To: Name Telephone #
Company Dept.
Mailing Address SAME
City State ZIP
Credit Card # Exp. Date

Analysis Requested

PCBS

RO2010015

Page 1 of 1

PAS Quote#

Sampled by: Tenzin Wangdi		Air Vol. (L or mL)	Matrix Type	Date Sampled	Time Sampled	Comments/Hazards/ Location Details									
SAMPLE DESCRIPTION															
1	ATC-1230-894M-PCB ₁	120	Air	12/30/01	600	X	Kovf by the intake								
2	ATC-1230-894M-PCB ₂	120			600	X	13th fl. (N) Library								
3	ATC-1230-894M-PCB ₃	120-2			601	X	11th fl. (S) Rm 1106								
4	ATC-1230-894M-PCB ₄	120			600	X	9th fl. (N) Rm 903								
5	ATC-1230-894M-PCB ₅	120			600	X	7th fl. (S) Rm 715								
6	ATC-1230-894M-PCB ₆	120-2			601	X	5th fl. (N) Rm 503								
7	ATC-1230-894M-PCB ₇	120			600	X	3rd fl. (S) Helix by stair B								
8	ATC-1230-894M-PCB ₈	120			600	X	1st fl. main lobby								
9	ATC-1230-894M-PCB ₉	120	✓	✓	600	X	Outdoors by entrance								
10	ATC-1230-894M-PCB ₁₀	BLANK				X									

Special Instructions (including Data Deliverables and Turn Around Time):

Samples relinquished to shipper or courier by: Wangdi/Tenzin Date 12/30/01 Time
Samples received by: Date Time

Samples Relinquished by: Samples Relinquished to: Date Time
Samples Relinquished by: Samples Relinquished to Laboratory: Date 1/3/02 Time 6:30 PM

Method of Shipment/Delivery: UPS FED-EX PAS Courier Client drop off Other

Samples Rec'd. on Ice? (Y N n/a) Temp. Blank Sample Temp.
Samples rec'd intact? (Y N n/a) Custody seals intact? (Y N n/a) ID on samples match COC? (Y N n/a)
VOC Samples have zero headspace? (Y N n/a) Samples properly preserved? (Y N n/a)

Jan 07 02 04:58P

PSC Analytical Services

6109219667

P.2

CITY_21MC100_002854391



ANALYTICAL SERVICES

INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPA NVLAP 101262-0

• NY DOH/NELAC 10903

• NJ DEP 77020

• AIHA ACCREDITATION NO. 100439

• PA DEP 06-353

• CT DPH PH-0239

• NC DENR 599

Analytical Results
for

ATC Associates

WorkOrder: R02010015

Client Reference: 19125-0290, PCBs in Air

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst	
	(ug)	(mg/m³)	(ppm)				
Client ID: ATC-1230-894M-PCB1							
	Lab ID: -01A	Date Sampled: 12/30/01		Matrix: Tenax		Air Vol.(L): 120	
Aroclor 1016	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1221	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1232	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1242	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1248	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1254	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1260	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Client ID: ATC-1230-894M-PCB2							
	Lab ID: -02A	Date Sampled: 12/30/01		Matrix: Tenax		Air Vol.(L): 120	
Aroclor 1016	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1221	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1232	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1242	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1248	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1254	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1260	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Client ID: ATC-1230-894M-PCB3							
	Lab ID: -03A	Date Sampled: 12/30/01		Matrix: Tenax		Air Vol.(L): 120.2	
Aroclor 1016	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1221	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1232	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1242	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1248	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1254	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1260	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Client ID: ATC-1230-894M-PCB4							
	Lab ID: -04A	Date Sampled: 12/30/01		Matrix: Tenax		Air Vol.(L): 120	
Aroclor 1016	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1221	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1232	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1242	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1248	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1254	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1260	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF



ANALYTICAL SERVICES

INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPA/NVLAP 101262-0

• NY DOH/NELAC 10903

• NJ DEP 77020

• AIHA ACCREDITATION NO. 100439

• PA DEP 06-353

• CT DPH PH-023B

• NC DENR 599

Analytical Results
for

ATC Associates

WorkOrder: R02010015

Client Reference: 19125-0290, PCBs in Air

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst	
	(ug)	(mg/m³)	(ppm)				
Client ID: ATC-1230-894M-PCB5							
	Lab ID: -05A	Date Sampled: 12/30/01		Matrix: Tenax		Air Vol.(L): 120	
Aroclor 1016	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1221	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1232	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1242	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1248	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1254	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1260	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Client ID: ATC-1230-894M-PCB6							
	Lab ID: -06A	Date Sampled: 12/30/01		Matrix: Tenax		Air Vol.(L): 120.2	
Aroclor 1016	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1221	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1232	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1242	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1248	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1254	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1260	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Client ID: ATC-1230-894M-PCB7							
	Lab ID: -07A	Date Sampled: 12/30/01		Matrix: Tenax		Air Vol.(L): 120	
Aroclor 1016	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1221	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1232	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1242	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1248	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1254	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1260	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Client ID: ATC-1230-894M-PCB8							
	Lab ID: -08A	Date Sampled: 12/30/01		Matrix: Tenax		Air Vol.(L): 120	
Aroclor 1016	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1221	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1232	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1242	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1248	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1254	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF
Aroclor 1260	<0.5	<0.0042	--	0.5	N5503	01/04/202	GIF

Jan 07 02 04:58p

PSC Analytical Services

6109219667

p.5



ANALYTICAL SERVICES

INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPA/NV/LAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

• NY DOH/ELAC 10903
• PA DEP 06-353

• NJ DEP 77020
• CT DPH PH-0238

Analytical Results
for

ATC Associates

WorkOrder: R02010015

Client Reference: 19125-0290, PCBs in Air

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst		
	(ug)	(mg/m³)	(ppm)					
Client ID: ATC-1230-894M-PCB9		Lab ID: -09A	Date Sampled: 12/30/01		Matrix: Tenax		Air Vol.(L): 120	
Aroclor 1016	<0.5	<0.0042	--	0.5	N5503	01/05/202	GIF	
Aroclor 1221	<0.5	<0.0042	--	0.5	N5503	01/05/202	GIF	
Aroclor 1232	<0.5	<0.0042	--	0.5	N5503	01/05/202	GIF	
Aroclor 1242	<0.5	<0.0042	--	0.5	N5503	01/05/202	GIF	
Aroclor 1248	<0.5	<0.0042	--	0.5	N5503	01/05/202	GIF	
Aroclor 1254	<0.5	<0.0042	--	0.5	N5503	01/05/202	GIF	
Aroclor 1260	<0.5	<0.0042	--	0.5	N5503	01/05/202	GIF	
Client ID: ATC-1230-894M-PCB10 BLANK		Lab ID: -10A	Date Sampled: 12/30/01		Matrix: Tenax		Air Vol.(L): NA	
Aroclor 1016	<0.5	--	--	0.5	N5503	01/05/202	GIF	
Aroclor 1221	<0.5	--	--	0.5	N5503	01/05/202	GIF	
Aroclor 1232	<0.5	--	--	0.5	N5503	01/05/202	GIF	
Aroclor 1242	<0.5	--	--	0.5	N5503	01/05/202	GIF	
Aroclor 1248	<0.5	--	--	0.5	N5503	01/05/202	GIF	
Aroclor 1254	<0.5	--	--	0.5	N5503	01/05/202	GIF	
Aroclor 1260	<0.5	--	--	0.5	N5503	01/05/202	GIF	

(a) Analysis indicates possible breakthrough; back section result is greater than % of the front section result.

General Notes:

<: Less than the indicated limit of detection (LOD).

--: Information not available or not applicable.

Back sections were checked and showed no significant breakthrough.