



104 East 25th St
New York, New York 10010
www.atc-enviro.com
212.353.8280
Fax 212.353.8306

February 21, 2002

Mr. Bernard P. Orlan
Director, Environmental Health & Safety
New York City Board of Education
28-11 Queens Plaza North
Long Island City, NY 11101-4008

**Re: Wipe Samples for Polychlorinated Biphenyls
P. S. 234M
ATC Project No. 15-19125-0279**

Dear Mr. Orlan:

ATC Associates Inc. (ATC) is pleased to provide this report of the results of the wipe samples for polychlorinated biphenyls (PCBs) collected on February 14, 2002, at the referenced location. The New York City Board of Education (BOE) requested these samples to evaluate possible contamination in the school building according to the recommendation of T. Fusillo of Environ Corp., consultant to the parents association.

SCOPE OF WORK

Tenzin Namgyal, Industrial Hygienist of ATC's New York City office, collected the samples.

The samples were collected using sterile gauze pads and hexane as a solvent. The solvent was provided and samples were analyzed by PSC Analytical Services, Inc. (PSC), an American Industrial Hygiene Association-accredited laboratory in Reading, PA. The PCB analysis was performed using EPA Method 8082B.

The sampling was performed consistent with generally accepted industrial hygiene practices. There were inherent limitations created by constraints of time, operational and work practice variability, variations in contaminant concentrations, and sampling and analytical accuracy. The results of the sampling represent conditions found on the dates the samples were collected.

WIPE SAMPLING RESULTS

ATC submitted two (2) wipe samples for PCBs (plus one blank) to PSC for analysis. A copy of the laboratory report is provided in the Attachment. The sample area for each sample was 100 square centimeters (100cm²). The two areas sampled were the Lobby Floor –East and the 1st Floor hallway – West.

Mr. Bernard P. Orlan
Wipe Sampling for PCBs
P. S. 234 (Manhattan)

February 21, 2002

Page 2

ATC Project No. 15-19125-0279

Each sample was analyzed for seven (7) PCB compounds (Attachment). The PCB results of both samples were *below the reporting limits* (2.0 micrograms/sample) of the analyses.

Currently, the Environmental Protection Agency spill clean-up standard for PCBs on non-porous surfaces is 10 micrograms per 100 square centimeters or less ($<10\text{ug}/100\text{cm}^2$) as stated in 40 CFR 761.

It is our pleasure to provide these indoor environmental services to the New York City Board of Education. If you have any questions about this report, please call (212) 353-8280, extension 212.

Sincerely,

ATC ASSOCIATES INC.



James R. Cohn, CIH, CSP
Regional Manager
Industrial Hygiene Division

Attachment