

Pace Analytical™

Tel: 612-607-1700

Fax: 612-607-6444

Method 8290 Analysis Results

Client - ATC

Client's Sample ID	ATC-0222-234M-DX1		
Lab Sample ID	103343364		
Filename	U20312A_20		
Injected By	CVS		
Total Amount Extracted	1 m2	Matrix	WIPE
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	02/22/2002
ICAL Date	03/12/2002	Received	02/25/2002
CCal Filename(s)	U20312A_06 & U20312A_21	Extracted	03/05/2002
Method Blank ID	BLANK-1499	Analyzed	03/13/2002 01:54

Native Isomers	Conc ng/m2	EMPC ng/m2	LRL ng/m2		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.0030	A	2,3,7,8-TCDF-13C	2.00	63
Total TCDF	0.020	----	0.0020		2,3,7,8-TCDD-13C	2.00	67
					1,2,3,7,8-PeCDF-13C	2.00	60
2,3,7,8-TCDD	ND	----	0.0059	A	2,3,4,7,8-PeCDF-13C	2.00	61
Total TCDD	0.016	----	0.0020		1,2,3,7,8-PeCDD-13C	2.00	67
					1,2,3,4,7,8-HxCDF-13C	2.00	86
1,2,3,7,8-PeCDF	ND	----	0.0100		1,2,3,6,7,8-HxCDF-13C	2.00	51
2,3,4,7,8-PeCDF	ND	----	0.0100		2,3,4,6,7,8-HxCDF-13C	2.00	61
Total PeCDF	ND	----	0.0100		1,2,3,7,8,9-HxCDF-13C	2.00	53
					1,2,3,4,7,8-HxCDD-13C	2.00	102
1,2,3,7,8-PeCDD	ND	----	0.0100		1,2,3,6,7,8-HxCDD-13C	2.00	63
Total PeCDD	ND	----	0.0100		1,2,3,4,6,7,8-HpCDF-13C	2.00	65
					1,2,3,4,7,8,9-HpCDF-13C	2.00	59
1,2,3,4,7,8-HxCDF	ND	----	0.0100		1,2,3,4,6,7,8-HpCDD-13C	2.00	59
1,2,3,6,7,8-HxCDF	ND	----	0.0100		OCDD-13C	4.00	51
2,3,4,6,7,8-HxCDF	ND	----	0.0100				
1,2,3,7,8,9-HxCDF	ND	----	0.0100		1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	ND	----	0.0100		1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	----	0.0100		2,3,7,8-TCDD-37Cl4	0.20	68
1,2,3,6,7,8-HxCDD	ND	----	0.0100				
1,2,3,7,8,9-HxCDD	ND	----	0.0100				
Total HxCDD	0.023	----	0.0100	J			
1,2,3,4,6,7,8-HpCDF	ND	----	0.0100		Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	----	0.0100		Equivalence: 0.00029 ng/m2		
Total HpCDF	ND	----	0.0100		(Using ITE Factors)		
1,2,3,4,6,7,8-HpCDD	----	0.020	0.0100	I			
Total HpCDD	0.019	----	0.0100	J			
OCDF	ND	----	0.0200				
OCDD	0.290	----	0.0200				

Conc = Concentration (Totals include 2,3,7,8-substituted isomers)

EMPC = Estimated Maximum Possible Concentration

A = Detection Limit based on signal-to-noise measurement

J = Concentration detected is below the calibration range

B = Less than 10 times higher than method blank level

P = Recovery outside of target range

Nn = Value obtained from additional analysis

LRL = Lower Reporting Limit

I = Interference

E = PCDE Interference

S = Saturated signal

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

* = See Discussion


Report No.....02-1054414

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414

Tel: 612-607-1700
Fax: 612-607-6444



Pace Analytical™

Method 8290 Analysis Results

Client - ATC

Client's Sample ID	ATC-0222-234M-DX2		
Lab Sample ID	103343372		
Filename	U20311A_15		
Injected By	CVS		
Total Amount Extracted	1 m2	Matrix	WIPE
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	02/22/2002
ICAL Date	03/11/2002	Received	02/25/2002
CCal Filename(s)	U20311A_07 & U20311A_22	Extracted	03/05/2002
Method Blank ID	BLANK-1499	Analyzed	03/11/2002 23:06

Native Isomers	Conc ng/m2	EMPC ng/m2	LRL ng/m2		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	-----	0.0033	A	2,3,7,8-TCDF-13C	2.00	78
Total TCDF	ND	-----	0.0020		2,3,7,8-TCDD-13C	2.00	69
					1,2,3,7,8-PeCDF-13C	2.00	82 N2
2,3,7,8-TCDD	ND	-----	0.0056	A	2,3,4,7,8-PeCDF-13C	2.00	79 *N2
Total TCDD	ND	-----	0.0020		1,2,3,7,8-PeCDD-13C	2.00	55 N2
					1,2,3,4,7,8-HxCDF-13C	2.00	127
1,2,3,7,8-PeCDF	ND	-----	0.0100		1,2,3,6,7,8-HxCDF-13C	2.00	92
2,3,4,7,8-PeCDF	ND	-----	0.0100		2,3,4,6,7,8-HxCDF-13C	2.00	97
Total PeCDF	ND	-----	0.0100		1,2,3,7,8,9-HxCDF-13C	2.00	107
					1,2,3,4,7,8-HxCDD-13C	2.00	119
1,2,3,7,8-PeCDD	ND	-----	0.0100		1,2,3,6,7,8-HxCDD-13C	2.00	74
Total PeCDD	ND	-----	0.0100		1,2,3,4,6,7,8-HpCDF-13C	2.00	91
					1,2,3,4,7,8,9-HpCDF-13C	2.00	100
1,2,3,4,7,8-HxCDF	ND	-----	0.0100		1,2,3,4,6,7,8-HpCDD-13C	2.00	95
1,2,3,6,7,8-HxCDF	ND	-----	0.0100		OCDD-13C	4.00	54 N2
2,3,4,6,7,8-HxCDF	ND	-----	0.0100				
1,2,3,7,8,9-HxCDF	ND	-----	0.0100		1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	ND	-----	0.0100		1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	-----	0.0100		2,3,7,8-TCDD-37Cl4	0.20	72
1,2,3,6,7,8-HxCDD	ND	-----	0.0100				
1,2,3,7,8,9-HxCDD	ND	-----	0.0100				
Total HxCDD	ND	-----	0.0100				
1,2,3,4,6,7,8-HpCDF	ND	-----	0.0100		Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	-----	0.0100		Equivalence: 0.000081 ng/m2		
Total HpCDF	ND	-----	0.0100		(Using ITE Factors)		
1,2,3,4,6,7,8-HpCDD	ND	-----	0.0100				
Total HpCDD	ND	-----	0.0100				
OCDF	ND	-----	0.0200				
OCDD	0.081	-----	0.0200	BJ			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers)

EMPC = Estimated Maximum Possible Concentration

A = Detection Limit based on signal-to-noise measurement

J = Concentration detected is below the calibration range

B = Less than 10 times higher than method blank level

P = Recovery outside of target range

Nn = Value obtained from additional analysis

LRL = Lower Reporting Limit

I = Interference

E = PCDE Interference

S = Saturated signal

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

* = See Discussion

Report No.....02-1054414

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

CITY_21MC100_002879179



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414

Tel: 612-607-1700
Fax: 612-607-6444

Method 8290 Analysis Results

Client - ATC

Client's Sample ID	ATC-0222-234M-DX3		
Lab Sample ID	103343380		
Filename	U20312A_08		
Injected By	CVS		
Total Amount Extracted	1 m2	Matrix	WIPE
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	02/22/2002
ICAL Date	03/12/2002	Received	02/25/2002
CCal Filename(s)	U20312A_06 & U20312A_21	Extracted	03/05/2002
Method Blank ID	BLANK-1499	Analyzed	03/12/2002 16:02

Native Isomers	Conc ng/m2	EMPC ng/m2	LRL ng/m2	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	-----	0.0020	2,3,7,8-TCDF-13C	2.00	72
Total TCDF	ND	-----	0.0020	2,3,7,8-TCDD-13C	2.00	67
				1,2,3,7,8-PeCDF-13C	2.00	65
2,3,7,8-TCDD	ND	-----	0.0026 A	2,3,4,7,8-PeCDF-13C	2.00	69
Total TCDD	ND	-----	0.0020	1,2,3,7,8-PeCDD-13C	2.00	64 *
				1,2,3,4,7,8-HxCDF-13C	2.00	75
1,2,3,7,8-PeCDF	ND	-----	0.0100	1,2,3,6,7,8-HxCDF-13C	2.00	70
2,3,4,7,8-PeCDF	ND	-----	0.0100	2,3,4,6,7,8-HxCDF-13C	2.00	74
Total PeCDF	ND	-----	0.0100	1,2,3,7,8,9-HxCDF-13C	2.00	75
				1,2,3,4,7,8-HxCDD-13C	2.00	98
1,2,3,7,8-PeCDD	ND	-----	0.0100	1,2,3,6,7,8-HxCDD-13C	2.00	71
Total PeCDD	ND	-----	0.0100	1,2,3,4,6,7,8-HpCDF-13C	2.00	85
				1,2,3,4,7,8,9-HpCDF-13C	2.00	86
1,2,3,4,7,8-HxCDF	ND	-----	0.0100	1,2,3,4,6,7,8-HpCDD-13C	2.00	100
1,2,3,6,7,8-HxCDF	ND	-----	0.0100	OCDD-13C	4.00	78
2,3,4,6,7,8-HxCDF	ND	-----	0.0100			
1,2,3,7,8,9-HxCDF	ND	-----	0.0100	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	ND	-----	0.0100	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	-----	0.0100	2,3,7,8-TCDD-37Cl4	0.20	69
1,2,3,6,7,8-HxCDD	ND	-----	0.0100			
1,2,3,7,8,9-HxCDD	ND	-----	0.0100			
Total HxCDD	ND	-----	0.0100			
1,2,3,4,6,7,8-HpCDF	ND	-----	0.0100	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	-----	0.0100	Equivalence: 0.00 ng/m2		
Total HpCDF	ND	-----	0.0100	(Using ITE Factors)		
1,2,3,4,6,7,8-HpCDD	ND	-----	0.0100			
Total HpCDD	ND	-----	0.0100			
OCDF	ND	-----	0.0200			
OCDD	ND	-----	0.0200			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers)
EMPC = Estimated Maximum Possible Concentration
A = Detection Limit based on signal-to-noise measurement
J = Concentration detected is below the calibration range
B = Less than 10 times higher than method blank level
P = Recovery outside of target range
Nn = Value obtained from additional analysis

LRL = Lower Reporting Limit
I = Interference
E = PCDE Interference
S = Saturated signal
ND = Not Detected
NA = Not Applicable
NC = Not Calculated
* = See Discussion

Report No.....02-1054414

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

CITY_21MC100_002879180

Pace Analytical™**Method 8290 Analysis Results**

Client - ATC

Client's Sample ID	ATC-0222-234M-DX1		
Lab Sample ID	103343364		
Filename	U20312A_20		
Injected By	CVS		
Total Amount Extracted	1 m2	Matrix	WIPE
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	02/22/2002
ICAL Date	03/12/2002	Received	02/25/2002
CCal Filename(s)	U20312A_06 & U20312A_21	Extracted	03/05/2002
Method Blank ID	BLANK-1499	Analyzed	03/13/2002 01:54

Native Isomers	Conc ng/m2	EMPC ng/m2	LRL ng/m2		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.0030	A	2,3,7,8-TCDF-13C	2.00	63
Total TCDF	0.020	----	0.0020		2,3,7,8-TCDD-13C	2.00	67
					1,2,3,7,8-PeCDF-13C	2.00	60
2,3,7,8-TCDD	ND	----	0.0059	A	2,3,4,7,8-PeCDF-13C	2.00	61
Total TCDD	0.016	----	0.0020		1,2,3,7,8-PeCDD-13C	2.00	67
					1,2,3,4,7,8-HxCDF-13C	2.00	86
1,2,3,7,8-PeCDF	ND	----	0.0100		1,2,3,6,7,8-HxCDF-13C	2.00	51
2,3,4,7,8-PeCDF	ND	----	0.0100		2,3,4,6,7,8-HxCDF-13C	2.00	61
Total PeCDF	ND	----	0.0100		1,2,3,7,8,9-HxCDF-13C	2.00	53
					1,2,3,4,7,8-HxCDD-13C	2.00	102
1,2,3,7,8-PeCDD	ND	----	0.0100		1,2,3,6,7,8-HxCDD-13C	2.00	63
Total PeCDD	ND	----	0.0100		1,2,3,4,6,7,8-HpCDF-13C	2.00	65
					1,2,3,4,7,8,9-HpCDF-13C	2.00	59
1,2,3,4,7,8-HxCDF	ND	----	0.0100		1,2,3,4,6,7,8-HpCDD-13C	2.00	59
1,2,3,6,7,8-HxCDF	ND	----	0.0100		OCDD-13C	4.00	51
2,3,4,6,7,8-HxCDF	ND	----	0.0100				
1,2,3,7,8,9-HxCDF	ND	----	0.0100		1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	ND	----	0.0100		1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	----	0.0100		2,3,7,8-TCDD-37Cl4	0.20	68
1,2,3,6,7,8-HxCDD	ND	----	0.0100				
1,2,3,7,8,9-HxCDD	ND	----	0.0100				
Total HxCDD	0.023	----	0.0100	J			
1,2,3,4,6,7,8-HpCDF	ND	----	0.0100		Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	----	0.0100		Equivalence: 0.00029 ng/m2		
Total HpCDF	ND	----	0.0100		(Using ITE Factors)		
1,2,3,4,6,7,8-HpCDD	----	0.020	0.0100	I			
Total HpCDD	0.019	----	0.0100	J			
OCDF	ND	----	0.0200				
OCDD	0.290	----	0.0200				

Conc = Concentration (Totals include 2,3,7,8-substituted isomers)
 EMPC = Estimated Maximum Possible Concentration
 A = Detection Limit based on signal-to-noise measurement
 J = Concentration detected is below the calibration range
 B = Less than 10 times higher than method blank level
 P = Recovery outside of target range
 Nn = Value obtained from additional analysis

LRL = Lower Reporting Limit
 I = Interference
 E = PCDE interference
 S = Saturated signal
 ND = Not Detected
 NA = Not Applicable
 NC = Not Calculated
 * = See Discussion

Report No.....02-1054414

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc.

MAR-18-02 08:22

FROM-PACE ANALYTICAL

612-607-6444

T-090 P 09/10 F-157

1700 Elm Street - Suite 200
Minneapolis, MN 55414Tel: 612-607-1700
Fax: 612- 807-6444**Pace Analytical™****Method 8290 Analysis Results**

Client - ATC

Client's Sample ID	ATC-0222-234M-DX2		
Lab Sample ID	103343372		
Filename	U20311A_15		
Injected By	CVS		
Total Amount Extracted	1 m2	Matrix	WIPE
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	02/22/2002
ICAL Date	03/11/2002	Received	02/25/2002
CCal Filename(s)	U20311A_07 & U20311A_22	Extracted	03/05/2002
Method Blank ID	BLANK-1499	Analyzed	03/11/2002 23:06

Native Isomers	Conc ng/m2	EMPC ng/m2	LRL ng/m2	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.0033 A	2,3,7,8-TCDF-13C	2.00	78
Total TCDF	ND	----	0.0020	2,3,7,8-TCDD-13C	2.00	69
				1,2,3,7,8-PeCDF-13C	2.00	88
2,3,7,8-TCDD	ND	----	0.0056 A	2,3,4,7,8-PeCDF-13C	2.00	90
Total TCDD	ND	----	0.0020	1,2,3,7,8-PeCDD-13C	2.00	85
				1,2,3,4,7,8-HxCDF-13C	2.00	127
1,2,3,7,8-PeCDF	ND	----	0.0100	1,2,3,6,7,8-HxCDF-13C	2.00	92
2,3,4,7,8-PeCDF	ND	----	0.0100	2,3,4,6,7,8-HxCDF-13C	2.00	97
Total PeCDF	ND	----	0.0100	1,2,3,7,8,9-HxCDF-13C	2.00	107
				1,2,3,4,7,8-HxCDD-13C	2.00	119
1,2,3,7,8-PeCDD	ND	----	0.0100	1,2,3,6,7,8-HxCDD-13C	2.00	74
Total PeCDD	ND	----	0.0100	1,2,3,4,6,7,8-HpCDF-13C	2.00	91
				1,2,3,4,7,8,9-HpCDF-13C	2.00	100
1,2,3,4,7,8-HxCDF	ND	----	0.0100	1,2,3,4,6,7,8-HpCDD-13C	2.00	95
1,2,3,6,7,8-HxCDF	ND	----	0.0100	OCDD-13C	4.00	93
2,3,4,6,7,8-HxCDF	ND	----	0.0100			
1,2,3,7,8,9-HxCDF	ND	----	0.0100	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	ND	----	0.0100	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	----	0.0100	2,3,7,8-TCDD-37Cl4	0.20	72
1,2,3,6,7,8-HxCDD	ND	----	0.0100			
1,2,3,7,8,9-HxCDD	ND	----	0.0100			
Total HxCDD	ND	----	0.0100			
1,2,3,4,6,7,8-HpCDF	ND	----	0.0100	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	----	0.0100	Equivalence: 0.000081 ng/m2		
Total HpCDF	ND	----	0.0100	(Using ITE Factors)		
1,2,3,4,6,7,8-HpCDD	ND	----	0.0100			
Total HpCDD	ND	----	0.0100			
OCDF	ND	----	0.0200			
OCDD	0.081	----	0.0200 BJ			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers)
 EMPC = Estimated Maximum Possible Concentration
 A = Detection Limit based on signal-to-noise measurement
 J = Concentration detected is below the calibration range
 B = Less than 10 times higher than method blank level
 P = Recovery outside of target range
 Nn = Value obtained from additional analysis

LRL = Lower Reporting Limit
 I = Interference
 E = PCDE Interference
 S = Saturated signal
 ND = Not Detected
 NA = Not Applicable
 NC = Not Calculated
 * = See Discussion

Report No.....02-1054414

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc.

CITY_21MC100_002879182

MAR-19-02 08:22

FROM-PACE ANALYTICAL

612-607-6444

T-080 P.10/10 F-157

1700 Elm Street - Suite 200
Minneapolis, MN 55414

Tel: 612-607-1700

Fax: 612-607-6444

 **Pace Analytical™****Method 8290 Analysis Results**

Client - ATC

Client's Sample ID	ATC-0222-234M-DX3		
Lab Sample ID	103343380		
Filename	U20312A_08		
Injected By	CVS		
Total Amount Extracted	1 m2	Matrix	WIPE
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	02/22/2002
ICAL Date	03/12/2002	Received	02/25/2002
CCal Filename(s)	U20312A_06 & U20312A_21	Extracted	03/05/2002
Method Blank ID	BLANK-1499	Analyzed	03/12/2002 16:02

Native Isomers	Conc ng/m2	EMPC ng/m2	LRL ng/m2	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.0020	2,3,7,8-TCDF-13C	2.00	72
Total TCDF	ND	----	0.0020	2,3,7,8-TCDD-13C	2.00	67
				1,2,3,7,8-PeCDF-13C	2.00	65
2,3,7,8-TCDD	ND	----	0.0026 A	2,3,4,7,8-PeCDF-13C	2.00	69
Total TCDD	ND	----	0.0020	1,2,3,7,8-PeCDD-13C	2.00	64
				1,2,3,4,7,8-HxCDF-13C	2.00	75
1,2,3,7,8-PeCDF	ND	----	0.0100	1,2,3,6,7,8-HxCDF-13C	2.00	70
2,3,4,7,8-PeCDF	ND	----	0.0100	2,3,4,6,7,8-HxCDF-13C	2.00	74
Total PeCDF	ND	----	0.0100	1,2,3,7,8,9-HxCDF-13C	2.00	75
				1,2,3,4,7,8-HxCDD-13C	2.00	98
1,2,3,7,8-PeCDD	ND	----	0.0100	1,2,3,6,7,8-HxCDD-13C	2.00	71
Total PeCDD	ND	----	0.0100	1,2,3,4,6,7,8-HpCDF-13C	2.00	85
				1,2,3,4,7,8,9-HpCDF-13C	2.00	86
1,2,3,4,7,8-HxCDF	ND	----	0.0100	1,2,3,4,6,7,8-HpCDD-13C	2.00	100
1,2,3,6,7,8-HxCDF	ND	----	0.0100	OCDD-13C	4.00	78
2,3,4,6,7,8-HxCDF	ND	----	0.0100			
1,2,3,7,8,9-HxCDF	ND	----	0.0100	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	ND	----	0.0100	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	----	0.0100	2,3,7,8-TCDD-37Cl4	0.20	69
1,2,3,6,7,8-HxCDD	ND	----	0.0100			
1,2,3,7,8,9-HxCDD	ND	----	0.0100			
Total HxCDD	ND	----	0.0100			
1,2,3,4,6,7,8-HpCDF	ND	----	0.0100	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	----	0.0100	Equivalence: 0.00 ng/m2		
Total HpCDF	ND	----	0.0100	(Using ITE Factors)		
1,2,3,4,6,7,8-HpCDD	ND	----	0.0100			
Total HpCDD	ND	----	0.0100			
OCDF	ND	----	0.0200			
OCDD	ND	----	0.0200			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers)
 EMPC = Estimated Maximum Possible Concentration
 A = Detection Limit based on signal-to-noise measurement
 J = Concentration detected is below the calibration range
 B = Less than 10 times higher than method blank level
 P = Recovery outside of target range
 Nn = Value obtained from additional analysis

LRL = Lower Reporting Limit
 I = Interference
 E = PCDE Interference
 S = Saturated signal
 ND = Not Detected
 NA = Not Applicable
 NC = Not Calculated
 * = See Discussion

Report No.....02-1054414

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc.

CITY_21MC100_002879183