NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

APRIL 2002

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	St/mm^2	S/cc*	EPA GUIDELINE
04/01/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/02/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
04/03/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/04/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
04/05/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/06/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
04/07/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
04/08/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	N/A	N/A	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	N/A	N/A	
04/09/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/10/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/11/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/12/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/13/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/14/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/15/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/16/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2

Updated: May 28, 2002 12:45 PM

CITY_21MC100_013428331

NYC-WTC_000220258

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	St/mm^2	S/cc*	EPA GUIDELINE
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/17/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0042	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0042	
04/18/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0040	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0040	
04/19/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/20/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/21/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/22/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0042	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0042	
04/23/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/24/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/25/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 40.00	<0.0086	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/26/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/27/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/28/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/29/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/30/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	

Updated: May 28, 2002 12:45 PM

CITY_21MC100_0134283332

NYC-WTC_000220259