



6601 Kirkville Road
E. Syracuse, NY 13057-0369
Phone: (315) 432-5227
Fax: (315) 437-0571
www.galsonlabs.com

LABORATORY ANALYSIS REPORT

Client : CA Rich Consultants, Inc
Site : Collegiate Church Corp.
Project No. : 198 Broadway

Date Sampled : 18-NOV-01
Date Received : 20-NOV-01
Date Analyzed : 26-NOV-01

Account No.: 14715
Login No. : L76784

Inorganic Lead

<u>Sample ID</u>	<u>Lab ID</u>	<u>Air Vol</u> <u>m3</u>	<u>Total</u> <u>ug</u>	<u>Conc</u> <u>ug/m3</u>
11180131AG	L76784-3	0.364	<0.38	<1
11180134AG	L76784-4	0.362	<0.38	<1

Level of quantitation: 0.38 ug
Analytical Method : modified NIOSH 7300; ICP
OSHA PEL (TWA) : 50 ug/m3
Collection Media : Filter

Submitted by: LK
Approved by : AMW
Date : 28-NOV-01
QC by:
NYS DOH # : 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	





6601 Kirkville Road
E. Syracuse, NY 13057-0369
Phone: (315) 432-5227
Fax: (315) 437-0571
www.galsonlabs.com

LABORATORY ANALYSIS REPORT

Client : CA Rich Consultants, Inc
Site : Collegiate Church Corp.
Project No. : 198 Broadway

Date Sampled : 18-NOV-01
Date Received : 20-NOV-01
Date Analyzed : 29-NOV-01

Account No.: 14715
Login No. : L76784

Mercury

<u>Sample ID</u>	<u>Lab ID</u>	<u>Air Vol</u> <u>liter</u>	<u>Filter</u> <u>ug</u>	<u>Tube</u> <u>ug</u>	<u>Total</u> <u>ug</u>	<u>Conc</u> <u>mg/m3</u>
11180138AG	L76784-11	53	<0.04	<0.06	<0.04	<0.0008
11180141AG	L76784-12	53.2	<0.04	<0.06	<0.04	<0.0008

Level of quantitation: 0.04 ug
Analytical Method : NIOSH 6009
OSHA PEL (TWA) : See Table Z-2
Collection Media : Filter & Tube

Submitted by: AP
Approved by : AMW
Date : 28-NOV-01
QC by:
NYS DOH # 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	





LABORATORY ANALYSIS REPORT

6601 Kirkville Road
 E. Syracuse, NY 13057-0669
 Phone: (315) 432-5227
 Fax: (315) 437-0571
 www.galsonlabs.com

Client : CA Rich Consultants, Inc
 Site : Collegiate Church Corp.

Date Sampled : 18-NOV-01
 Date Received : 20-NOV-01
 Date Analyzed : 21-NOV-01

Account No. : 14715
 Login No. : L76784
 Units : mg/m3

Galson ID:	DL	L76784-5	L76784-6
Client ID:	ug	11180132AG	11180133AG
Air Volume:		365 L	372 L

Acenaphthene	0.3	< 0.0008	< 0.0008
Acenaphthylene	0.3	< 0.0008	< 0.0008
Anthracene	0.3	< 0.0008	< 0.0008
Benzo(a)anthracene	0.3	< 0.0008	< 0.0008
Benzo(a)pyrene	0.3	< 0.0008	< 0.0008
Benzo(b)fluoranthene	0.3	< 0.0008	< 0.0008
Benzo(e)pyrene	0.3	< 0.0008	< 0.0008
Benzo(g,h,i)perylene	0.3	< 0.0008	< 0.0008
Benzo(k)fluoranthene	0.3	< 0.0008	< 0.0008
Chrysene	0.3	< 0.0008	< 0.0008
Dibenzo(a,h)anthracene	0.3	< 0.0008	< 0.0008
Fluoranthene	0.3	< 0.0008	< 0.0008
Fluorene	0.3	< 0.0008	< 0.0008
Indeno-1,2,3-cd-Pyrene	0.3	< 0.0008	< 0.0008
Naphthalene	0.3	< 0.0008	< 0.0008
Phenanthrene	0.3	< 0.0008	< 0.0008
Pyrene	0.3	< 0.0008	< 0.0008

Analytical Method : NIOSH 5506; HPLC/UV-FL
 Collection Media : FilterTube

Submitted by: ATan
 Approved by : JMT
 Date : 26-NOV-01
 QC by : *[Signature]*

< -Less Than	MG -Milligrams	M3 -Cubic Meters
> -Greater Than	UG -Micrograms	L -Liters
NA -Not Applicable	ND -Not Detected	PPM -Parts per Million
NS -Not Specified	KG -Kilograms	DL -Detection Limit





6601 Kirkville Road
E. Syracuse, NY 13057-0369
Phone: (315) 432-5227
Fax: (315) 437-0571
www.galsonlabs.com

LABORATORY ANALYSIS REPORT

Client : CA Rich Consultants, Inc
Site : Collegiate Church Corp.

Date Sampled : 18-NOV-01 Account No. : 14715
Date Received : 20-NOV-01 Login No. : L76784
Date Analyzed : 26-NOV-01 - 27-NOV-01 Units : ppbv


Galson ID: Client ID:	DL ppbv	L76784-7 11180136AG	L76784-8 11180139AG
Propylene	5	10	5
Freon-12	5	<5	<5
Chloromethane	5	<5	<5
Freon-114	5	<5	<5
Vinyl Chloride	5	<5	<5
1,3-Butadiene	5	<5	<5
Bromomethane	5	<5	<5
Chloroethane	5	<5	<5
Vinyl Bromide	5	<5	<5
Freon-11	5	50	6
Isopropyl Alcohol	20	36	<20
Acetone	5	115	107
1,1-Dichloroethene	5	<5	<5
Methylene Chloride	5	<5	<5
Freon-113	5	<5	<5
Allyl Chloride	5	<5	<5
Carbon Disulfide	5	<5	<5
Trans-1,2-Dichloroethene	5	<5	<5
Methyl Tert-Butyl Ether	5	<5	<5
1,1-Dichloroethane	5	<5	<5
Vinyl Acetate	5	<5	<5
Methyl Ethyl Ketone	5	<5	<5
cis-1,2-Dichloroethylene	5	<5	<5
Hexane	5	<5	<5
Ethyl Acetate	5	<5	<5

Analytical Method : EPA TO15
Collection Media : Air

Submitted by: rjp
Approved by: jal
Date : 29-NOV-01
QC by: *[Signature]*

< -Less Than	MG -Milligrams	M3 -Cubic Meters
> -Greater Than	UG -Micrograms	L -Liters
NA -Not Applicable	ND -Not Detected	PPM -Parts per Million
NS -Not Specified	KG -Kilograms	DL -Detection Limit





6601 Kirkville Road
 E. Syracuse, NY 13057-0369
 Phone: (315) 432-5227
 Fax: (315) 437-0571
 www.galsonlabs.com

LABORATORY ANALYSIS REPORT

Client : CA Rich Consultants, Inc
 Site : Collegiate Church Corp.

Date Sampled : 18-NOV-01 Account No. : 14715
 Date Received : 20-NOV-01 Login No. : L76784
 Date Analyzed : 26-NOV-01 - 27-NOV-01 Units : ppbv

Galson ID:	DL	L76784-7	L76784-8
Client ID:	ppbv	11180136AG	11180139AG
Chloroform	5	<5	<5
Tetrahydrofuran	5	<5	<5
1,2-Dichloroethane	5	<5	<5
1,1,1-Trichloroethane	5	<5	<5
Cyclohexane	5	<5	<5
Carbon Tetrachloride	5	<5	<5
Benzene	5	<5	<5
1,4-Dioxane	20	<20	<20
2,2,4-Trimethylpentane	5	<5	<5
Heptane	5	<5	<5
1,2-Dichloropropane	5	<5	<5
Trichloroethylene	5	<5	<5
Bromodichloromethane	5	<5	<5
cis-1,3-Dichloropropene	5	<5	<5
trans-1,3-Dichloropropene	5	<5	<5
1,1,2-Trichloroethane	5	<5	<5
Toluene	5	<5	<5
Dibromochloromethane	5	<5	<5
Methyl Isobutyl Ketone	20	<20	<20
Methyl Butyl Ketone	20	<20	<20
1,2-Dibromoethane	5	<5	<5
Tetrachloroethylene	5	<5	<5
Chlorobenzene	5	<5	<5
Ethylbenzene	5	<5	<5
Bromoform	5	<5	<5

Analytical Method : EPA TO15
 Collection Media : Air

Submitted by: rjp
 Approved by: jal
 Date : 29-NOV-01
 QC by: *[Signature]*

< -Less Than	MG -Milligrams	M3 -Cubic Meters
> -Greater Than	UG -Micrograms	L -Liters
NA -Not Applicable	ND -Not Detected	PPM -Parts per Million
NS -Not Specified	KG -Kilograms	DL -Detection Limit





6601 Kirkville Road
 E. Syracuse, NY 13057-0669
 Phone: (315) 432-5227
 Fax: (315) 437-0571
 www.galsonlabs.com

LABORATORY ANALYSIS REPORT

Client : CA Rich Consultants, Inc
 Site : Collegiate Church Corp.

Date Sampled : 18-NOV-01 Account No. : 14715
 Date Received : 20-NOV-01 Login No. : L76784
 Date Analyzed : 26-NOV-01 - 27-NOV-01 Units : ppbv

Galson ID:	DL	L76784-7	L76784-8
Client ID:	ppbv	11180136AG	11180139AG
m & p-xylene	5	<5	5
Styrene	5	<5	<5
o-Xylene	5	<5	<5
1,1,2,2-Tetrachloroethane	5	<5	<5
4-Ethyltoluene	5	<5	<5
1,3,5-Trimethylbenzene	5	<5	<5
1,2,4-Trimethylbenzene	5	<5	<5
1,3-Dichlorobenzene	5	<5	<5
Benzyl Chloride	5	<5	<5
1,4-Dichlorobenzene	5	<5	<5
1,2-Dichlorobenzene	5	<5	<5
1,2,4-Trichlorobenzene	5	<5	<5
Hexachloro-1,3-Butadiene	5	<5	<5

Analytical Method : EPA TO15
 Collection Media : Air

Submitted by: rjp
 Approved by: jal
 Date : 23-NOV-01
 QC by: *[Signature]*

< -Less Than	MG -Milligrams	M3 -Cubic Meters
> -Greater Than	UG -Micrograms	L -Liters
NA -Not Applicable	ND -Not Detected	PPM -Parts per Million
NS -Not Specified	KG -Kilograms	DL -Detection Limit





6601 Kirkville Road
 E. Syracuse, NY 13057-0369
 Phone: (315) 432-5227
 Fax: (315) 437-0571
 www.galsonlabs.com

LABORATORY ANALYSIS REPORT

Client : CA Rich Consultants, Inc
 Site : Collegiate Church Corp.
 Project No. : 198 Broadway

Date Sampled : 18-NOV-01
 Date Received : 20-NOV-01
 Date Analyzed : 21-NOV-01

Account No.: 14715
 Login No. : L76784

Total Dust

<u>Sample ID</u>	<u>Lab ID</u>	<u>Air Vol</u> m3	<u>Total</u> mg	<u>Conc</u> mg/m3
11180130AG	L76784-1	0.319	<0.05	<0.2
11180135AG	L76784-2	0.354	<0.05	<0.1

COMMENTS: PNOR = Particulates Not Otherwise Regulated.

Level of quantitation: 0.05 mg
 Analytical Method : NIOSH 0500; GRAV
 OSHA PEL (TWA) : PNOR 15 mg/m3
 Collection Media : PVC PW

Submitted by: tk
 Approved by : Oommen Kappil
 Date : 26-NOV-01
 QC by: *[Signature]*
 NYS DOH #: 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	





6601 Kirkville Road
 E. Syracuse, NY 13057-0369
 Phone: (315) 432-5227
 Fax: (315) 437-0571
 www.galsonlabs.com

LABORATORY ANALYSIS REPORT

Client : CA Rich Consultants, Inc
 Site : Collegiate Church Corp.
 Project No. : 198 Broadway

Date Sampled : 18-NOV-01
 Date Received : 20-NOV-01
 Date Analyzed : 27-NOV-01

Account No.: 14715
 Login No. : L76784

PCB (Aroclors 1016-1260)

<u>Sample ID</u>	<u>Lab ID</u>	<u>Air Vol</u> <u>liter</u>	<u>Front</u> <u>ug</u>	<u>Back</u> <u>ug</u>	<u>Total</u> <u>ug</u>	<u>Conc</u> <u>mg/m3</u>
11180137AG	L76784-9	49.8	<0.05	<0.05	<0.05	<0.001
11180140AG	L76784-10	50	<0.05	<0.05	<0.05	<0.001

COMMENTS: Total ug corrected for a desorption efficiency of 100%.

Level of quantitation: 0.05 ug
 Analytical Method : NIOSH 5503; GC/ECD
 OSHA PEL (TWA) : 0.5-1 mg/m3
 Collection Media : Filter & Tube

Submitted by: cmh
 Approved by : dkf
 Date : 29-NOV-01
 QC by: *[Signature]*
 NYS DOH # : 11626

< -Less Than mg -Milligrams m3 -Cubic Meters kg -Kilograms
 > -Greater Than ug -Micrograms l -Liters NS -Not Specified
 NA -Not Applicable ND -Not Detected ppm -Parts per Million

