

JLC ENVIRONMENTAL CONSULTANTS, INC.
 200 Park Avenue South, Suite 1001, New York, New York 10003
 Phone: (212) 420-8119 Fax: (212) 420-6092

Rose Associates Inc.
 200 Madison Ave. 5th Floor
 New York, NY 10016

ELAP Lab Code: 11029
 NIOSH and AIHA Lab Code: 100273
 NVLAP Lab Code: 101953

Project No.: 01-2089004
 Analyte: FIBERS
 Date Received: 10/25/2001
 Date Analyzed: 10/25/2001
 Batch #: 0110A824

SUMMARY OF ANALYTICAL RESULTS

Site: 21 West Street, New York, NY

SAMPLE # COLLECTED LAB #	DESCRIPTION / LOCATION	TIME(mln)	VOLUME(l)	FIB/FIELD	RESULTS(f/cc)
001 24-October A 8304	Ambient/ PH Floor/ PH D in the North Section of the Living Room	120	1846	4/100	<u>0.001<LOD</u>
002 24-October A 8305	Ambient/ PH Floor/ Hallway Between PH B and PH C	120	1846	6/100	<u>0.002</u>
003 24-October A 8306	Ambient/ 27th Floor/ Rm 27B at the North Section of the Living Room	120	1846	5/100	<u>0.001<LOD</u>
004 24-October A 8307	Ambient/ 27th Floor/ Hallway Between Apt. 27D and 27 E	120	1846	4/100	<u>0.001<LOD</u>
005 24-October A 8308	Ambient/ 22nd Floor/ Apt. 22K/ At the North Section of the Living Room	120	1846	3/100	<u><0.001<LOD</u>
006 24-October A 8309	Ambient/ 22nd Floor/ Hallway Between Apt 22G and 22H	120	1846	4/100	<u>0.001<LOD</u>

Sample Analysis by:

Positive Phase Contrast Microscopy (PCM)


<LOD = Less than limit of detection which is 5.5 Fibers/ 100 Fields
 VOID1 = H.C.P. (High Concentration of Particles)
 VOID2 = Overloaded

Method of Sample Preparation and Analysis:

All samples analyzed in accordance with the NIOSH 7400 Method using "A" Counting Rules. Issue 2, August 1994

Instrumentation:

Olympus PCM Model BH-2 with Walton-Beckett Graticule (100um field diameter)


 Gulam Machhiwala
 Laboratory Director

Report Date: November 8, 2001

JLC is responsible for only the fiber counts within the limitations of the method described as NIOSH 7400. Among other limitations, this method gives only an index of airborne fibers and provides only an estimate of asbestos concentration. Any and all claims arising out of JLC's analysis: these samples are limited in recovery to the cost of analyzing samples. JLC accepts no other liability and the client agrees to seek no costs beyond the above.

JLC ENVIRONMENTAL CONSULTANTS, INC.
 200 Park Avenue South, Suite 1001, New York, New York 10003
 Phone: (212) 420-8119 Fax: (212) 420-6092

Rose Associates Inc.
 200 Madison Ave. 5th Floor
 New York, NY 10016

ELAP Lab Code: 11029
 NIOSH and AIHA Lab Code: 100273
 NVLAP Lab Code: 101953

Project No.: 01-2089004
 Analyte: FIBERS
 Date Received: 10/25/2001
 Date Analyzed: 10/25/2001
 Batch #: 0110A824

SUMMARY OF ANALYTICAL RESULTS

Site: 21 West Street, New York, NY

SAMPLE # COLLECTED LAB #	DESCRIPTION / LOCATION	TIME(min)	VOLUME(l)	FIB/FIELD	RESULTS(f/cc)
007 24-October A 8310	Ambient/ 20th Floor/ Apt 20B/ At the North Section of the Living Room	120	1846	4/100	<u>0.001<LOD</u>
008 24-October A 8311	Ambient/ 20th Floor/ Hallway Between Apt 20G and 20H	120	1846	4/100	<u>0.001<LOD</u>
009 24-October A 8312	Ambient/ 18th Floor/ Apt. 18H/ At the North Section of the Living Room	120	1846	3/100	<u><0.001<LOD</u>
010 24-October A 8313	Ambient/ 18th Floor/ Hallway Between Apt. 18I and 18J	120	1846	4/100	<u>0.001<LOD</u>
011 24-October A 8314	Ambient/ 14th Floor/ Apt. 14G/ At the North Section of the Living Room	120	1846	1/100	<u><0.001<LOD</u>
012 24-October A 8315	Ambient/ 14th Floor/ Hallway Between Apt. 14H and 14J	120	1846	2/100	<u><0.001<LOD</u>

Sample Analysis by:

Positive Phase Contrast Microscopy (PCM)


<LOD = Less than limit of detection which is 5.5 Fibers/ 100 Fields
 VOID1 = H.C.P. (High Concentration of Particles)
 VOID2 = Overloaded

Method of Sample Preparation and Analysis:

All samples analyzed in accordance with the NIOSH 7400 Method using "A" Counting Rules. Issue 2, August 1994

Instrumentation:

Olympus PCM Model BH-2 with Walton-Beckett Graticule (100um field diameter).


 Gulam Machhiwala
 Laboratory Director

Report Date: November 8, 2001

JLC is responsible for only the fiber counts within the limitations of the method described as NIOSH 7400. Among other limitations, this method gives only an index of airborne fibers and provides only an estimate of asbestos concentration. Any and all claims arising out of JLC's analysis of these samples are limited in recovery to the cost of analyzing samples. JLC accepts no other liability and the client agrees to seek no costs beyond the above.

JLC ENVIRONMENTAL CONSULTANTS, INC.
 200 Park Avenue South, Suite 1001, New York, New York 10003
 Phone: (212) 420-8119 Fax: (212) 420-6092

Rose Associates Inc.
 200 Madison Ave. 5th Floor
 New York, NY 10016

ELAP Lab Code: 11029
 NIOSH and AIHA Lab Code: 100273
 NVLAP Lab Code: 101953

Project No.: 01-2089004
 Analyte: FIBERS
 Date Received: 10/25/2001
 Date Analyzed: 10/25/2001
 Batch #: 0110A824

SUMMARY OF ANALYTICAL RESULTS

Site: 21 West Street, New York, NY

SAMPLE # COLLECTED LAB #	DESCRIPTION / LOCATION	TIME(min)	VOLUME(l)	FIB/FIELD	RESULTS(f/cc)
013 24-October A 8316	Ambient/ 11th Floor/ Apt. 11C/ At the North Section of the Living Room	120	1846	6/100	<u>0.002</u>
014 24-October A 8317	Ambient/ 11th Floor/ Hallway Between Apt. 11H and 11J	120	1846	4/100	<u>0.001<LOD</u>
015 24-October A 8318	Ambient/ 9th Floor/ Apt. 9N/ At the North Section of the Living Room	120	1846	3/100	<u><0.001<LOD</u>
016 24-October A 8319	Ambient/ 9th Floor/ Hallway Between Apt. 9H and 9J	120	1846	4/100	<u>0.001<LOD</u>
017 24-October A 8320	Ambient/ 8th Floor/ Apt. 8E/ At the North Section of the Living Room	120	1846	3/100	<u><0.001<LOD</u>
018 24-October A 8321	Ambient/ 8th Floor/ Hallway Between Apt. 8H and 8J	120	1846	4/100	<u>0.001<LOD</u>

Sample Analysis by:

Positive Phase Contrast Microscopy (PCM)

<LOD = Less than limit of detection which is 5.5 Fibers/ 100 Fields
 VOID1 = H.C.P. (High Concentration of Particles)
 VOID2 = Overloaded

Method of Sample Preparation and Analysis.

All samples analyzed in accordance with the NIOSH 7400 Method using "A" Counting Rules. Issue 2, August 1994

Instrumentation.

Olympus PCM Model BH-2 with Walton-Beckett Graticule (100um field diameter).


 Gulam Machhiwala
 Laboratory Director

Report Date: November 8, 2001

JLC is responsible for only the fiber counts within the limitations of the method described as NIOSH 7400. Among other limitations, this method gives only an index of airborne fibers and provides only an estimate of asbestos concentration. Any and all claims arising out of JLC's analysis: these samples are limited in recovery to the cost of analyzing samples. JLC accepts no other liability and the client agrees to seek no costs but the above.

JLC ENVIRONMENTAL CONSULTANTS, INC.
 200 Park Avenue South, Suite 1001, New York, New York 10003
 Phone: (212) 420-8119 Fax: (212) 420-6092

Rose Associates Inc.
 200 Madison Ave. 5th Floor
 New York, NY 10016

ELAP Lab Code: 11029
 NIOSH and AIHA Lab Code: 100273
 NVLAP Lab Code: 101953

Project No.: 01-2089004
 Analyte: FIBERS
 Date Received: 10/25/2001
 Date Analyzed: 10/25/2001
 Batch #: 0110A824

SUMMARY OF ANALYTICAL RESULTS

Site: 21 West Street, New York, NY

SAMPLE # COLLECTED LAB #	DESCRIPTION / LOCATION	TIME(min)	VOLUME(l)	FIB/FIELD	RESULTS(f/cc)
019 24-October A 8322	Ambient/ 6th Floor/ Apt. 6M/ At the North Section of the Living Room	120	1846	3/100	<u><0.001<LOD</u>
020 24-October A 8323	Ambient/ 6th Floor/ Hallway Between Apt. 6E and 6F	120	1846	3/100	<u><0.001<LOD</u>
021 24-October A 8324	Ambient/ 3rd Floor/ Apt. 3F At the North Section of the Living Room	120	1846	4/100	<u>0.001<LOD</u>
022 24-October A 8325	Ambient/ 3rd Floor/ Hallway at the Entrance of the Laundry Room	120	1846	3/100	<u><0.001<LOD</u>
023 24-October A 8326	Ambient/ Lobby/ At the Entrance to the Clock Room	120	1846	2/100	<u><0.001<LOD</u>
024 24-October A 8327	Ambient/ Lobby/ At the Entrance to the Mail Room	120	1846	3/100	<u><0.001<LOD</u>

Sample Analysis by:

Positive Phase Contrast Microscopy (PCM)

<LOD = Less than limit of detection which is 5.5 Fibers/ 100 Fields
 VOID1 = H.C.P. (High Concentration of Particles)
 VOID2 = Overloaded

Method of Sample Preparation and Analysis:

All samples analyzed in accordance with the NIOSH 7400 Method using "A" Counting Rules. Issue 2, August 1994

Instrumentation:

Olympus PCM Model BH-2 with Walton-Beckett Graticule (100um field diameter)


 Gulam Machhiwala
 Laboratory Director

Report Date: November 8, 2001

JLC is responsible for only the fiber counts within the limitations of the method described as NIOSH 7400. Among other limitations, this method gives only an index of airborne fibers and provides only an estimate of asbestos concentration. Any and all claims arising out of JLC's analysis: these samples are limited in recovery to the cost of analyzing samples. JLC accepts no other liability and the client agrees to seek no costs but the above.

JLC ENVIRONMENTAL CONSULTANTS, INC.
 200 Park Avenue South, Suite 1001, New York, New York 10003
 Phone: (212) 420-8119 Fax: (212) 420-6092

Rose Associates Inc.
 200 Madison Ave. 5th Floor
 New York, NY 10016

ELAP Lab Code: 11029
 NIOSH and AIHA Lab Code: 100273
 NVLAP Lab Code: 101953

Project No.: 01-2089004
 Analyte: FIBERS
 Date Received: 10/25/2001
 Date Analyzed: 10/25/2001
 Batch #: 0110A824

SUMMARY OF ANALYTICAL RESULTS

Site: 21 West Street, New York, NY

SAMPLE # COLLECTED LAB #	DESCRIPTION / LOCATION	TIME(min)	VOLUME(l)	FIB/FIELD RESULTS(f/cc)
025 24-October A 8328	FIELD BLANK			0/100
026 24-October A 8329	FIELD BLANK			0/100

Sample Analysis by:

Positive Phase Contrast Microscopy (PCM)

<LOD = Less than limit of detection which is 5.5 Fibers/ 100 Fields
 VOID1 = H.C.P. (High Concentration of Particles)
 VOID2 = Overloaded

Method of Sample Preparation and Analysis:

All samples analyzed in accordance with the NIOSH 7400 Method using "A" Counting Rules Issue 2, August 1994

Instrumentation:

Olympus PCM Model BH-2 with Walton-Beckett Graticule (100um field diameter).


 Gulam Machhiwala
 Laboratory Director

Report Date: November 8, 2001

JLC is responsible for only the fiber counts within the limitations of the method described as NIOSH 7400. Among other limitations, this method gives only an index of airborne fibers and provides only an estimate of asbestos concentration. Any and all claims arising out of JLC's analysis of these samples are limited in recovery to the cost of analyzing samples. JLC accepts no other liability and the client agrees to seek no costs beyond the above.