

Prepared Exclusively For:
 NYCDEP-Emergency Response & Tech Assmt.
 96-05 Horace Harding Expressway
 Corona, NY 11368
 (718) 595-4650
MR. M. FAWZY, DIRECTOR

PEDNEAULT ASSOCIATES, INC.
 1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB NUMBER: 01110071

PROJECT ID : WORLD TRADE CENTER- 5 Boro Sampling

DATE RECEIVED		RELEASE DATE		REPORT DATE
11/5/01		11/13/01		11/13/01
COLLECT DATE:	SAMPLE ID#:	MATRIX:	SAMPLE ORIGIN:	
11/5/01 5:30 PM	01110071-001	AIR\GAS	BROADWAY AVE & 31st ST. , QUEENS	
PARAMETER	METHOD		RESULT	UNITS
Aluminum (Al)	OSHA ID 121/125G		<0.01	mg/m3
Antimony (Sb)	OSHA ID 121/125G		<0.01	mg/m3
Arsenic (As)	OSHA ID 121/125G		<0.01	mg/m3
Barium (Ba)	OSHA ID 121/125G		<0.01	mg/m3
Beryllium (Be)	OSHA ID 121/125G		<0.01	mg/m3
Cadmium (Cd)	OSHA ID 121/125G		<0.01	mg/m3
Calcium (Ca)	OSHA ID 121/125G		0.25	mg/m3
Chromium (Cr)	OSHA ID 121/125G		<0.01	mg/m3
Copper (Cu)	OSHA ID 121/125G		<0.01	mg/m3
Iron (Fe)	OSHA ID 121/125G		<0.01	mg/m3
Lead (Pb)	OSHA ID 121/125G		<0.01	mg/m3
Magnesium (Mg)	OSHA ID 121/125G		0.03	mg/m3
Manganese (Mn)	OSHA ID 121/125G		<0.01	mg/m3
Mercury (Hg)	OSHA ID 121/245.5		<0.01	mg/m3
Nickel (Ni)	OSHA ID 121/125G		<0.01	mg/m3
Potassium (K)	OSHA ID 121/125G		<0.01	mg/m3
Selenium (Se)	OSHA ID 121/125G		<0.01	mg/m3
Silver (Ag)	OSHA ID 121/125G		<0.01	mg/m3
Sodium (Na)	OSHA ID 121/125G		1.85	mg/m3
Thallium (Tl)	OSHA ID 121/125G		<0.01	mg/m3
Zinc (Zn)	OSHA ID 121/125G		<0.01	mg/m3

John Pedneault
 Lab Director

Reported results are reflective of TOTAL, Metals @ 2L per min/15 min run.

Page 33 of 56
 NYS ELAP #10224
 MWBE #46075

SUPPLEMENTAL II

CITY_21MC100_002835719

CALCULATION FOR OSHA ID121/125G— METALS IN AIR VIA CASSETTE FILTER (37MM MILLIPORE) & MOBILE VACUUM PUMPS

A= Concentration of Analyte in sample solution (µg/ml) or (mg/L)
B=Concentration of Blank in sample solution (µg/ml) or (mg/L)
SSV= Sample Solution Volume ASSV= Analyte concentration x Sample Solution Volume
BSV=Blank Sample Volume BBSV=Blank concentration x Blank Sample Volume
RAB= Reagent Blank Concentration (µg/ml) or (mg/L)
RABSV= Reagent Blank Sample Volume
D= Dilution Factor (NONE)
NO GRAVIMETRIC FACTORS
AV= Air Volume Sampled
AR=Analytical Result
IARR=Analytical Reportable Result in mg/m³ (rounded off to 3-sigma)

$$AR = \frac{(A \times SSV) - (B \times BSV)}{AV}$$

For the Trip Blank Analytical Value:
$$AR = \frac{(B \times BSV) - (RAB \times RABSV)}{AV}$$

A (mg/L)	SSV (ml)	ASSV	B (mg/L)	BSV (ml)	BBSV	ASSV-BBSV	AR	AV Liters	AR/AV	ANALYTE	ARR mg/m ³
0.1	100	10	0.103	100	10.3	-0.3	30	-0.01		Aluminum- Al	<0.01
0.159	100	15.9	0.203	100	20.3	-4.4	30	-0.1466667		Antimony-Sb	<0.01
0.032	100	3.2	0.053	100	5.3	-2.1	30	-0.07		Arsenic-As	<0.01
0.004	100	0.4	0.003	100	0.3	0.1	30	0.0033333		Barium-Ba	<0.01
-0.001	100	-0.1	-0.001	100	-0.1	0	30	0		Beryllium-Be	<0.01
0.002	100	0.2	0.003	100	0.3	-0.1	30	-0.0033333		Cadmium-Cd	<0.01
0.426	100	42.6	0.35	100	35	7.6	30	0.2533333		Calcium-Ca	0.25
0.009	100	0.9	0.01	100	1	-0.1	30	-0.0033333		Chromium-Cr	<0.01
0.033	100	3.3	0.034	100	3.4	-0.1	30	-0.0033333		Copper-Cu	<0.01
0.365	100	36.5	1.26	100	126	-89.5	30	-2.9833333		Iron-Fe	<0.01
-0.001	100	-0.1	0.007	100	0.7	-0.8	30	-0.0266667		Lead-Pb	<0.01
0.064	100	6.4	0.054	100	5.4	1	30	0.0333333		Magnesium-Mg	0.03
0.038	100	3.8	0.039	100	3.9	-0.1	30	-0.0033333		Manganese-Mn	<0.01
	100			100			30			Mercury-Hg	<0.01
0.001	100	0.1	0.004	100	0.4	-0.3	30	-0.01		Nickel-Ni	<0.01
0.146	100	14.6	0.15	100	15	-0.4	30	-0.0133333		Potassium-K	<0.01
0.052	100	5.2	0.075	100	7.5	-2.3	30	-0.0766667		Selenium-Se	<0.01
0	100	0	0.001	100	0.1	-0.1	30	-0.0033333		Silver-Ag	<0.01
2.321	100	232.1	1.764	100	176.4	55.7	30	1.8566667		Sodium-Na	1.85
-0.003	100	-0.3	-0.002	100	-0.2	-0.1	30	-0.0033333		Thallium-Tl	<0.01
0.018	100	1.8	0.027	100	2.7	-0.9	30	-0.03		Zinc-Zn	<0.01

LAB ID #01110071-001

NYCDEP - BROADWAY & 31ST QUEENS

Prepared Exclusively For:
 NYCDEP-Emergency Response & Tech Assmt.
 96-05 Horace Harding Expressway
 Corona, NY 11368
 (718) 595-4650
MR. M. FAWZY, DIRECTOR

PEDNEAULT ASSOCIATES, INC.
 1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB NUMBER: 01110071

PROJECT ID : WORLD TRADE CENTER- 5 Boro Sampling

DATE RECEIVED		RELEASE DATE		REPORT DATE
11/5/01		11/13/01		11/13/01
COLLECT DATE:	SAMPLE ID#:	MATRIX:	SAMPLE ORIGIN:	
11/5/01 6:15 PM	01110071-002	AIR\GAS	138th St. & 3rd AVENUE, BRONX	
PARAMETER	METHOD		RESULT	UNITS
Aluminum (Al)	OSHA ID 121/125G		<0.01	mg/m3
Antimony (Sb)	OSHA ID 121/125G		<0.01	mg/m3
Arsenic (As)	OSHA ID 121/125G		<0.01	mg/m3
Barium (Ba)	OSHA ID 121/125G		<0.01	mg/m3
Beryllium (Be)	OSHA ID 121/125G		<0.01	mg/m3
Cadmium (Cd)	OSHA ID 121/125G		<0.01	mg/m3
Calcium (Ca)	OSHA ID 121/125G		<0.01	mg/m3
Chromium (Cr)	OSHA ID 121/125G		<0.01	mg/m3
Copper (Cu)	OSHA ID 121/125G		<0.01	mg/m3
Iron (Fe)	OSHA ID 121/125G		<0.01	mg/m3
Lead (Pb)	OSHA ID 121/125G		0.11	mg/m3
Magnesium (Mg)	OSHA ID 121/125G		<0.01	mg/m3
Manganese (Mn)	OSHA ID 121/125G		<0.01	mg/m3
Mercury (Hg)	OSHA ID 121/245.5		<0.01	mg/m3
Nickel (Ni)	OSHA ID 121/125G		<0.01	mg/m3
Potassium (K)	OSHA ID 121/125G		<0.01	mg/m3
Selenium (Se)	OSHA ID 121/125G		<0.01	mg/m3
Silver (Ag)	OSHA ID 121/125G		<0.01	mg/m3
Sodium (Na)	OSHA ID 121/125G		<0.01	mg/m3
Thallium (Tl)	OSHA ID 121/125G		<0.01	mg/m3
Zinc (Zn)	OSHA ID 121/125G		<0.01	mg/m3

John Pedneault
 Lab Director

Reported results are reflective of TOTAL, Metals @ 2L per min/15 min run.

SUPPLEMENTAL II

Page 34 of 56
 NYS ELAP #10224
 MWBE #46075

CITY_21MC100_002835721

CALCULATION FOR OSHA ID121/125G-- METALS IN AIR VIA CASSETTE FILTER (37MM MILLIPORE) & MOBILE VACUUM PUMPS

A= Concentration of Analyte in sample solution (µg/ml) or (mg/L)
B=Concentration of Blank in sample solution (µg/ml) or (mg/L)
SSV= Sample Solution Volume ASSV= Analyte concentration x Sample Solution Volume
BSV=Blank Sample Volume BBSV=Blank concentration x Blank Sample Volume
RAB= Reagent Blank Concentration (µg/ml) or (mg/L)
RABSV= Reagent Blank Sample Volume
D= Dilution Factor (NONE)
NO GRAVIMETRIC FACTORS
AV= Air Volume Sampled
AR=Analytical Result
IARR=Analytical Reportable Result in mg/m³ (rounded off to 3-sigma)

$$AR = \frac{(A \times SSV) - (B \times BSV)}{AV}$$

For the Trip Blank Analytical Value:

$$AR = \frac{(B \times BSV) - (RAB \times RABSV)}{AV}$$

A (mg/L)	SSV (ml)	A x SSV	ASSV	B (mg/L)	BSV (ml)	B x BSV	BBSV	ASSV-BBSV	AR	AV Liters	AR/AV	ANALYTE	IARR mg/m ³
0.095	100		9.5	0.103	100		10.3	-0.8	30	-0.0266667		Aluminum-Al	<0.01
0.095	100		9.5	0.203	100		20.3	-10.8	30	-0.36		Antimony-Sb	<0.01
0.016	100		1.6	0.053	100		5.3	-3.7	30	-0.1233333		Arsenic-As	<0.01
0.003	100		0.3	0.003	100		0.3	0	30	0		Barium-Ba	<0.01
-0.001	100		-0.1	-0.001	100		-0.1	0	30	0		Beryllium-Be	<0.01
0.002	100		0.2	0.003	100		0.3	-0.1	30	-0.0033333		Cadmium-Cd	<0.01
0.247	100		24.7	0.35	100		35	-10.3	30	-0.3433333		Calcium-Ca	<0.01
0.008	100		0.8	0.01	100		1	-0.2	30	-0.0066667		Chromium-Cr	<0.01
0.024	100		2.4	0.034	100		3.4	-1	30	-0.0333333		Copper-Cu	<0.01
0.731	100		73.1	1.26	100		126	-52.9	30	-1.7633333		Iron-Fe	<0.01
0.039	100		3.9	0.007	100		0.7	3.2	30	0.1066667		Lead-Pb	0.11
0.036	100		3.6	0.054	100		5.4	-1.8	30	-0.06		Magnesium-Mg	<0.01
0.036	100		3.6	0.039	100		3.9	-0.3	30	-0.01		Manganese-Mn	<0.01
	100				100				30			Mercury-Hg	<0.01
0	100		0	0.004	100		0.4	-0.4	30	-0.0133333		Nickel-Ni	<0.01
0.105	100		10.5	0.15	100		15	-4.5	30	-0.15		Potassium-K	<0.01
0.034	100		3.4	0.075	100		7.5	-4.1	30	-0.1366667		Selenium-Se	<0.01
0.002	100		0.2	0.001	100		0.1	0.1	30	0.0033333		Silver-Ag	<0.01
1.512	100		151.2	1.764	100		176.4	-25.2	30	-0.84		Sodium-Na	<0.01
-0.005	100		-0.5	-0.002	100		-0.2	-0.3	30	-0.01		Thallium-Tl	<0.01
0.023	100		2.3	0.027	100		2.7	-0.4	30	-0.0133333		Zinc-Zn	<0.01

LAB ID #01110071-002

NYCDEP - 138TH & 3RD AVENUE BRONX

C:\IEM FILES\NYCDEP\HAZMAT\m01110071.xls

Prepared Exclusively For: NYCDEP-Emergency Response & Tech Assmt. 96-05 Horace Harding Expressway Corona, NY 11368 (718) 595-4650 MR. M. FAWZY, DIRECTOR	PEDNEAULT ASSOCIATES, INC. 1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716 LAB NUMBER: 01110071 PROJECT ID : WORLD TRADE CENTER- 5 Boro Sampling
--	--

DATE RECEIVED		RELEASE DATE		REPORT DATE
11/5/01		11/13/01		11/13/01
COLLECT DATE:	SAMPLE ID#:	MATRIX:	SAMPLE ORIGIN:	
11/5/01 6:45 PM	01110071-003	AIR\GAS	CENTRAL PARK N. & LENOX, MANHATTAN	
PARAMETER	METHOD		RESULT	UNITS
Aluminum (Al)	OSHA ID 121/125G		<0.01	mg/m3
Antimony (Sb)	OSHA ID 121/125G		<0.01	mg/m3
Arsenic (As)	OSHA ID 121/125G		<0.01	mg/m3
Barium (Ba)	OSHA ID 121/125G		<0.01	mg/m3
Beryllium (Be)	OSHA ID 121/125G		<0.01	mg/m3
Cadmium (Cd)	OSHA ID 121/125G		<0.01	mg/m3
Calcium (Ca)	OSHA ID 121/125G		0.05	mg/m3
Chromium (Cr)	OSHA ID 121/125G		<0.01	mg/m3
Copper (Cu)	OSHA ID 121/125G		<0.01	mg/m3
Iron (Fe)	OSHA ID 121/125G		<0.01	mg/m3
Lead (Pb)	OSHA ID 121/125G		<0.01	mg/m3
Magnesium (Mg)	OSHA ID 121/125G		0.02	mg/m3
Manganese (Mn)	OSHA ID 121/125G		<0.01	mg/m3
Mercury (Hg)	OSHA ID 121/245.5		<0.01	mg/m3
Nickel (Ni)	OSHA ID 121/125G		<0.01	mg/m3
Potassium (K)	OSHA ID 121/125G		<0.01	mg/m3
Selenium (Se)	OSHA ID 121/125G		0.01	mg/m3
Silver (Ag)	OSHA ID 121/125G		<0.01	mg/m3
Sodium (Na)	OSHA ID 121/125G		<0.01	mg/m3
Thallium (Tl)	OSHA ID 121/125G		<0.01	mg/m3
Zinc (Zn)	OSHA ID 121/125G		<0.01	mg/m3

John Pedneault
Lab Director

Reported results are reflective of TOTAL, Metals @ 2L per min/15 min run.

SUPPLEMENTAL II

Page 35 of 56
NYS ELAP #10224
MWBE #46075

CALCULATION FOR OSHA ID121/125G-- METALS IN AIR VIA CASSETTE FILTER (37MM MILLIPORE) & MOBILE VACUUM PUMPS

A= Concentration of Analyte in sample solution (µg/ml) or (mg/L)
B=Concentration of Blank in sample solution (µg/ml) or (mg/L)
SSV= Sample Solution Volume ASSV= Analyte concentration x Sample Solution Volume
BSV=Blank Sample Volume BBSV=Blank concentration x Blank Sample Volume
RAB= Reagent Blank Concentration (µg/ml) or (mg/L)
RABSV= Reagent Blank Sample Volume
D= Dilution Factor (NONE)
NO GRAVIMETRIC FACTORS
IAV= Air Volume Sampled
IAR=Analytical Result
IARR=Analytical Reportable Result in mg/m³ (rounded off to 3-sigma)

$$AR = \frac{(A \times SSV) - (B \times BSV)}{AV}$$

For the Trip Blank Analytical Value:

$$AR = \frac{(B \times BSV) - (RAB \times RABSV)}{AV}$$

A (mg/L)	SSV (ml)	A x SSV	ASSV	B (mg/L)	BSV (ml)	B x BSV	BBSV	ASSV-BBSV	AR	AV liters	AR/AV	ANALYTE	IARR mg/m ³
0.105	100		10.5	0.103	100		10.3	0.2	30	0.0066667		Aluminum-Al	<0.01
0.097	100		9.7	0.203	100		20.3	-10.6	30	-0.3533333		Antimony-Sb	<0.01
0.038	100		3.8	0.053	100		5.3	-1.5	30	-0.05		Arsenic-As	<0.01
0.003	100		0.3	0.003	100		0.3	0	30	0		Barium-Ba	<0.01
-0.001	100		-0.1	-0.001	100		-0.1	0	30	0		Beryllium-Be	<0.01
0.002	100		0.2	0.003	100		0.3	-0.1	30	-0.0033333		Cadmium-Cd	<0.01
0.366	100		36.6	0.35	100		35	1.6	30	0.0533333		Calcium-Ca	0.05
0.008	100		0.8	0.01	100		1	-0.2	30	-0.0066667		Chromium-Cr	<0.01
0.028	100		2.8	0.034	100		3.4	-0.6	30	-0.02		Copper-Cu	<0.01
0.13	100		13	1.26	100		126	-113	30	-3.7666667		Iron-Fe	<0.01
0	100		0	0.007	100		0.7	-0.7	30	-0.0233333		Lead-Pb	<0.01
0.06	100		6	0.054	100		5.4	0.6	30	0.02		Magnesium-Mg	0.02
0.032	100		3.2	0.039	100		3.9	-0.7	30	-0.0233333		Manganese-Mn	<0.01
	100				100				30			Mercury-Hg	<0.01
0.001	100		0.1	0.004	100		0.4	-0.3	30	-0.01		Nickel-Ni	<0.01
0.114	100		11.4	0.15	100		15	-3.6	30	-0.12		Potassium-K	<0.01
0.079	100		7.9	0.075	100		7.5	0.4	30	0.0133333		Selenium-Se	0.01
0.001	100		0.1	0.001	100		0.1	0	30	0		Silver-Ag	<0.01
1.606	100		160.6	1.764	100		176.4	-15.8	30	-0.5266667		Sodium-Na	<0.01
-0.004	100		-0.4	-0.002	100		-0.2	-0.2	30	-0.0066667		Thallium-Tl	<0.01
0.019	100		1.9	0.027	100		2.7	-0.8	30	-0.0266667		Zinc-Zn	<0.01

LAB ID #01110071-003

NYCDEP - CENTRAL PK NO & LENOX-NYC

c:\IEM FILES\NYCDEP-HA7MAT\m01110071.xls

Prepared Exclusively For: NYCDEP-Emergency Response & Tech Assmt. 96-05 Horace Harding Expressway Corona, NY 11368 (718) 595-4650 MR. M. FAWZY, DIRECTOR	PEDNEAULT ASSOCIATES, INC. 1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716 LAB NUMBER: 01110071 PROJECT ID : WORLD TRADE CENTER- 5 Boro Sampling
--	--

DATE RECEIVED		RELEASE DATE		REPORT DATE
11/5/01		11/13/01		11/13/01
COLLECT DATE:	SAMPLE ID#:	MATRIX:	SAMPLE ORIGIN:	
11/5/01 8:00 PM	01110071-004	AIR\GAS	BERRY ST. & NORTH 11th ST, BROOKLYN	
PARAMETER	METHOD		RESULT	UNITS
Aluminum (Al)	OSHA ID 121/125G		<0.01	mg/m3
Antimony (Sb)	OSHA ID 121/125G		<0.01	mg/m3
Arsenic (As)	OSHA ID 121/125G		<0.01	mg/m3
Barium (Ba)	OSHA ID 121/125G		<0.01	mg/m3
Beryllium (Be)	OSHA ID 121/125G		<0.01	mg/m3
Cadmium (Cd)	OSHA ID 121/125G		<0.01	mg/m3
Calcium (Ca)	OSHA ID 121/125G		0.12	mg/m3
Chromium (Cr)	OSHA ID 121/125G		<0.01	mg/m3
Copper (Cu)	OSHA ID 121/125G		<0.01	mg/m3
Iron (Fe)	OSHA ID 121/125G		<0.01	mg/m3
Lead (Pb)	OSHA ID 121/125G		<0.01	mg/m3
Magnesium (Mg)	OSHA ID 121/125G		0.02	mg/m3
Manganese (Mn)	OSHA ID 121/125G		<0.01	mg/m3
Mercury (Hg)	OSHA ID 121/245.5		<0.01	mg/m3
Nickel (Ni)	OSHA ID 121/125G		<0.01	mg/m3
Potassium (K)	OSHA ID 121/125G		<0.01	mg/m3
Selenium (Se)	OSHA ID 121/125G		<0.01	mg/m3
Silver (Ag)	OSHA ID 121/125G		<0.01	mg/m3
Sodium (Na)	OSHA ID 121/125G		0.34	mg/m3
Thallium (Tl)	OSHA ID 121/125G		<0.01	mg/m3
Zinc (Zn)	OSHA ID 121/125G		<0.01	mg/m3

John Pedneault
Lab Director

Reported results are reflective of TOTAL, Metals @ 2L per min/15 min run.

Page 36 of 56
NYS ELAP #10224
MWBE #46075

SUPPLEMENTAL II

CITY_21MC100_002835725

CALCULATION FOR OSHA ID121/125G-- METALS IN AIR VIA CASSETTE FILTER (37MM MILLIPORE) & MOBILE VACUUM PUMPS

A= Concentration of Analyte in sample solution (µg/ml) or (mg/L)
B=Concentration of Blank in sample solution (µg/ml) or (mg/L)
SSV= Sample Solution Volume ASSV= Analyte concentration x Sample Solution Volume
BSV=Blank Sample Volume BBSV=Blank concentration x Blank Sample Volume
RAB= Reagent Blank Concentration (µg/ml) or (mg/L)
RABSV= Reagent Blank Sample Volume
D= Dilution Factor (NONE)
NO GRAVIMETRIC FACTORS
AV= Air Volume Sampled
AR=Analytical Result
ARR=Analytical Reportable Result in mg/m³ (rounded off to 3-sigma)

$$AR = \frac{(A \times SSV) - (B \times BSV)}{AV}$$

For the Trip Blank Analytical Value:
$$AR = \frac{(B \times BSV) - (RAB \times RABSV)}{AV}$$

A (mg/L)	SSV (ml)	ASSV	B (mg/L)	BSV (ml)	BBSV	ASSV-BBSV	AR	AV Liters	AR/AV	ANALYTE	ARR mg/m ³
0.086	100	8.6	0.103	100	10.3	-1.7	30	-0.0566667		Aluminum-Al	<0.01
0.067	100	6.7	0.203	100	20.3	-13.6	30	-0.4533333		Antimony-Sb	<0.01
0.014	100	1.4	0.053	100	5.3	-3.9	30	-0.13		Arsenic-As	<0.01
0.002	100	0.2	0.003	100	0.3	-0.1	30	-0.0033333		Barium-Ba	<0.01
-0.001	100	-0.1	-0.001	100	-0.1	0	30	0		Beryllium-Be	<0.01
0.001	100	0.1	0.003	100	0.3	-0.2	30	-0.0066667		Cadmium-Cd	<0.01
0.387	100	38.7	0.35	100	35	3.7	30	0.1233333		Calcium-Ca	0.12
0.005	100	0.5	0.01	100	1	-0.5	30	-0.0166667		Chromium-Cr	<0.01
0.025	100	2.5	0.034	100	3.4	-0.9	30	-0.03		Copper-Cu	<0.01
0.11	100	11	1.26	100	126	-115	30	-3.8333333		Iron-Fe	<0.01
0	100	0	0.007	100	0.7	-0.7	30	-0.0233333		Lead-Pb	<0.01
0.06	100	6	0.054	100	5.4	0.6	30	0.02		Magnesium-Mg	0.02
0.033	100	3.3	0.039	100	3.9	-0.6	30	-0.02		Manganese-Mn	<0.01
0	100	0	0.004	100	0.4	-0.4	30	-0.0133333		Mercury-Hg	<0.01
0.113	100	11.3	0.15	100	15	-3.7	30	-0.1233333		Nickel-Ni	<0.01
0.046	100	4.6	0.075	100	7.5	-2.9	30	-0.0966667		Potassium-K	<0.01
0.002	100	0.2	0.001	100	0.1	0.1	30	0.0033333		Selenium-Se	<0.01
1.867	100	186.7	1.764	100	176.4	10.3	30	0.3433333		Silver-Ag	<0.01
-0.009	100	-0.9	-0.002	100	-0.2	-0.7	30	-0.0233333		Sodium-Na	0.34
0.015	100	1.5	0.027	100	2.7	-1.2	30	-0.04		Thallium-Tl	<0.01
										Zinc-Zn	<0.01

LAB ID #01110071-004

NYCDEP - BERRY & NORTH BROOKLYN

C:\ITEM FILES\NYCDEP\HAZMAT\01110071.xls

Prepared Exclusively For: NYCDEP-Emergency Response & Tech Assmt. 96-05 Horace Harding Expressway Corona, NY 11368 (718) 595-4650 MR. M. FAWZY, DIRECTOR	PEDNEAULT ASSOCIATES, INC. 1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716 LAB NUMBER: 01110071 PROJECT ID : WORLD TRADE CENTER- 5 Boro Sampling
--	--

DATE RECEIVED		RELEASE DATE		REPORT DATE
11/5/01		11/13/01		11/13/01
COLLECT DATE:	SAMPLE ID#:	MATRIX:	SAMPLE ORIGIN:	
11/5/01 8:25 PM	01110071-005	AIR/GAS	ATLANTIC AVE. & SMITH ST., BROOKLYN	
PARAMETER	METHOD		RESULT	UNITS
Aluminum (Al)	OSHA ID 121/125G		<0.01	mg/m3
Antimony (Sb)	OSHA ID 121/125G		<0.01	mg/m3
Arsenic (As)	OSHA ID 121/125G		<0.01	mg/m3
Barium (Ba)	OSHA ID 121/125G		<0.01	mg/m3
Beryllium (Be)	OSHA ID 121/125G		<0.01	mg/m3
Cadmium (Cd)	OSHA ID 121/125G		<0.01	mg/m3
Calcium (Ca)	OSHA ID 121/125G		<0.01	mg/m3
Chromium (Cr)	OSHA ID 121/125G		<0.01	mg/m3
Copper (Cu)	OSHA ID 121/125G		<0.01	mg/m3
Iron (Fe)	OSHA ID 121/125G		<0.01	mg/m3
Lead (Pb)	OSHA ID 121/125G		<0.01	mg/m3
Magnesium (Mg)	OSHA ID 121/125G		<0.01	mg/m3
Manganese (Mn)	OSHA ID 121/125G		<0.01	mg/m3
Mercury (Hg)	OSHA ID 121/245.5		<0.01	mg/m3
Nickel (Ni)	OSHA ID 121/125G		<0.01	mg/m3
Potassium (K)	OSHA ID 121/125G		<0.01	mg/m3
Selenium (Se)	OSHA ID 121/125G		<0.01	mg/m3
Silver (Ag)	OSHA ID 121/125G		<0.01	mg/m3
Sodium (Na)	OSHA ID 121/125G		<0.01	mg/m3
Thallium (Tl)	OSHA ID 121/125G		<0.01	mg/m3
Zinc (Zn)	OSHA ID 121/125G		<0.01	mg/m3

John Pedneault
Lab Director

Reported results are reflective of TOTAL, Metals @ 2L per min/15 min run.

SUPPLEMENTAL II

Page 37 of 56
NYS ELAP #10224
MWBE #46075

CITY_21MC100_002835727

CALCULATION FOR OSHA ID121/125G-- METALS IN AIR VIA CASSETTE FILTER (37MM MILLIPORE) & MOBILE VACUUM PUMPS

A= Concentration of Analyte in sample solution (µg/ml) or (mg/L)
B=Concentration of Blank in sample solution (µg/ml) or (mg/L)
SSV= Sample Solution Volume ASSV= Analyte concentration x Sample Solution Volume
BSV=Blank Sample Volume BBSV=Blank concentration x Blank Sample Volume
RAB= Reagent Blank Concentration (µg/ml) or (mg/L)
RABSV= Reagent Blank Sample Volume
D= Dilution Factor (NONE)
NO GRAVIMETRIC FACTORS
IAV= Air Volume Sampled
IAR=Analytical Result
IARR=Analytical Reportable Result in mg/m³ (rounded off to 3-sigma)

$$AR = \frac{(A \times SSV) - (B \times BSV)}{AV}$$

For the Trip Blank Analytical Value:

$$AR = \frac{(B \times BSV) - (RAB \times RABSV)}{AV}$$

A (mg/L)	SSV (ml)	A x SSV	ASSV	B (mg/L)	BSV (ml)	B x BSV	BBSV	ASSV-BBSV	AR	AV Liters	AR/AV	ANALYTE	ARR mg/m ³
0.101	100		10.1	0.103	100		10.3	-0.2		30	-0.0066667	Aluminum-Al	<0.01
0.057	100		5.7	0.203	100		20.3	-14.6		30	-0.4866667	Antimony-Sb	<0.01
0.009	100		0.9	0.053	100		5.3	-4.4		30	-0.1466667	Arsenic-As	<0.01
0.003	100		0.3	0.003	100		0.3	0		30	0	Barium-Ba	<0.01
-0.001	100		-0.1	-0.001	100		-0.1	0		30	0	Beryllium-Be	<0.01
0.001	100		0.1	0.003	100		0.3	-0.2		30	-0.0066667	Cadmium-Cd	<0.01
0.244	100		24.4	0.35	100		35	-10.6		30	-0.3533333	Calcium-Ca	<0.01
0.007	100		0.7	0.01	100		1	-0.3		30	-0.01	Chromium-Cr	<0.01
0.023	100		2.3	0.034	100		3.4	-1.1		30	-0.0366667	Copper-Cu	<0.01
0.083	100		8.3	1.26	100		126	-117.7		30	-3.9233333	Iron-Fe	<0.01
0.001	100		0.1	0.007	100		0.7	-0.6		30	-0.02	Lead-Pb	<0.01
0.041	100		4.1	0.054	100		5.4	-1.3		30	-0.0433333	Magnesium-Mg	<0.01
0.033	100		3.3	0.039	100		3.9	-0.6		30	-0.02	Manganese-Mn	<0.01
	100				100					30		Mercury-Hg	<0.01
0	100		0	0.004	100		0.4	-0.4		30	-0.0133333	Nickel-Ni	<0.01
0.141	100		14.1	0.15	100		15	-0.9		30	-0.03	Potassium-K	<0.01
0.024	100		2.4	0.075	100		7.5	-5.1		30	-0.17	Selenium-Se	<0.01
0	100		0	0.001	100		0.1	-0.1		30	-0.0033333	Silver-Ag	<0.01
1.443	100		144.3	1.764	100		176.4	-32.1		30	-1.07	Sodium-Na	<0.01
-0.007	100		-0.7	-0.002	100		-0.2	-0.5		30	-0.0166667	Thallium-Tl	<0.01
0.016	100		1.6	0.027	100		2.7	-1.1		30	-0.0366667	Zinc-Zn	<0.01

LAB ID #01110071-005

NYCDEP -ATLANTIC AV & SMITH STR. BROOKLYN

C:\ITEM FILES\NYCDEP\HA7MAT\m01110071.xls

Prepared Exclusively For:
 NYCDEP-Emergency Response & Tech Assmt.
 96-05 Horace Harding Expressway
 Corona, NY 11368
 (718) 595-4650
MR. M. FAWZY, DIRECTOR

PEDNEAULT ASSOCIATES, INC.
 1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB NUMBER: 01110071

PROJECT ID : WORLD TRADE CENTER- 5 Boro Sampling

DATE RECEIVED		RELEASE DATE		REPORT DATE
11/5/01		11/13/01		11/13/01
COLLECT DATE:	SAMPLE ID#:	MATRIX:	SAMPLE ORIGIN:	
11/5/01 9:10 PM	01110071-006	AIR\GAS	BAY ST & VICTORY BLVD., STATEN ISLAND	
PARAMETER	METHOD		RESULT	UNITS
Aluminum (Al)	OSHA ID 121/125G		<0.01	mg/m3
Antimony (Sb)	OSHA ID 121/125G		<0.01	mg/m3
Arsenic (As)	OSHA ID 121/125G		<0.01	mg/m3
Barium (Ba)	OSHA ID 121/125G		<0.01	mg/m3
Beryllium (Be)	OSHA ID 121/125G		<0.01	mg/m3
Cadmium (Cd)	OSHA ID 121/125G		<0.01	mg/m3
Calcium (Ca)	OSHA ID 121/125G		0.34	mg/m3
Chromium (Cr)	OSHA ID 121/125G		<0.01	mg/m3
Copper (Cu)	OSHA ID 121/125G		<0.01	mg/m3
Iron (Fe)	OSHA ID 121/125G		<0.01	mg/m3
Lead (Pb)	OSHA ID 121/125G		<0.01	mg/m3
Magnesium (Mg)	OSHA ID 121/125G		0.02	mg/m3
Manganese (Mn)	OSHA ID 121/125G		<0.01	mg/m3
Mercury (Hg)	OSHA ID 121/245.5		<0.01	mg/m3
Nickel (Ni)	OSHA ID 121/125G		<0.01	mg/m3
Potassium (K)	OSHA ID 121/125G		<0.01	mg/m3
Selenium (Se)	OSHA ID 121/125G		<0.01	mg/m3
Silver (Ag)	OSHA ID 121/125G		<0.01	mg/m3
Sodium (Na)	OSHA ID 121/125G		1.10	mg/m3
Thallium (Tl)	OSHA ID 121/125G		<0.01	mg/m3
Zinc (Zn)	OSHA ID 121/125G		<0.01	mg/m3

John Pedneault
 Lab Director

Reported results are reflective of TOTAL, Metals @ 2L per min/15 min run.

SUPPLEMENTAL II

Page 38 of 56
 NYS ELAP #10224
 MWBE #46075

CITY_21MC100_002835729

CALCULATION FOR OSHA ID121/125G-- METALS IN AIR VIA CASSETTE FILTER (37MM MILLIPORE) & MOBILE VACUUM PUMPS

A= Concentration of Analyte in sample solution (µg/ml) or (mg/L)
B=Concentration of Blank in sample solution (µg/ml) or (mg/L)
SSV= Sample Solution Volume ASSV= Analyte concentration x Sample Solution Volume
BSV=Blank Sample Volume BBSV=Blank concentration x Blank Sample Volume
RAB= Reagent Blank Concentration (µg/ml) or (mg/L)
RABSV= Reagent Blank Sample Volume
D= Dilution Factor (NONE)
NO GRAVIMETRIC FACTORS
IAV= Air Volume Sampled
IAR=Analytical Result
IARR=Analytical Reportable Result in mg/m³ (rounded off to 3-sigma)

$$AR = \frac{(A \times SSV) - (B \times BSV)}{AV}$$

For the Trip Blank Analytical Value:

$$AR = \frac{(B \times BSV) - (RAB \times RABSV)}{AV}$$

A (mg/L)	SSV (ml)	A x SSV	ASSV	B (mg/L)	BSV (ml)	B x BSV	BBSV	ASSV - BBSV = AR	AV Liters	AR/AV	ANALYTE	IARR mg/m ³
0.104	100	10.4	10.4	0.103	100	10.3	10.3	0.1	30	0.0033333	Aluminum-Al	<0.01
0.058	100	5.8	5.8	0.203	100	20.3	20.3	-14.5	30	-0.4833333	Antimony-Sb	<0.01
0.004	100	0.4	0.4	0.053	100	5.3	5.3	-4.9	30	-0.1633333	Arsenic-As	<0.01
0.003	100	0.3	0.3	0.003	100	0.3	0.3	0	30	0	Barium-Ba	<0.01
-0.001	100	-0.1	-0.1	-0.001	100	-0.1	-0.1	0	30	0	Beryllium-Be	<0.01
0.001	100	0.1	0.1	0.003	100	0.3	0.3	-0.2	30	-0.0066667	Cadmium-Cd	<0.01
0.452	100	45.2	45.2	0.35	100	35	35	10.2	30	0.34	Calcium-Ca	0.34
0.007	100	0.7	0.7	0.01	100	1	1	-0.3	30	-0.01	Chromium-Cr	<0.01
0.027	100	2.7	2.7	0.034	100	3.4	3.4	-0.7	30	-0.0233333	Copper-Cu	<0.01
0.276	100	27.6	27.6	1.26	100	126	126	-98.4	30	-3.28	Iron-Fe	<0.01
-0.001	100	-0.1	-0.1	0.007	100	0.7	0.7	-0.8	30	-0.0266667	Lead-Pb	<0.01
0.061	100	6.1	6.1	0.054	100	5.4	5.4	0.7	30	0.0233333	Magnesium-Mg	0.02
0.04	100	4	4	0.039	100	3.9	3.9	0.1	30	0.0033333	Manganese-Mn	<0.01
	100				100				30		Mercury-Hg	<0.01
0	100	0	0	0.004	100	0.4	0.4	-0.4	30	-0.0133333	Nickel-Ni	<0.01
0.142	100	14.2	14.2	0.15	100	15	15	-0.8	30	-0.0266667	Potassium-K	<0.01
0.041	100	4.1	4.1	0.075	100	7.5	7.5	-3.4	30	-0.1133333	Selenium-Se	<0.01
0	100	0	0	0.001	100	0.1	0.1	-0.1	30	-0.0033333	Silver-Ag	<0.01
2.095	100	209.5	209.5	1.764	100	176.4	176.4	33.1	30	1.1033333	Sodium-Na	1.1
-0.006	100	-0.6	-0.6	-0.002	100	-0.2	-0.2	-0.4	30	-0.0133333	Thallium-Tl	<0.01
0.018	100	1.8	1.8	0.027	100	2.7	2.7	-0.9	30	-0.03	Zinc-Zn	<0.01

LAB ID #01110071-006

NYCDEP - BAY STR & VICTORY BLVD. SI

c:/JEM FILES/NYCDEP-HAZMAT/m01110071.xls

Prepared Exclusively For: NYCDEP-Emergency Response & Tech Assmt. 96-05 Horace Harding Expressway Corona, NY 11368 (718) 595-4650 MR. M. FAWZY, DIRECTOR	PEDNEAULT ASSOCIATES, INC. 1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716 LAB NUMBER: 01110071 PROJECT ID : WORLD TRADE CENTER- 5 Boro Sampling
--	--

DATE RECEIVED		RELEASE DATE		REPORT DATE
11/5/01		11/13/01		11/13/01
COLLECT DATE:	SAMPLE ID#:	MATRIX:	SAMPLE ORIGIN:	
11/5/01 5:30 PM	01110071-007	AIR\GAS	DUP/BROADWAY AVE & 31st ST., QUEENS	
PARAMETER	METHOD		RESULT	UNITS
Aluminum (Al)	OSHA ID 121/125G		<0.01	mg/m3
Antimony (Sb)	OSHA ID 121/125G		<0.01	mg/m3
Arsenic (As)	OSHA ID 121/125G		<0.01	mg/m3
Barium (Ba)	OSHA ID 121/125G		<0.01	mg/m3
Beryllium (Be)	OSHA ID 121/125G		<0.01	mg/m3
Cadmium (Cd)	OSHA ID 121/125G		0.02	mg/m3
Calcium (Ca)	OSHA ID 121/125G		0.87	mg/m3
Chromium (Cr)	OSHA ID 121/125G		<0.01	mg/m3
Copper (Cu)	OSHA ID 121/125G		<0.01	mg/m3
Iron (Fe)	OSHA ID 121/125G		<0.01	mg/m3
Lead (Pb)	OSHA ID 121/125G		<0.01	mg/m3
Magnesium (Mg)	OSHA ID 121/125G		0.09	mg/m3
Manganese (Mn)	OSHA ID 121/125G		<0.01	mg/m3
Mercury (Hg)	OSHA ID 121/245.5		<0.01	mg/m3
Nickel (Ni)	OSHA ID 121/125G		<0.01	mg/m3
Potassium (K)	OSHA ID 121/125G		0.02	mg/m3
Selenium (Se)	OSHA ID 121/125G		<0.01	mg/m3
Silver (Ag)	OSHA ID 121/125G		<0.01	mg/m3
Sodium (Na)	OSHA ID 121/125G		1.11	mg/m3
Thallium (Tl)	OSHA ID 121/125G		<0.01	mg/m3
Zinc (Zn)	OSHA ID 121/125G		<0.01	mg/m3

John Pedneault
Lab Director

Reported results are reflective of TOTAL, Metals @ 2L per min/15 min run.

Page 39 of 56
NYS ELAP #10224
MWBE #46075

SUPPLEMENTAL II

CITY_21MC100_002835731

CALCULATION FOR OSHA ID121/125G-- METALS IN AIR VIA CASSETTE FILTER (37MM MILLIPORE) & MOBILE VACUUM PUMPS

A= Concentration of Analyte in sample solution (µg/ml) or (mg/L)
B=Concentration of Blank in sample solution (µg/ml) or (mg/L)
SSV= Sample Solution Volume ASSV= Analyte concentration x Sample Solution Volume
BSV=Blank Sample Volume BBSV=Blank concentration x Blank Sample Volume
RAB= Reagent Blank Concentration (µg/ml) or (mg/L)
RABSV= Reagent Blank Sample Volume
D= Dilution Factor (NONE)
NO GRAVIMETRIC FACTORS TB= TRIP/FIELD BLANK
IAV= Air Volume Sampled
IAR=Analytical Result
IARR=Analytical Reportable Result in mg/m³ (rounded off to 3-sigma)

$$AR = \frac{(A \times SSV) - (B \times BSV)}{AV}$$

For the Trip Blank Analytical Value:

$$AR = \frac{(B \times BSV) - (RAB \times RABSV)}{AV}$$

A (mg/L)	SSV (mL)	A x SSV	ASSV	B (mg/L)	BSV (mL)	B x BSV	BBSV	ASSV-BBSV	AR	AV Liters	AR/AV	ANALYTE	IARR mg/m ³
0.092	100		9.2	0.103	100		10.3	-1.1		30	-0.0366667	Aluminum-Al	<0.01
0.049	100		4.9	0.203	100		20.3	-15.4		30	-0.5133333	Antimony-Sb	<0.01
0.01	100		1	0.053	100		5.3	-4.3		30	-0.1433333	Arsenic-As	<0.01
0.003	100		0.3	0.003	100		0.3	0		30	0	Barium-Ba	<0.01
-0.01	100		-1	-0.001	100		-0.1	-0.9		30	-0.03	Beryllium-Be	<0.01
0.01	100		1	0.003	100		0.3	0.7		30	0.0233333	Cadmium-Cd	0.02
0.611	100		61.1	0.35	100		35	26.1		30	0.87	Calcium-Ca	0.87
0.007	100		0.7	0.01	100		1	-0.3		30	-0.01	Chromium-Cr	<0.01
0.027	100		2.7	0.034	100		3.4	-0.7		30	-0.0233333	Copper-Cu	<0.01
0.107	100		10.7	1.26	100		126	-115.3		30	-3.8433333	Iron-Fe	<0.01
-0.001	100		-0.1	0.007	100		0.7	-0.8		30	-0.0266667	Lead-Pb	<0.01
0.081	100		8.1	0.054	100		5.4	2.7		30	0.09	Magnesium-Mg	0.09
0.036	100		3.6	0.039	100		3.9	-0.3		30	-0.01	Manganese-Mn	<0.01
	100				100					30		Mercury-Hg	<0.01
0.001	100		0.1	0.004	100		0.4	-0.3		30	-0.01	Nickel-Ni	<0.01
0.156	100		15.6	0.15	100		15	0.6		30	0.02	Potassium-K	0.02
0.026	100		2.6	0.075	100		7.5	-4.9		30	-0.1633333	Selenium-Se	<0.01
0	100		0	0.001	100		0.1	-0.1		30	-0.0033333	Silver-Ag	<0.01
2.098	100		209.8	1.764	100		176.4	33.4		30	1.1133333	Sodium-Na	1.11
-0.004	100		-0.4	-0.002	100		-0.2	-0.2		30	-0.0066667	Thallium-Tl	<0.01
0.027	100		2.7	0.027	100		2.7	0		30	0	Zinc-Zn	<0.01

LAB ID #01110071-007

NYCDEP - DUPLICATE OF #01110071-001

c:\IFM FILES\NYCDEP-HAZMAT\m01110071.xls

Prepared Exclusively For:

NYCDEP-Emergency Response & Tech Assmt.

96-05 Horace Harding Expressway

Corona, NY 11368

(718) 595-4650

MR. M. FAWZY, DIRECTOR

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB NUMBER: 01110071

PROJECT ID : WORLD TRADE CENTER- 5 Boro Sampling

DATE RECEIVED		RELEASE DATE		REPORT DATE	
11/5/01		11/13/01		11/13/01	
COLLECT DATE:		SAMPLE ID#:		MATRIX:	
11/5/01 4:00 PM		01110071-008		AIR\GAS	
PARAMETER		METHOD		RESULT	
Aluminum (Al)		OSHA ID 121/125G		<0.01	
Antimony (Sb)		OSHA ID 121/125G		0.33	
Arsenic (As)		OSHA ID 121/125G		0.10	
Barium (Ba)		OSHA ID 121/125G		<0.01	
Beryllium (Be)		OSHA ID 121/125G		<0.01	
Cadmium (Cd)		OSHA ID 121/125G		<0.01	
Calcium (Ca)		OSHA ID 121/125G		<0.01	
Chromium (Cr)		OSHA ID 121/125G		0.02	
Copper (Cu)		OSHA ID 121/125G		0.02	
Iron (Fe)		OSHA ID 121/125G		2.57	
Lead (Pb)		OSHA ID 121/125G		<0.01	
Magnesium (Mg)		OSHA ID 121/125G		<0.01	
Manganese (Mn)		OSHA ID 121/125G		0.06	
Mercury (Hg)		OSHA ID 121/245.5		<0.01	
Nickel (Ni)		OSHA ID 121/125G		<0.01	
Potassium (K)		OSHA ID 121/125G		<0.01	
Selenium (Se)		OSHA ID 121/125G		0.13	
Silver (Ag)		OSHA ID 121/125G		<0.01	
Sodium (Na)		OSHA ID 121/125G		<0.01	
Thallium (Tl)		OSHA ID 121/125G		0.01	
Zinc (Zn)		OSHA ID 121/125G		0.03	

John Pedneault
Lab Director

Reported results are reflective of TOTAL, Metals @ 2L per min/15 min run.

Page 40 of 56
NYS ELAP #10224
MWBE #46075

SUPPLEMENTAL II

CITY_21MC100_002835733

CALCULATION FOR OSHA ID121/125G- METALS IN AIR VIA CASSETTE FILTER (37MM MILLIPORE) & MOBILE VACUUM PUMPS

A= Concentration of Analyte in sample solution (µg/ml) or (mg/L)
B=Concentration of Blank in sample solution (µg/ml) or (mg/L)
SSV= Sample Solution Volume ASSV= Analyte concentration x Sample Solution Volume
BSV=Blank Sample Volume BBSV=Blank concentration x Blank Sample Volume
RAB= Reagent Blank Concentration (µg/ml) or (mg/L)
RABSV= Reagent Blank Sample Volume
D= Dilution Factor (NONE)
NO GRAVIMETRIC FACTORS TB= TRIP/FIELD BLANK
AV= Air Volume Sampled
AR=Analytical Result
ARR=Analytical Reportable Result in mg/m³ (rounded off to 3-sigma)

$$AR = \frac{(A \times SSV) - (B \times BSV)}{AV}$$

For the Trip Blank Analytical Value:

$$AR = \frac{(B \times BSV) - (RAB \times RABSV)}{AV}$$

TB (mg/L)	BSV (mL)	TB x TBSV	BBSV	RAB (mg/L)	RABSV (mL)	RAB x RABSV	RABSV	TB-RAB	AR	AV Liters	AR/AV	ANALYTE	ARR mg/m³
0.103	100	10.3	0.116	100	11.6	-1.3	30	-0.0433333	Aluminum- Al				<0.01
0.203	100	20.3	0.104	100	10.4	9.9	30	0.33	Antimony-Sb				0.33
0.053	100	5.3	0.024	100	2.4	2.9	30	0.0966667	Arsenic-As				0.1
0.003	100	0.3	0.004	100	0.4	-0.1	30	-0.0033333	Barium-Ba				<0.01
-0.001	100	-0.1	-0.001	100	-0.1	0	30	0	Beryllium-Be				<0.01
0.003	100	0.3	0.002	100	0.2	0.1	30	0.0033333	Cadmium-Cd				<0.01
0.35	100	35	0.371	100	37.1	-2.1	30	-0.07	Calcium-Ca				<0.01
0.01	100	1	0.003	100	0.3	0.7	30	0.0233333	Chromium-Cr				0.02
0.034	100	3.4	0.028	100	2.8	0.6	30	0.02	Copper-Cu				0.02
1.26	100	126	0.488	100	48.8	77.2	30	2.5733333	Iron-Fe				2.57
0.007	100	0.7	0.005	100	0.5	0.2	30	0.0066667	Lead-Pb				<0.01
0.054	100	5.4	0.057	100	5.7	-0.3	30	-0.01	Magnesium-Mg				<0.01
0.039	100	3.9	0.022	100	2.2	1.7	30	0.0566667	Manganese-Mn				0.06
	100			100			30		Mercury-Hg				<0.01
0.004	100	0.4	0.003	100	0.3	0.1	30	0.0033333	Nickel-Ni				<0.01
0.15	100	15	0.163	100	16.3	-1.3	30	-0.0433333	Potassium-K				<0.01
0.075	100	7.5	0.036	100	3.6	3.9	30	0.13	Selenium-Se				0.13
0.001	100	0.1	-0.001	100	-0.1	0.2	30	0.0066667	Silver-Ag				<0.01
1.764	100	176.4	2.171	100	217.1	-40.7	30	-1.3566667	Sodium-Na				<0.01
-0.002	100	-0.2	-0.005	100	-0.5	0.3	30	0.01	Thallium-Tl				0.01
0.027	100	2.7	0.019	100	1.9	0.8	30	0.0266667	Zinc-Zn				0.03

LAB ID #01110071-008

NYCDEP - TRIP/FIELD BLANK

C:\TEMP\FILES\NYCDEP\HAZMAT\01110071-008