

Mar 29 02 08:16a

p. 10



INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPA NVLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

• NY DOH/NELAC 10903
• PA DEP 06-353

• NJ DEP PA020
• CT DPH PH-0238

Analytical Results
for

ATC Associates

WorkOrder: R02030813

Client Reference: 19125-0290

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst
	(ug)	(mg/m³)	(ppm)			
Client ID: VOCL ATC-0315-M894	Lab ID: -11A	Date Sampled: 3/15/02		Matrix: Charcoal		Air Vol.(L): 120
1,1,1-Trichloroethane	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	03/20/2002 JMM
1,2-Dichloroethane	<20	<0.17	<0.041	20	Total Hydrocarbon Sc	03/20/2002 JMM
A Hydrocarbons, Total	<20	<0.17	<0.047	20	Total Hydrocarbon Sc	03/20/2002 JMM
Acetone	<20	<0.17	<0.070	20	Total Hydrocarbon Sc	03/20/2002 JMM
B Hydrocarbons, Total	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	03/20/2002 JMM
Benzene	<20	<0.17	<0.052	20	Total Hydrocarbon Sc	03/20/2002 JMM
Chlorobenzene	<20	<0.17	<0.036	20	Total Hydrocarbon Sc	03/20/2002 JMM
Chloroform	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	03/20/2002 JMM
Ethylbenzene	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	03/20/2002 JMM
Hexane	<20	<0.17	<0.047	20	Total Hydrocarbon Sc	03/20/2002 JMM
Isopropylbenzene	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	03/20/2002 JMM
Methylene Chloride	<20	<0.17	<0.048	20	Total Hydrocarbon Sc	03/20/2002 JMM
Pentane	<20	<0.17	<0.056	20	Total Hydrocarbon Sc	03/20/2002 JMM
Styrene	<20	<0.17	<0.039	20	Total Hydrocarbon Sc	03/20/2002 JMM
Tetrachloroethene	<20	<0.17	<0.025	20	Total Hydrocarbon Sc	03/20/2002 JMM
Toluene	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	03/20/2002 JMM
Trichloroethene	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	03/20/2002 JMM
Xylenes, Total	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	03/20/2002 JMM

Mar 29 02 08:16a

p. 11



INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPA/NVLAP 101262-0
 • AIHA ACCREDITATION NO. 100439
 • NC DENR 599

• NY DOH/NELAC 10903
 • PA DEP 06-353

• NJ DEP PA020
 • CT DPH PH-0238

Analytical Results
 for

ATC Associates

WorkOrder: R02030813

Client Reference: 19125-0290

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst	
	(ug)	(mg/m³)	(ppm)				
Client ID: VOC2 ATC-0315-M894 Lab ID: -12A Date Sampled: 3/15/02 Matrix: Charcoal Air Vol.(L): 120							
1,1,1-Trichloroethane	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	03/20/2002	JMM
1,2-Dichloroethane	<20	<0.17	<0.041	20	Total Hydrocarbon Sc	03/20/2002	JMM
A Hydrocarbons, Total	<20	<0.17	<0.047	20	Total Hydrocarbon Sc	03/20/2002	JMM
Acetone	<20	<0.17	<0.070	20	Total Hydrocarbon Sc	03/20/2002	JMM
B Hydrocarbons, Total	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	03/20/2002	JMM
Benzene	<20	<0.17	<0.052	20	Total Hydrocarbon Sc	03/20/2002	JMM
Chlorobenzene	<20	<0.17	<0.036	20	Total Hydrocarbon Sc	03/20/2002	JMM
Chloroform	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	03/20/2002	JMM
Ethylbenzene	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	03/20/2002	JMM
Hexane	<20	<0.17	<0.047	20	Total Hydrocarbon Sc	03/20/2002	JMM
Isopropylbenzene	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	03/20/2002	JMM
Methylene Chloride	<20	<0.17	<0.048	20	Total Hydrocarbon Sc	03/20/2002	JMM
Pentane	<20	<0.17	<0.056	20	Total Hydrocarbon Sc	03/20/2002	JMM
Styrene	<20	<0.17	<0.039	20	Total Hydrocarbon Sc	03/20/2002	JMM
Tetrachloroethene	<20	<0.17	<0.025	20	Total Hydrocarbon Sc	03/20/2002	JMM
Toluene	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	03/20/2002	JMM
Trichloroethene	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	03/20/2002	JMM
Xylenes, Total	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	03/20/2002	JMM

Mar 29 02 08:16a

p. 12



INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPA/NVLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

• NY DOH/MELAC 10903
• PA DEP 06-353

• NJ DEP PA020
• CT DPH PH-0238

**Analytical Results
for
ATC Associates**


WorkOrder: R02030813

Client Reference: 19125-0290

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst	
	(ug)	(mg/m³)	(ppm)				
Client ID: VOC3 ATC-0315-M894							
Lab ID: -13A	Date Sampled: 3/15/02			Matrix: Charcoal		Air Vol.(L): 120	
1,1,1-Trichloroethane	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	03/20/2002	JMM
1,2-Dichloroethane	<20	<0.17	<0.041	20	Total Hydrocarbon Sc	03/20/2002	JMM
A Hydrocarbons, Total	<20	<0.17	<0.047	20	Total Hydrocarbon Sc	03/20/2002	JMM
Acetone	<20	<0.17	<0.070	20	Total Hydrocarbon Sc	03/20/2002	JMM
B Hydrocarbons, Total	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	03/20/2002	JMM
Benzene	<20	<0.17	<0.052	20	Total Hydrocarbon Sc	03/20/2002	JMM
Chlorobenzene	<20	<0.17	<0.036	20	Total Hydrocarbon Sc	03/20/2002	JMM
Chloroform	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	03/20/2002	JMM
Ethylbenzene	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	03/20/2002	JMM
Hexane	<20	<0.17	<0.047	20	Total Hydrocarbon Sc	03/20/2002	JMM
Isopropylbenzene	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	03/20/2002	JMM
Methylene Chloride	<20	<0.17	<0.048	20	Total Hydrocarbon Sc	03/20/2002	JMM
Pentane	<20	<0.17	<0.056	20	Total Hydrocarbon Sc	03/20/2002	JMM
Styrene	<20	<0.17	<0.039	20	Total Hydrocarbon Sc	03/20/2002	JMM
Tetrachloroethene	<20	<0.17	<0.025	20	Total Hydrocarbon Sc	03/20/2002	JMM
Toluene	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	03/20/2002	JMM
Trichloroethene	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	03/20/2002	JMM
Xylenes, Total	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	03/20/2002	JMM

Mar 29 02 08:16a

P. 13



ANALYTICAL SERVICES

INDUSTRIAL HYGIENE

• EPA/NLAP 101262-0
 • AIHA ACCREDITATION NO. 100439
 • NC DENR 599

ENVIRONMENTAL TESTING

• NY DOH/NELAC 10903
 • PA DEP 06-353
 • NJ DEP PA020
 • CT DPH PH-0238

Analytical Results
for

ATC Associates

WorkOrder: R02030813

Client Reference: 19125-0290

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst	
	(ug)	(mg/m³)	(ppm)				
Client ID: VOC4 ATC-0315-M894 Lab ID: -14A Date Sampled: 3/15/02 Matrix: Charcoal Air Vol.(L): 120							
1,1,1-Trichloroethane	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	03/20/2002	JMM
1,2-Dichloroethane	<20	<0.17	<0.041	20	Total Hydrocarbon Sc	03/20/2002	JMM
A Hydrocarbons, Total	<20	<0.17	<0.047	20	Total Hydrocarbon Sc	03/20/2002	JMM
Acetone	<20	<0.17	<0.070	20	Total Hydrocarbon Sc	03/20/2002	JMM
B Hydrocarbons, Total	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	03/20/2002	JMM
Benzene	<20	<0.17	<0.052	20	Total Hydrocarbon Sc	03/20/2002	JMM
Chlorobenzene	<20	<0.17	<0.036	20	Total Hydrocarbon Sc	03/20/2002	JMM
Chloroform	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	03/20/2002	JMM
Ethylbenzene	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	03/20/2002	JMM
Hexane	<20	<0.17	<0.047	20	Total Hydrocarbon Sc	03/20/2002	JMM
Isopropylbenzene	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	03/20/2002	JMM
Methylene Chloride	<20	<0.17	<0.048	20	Total Hydrocarbon Sc	03/20/2002	JMM
Pentane	<20	<0.17	<0.056	20	Total Hydrocarbon Sc	03/20/2002	JMM
Styrene	<20	<0.17	<0.039	20	Total Hydrocarbon Sc	03/20/2002	JMM
Tetrachloroethene	<20	<0.17	<0.025	20	Total Hydrocarbon Sc	03/20/2002	JMM
Toluene	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	03/20/2002	JMM
Trichloroethene	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	03/20/2002	JMM
Xylenes, Total	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	03/20/2002	JMM

Mar 29 02 08:16a

p. 14



ANALYTICAL SERVICES

INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPA/NVLAP 101262-0

• NY DOH/NELAC 10903

• NJ DEP PA020

• AIHA ACCREDITATION NO. 100439

• PA DEP 06-353

• CT DPH PH-0238

• NC DENR 599

Analytical Results
for

ATC Associates

WorkOrder: R02030813

Client Reference: 19125-0290

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst
	(ug)	(mg/m ³)	(ppm)			

Client ID: VOC5 ATC-0315-M894 Blank	Lab ID: -15A	Date Sampled: 3/15/02	Matrix: Charcoal	Air Vol.(L): NA			
1,1,1-Trichloroethane	<20	--	--	20	Total Hydrocarbon Sc	03/20/2002	JMM
1,2-Dichloroethane	<20	--	--	20	Total Hydrocarbon Sc	03/20/2002	JMM
A Hydrocarbons, Total	<20	--	--	20	Total Hydrocarbon Sc	03/20/2002	JMM
Acetone	<20	--	--	20	Total Hydrocarbon Sc	03/20/2002	JMM
B Hydrocarbons, Total	<20	--	--	20	Total Hydrocarbon Sc	03/20/2002	JMM
Benzene	<20	--	--	20	Total Hydrocarbon Sc	03/20/2002	JMM
Chlorobenzene	<20	--	--	20	Total Hydrocarbon Sc	03/20/2002	JMM
Chloroform	<20	--	--	20	Total Hydrocarbon Sc	03/20/2002	JMM
Ethylbenzene	<20	--	--	20	Total Hydrocarbon Sc	03/20/2002	JMM
Hexane	<20	--	--	20	Total Hydrocarbon Sc	03/20/2002	JMM
Isopropylbenzene	<20	--	--	20	Total Hydrocarbon Sc	03/20/2002	JMM
Methylene Chloride	<20	--	--	20	Total Hydrocarbon Sc	03/20/2002	JMM
Pentane	<20	--	--	20	Total Hydrocarbon Sc	03/20/2002	JMM
Styrene	<20	--	--	20	Total Hydrocarbon Sc	03/20/2002	JMM
Tetrachloroethene	<20	--	--	20	Total Hydrocarbon Sc	03/20/2002	JMM
Toluene	<20	--	--	20	Total Hydrocarbon Sc	03/20/2002	JMM
Trichloroethene	<20	--	--	20	Total Hydrocarbon Sc	03/20/2002	JMM
Xylenes, Total	<20	--	--	20	Total Hydrocarbon Sc	03/20/2002	JMM

Client ID: PCB1 ATC-0316-M894	Lab ID: -16A	Date Sampled: 3/16/02	Matrix:	Air Vol.(L): NA
Aroclor 1016	<2.0	--	2	POLYCHLORINATED 03/20/2002 ANY
Aroclor 1221	<2.0	--	2	POLYCHLORINATED 03/20/2002 ANY
Aroclor 1232	<2.0	--	2	POLYCHLORINATED 03/20/2002 ANY
Aroclor 1242	<2.0	--	2	POLYCHLORINATED 03/20/2002 ANY
Aroclor 1248	<2.0	--	2	POLYCHLORINATED 03/20/2002 ANY
Aroclor 1254	<2.0	--	2	POLYCHLORINATED 03/20/2002 ANY
Aroclor 1260	<2.0	--	2	POLYCHLORINATED 03/20/2002 ANY
Surr: Decachlorobiphenyl	0.74	--	0.0001	POLYCHLORINATED 03/20/2002 ANY
Surr: Tetrachloro-m-xylene	0.75	--	0.0001	POLYCHLORINATED 03/20/2002 ANY