NYC 9/11 Public Portal Document

PSC ANALYTICAL SERVICES

INDUSTRIAL HYGIENE ENVIRONMENTAL TESTING

- EPA/NVLAP 101262-0
- AIHA ACCREDITATION NO. 100439
- NC DENR 599
- NY DOH/NELAC 10903
- PA DEP 06-353
- NJ DEP PA020
- CT DPH PH-0238

Analytical Results
for
ATC Associates

WorkOrder: R02040075
Client Reference: 19125-0290, VOC

Analyte	Concentration (ug)	Concentration (mg/m³)	Concentration (ppm)	Limit of Detection (ug)	Test Method	Date Analyzed /Analyst	
Client ID: VOC1 ATC-0329-M894 Main Lobby	Lab ID: -01A	Date Sampled: 3/29/02		Matrix: Charcoal		Air Vol.(L): 120	
1,1,1-Trichloroethane	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	04/04/2002	JMM
1,2-Dichloroethane	<20	<0.17	<0.041	20	Total Hydrocarbon Sc	04/04/2002	JMM
A Hydrocarbons, Total	<20	<0.17	<0.047	20	Total Hydrocarbon Sc	04/04/2002	JMM
Acetone	65	0.54	0.23	20	Total Hydrocarbon Sc	04/04/2002	JMM
B Hydrocarbons, Total	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	04/04/2002	JMM
Benzene	<20	<0.17	<0.052	20	Total Hydrocarbon Sc	04/04/2002	JMM
Chlorobenzene	<20	<0.17	<0.036	20	Total Hydrocarbon Sc	04/04/2002	JMM
Chloroform	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	04/04/2002	JMM
Ethylbenzene	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	04/04/2002	JMM
Hexane	21	0.18	0.051	20	Total Hydrocarbon Sc	04/04/2002	JMM
Isopropylbenzene	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	04/04/2002	JMM
Methylene Chloride	<20	<0.17	<0.048	20	Total Hydrocarbon Sc	04/04/2002	JMM
Pentane	<20	<0.17	<0.056	20	Total Hydrocarbon Sc	04/04/2002	JMM
Styrene	<20	<0.17	<0.039	20	Total Hydrocarbon Sc	04/04/2002	JMM
Tetrachloroethene	<20	<0.17	<0.025	20	Total Hydrocarbon Sc	04/04/2002	JMM
Toluene	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	04/04/2002	JMM
Trichloroethene	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	04/04/2002	JMM
Xylenes, Total	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	04/04/2002	JMM

CITY_21MC100_002918472

NYC-WTC_000222707

NYC 9/11 Public Portal Document

PSC
ANALYTICAL SERVICES

INDUSTRIAL HYGIENE ENVIRONMENTAL TESTING

• EPA/NVLAP 101262-0 • NY DOH/NELAC 10903 • NJ DEP PA020
• AIHA ACCREDITATION NO. 100439 • PA DEP 06-353 • CT DPH PH-0238
• NC DENR 599

Analytical Results
for
ATC Associates

WorkOrder: R02040075
Client Reference: 19125-0290, VOC

Analyte	Concentration (ug)	Concentration (mg/m³)	Concentration (ppm)	Limit of Detection (ug)	Test Method	Date Analyzed /Analyst	
Client ID: VOC2 ATC-0329-M894 5th floor **Lab ID:** -02A	**Date Sampled:** 3/29/02				**Matrix:** Charcoal	**Air Vol.(L):** 120	
1,1,1-Trichloroethane	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	04/04/2002	JMM
1,2-Dichloroethane	<20	<0.17	<0.041	20	Total Hydrocarbon Sc	04/04/2002	JMM
A Hydrocarbons, Total	<20	<0.17	<0.047	20	Total Hydrocarbon Sc	04/04/2002	JMM
Acetone	38	0.32	0.13	20	Total Hydrocarbon Sc	04/04/2002	JMM
B Hydrocarbons, Total	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	04/04/2002	JMM
Benzene	<20	<0.17	<0.052	20	Total Hydrocarbon Sc	04/04/2002	JMM
Chlorobenzene	<20	<0.17	<0.036	20	Total Hydrocarbon Sc	04/04/2002	JMM
Chloroform	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	04/04/2002	JMM
Ethylbenzene	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	04/04/2002	JMM
Hexane	<20	<0.17	<0.047	20	Total Hydrocarbon Sc	04/04/2002	JMM
Isopropylbenzene	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	04/04/2002	JMM
Methylene Chloride	<20	<0.17	<0.048	20	Total Hydrocarbon Sc	04/04/2002	JMM
Pentane	<20	<0.17	<0.056	20	Total Hydrocarbon Sc	04/04/2002	JMM
Styrene	<20	<0.17	<0.039	20	Total Hydrocarbon Sc	04/04/2002	JMM
Tetrachloroethene	<20	<0.17	<0.025	20	Total Hydrocarbon Sc	04/04/2002	JMM
Toluene	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	04/04/2002	JMM
Trichloroethene	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	04/04/2002	JMM
Xylenes, Total	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	04/04/2002	JMM

CITY_21MC100_002918473

NYC-WTC_000222708

NYC 9/11 Public Portal Document

PSC
ANALYTICAL SERVICES

INDUSTRIAL HYGIENE ENVIRONMENTAL TESTING

• EPA/NVLAP 101262-0 • NY DOH/NELAC 10903 • NJ DEP PA020
• AIHA ACCREDITATION NO. 100439 • PA DEP 06-353 • CT DPH PH-0238
• NC DENR 599

Analytical Results
for
ATC Associates

WorkOrder: R02040075
Client Reference: 19125-0290, VOC

Analyte	Concentration (ug)	Concentration (mg/m³)	Concentration (ppm)	Limit of Detection (ug)	Test Method	Date Analyzed /Analyst	
Client ID: VOC3 ATC-0329-M894 10th floor	**Lab ID:** -03A	**Date Sampled:** 3/29/02			**Matrix:** Charcoal	**Air Vol.(L):** 120	
1,1,1-Trichloroethane	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	04/04/2002	JMM
1,2-Dichloroethane	<20	<0.17	<0.041	20	Total Hydrocarbon Sc	04/04/2002	JMM
A Hydrocarbons, Total	<20	<0.17	<0.047	20	Total Hydrocarbon Sc	04/04/2002	JMM
Acetone	88	0.73	0.31	20	Total Hydrocarbon Sc	04/04/2002	JMM
B Hydrocarbons, Total	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	04/04/2002	JMM
Benzene	<20	<0.17	<0.052	20	Total Hydrocarbon Sc	04/04/2002	JMM
Chlorobenzene	<20	<0.17	<0.036	20	Total Hydrocarbon Sc	04/04/2002	JMM
Chloroform	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	04/04/2002	JMM
Ethylbenzene	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	04/04/2002	JMM
Hexane	<20	<0.17	<0.047	20	Total Hydrocarbon Sc	04/04/2002	JMM
Isopropylbenzene	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	04/04/2002	JMM
Methylene Chloride	<20	<0.17	<0.048	20	Total Hydrocarbon Sc	04/04/2002	JMM
Pentane	<20	<0.17	<0.056	20	Total Hydrocarbon Sc	04/04/2002	JMM
Styrene	<20	<0.17	<0.039	20	Total Hydrocarbon Sc	04/04/2002	JMM
Tetrachloroethene	<20	<0.17	<0.025	20	Total Hydrocarbon Sc	04/04/2002	JMM
Toluene	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	04/04/2002	JMM
Trichloroethene	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	04/04/2002	JMM
Xylenes, Total	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	04/04/2002	JMM

CITY_21MC100_002918474

NYC-WTC_000222709

NYC 9/11 Public Portal Document

PSC ANALYTICAL SERVICES

INDUSTRIAL HYGIENE ENVIRONMENTAL TESTING

• EPA/NVLAP 101262-0 • NY DOH/NELAC 10903 • NJ DEP PA020
• AIHA ACCREDITATION NO. 100439 • PA DEP 06-353 • CT DPH PH-0238
• NC DENR 599

Analytical Results for

ATC Associates

WorkOrder: R02040075

Client Reference: 19125-0290, VOC

Analyte	Concentration (ug)	Concentration (mg/m³)	Concentration (ppm)	Limit of Detection (ug)	Test Method	Date Analyzed /Analyst	
Client ID: VOC4 ATC-0329-M894 Roof	**Lab ID:** -04A	**Date Sampled:** 3/29/02			**Matrix:** Charcoal	**Air Vol.(L):** 120	
1,1,1-Trichloroethane	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	04/04/2002	JMM
1,2-Dichloroethane	<20	<0.17	<0.041	20	Total Hydrocarbon Sc	04/04/2002	JMM
A Hydrocarbons, Total	<20	<0.17	<0.047	20	Total Hydrocarbon Sc	04/04/2002	JMM
Acetone	160	1.3	0.55	20	Total Hydrocarbon Sc	04/04/2002	JMM
B Hydrocarbons, Total	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	04/04/2002	JMM
Benzene	<20	<0.17	<0.052	20	Total Hydrocarbon Sc	04/04/2002	JMM
Chlorobenzene	<20	<0.17	<0.036	20	Total Hydrocarbon Sc	04/04/2002	JMM
Chloroform	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	04/04/2002	JMM
Ethylbenzene	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	04/04/2002	JMM
Hexane	<20	<0.17	<0.047	20	Total Hydrocarbon Sc	04/04/2002	JMM
Isopropylbenzene	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	04/04/2002	JMM
Methylene Chloride	<20	<0.17	<0.048	20	Total Hydrocarbon Sc	04/04/2002	JMM
Pentane	<20	<0.17	<0.056	20	Total Hydrocarbon Sc	04/04/2002	JMM
Styrene	<20	<0.17	<0.039	20	Total Hydrocarbon Sc	04/04/2002	JMM
Tetrachloroethene	<20	<0.17	<0.025	20	Total Hydrocarbon Sc	04/04/2002	JMM
Toluene	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	04/04/2002	JMM
Trichloroethene	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	04/04/2002	JMM
Xylenes, Total	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	04/04/2002	JMM

CITY_21MC100_002918475

NYC-WTC_000222710

NYC 9/11 Public Portal Document

PSC
ANALYTICAL SERVICES

INDUSTRIAL HYGIENE ENVIRONMENTAL TESTING

• EPA/NVLAP 101262-0 • NY DOH/NELAC 10903 • NJ DEP PA020
• AIHA ACCREDITATION NO. 100439 • PA DEP 06-353 • CT DPH PH-0238
• NC DENR 599

Analytical Results
for
ATC Associates

WorkOrder: R02040075
Client Reference: 19125-0290, VOC

Analyte	Concentration (ug)	Concentration (mg/m³)	Concentration (ppm)	Limit of Detection (ug)	Test Method	Date Analyzed /Analyst
Client ID: VOC5 ATC-0329-M894 Blank **Lab ID:** -05A	**Date Sampled:** 3/29/02			**Matrix:** Charcoal		**Air Vol.(L):** NA
1,1,1-Trichloroethane	<20	--	--	20	Total Hydrocarbon Sc	04/04/2002 JMM
1,2-Dichloroethane	<20	--	--	20	Total Hydrocarbon Sc	04/04/2002 JMM
A Hydrocarbons, Total	<20	--	--	20	Total Hydrocarbon Sc	04/04/2002 JMM
Acetone	130	--	--	20	Total Hydrocarbon Sc	04/04/2002 JMM
B Hydrocarbons, Total	<20	--	--	20	Total Hydrocarbon Sc	04/04/2002 JMM
Benzene	<20	--	--	20	Total Hydrocarbon Sc	04/04/2002 JMM
Chlorobenzene	<20	--	--	20	Total Hydrocarbon Sc	04/04/2002 JMM
Chloroform	<20	--	--	20	Total Hydrocarbon Sc	04/04/2002 JMM
Ethylbenzene	<20	--	--	20	Total Hydrocarbon Sc	04/04/2002 JMM
Hexane	<20	--	--	20	Total Hydrocarbon Sc	04/04/2002 JMM
Isopropylbenzene	<20	--	--	20	Total Hydrocarbon Sc	04/04/2002 JMM
Methylene Chloride	<20	--	--	20	Total Hydrocarbon Sc	04/04/2002 JMM
Pentane	<20	--	--	20	Total Hydrocarbon Sc	04/04/2002 JMM
Styrene	<20	--	--	20	Total Hydrocarbon Sc	04/04/2002 JMM
Tetrachloroethene	<20	--	--	20	Total Hydrocarbon Sc	04/04/2002 JMM
Toluene	<20	--	--	20	Total Hydrocarbon Sc	04/04/2002 JMM
Trichloroethene	<20	--	--	20	Total Hydrocarbon Sc	04/04/2002 JMM
Xylenes, Total	<20	--	--	20	Total Hydrocarbon Sc	04/04/2002 JMM

(a) Analysis indicates possible breakthrough; back section result is greater than % of the front section result.

General Notes:
<: Less than the indicated limit of detection (LOD).
--: Information not available or not applicable.
Back sections were checked and showed no significant breakthrough.

CITY_21MC100_002918476

NYC-WTC_000222711