



Tel: 612-607-1700
Fax: 612-607-6444

Method 8290 Laboratory Control Spike Results

Client - ATC

Lab Sample ID	SPIKE-1623	Matrix	WIPE
Filename	U20506A_01	Dilution	NA
Total Amount Extracted	1 m2	Extracted	04/30/2002
ICAL Date	04/16/2002	Analyzed	05/06/2002 09:23
CCal Filename(s)	U20505B_16 & U20506A_15	Injected By	CVS
Method Blank ID	BLANK-1606		

Native Isomers	Qs (ng)	Qm (ng)	% Rec.	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.20	0.21	104	2,3,7,8-TCDF-13C	2.00	64
				2,3,7,8-TCDD-13C	2.00	68
				1,2,3,7,8-PeCDF-13C	2.00	57
2,3,7,8-TCDD	0.20	0.19	96	2,3,4,7,8-PeCDF-13C	2.00	56
				1,2,3,7,8-PeCDD-13C	2.00	61
				1,2,3,4,7,8-HxCDF-13C	2.00	80
1,2,3,7,8-PeCDF	1.00	1.06	106	1,2,3,6,7,8-HxCDF-13C	2.00	75
2,3,4,7,8-PeCDF	1.00	1.05	105	2,3,4,6,7,8-HxCDF-13C	2.00	74
				1,2,3,7,8,9-HxCDF-13C	2.00	77
				1,2,3,4,7,8-HxCDD-13C	2.00	80
1,2,3,7,8-PeCDD	1.00	0.96	96	1,2,3,6,7,8-HxCDD-13C	2.00	75
				1,2,3,4,6,7,8-HpCDF-13C	2.00	74
				1,2,3,4,7,8,9-HpCDF-13C	2.00	77
1,2,3,4,7,8-HxCDF	1.00	1.01	101	1,2,3,4,6,7,8-HpCDD-13C	2.00	75
1,2,3,6,7,8-HxCDF	1.00	1.03	103	OCDD-13C	4.00	70
2,3,4,6,7,8-HxCDF	1.00	1.01	101			
1,2,3,7,8,9-HxCDF	1.00	0.98	98	1,2,3,4-TCDD-13C	2.00	NA
				1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	1.00	0.96	96	2,3,7,8-TCDD-37Cl4	0.20	76
1,2,3,6,7,8-HxCDD	1.00	1.00	100			
1,2,3,7,8,9-HxCDD	1.00	0.99	99			
1,2,3,4,6,7,8-HpCDF	1.00	0.97	97			
1,2,3,4,7,8,9-HpCDF	1.00	0.96	96			
1,2,3,4,6,7,8-HpCDD	1.00	0.99	99			
OCDF	2.00	2.00	100			
OCDD	2.00	2.02	101			

Qs = Quantity Spiked
Qm = Quantity Measured
Rec. = Recovery (Expressed as Percent)
P = Recovery outside of target range
X = Background subtracted value
Nn = Value obtained from additional analysis
NA = Not Applicable
* = See Discussion

Report No.....02-1056602

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.