



104 E
New York, New
www.atc
21
Fax 21

March 5, 2002

Mr. Bernard P. Orlan
Director, Environmental Health and Safety
New York City Board of Education
28-11 Queens Plaza North
Long Island City, NY 11101

**Re: Air Sampling for Hydrocarbons
P. S. 89M
ATC Project No. 15-19125-0297**

Dear Mr. Orlan:

ATC Associates, Inc. (ATC) is pleased to provide this report of the results of air sampling for volatile hydrocarbon compounds conducted on February 21, 2002, at the referenced school. The New York City Board of Education (BOE) requested this sampling as part of a program to determine the indoor air quality prior to reoccupancy.

Scope of Work

ATC collected four (4) samples for hydrocarbon compounds (HC) at specified locations. Samples were collected for ten (10) hours using activated coconut shell charcoal tubes connected to battery-powered sampling pumps at a flow rate of 0.2 liters per minute. Pumps were calibrated before and after each sampling period. Three (3) samples were collected from locations outside the building and one (1) was collected inside. One blank tube was also submitted for analysis. The samples were sent to PSC Analytical Services, Inc., an American Industrial Hygiene Association-accredited laboratory in Reading, PA. Analysis was performed by capillary gas chromatography/flame ionization detection (OSHA Method 7).

Each sample was analyzed for a panel of sixteen (16) specific HC compounds. These compounds were: pentane, acetone, methylene chloride, hexane, chloroform, methyl chloroform, benzene, 1,2-dichloroethane, trichloroethylene, toluene, perchloroethylene (tetrachloroethylene), chlorobenzene, ethylbenzene, styrene, cumene and xylenes. In addition, two non-identified peaks, total other A-hydrocarbons and total other B-hydrocarbons, were reported. The A-hydrocarbons are those, such as gasoline or light alcohols, with boiling points less than that of benzene (176°F). The B-hydrocarbons are those, such as mineral spirits or petroleum naphtha, with boiling points greater than that of benzene. A copy of the analytical report is attached.

The sampling locations were as follows:

1st Hallway by cafeteria, playground-north, playground-south and the roof.

Mr. Bernard P. Orlan
Air Sampling for Hydrocarbons
P. S. 89 (Manhattan)

March 528, 2002

Page 2

ATC Project No. 15-19125-0297

Results

None of the HCs in the panel were present in the samples above the limits of detection for the analyses.

ATC appreciates the opportunity to provide this air quality service to the BOE. Please call me at (212) 353-8280 extension 212 if you have any questions.

Sincerely,
ATC Associates, Inc.

A handwritten signature in black ink, appearing to read 'James R. Cohn', with a stylized flourish at the end.

James R. Cohn, CIH, CSP
Regional Manager
Industrial Hygiene Division

Attachment