

SUMMARY OF ANALYTICAL RESULTS

S739

The Action Levels listed reflect current STL Edison knowledge of the standards and are intended as general guidance for the user. Please consult appropriate regulations and cleanup standards for your specific application.

Sample ID	New York TAGM	Main Discharge	South Projection
Lab Sample Number	Reg. Soil	326749	326750
Sampling Date	Cleanup Objective	01/11/02	01/11/02
Matrix	Criteria (ug/l)	WATER	WATER
Dilution Factor		1.0	1.0
Units		ug/L	ug/L
VOLATILE COMPOUNDS (GC/MS)			
Benzene	60	0.3	1.4
Tetrachloroethene	1400	1.2	1.2
Toluene	1500	0.2 U	22
Ethylbenzene	5500	0.2 U	4.0
Xylene(Total)	1200	0.2 U	21
MTBE	120	11	25
Total Confident Conc. VOAs (s)		13	75
Total Estimated Conc. VOA TICs (s)		NA	NA

(1) Values listed reflect the combined standards for the cis and trans isomers of 1,3-Dichloropropene.

* Value is a revision to the Class IIA ground water quality standard based upon the November 18, 1998 Safe Drinking Water Act maximum contaminant level changes and the February 5, 1997 policy memo

Qualifiers

- U - The compound was not detected at the indicated concentration
- J - Data indicates the presence of a compound that meets the identification criteria. The result is less than the quantitation limit but greater than zero. The concentration given is an approximate value.
- B - The analyte was found in the laboratory blank as well as the sample. This indicates possible laboratory contamination of the environmental sample
- NR - Not analyzed

Checked By. _____
 OK
 Make Corrections

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

CONFIDENTIAL,

CITY_21MC100_003477923

MORETRENCH AMERICAN

1/21/2002 09:53 FAX 973 627 3950

0002

SUMMARY OF ANALYTICAL RESULTS

S709

Sample ID	New York TAGM	Main Discharge	South Projection
Lab Sample Number	Rec. Soil	326749	326750
Sampling Date	Cleanup Objective	01/11/02	01/11/02
Matrix	Criteria (ug/l)	WATER	WATER
Dilution Factor		1.0	1.0
Units		ug/L	ug/L
SEMI-VOLATILE COMPOUNDS (GC/MS)			
Naphthalene	13000	1.3	1.1
Total Confident Conc. BNAs (s)		1.3	1.1
Total Estimated Conc. BNA TICs (s)		NA	NA

(1) Values listed reflect the combined standards for the 2,4,2,6-Dinitrofluorene mixture

* Value is a revision to the Class IIA ground water quality standard based upon the November 18, 1998 Safe Drinking Water Act maximum contaminant level changes and the February 5, 1997 policy memo

Qualifiers

- U - The compound was not detected at the indicated concentration.
- J - Data indicates the presence of a compound that meets the identification criteria. The result is less than the quantitation limit but greater than zero. The concentration given is an approximate value.
- B - The analyte was found in the laboratory blank as well as the sample. This indicates possible laboratory contamination of the environmental sample.
- NR - Not analyzed

Checked By: _____
 OK
 Make Corrections

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

CONFIDENTIAL,

CITY_21MC100_003477924

MORETRENCH AMERICAN

11/21/2002 09:53 FAX 973 627 3950

003

SUMMARY OF ANALYTICAL RESULTS

Sample ID	Lab Sample Number	Sampling Date	Matrix	Dilution Factor	Units
New York T&M	Rec. Soil	Cleanup Objective	Criteria (ug/l)		
Main Discharge	326749	01/11/02	WATER	1.0	ug/L
South Projection	326750	01/11/02	WATER	1.0	ug/L
PESTICIDES/PCBs	Arador-1016	NA	0.20 U		
	Arador-1221	NA	0.20 U		
	Arador-1232	NA	0.30 U		
	Arador-1242	NA	0.20 U		
	Arador-1248	NA	0.20 U		
	Arador-1254	NA	0.40 U		
	Arador-1260	NA	0.50 U		
	Arador-1262	NA	0.20 U		
	Arador-1268	NA	0.20 U		

(1) Values listed reflect the combined standards for "Total PCBs"
 (2) Soil Cleanup criteria is provided for "Endosulfan I or Endosulfan II."

Qualifiers

- U - The compound was not detected at the indicated concentration
- J - Data indicates the presence of a compound that meets the qualification limit but greater than zero
- The concentration given is an approximate value
- B - The analyte was found in the laboratory blank as well as the sample. This indicates possible laboratory contamination of the environmental sample
- P - For dual column analysis, the percent difference between the quantified concentrations on the two columns is greater than 40%
- NR - Not analyzed

Checked By _____
 CA _____
 Make Corrections _____

non m

CONFIDENTIAL,

CITY_21MC100_003477925

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

005

MORETRENCH AMERICAN

01/21/2002 09:53 FAX 973 627 3950

SUMMARY OF ANALYTICAL RESULTS

5/19

Sample ID	New York TAGM	Main_Discharge	South_Projection
Lab Sample Number	Rec. Soil	326749	326750
Sampling Date	Cleanup Objective	01/11/02	01/11/02
Matrix	Criteria (mg/l)	WATER	WATER
Dilution Factor		NA	NA
Units		ug/l	ug/l
METALS			
Cadmium	NA	0.40 U	2.2
Chromium	NA	2.6 U	10.6
Copper	NA	6.1	50.8
Lead	NA	6.3	7.7
Mercury	NA	0.10 U	0.10 U
Nickel	NA	6.6	11.3
Zinc	NA	29.5	294

Qualifiers

- U - The compound was not detected at the indicated concentration
- B - Reported value is less than the Method Detection Limit but greater than or equal to the Instrument Detection Limit
- N - The spiked sample recovery is not within control limits
- NR - Not analyzed

Checked By. _____
 ___ OK
 ___ Make Corrections

CONFIDENTIAL

CONFIDENTIAL, CITY_21MC100_003477926
 SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

SUMMARY OF ANALYTICAL RESULTS

Sample ID	New York TAGM	Main Discharge	South Projection
Lab Sample Number	Rec. Soil	326749	326750
Sampling Date	Cleanup Objective	01/11/02	01/11/02
Matrix	Criteria (ug/l)	WATER	WATER
Dilution Factor - NA			
Units - See Parameter			
WET CHEMISTRY			
Fluoride - mg/l	NA	1.4	NR
Ignitability - deg F	NA	>160	>160
pH - std unit	NA	7.31	9.91
Total Petroleum Hydrocarbons (418.1)	NA	1.0 U	1.0 U
Total Suspended Solids - mg/l	NA	43.0	184

Qualifiers

- U - The compound was not detected at the indicated concentration
- NR - Not analyzed

Checked By _____
☐ OK
☐ Make Corrections

006

MORETRENCH AMERICAN

01/21/2002 09:53 FAX 973 627 3950

CONFIDENTIAL,
 CITY_21MC100_003477927
 SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008