

Field Sample	Sample No.	Sampling Location	Section Start	Work Shift	Sample Volume	Analyte	Analytical Method	Lab	Sample Received	ME Concentration	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels										0.12			
EPA Site Specific Trigger Levels										12			
GS123005-0	030600086-000	TRINITY F	12/30/2005	Abatement	2.916	Asbestos	PCME	EMSL	1/3/2006	< 0.00085	No	No	
GS123005-0	030600086-0	HAMES STF	12/30/2005	Abatement	2.910	Asbestos	PCME	EMSL	1/3/2006	< 0.00085	No	No	
GS123005-0	030600086-0	EENWICH S	12/30/2005	Abatement	2.916	Asbestos	PCME	EMSL	1/3/2006	< 0.00085	No	No	
GS123105-0	030600085-000	TRINITY F	12/31/2005	Abatement	2.916	Asbestos	PCME	EMSL	1/3/2006	< 0.00085	No	No	
GS123105-0	030600085-0	HAMES STF	12/31/2005	Abatement	2.892	Asbestos	PCME	EMSL	1/3/2006	< 0.00079	No	No	
GS123105-0	030600085-0	EENWICH S	12/31/2005	Abatement	2.910	Asbestos	PCME	EMSL	1/3/2006	< 0.00085	No	No	
GS010106-0	030600083-000	TRINITY F	1/1/2006	Abatement	2.898	Asbestos	PCME	EMSL	1/3/2006	< 0.00079	No	No	
GS010106-0	030600083-0	HAMES STF	1/1/2006	Abatement	2.904	Asbestos	PCME	EMSL	1/3/2006	< 0.00085	No	No	
GS010106-0	030600083-0	EENWICH S	1/1/2006	Abatement	2.880	Asbestos	PCME	EMSL	1/3/2006	< 0.00079	No	No	
GS010206-0	030600103-000	TRINITY F	1/2/2006	Abatement	2.910	Asbestos	PCME	EMSL	1/3/2006	< 0.00085	No	No	
GS010206-0	030600103-0	HAMES STF	1/2/2006	Abatement	2.898	Asbestos	PCME	EMSL	1/3/2006	< 0.00079	No	No	
GS010206-0	030600103-0	EENWICH S	1/2/2006	Abatement	2.898	Asbestos	PCME	EMSL	1/3/2006	< 0.00079	No	No	
GS-010306-0	030600189-0# 1- 100 TRIN		1/3/2006	Abatement	2.898	Asbestos	PCME	EMSL	1/4/2006	< 0.00079	No	No	
GS-010306-0	030600189-0# 2- THAMES		1/3/2006	Abatement	2.928	Asbestos	PCME	EMSL	1/4/2006	< 0.00084	No	No	
GS-010306-0	030600189-0# 3- GREEN		1/3/2006	Abatement	2.928	Asbestos	PCME	EMSL	1/4/2006	< 0.00084	No	No	
GS-010306-0	030600189-0# DUPLICATE		1/3/2006	Abatement	2.928	Asbestos	PCME	EMSL	1/4/2006	< 0.00084	No	No	
GS-010406-0	030600527-0# 1- 100 TRIN		1/4/2006	Abatement	3.018	Asbestos	PCME	EMSL	1/7/2006	< 0.00082	No	No	
GS-010406-0	030600527-0# 2- THAMES		1/4/2006	Abatement	2.958	Asbestos	PCME	EMSL	1/7/2006	< 0.00083	No	No	
GS-010406-0	030600527-0# 3- GREEN		1/4/2006	Abatement	2.958	Asbestos	PCME	EMSL	1/7/2006	< 0.00083	No	No	
GS-010506-0	030600525-0#1-100 TRIN		1/5/2006	Abatement	2.886	Asbestos	PCME	EMSL	1/7/2006	< 0.00086	No	No	
GS-010506-0	030600525-0#2-THAMES		1/5/2006	Abatement	2.934	Asbestos	PCME	EMSL	1/7/2006	< 0.00084	No	No	
GS-010506-0	030600525-0#3-GREENW		1/5/2006	Abatement	2.910	Asbestos	PCME	EMSL	1/7/2006	< 0.00085	No	No	
2nd Shift For 12-30-2005 to 01-05-2005													
* NO WORK 2nd Shift because of Holiday													
** No WORK 2nd Shift because of Silica Exceedence													
2-GS123005-0	030600087-0# 1- 100 TRIN		12/30/2005	Abatement	2.868	Asbestos	PCME	EMSL	1/3/2006	< 0.00079	No	No	
2-GS123005-0	030600087-0# 2 - THAME		12/30/2005	Abatement	2.868	Asbestos	PCME	EMSL	1/3/2006	< 0.00079	No	No	
2-GS123005-0	030600087-0# 3 GREENW		12/30/2005	Abatement	2.868	Asbestos	PCME	EMSL	1/3/2006	< 0.00079	No	No	
*		# 1- 100 TRINITY ROOF		Abatement		Asbestos	PCME	EMSL					
*		# 2 - THAMES STREET		Abatement		Asbestos	PCME	EMSL					
*		# 3 GREENWICH STREET		Abatement		Asbestos	PCME	EMSL					
*		# 1- 100 TRINITY ROOF		Abatement		Asbestos	PCME	EMSL					
*		# 2 - THAMES STREET		Abatement		Asbestos	PCME	EMSL					
*		# 3 GREENWICH STREET		Abatement		Asbestos	PCME	EMSL					
*		# 1- 100 TRINITY ROOF		Abatement		Asbestos	PCME	EMSL					
*		# 2 - THAMES STREET		Abatement		Asbestos	PCME	EMSL					
*		# 3 GREENWICH STREET		Abatement		Asbestos	PCME	EMSL					
2-GS-010306-0	030600186-0# 1- 100 TRIN		1/3/2006	Abatement	2.976	Asbestos	PCME	EMSL	1/4/2006	< 0.00083	No	No	
2-GS-010306-0	030600186-0# 2 - THAME		1/3/2006	Abatement	2.934	Asbestos	PCME	EMSL	1/4/2006	< 0.00084	No	No	
2-GS-010306-0	030600186-0# 3 GREENW		1/3/2006	Abatement	2.844	Asbestos	PCME	EMSL	1/4/2006	< 0.0008	No	No	
**		# 1- 100 TRINITY ROOF		Abatement		Asbestos	PCME	EMSL					
**		# 2 - THAMES STREET		Abatement		Asbestos	PCME	EMSL					
**		# 3 GREENWICH STREET		Abatement		Asbestos	PCME	EMSL					
2-GS-010506-0	030600526-0# 1- 100 TRIN		1/5/2006	Abatement	3.174	Asbestos	PCME	EMSL	1/7/2006	< 0.00078	No	No	
2-GS-010506-0	030600526-0# 2 - THAME		1/5/2006	Abatement	3.042	Asbestos	PCME	EMSL	1/7/2006	< 0.00081	No	No	
2-GS-010506-0	030600526-0# 3 GREENW		1/5/2006	Abatement	2.940	Asbestos	PCME	EMSL	1/7/2006	< 0.00084	No	No	

Field Samp	Sample No.	Sampling Location	Collection Date	Work Shift	Sample Volume	Analyte	Analytical Method
Target Air Quality Levels							
EPA Site Specific Trigger Levels							
GS123005-0	030600086-0# 1-	100 TRIN	12/30/2005	Abatement	2.916	Asbestos	TEM EPA 40
GS123005-0:030600086-0# 2-	THAMES		12/30/2005	Abatement	2.910	Asbestos	TEM EPA 40
GS123005-0:030600086-0# 3	GREENW		12/30/2005	Abatement	2.916	Asbestos	TEM EPA 40
GS 123105-C030600085-0# 1-	100 TRIN		12/31/2005	Abatement	2.916	Asbestos	TEM EPA 40
GS 123105-C030600085-0# 2-	THAMES		12/31/2005	Abatement	2.892	Asbestos	TEM EPA 40
GS 123105-C030600085-0# 3	GREENW		12/31/2005	Abatement	2.910	Asbestos	TEM EPA 40
GS010106-0 030600083-0# 1-	100 TRIN		1/1/2006	Abatement	2.898	Asbestos	TEM EPA 40
GS010106-0:030600083-0# 2-	THAMES		1/1/2006	Abatement	2.904	Asbestos	TEM EPA 40
GS010106-0:030600083-0# 3	GREENW		1/1/2006	Abatement	2.880	Asbestos	TEM EPA 40
GS010206-0 030600103-0# 1-	100 TRIN		1/2/2006	Abatement	2.910	Asbestos	TEM EPA 40
GS010206-0:030600103-0# 2-	THAMES		1/2/2006	Abatement	2.898	Asbestos	TEM EPA 40
GS010206-0:030600103-0# 3	GREENW		1/2/2006	Abatement	2.898	Asbestos	TEM EPA 40
GS-010306-C030600189-0# 1-	100 TRIN		1/3/2006	Abatement	2.898	Asbestos	TEM EPA 40
GS-010306-C030600189-0# 2-	THAMES		1/3/2006	Abatement	2.928	Asbestos	TEM EPA 40
GS-010306-C030600189-0# 3-	GREENW		1/3/2006	Abatement	2.928	Asbestos	TEM EPA 40
GS-010306-1030600189-0#1-CATE #2 Th			1/3/2006	Abatement	2.928	Asbestos	TEM EPA 40
GS-010406-C030600527-0#1-100 TRINI			1/4/2006	Abatement	3.018	Asbestos	TEM EPA 40
GS-010406-C030600527-0#2-THAMES			1/4/2006	Abatement	2.958	Asbestos	TEM EPA 40
GS-010406-C030600527-0#3-GREENW			1/4/2006	Abatement	2.958	Asbestos	TEM EPA 40
GS-010506-C030600525-0#1-100 TRINI			1/5/2006	Abatement	2.886	Asbestos	TEM EPA 40
GS-010506-C030600525-0#2-THAMES			1/5/2006	Abatement	2.934	Asbestos	TEM EPA 40
GS-010506-C030600525-0#3-GREENW			1/5/2006	Abatement	2.910	Asbestos	TEM EPA 40

2nd Shift For 12-30-2005 to 01-05-2005

* NO WORK 2nd Shift because of Holiday

**** No WORK 2nd Shift because of Silica Excedence**

2-GS123005-030600087-0# 1 - 100 TRIN	12/30/2005	Abatement	2.868	Asbestos	TEM EPA 40
2-GS123005-030600087-0# 2 - THAME	12/30/2005	Abatement	2.868	Asbestos	TEM EPA 40
2-GS123005-030600087-0# 3 GREENV	12/30/2005	Abatement	2.868	Asbestos	TEM EPA 40
* # 1 - 100 TRINITY ROOF		Abatement		Asbestos	TEM EPA 40
* # 2 - THAMES STREET		Abatement		Asbestos	TEM EPA 40
* # 3 GREENWICH STREET		Abatement		Asbestos	TEM EPA 40
* # 1 - 100 TRINITY ROOF		Abatement		Asbestos	TEM EPA 40
* # 2 - THAMES STREET		Abatement		Asbestos	TEM EPA 40
* # 3 GREENWICH STREET		Abatement		Asbestos	TEM EPA 40
* # 1 - 100 TRINITY ROOF		Abatement		Asbestos	TEM EPA 40
* # 2 - THAMES STREET		Abatement		Asbestos	TEM EPA 40
* # 3 GREENWICH STREET		Abatement		Asbestos	TEM EPA 40
2-GS-010300030600186-0# 1 - 100 TRIN	1/3/2006	Abatement	2.976	Asbestos	TEM EPA 40
2-GS-010300030600186-0# 2 - THAME	1/3/2006	Abatement	2.934	Asbestos	TEM EPA 40
2-GS-010300030600186-0# 3 GREENV	1/3/2006	Abatement	2.844	Asbestos	TEM EPA 40
** # 1 - 100 TRINITY ROOF		Abatement		Asbestos	TEM EPA 40
** # 2 - THAMES STREET		Abatement		Asbestos	TEM EPA 40
** # 3 GREENWICH STREET		Abatement		Asbestos	TEM EPA 40
2-GS-010500030600526-0# 1 - 100 TRIN	1/5/2006	Abatement	3.174	Asbestos	TEM EPA 40
2-GS-010500030600526-0# 2 - THAME	1/5/2006	Abatement	3.042	Asbestos	TEM EPA 40

Lab	Sample Received	RA Concentration	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?
		N/A		
		70		
BMS63 (AHERA)	1/3/2006	< 13	No	No
BMS63 (AHERA)	1/3/2006	< 13	No	No
BMS63 (AHERA)	1/3/2006	< 13	No	No
BMS63 (AHERA)	1/3/2006	< 13	No	No
BMS63 (AHERA)	1/3/2006	< 13	No	No
BMS63 (AHERA)	1/3/2006	< 13	No	No
BMS63 (AHERA)	1/3/2006	< 13	No	No
BMS63 (AHERA)	1/3/2006	< 13	No	No
BMS63 (AHERA)	1/3/2006	< 13	No	No
BMS63 (AHERA)	1/3/2006	< 13	No	No
BMS63 (AHERA)	1/3/2006	< 13	No	No
BMS63 (AHERA)	1/3/2006	< 13	No	No
BMS63 (AHERA)	1/4/2006	< 13	No	No
BMS63 (AHERA)	1/4/2006	< 13	No	No
BMS63 (AHERA)	1/4/2006	< 13	No	No
BMS63 (AHERA)	1/4/2006	< 13	No	No
BMS63 (AHERA)	1/7/2006	< 13	No	No
BMS63 (AHERA)	1/7/2006	< 13	No	No
BMS63 (AHERA)	1/7/2006	< 13	No	No
BMS63 (AHERA)	1/7/2006	< 13	No	No
BMS63 (AHERA)	1/7/2006	< 13	No	No
BMS63 (AHERA)	1/7/2006	< 13	No	No

BMS63 (AHERA)	1/3/2006	< 13	No	No
BMS63 (AHERA)	1/3/2006	< 13	No	No
BMS63 (AHERA)	1/3/2006	< 13	No	No
BMS63 (AHERA)				
BMS63 (AHERA)				
BMS63 (AHERA)				
BMS63 (AHERA)				
BMS63 (AHERA)				
BMS63 (AHERA)				
BMS63 (AHERA)				
BMS63 (AHERA)				
BMS63 (AHERA)	1/4/2006	< 13	No	No
BMS63 (AHERA)	1/4/2006	< 13	No	No
BMS63 (AHERA)	1/4/2006	< 13	No	No
BMS63 (AHERA)				
BMS63 (AHERA)				
BMS63 (AHERA)				
BMS63 (AHERA)	1/7/2006	< 13	No	No
BMS63 (AHERA)	1/7/2006	< 13	No	No

2-GS-010506030600526-0# 3 GREENV 1/5/2006 Abatement 2.940 Asbestos TEM EPA 40

BMS63 (AHERA) 1/7/2006	< 13	No	No
------------------------	------	----	----

Field Sampling Location	Time Reading	ion time (mi)	Analyte	alytical Meth	Instrument	late PM 2.5	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels						40			
EPA Site Specific Trigger Levels						65			
23005-EBAM- 100 Trinity I	12/30/2005	1440	Particulate 2.5t	Real-time	Dne EBAM PM	6.97	No	No	
23005-EBAM2 - Thames S	12/30/2005	1440	Particulate 2.5t	Real-time	Dne EBAM PM	12.1	No	No	
23005-EBAM - Greenwich	12/30/2005	1440	Particulate 2.5t	Real-time	Dne EBAM PM	11.71	No	No	
23005-TEOM- 100 Trinity I	12/30/2005	1440	Particulate 2.5t	Real-time	FTEOM PM 2.5	8.06	No	No	
23105-EBAM- 100 Trinity I	12/31/2005	1440	Particulate 2.5t	Real-time	Dne EBAM PM	12.05	No	No	
23105-EBAM2 - Thames S	12/31/2005	1440	Particulate 2.5t	Real-time	Dne EBAM PM	17.28	No	No	
23105-EBAM - Greenwich	12/31/2005	1440	Particulate 2.5t	Real-time	Dne EBAM PM	19.92	No	No	
23105-TEOM- 100 Trinity I	12/31/2005	1440	Particulate 2.5t	Real-time	FTEOM PM 2.5	10.71	No	No	
10105-EBAM- 100 Trinity I	1/1/2005	1440	Particulate 2.5t	Real-time	Dne EBAM PM	16.15	No	No	
10105-EBAM2 - Thames S	1/1/2005	1440	Particulate 2.5t	Real-time	Dne EBAM PM	25.28	No	No	
10105-EBAM - Greenwich	1/1/2005	1440	Particulate 2.5t	Real-time	Dne EBAM PM	25.31	No	No	
10105-TEOM- 100 Trinity I	1/1/2005	1440	Particulate 2.5t	Real-time	FTEOM PM 2.5	14.09	No	No	
10205-EBAM- 100 Trinity I	1/2/2005	1440	Particulate 2.5t	Real-time	Dne EBAM PM	14.47	No	No	
10205-EBAM2 - Thames S	1/2/2005	1440	Particulate 2.5t	Real-time	Dne EBAM PM	21.42	No	No	
10205-EBAM - Greenwich	1/2/2005	1440	Particulate 2.5t	Real-time	Dne EBAM PM	22.37	No	No	
10205-TEOM- 100 Trinity I	1/2/2005	1440	Particulate 2.5t	Real-time	FTEOM PM 2.5	12.47	No	No	
10305-EBAM- 100 Trinity I	1/3/2005	1440	Particulate 2.5t	Real-time	Dne EBAM PM	8.46	No	No	
10305-EBAM2 - Thames S	1/3/2005	1440	Particulate 2.5t	Real-time	Dne EBAM PM	9.27	No	No	
10305-EBAM - Greenwich	1/3/2005	1440	Particulate 2.5t	Real-time	Dne EBAM PM	10.17	No	No	
10305-TEOM- 100 Trinity I	1/3/2005	1440	Particulate 2.5t	Real-time	FTEOM PM 2.5	5.55	No	No	
10405-EBAM- 100 Trinity I	1/4/2005	1440	Particulate 2.5t	Real-time	Dne EBAM PM	14.44	No	No	
10405-EBAM2 - Thames S	1/4/2005	1440	Particulate 2.5t	Real-time	Dne EBAM PM	20.24	No	No	
10405-EBAM - Greenwich	1/4/2005	1440	Particulate 2.5t	Real-time	Dne EBAM PM	22.65	No	No	
10405-TEOM- 100 Trinity I	1/4/2005	1440	Particulate 2.5t	Real-time	FTEOM PM 2.5	14.04	No	No	
10505-EBAM- 100 Trinity I	1/5/2005	1440	Particulate 2.5t	Real-time	Dne EBAM PM	12.76	No	No	
10505-EBAM2 - Thames S	1/5/2005	1440	Particulate 2.5t	Real-time	Dne EBAM PM	16.13	No	No	
10505-EBAM - Greenwich	1/5/2005	1440	Particulate 2.5t	Real-time	Dne EBAM PM	16.38	No	No	
10505-TEOM- 100 Trinity I	1/5/2005	1440	Particulate 2.5t	Real-time	FTEOM PM 2.5	13.32	No	No	

CITY_DEP_WORBY_CANNATA_SUBP_000091312

Field Sampling Location	Time Reading	ion time (mi)	Analyte	lytical Meth	Instrument	late PM 2.5	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels						150			
EPA Site Specific Trigger Levels						150			
23005-EBAM - 100 Trinity I	12/30/2005	1440	Particulate 2.5	Real-time Re	One EBAM PI	12.5	No	No	
23005-EBAM2 - Thames S	12/30/2005	1440	Particulate 2.5	Real-time Re	One EBAM PI	10.04	No	No	
23005-EBAM - Greenwich	12/30/2005	1440	Particulate 2.5	Real-time Re	One EBAM PI	13.49	No	No	
23005-TEOM2 - Thames S	12/30/2005	1440	Particulate 2.5	Real-time Re	TEOM PM 10	13.03	No	No	
23105-EBAM - 100 Trinity I	12/31/2005	1440	Particulate 2.5	Real-time Re	One EBAM PI	20.74	No	No	
23105-EBAM2 - Thames S	12/31/2005	1440	Particulate 2.5	Real-time Re	One EBAM PI	16.15	No	No	
23105-EBAM - Greenwich	12/31/2005	1440	Particulate 2.5	Real-time Re	One EBAM PI	26.38	No	No	
23105-TEOM2 - Thames S	12/31/2005	1440	Particulate 2.5	Real-time Re	TEOM PM 10	14.24	No	No	
10105-EBAM - 100 Trinity I	1/1/2006	1440	Particulate 2.5	Real-time Re	One EBAM PI	26.17	No	No	
10105-EBAM2 - Thames S	1/1/2006	1440	Particulate 2.5	Real-time Re	One EBAM PI	20.95	No	No	
10105-EBAM - Greenwich	1/1/2006	1440	Particulate 2.5	Real-time Re	One EBAM PI	24.71	No	No	
10105-TEOM2 - Thames S	1/1/2006	1440	Particulate 2.5	Real-time Re	TEOM PM 10	18.25	No	No	
10205-EBAM - 100 Trinity I	1/2/2006	1440	Particulate 2.5	Real-time Re	One EBAM PI	22.88	No	No	
10205-EBAM2 - Thames S	1/2/2006	1440	Particulate 2.5	Real-time Re	One EBAM PI	18.85	No	No	
10205-EBAM - Greenwich	1/2/2006	1440	Particulate 2.5	Real-time Re	One EBAM PI	25.83	No	No	
10205-TEOM2 - Thames S	1/2/2006	1440	Particulate 2.5	Real-time Re	TEOM PM 10	11.2	No	No	
10305-EBAM - 100 Trinity I	1/3/2006	1440	Particulate 2.5	Real-time Re	One EBAM PI	10.78	No	No	
10305-EBAM2 - Thames S	1/3/2006	1440	Particulate 2.5	Real-time Re	One EBAM PI	9.51	No	No	
10305-EBAM - Greenwich	1/3/2006	1440	Particulate 2.5	Real-time Re	One EBAM PI	16.21	No	No	
10305-TEOM2 - Thames S	1/3/2006	1440	Particulate 2.5	Real-time Re	TEOM PM 10	25.76	No	No	
10405-EBAM - 100 Trinity I	1/4/2006	1440	Particulate 2.5	Real-time Re	One EBAM PI	27.19	No	No	
10405-EBAM2 - Thames S	1/4/2006	1440	Particulate 2.5	Real-time Re	One EBAM PI	22.55	No	No	
10405-EBAM - Greenwich	1/4/2006	1440	Particulate 2.5	Real-time Re	One EBAM PI	28.09	No	No	
10405-TEOM2 - Thames S	1/4/2006	1440	Particulate 2.5	Real-time Re	TEOM PM 10	27.74	No	No	
10505-EBAM - 100 Trinity I	1/5/2006	1440	Particulate 2.5	Real-time Re	One EBAM PI	21.29	No	No	
10505-EBAM2 - Thames S	1/5/2006	1440	Particulate 2.5	Real-time Re	One EBAM PI	21.91	No	No	
10505-EBAM - Greenwich	1/5/2006	1440	Particulate 2.5	Real-time Re	One EBAM PI	22.3	No	No	
10505-TEOM2 - Thames S	1/5/2006	1440	Particulate 2.5	Real-time Re	TEOM PM 10	24.74	No	No	

CITY_DEP_WORBY_CANNATA_SUBP_000091313

Lab Name	Field Sample ID	Sampling Location	Collection Start	Sample Volume	Volume unit	Lab Sample ID	Sample received date	Date Analyzed	Analytical Method	Parameter
Target Air Quality Levels										
EPA Site Specific Trigger Levels										
BRL	GS 123005-05	#1 - 100 Trinity Roof	12/30/2005	0.580	m3	06BR0010-01	01/04/2006	01/05/2006	EPA 324/1631	Hg
BRL	GS 123005-06	#2 - Thames Street	12/30/2005	0.577	m3	06BR0010-02	01/04/2006	01/05/2006	EPA 324/1631	Hg
BRL	GS 123005-07	#3 - Greenwich Street	12/30/2005	0.577	m3	06BR0010-03	01/04/2006	01/05/2006	EPA 324/1631	Hg
BRL	GS 123105-05	#1 - 100 Trinity Roof	12/31/2005	0.573	m3	06BR0011-01	01/04/2006	01/06/2006	EPA 324/1631	Hg
BRL	GS 123105-06	#2 - Thames Street	12/31/2005	0.578	m3	06BR0011-02	01/04/2006	01/06/2006	EPA 324/1631	Hg
BRL	GS 123105-07	#3 - Greenwich Street	12/31/2005	0.578	m3	06BR0011-03	01/04/2006	01/06/2006	EPA 324/1631	Hg
BRL	GS 010106-05	#1 - 100 Trinity Roof	01/01/2006	0.5612	m3	06BR0012-01	01/04/2006	01/08/2005	EPA 324/1631	Hg
BRL	GS 010106-06	#2 - Thames Street	01/01/2006	0.55458	m3	06BR0012-02	01/04/2006	01/08/2005	EPA 324/1631	Hg
BRL	GS 010106-07	#3 - Greenwich Street	01/01/2006	0.5576	m3	06BR0012-03	01/04/2006	01/08/2005	EPA 324/1631	Hg
BRL	GS 010206-05	#1 - 100 Trinity Roof	01/02/2006	0.560	m3	06BR0013-01	01/04/2006	01/08/2006	EPA 324/1631	Hg
BRL	GS 010206-06	#2 - Thames Street	01/02/2006	0.572	m3	06BR0013-02	01/04/2006	01/08/2006	EPA 324/1631	Hg
BRL	GS 010206-07	#3 - Greenwich Street	01/02/2006	0.571	m3	06BR0013-03	01/04/2006	01/08/2006	EPA 324/1631	Hg

CITY_DEP_WORBY_CANNATA_SUBP_000091314

Concentration	Unit	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
300					
3,000					
5.5ng/m3		01/09/2006	No	No	
5.5ng/m3		01/09/2006	No	No	
5.5ng/m3		01/09/2006	No	No	
5.6ng/m3		01/10/2006	No	No	
5.5ng/m3		01/10/2006	No	No	
5.5ng/m3		01/10/2006	No	No	
5.7ng/m3		01/10/2006	No	No	
5.8ng/m3		01/10/2006	No	No	
5.7ng/m3		01/10/2006	No	No	
5.7ng/m3		01/10/2006	No	No	
5.6ng/m3		01/10/2006	No	No	
5.6ng/m3		01/10/2006	No	No	

CITY_DEP_WORBY_CANNATA_SUBP_000091315

BRL	GS 010306-05	#1 - 100 Trinity Roof	01/03/2006	0.5764	m3	06BR0024-01	01/06/2006	01/10/2006	EPA 324/1631	Hg
BRL	GS 010306-06	#2 - Thames Street	01/03/2006	0.5796	m3	06BR0024-02	01/06/2006	01/10/2006	EPA 324/1631	Hg
BRL	GS 010306-07	#3 - Greenwich Street	01/03/2006	0.5780	m3	06BR0024-03	01/06/2006	01/10/2006	EPA 324/1631	Hg
BRL	GS 010306-18	Duplicate	01/03/2006	0.5764	m3	06BR0024-05	01/06/2006	01/10/2006	EPA 324/1631	Hg
BRL	GS 010406-C#1	#1 - 100 Trini	1/4/2006	0.557	m3	06BR0025-01	1/6/2006	1/10/2006	EPA 324/1631	Hg
BRL	GS 010406-C#2	#2 - Thames	1/4/2006	0.568	m3	06BR0025-02	1/6/2006	1/10/2006	EPA 324/1631	Hg
BRL	GS 010406-C#3	#3 - Greenwi	1/4/2006	0.581	m3	06BR0025-03	1/6/2006	1/10/2006	EPA 324/1631	Hg
BRL	GS 010506-05	#1 - 100 Trinity Roof	01/05/2006	0.572	m3	06BR0027-01	01/07/2006	01/11/2006	EPA 324/1631	Hg
BRL	GS 010506-06	#2 - Thames Street	01/05/2006	0.577	m3	06BR0027-02	01/07/2006	01/11/2006	EPA 324/1631	Hg
BRL	GS 010506-07	Street	01/05/2006	0.562	m3	06BR0027-03	01/07/2006	01/11/2006	EPA 324/1631	Hg

5.5 ng/m3	01/11/2006	No	No
5.5 ng/m3	01/11/2006	No	No
5.5 ng/m3	01/11/2006	No	No
5.5 ng/m3	01/11/2006	No	No
5.7 ng/m3	1/11/2006	No	No
5.6 ng/m3	1/11/2006	No	No
5.5 ng/m3	1/11/2006	No	No
5.6 ng/m3	01/12/2006	No	No
5.5 ng/m3	01/12/2006	No	No
5.7 ng/m3	01/12/2006	No	No

Mercury Lumex RA 915+ Running Daa = sampling station (60 sec avg) b = perimeter walk (120 sec avg)
 all readings are in ng/m³ AM = first reading of day PM = last reading of day
 Target air quality level: 300 ng/m³ #1 - Trinity #2 - Thames #3 - Greenwich
 USEPA site specific mercury trigger level: 3000 ng/m³ Exceedance

Time	Location #1	Location # 1	Location # 2	Location # 2	Location # 3	Location # 3b
12/30/05 AM	10.5	12.4	12.7	13.3	17.7	19.3 No
12/30/05 PM	9.3	9.9	12.8	11.3	13.5	18.7 No
12/31/05 AM	8.7	9.5	11	10.4	16.7	19 No
12/31/05 PM	9.2	10.1	12	12.4	15	21 No
1/1/2006 AM	9.2	9.6	12.7	13.3	16.3	21.2 No
1/1/2006 PM	10.2	9.6	11.8	13.7	13.7	19 No
1/2/2006 AM	9.5	10	13	12.1	17.3	20.6 No
1/2/2006 PM	11.3	10.7	13.8	13.7	18.7	20.6 No
1/3/2006 AM	10.3	9.8	11.2	9.6	15.8	19.4 No
1/3/2006 PM	6.7	5.8	9.8	8	15.7	15.7 No
1/4/2006 AM	7.8	7.3	9	9.6	17.5	19.8 No
1/4/2006 PM	7.7	9	11.3	11.1	15.8	19.4 No
1/5/2006 AM	7.3	7	11.2	11.8	18.3	21.2 No
1/5/2006 PM	8.2	8.7	11.8	12.1	18.5	20.2 No

)

Airtek Field	Sample No.	Sampling Location	Collection Date	Sample Volume	Analyte	Analytical Method	Lab	Lab Sample	Antimony Concentration	Barium Concentration
Target Air Quality Levels									5,000	5,000
EPA Site Specific Trigger Levels									14,000	5,000
GS 123005-CG6A0401530	1	- Trinity St	12/30/2005	5.812	Metals	6020	STL	1/3/2005	< 34.4	< 1720
GS 123005-1G6A0401530	2	- Thames St	12/30/2005	5.784	Metals	6020	STL	1/3/2005	< 34.6	< 1730
GS 123005-1G6A0401530		- Greenwich St	12/30/2005	5.776	Metals	6020	STL	1/3/2005	< 34.6	< 1730
GS 123105-CG6A0401520	1	- Trinity St	12/31/2005	5.804	Metals	6020	STL	1/4/2005	< 34.4	< 1720
GS 123105-1G6A0401520	2	- Thames St	12/31/2005	5.78	Metals	6020	STL	1/4/2005	< 34.6	< 1730
GS 123105-1G6A0401520		- Greenwich St	12/31/2005	5.78	Metals	6020	STL	1/4/2005	< 34.6	< 1730
GS 010106-CG6A0401510	1	- Trinity St	1/1/2006	5.604	Metals	6020	STL	1/4/2005	< 35.7	< 1780
GS 010106-1G6A0401510	2	- Thames St	1/1/2006	5.62	Metals	6020	STL	1/4/2005	< 35.6	< 1780
GS 010106-1G6A0401510		- Greenwich St	1/1/2006	5.72	Metals	6020	STL	1/4/2005	< 35.0	< 1750
GS 010206-CG6A0401500	1	- Trinity St	1/2/2006	5.732	Metals	6020	STL	1/4/2005	< 34.9	< 1740
GS 010206-1G6A0401500	2	- Thames St	1/2/2006	5.724	Metals	6020	STL	1/4/2005	< 34.9	< 1750
GS 010206-1G6A0401500		- Greenwich St	1/2/2006	5.728	Metals	6020	STL	1/4/2005	< 34.9	< 1740
GS 010306-CG6A0602210	1	- Trinity St	1/3/2006	5.764	Metals	6020	STL	01/06/2006	< 34.8	< 1740
GS 010306-1G6A0602210	2	- Thames St	1/3/2006	5.772	Metals	6020	STL	01/06/2006	< 34.7	< 1730
GS 010306-1G6A0602210		- Greenwich St	1/3/2006	5.796	Metals	6020	STL	01/06/2006	< 34.6	< 1730
GS 010306-1G6A0602210e: #3		- Green	1/3/2006	5.748	Metals	6020	STL	01/06/2006	< 34.5	< 1720
GS 010406-CG6A0602250	1	- Trinity St	1/4/2006	5.708	Metals	6020	STL	01/06/2006	< 35.0	< 1750
GS 010406-1G6A0602250	2	- Thames St	1/4/2006	5.604	Metals	6020	STL	01/06/2006	< 35.7	< 1780
GS 010406-1G6A0602250		- Greenwich St	1/4/2006	5.792	Metals	6020	STL	01/06/2006	< 34.5	< 1730
GS 010506-CG6A0901240	1	- Trinity St	1/5/2006	5.812	Metals	6020	STL	01/09/2006	< 34.4	< 1720
GS 010506-1G6A0901240	2	- Thames St	1/5/2006	5.78	Metals	6020	STL	01/09/2006	< 34.6	< 1730
GS 010506-1G6A0901240		- Greenwich St	1/5/2006	5.772	Metals	6020	STL	01/09/2006	< 34.6	< 1730

CITY_DEP_WORBY_CANNATA_SUBP_000091320

Benz (ppb)	Cadmium (ppb)	Chromium (ppb)	Copper Conc (ppb)	Lead Conc (ppb)	Manganese (ppb)	Nickel Conc (ppb)	Zinc Conc (ppb)	Exceeds Tar	Exceeds EPA
20	40	600	10,000	1,500	500	200	16,000	Air Quality	Site Specific
200	2,000	600	100,000	5,000	500	20,000	160,000	Levels?	Trigger Levels?
< 17.2	< 17.2	< 172	< 86.0	< 17.2	< 86.0	< 86.0	< 344	No	No
< 17.3	< 17.3	< 173	< 86.4	< 17.3	< 86.4	< 86.4	< 346	No	No
< 17.3	< 17.3	< 173	< 86.6	< 17.3	< 86.6	< 86.6	< 346	No	No
< 17.2	< 17.2	< 172	< 86.1	< 17.2	< 86.1	< 86.1	< 345	No	No
< 17.3	< 17.3	< 173	< 86.5	< 17.3	< 86.5	< 86.5	< 346	No	No
< 17.3	< 17.3	< 173	< 86.5	< 17.3	< 86.5	< 86.5	< 346	No	No
< 17.8	< 17.8	< 178	< 89.2	< 17.8	< 89.2	< 89.2	< 357	No	No
< 17.8	< 17.8	< 178	< 89.0	< 17.8	< 89.0	< 89.0	< 356	No	No
< 17.5	< 17.5	< 175	< 87.4	< 17.5	< 87.4	< 87.4	< 350	No	No
< 17.4	< 17.4	< 174	< 87.2	< 17.4	< 87.2	< 87.2	< 349	No	No
< 17.5	< 17.5	< 175	< 87.4	< 17.5	< 87.4	< 87.4	< 349	No	No
< 17.4	< 17.4	< 174	< 87.3	< 17.4	< 87.3	< 87.3	< 349	No	No
< 17.4	< 17.4	< 174	< 87.0	< 17.4	< 87.0	< 87.0	< 348	No	No
< 17.3	< 17.3	< 173	< 86.7	< 17.3	< 86.7	< 86.7	< 347	No	No
< 17.3	< 17.3	< 173	< 86.6	< 17.3	< 86.6	< 86.6	< 346	No	No
< 17.2	< 17.2	< 172	< 86.3	< 17.2	< 86.3	< 86.3	< 345	No	No
< 17.5	< 17.5	< 175	< 87.6	256	< 87.6	< 87.6	< 350	No	No
< 17.8	< 17.8	< 178	< 89.2	228	< 89.2	< 89.2	< 357	No	No
< 17.3	< 17.3	< 173	106	266	< 86.3	< 86.3	< 345	No	No
< 17.2	< 17.2	< 172	< 86.0	< 17.2	< 86.0	< 86.0	< 344	No	No
< 17.3	< 17.3	< 173	< 86.5	< 17.3	< 86.5	< 86.5	< 346	No	No
< 17.3	< 17.3	< 173	< 86.6	< 17.3	< 86.6	< 86.6	< 346	No	No

CITY_DEP_WORBY_CANNATA_SUBP_000091321

Lab Name	Field Sample ID	Sample Location	Date Collected	Concentration	Volume Collected	Volume Unit	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name
Target Air Quality Levels											
EPA Site Specific Trigger Levels											
EMSL	3S 123005-100	TRINITY R	12/30/2005	0.978	Cubic Meters	0600046-000	01/04/2006	01/04/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 123005-147	HAMES STR	12/30/2005	0.970	Cubic Meters	0600046-000	01/04/2006	01/04/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 123005-151	EENWICH S	12/30/2005	0.970	Cubic Meters	0600046-000	01/04/2006	01/04/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 123005-161	LD/TRIP BLA	12/30/2005	0.000	Cubic Meters	0600046-000	01/04/2006	01/04/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 123105-100	TRINITY R	12/31/2005	0.970	Cubic Meters	0600048-000	01/04/2006	01/04/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 123105-147	HAMES STR	12/31/2005	0.974	Cubic Meters	0600048-000	01/04/2006	01/04/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 123105-151	EENWICH S	12/31/2005	0.970	Cubic Meters	0600048-000	01/04/2006	01/04/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 123105-161	LD/TRIP BLA	12/31/2005	0.000	Cubic Meters	0600048-000	01/04/2006	01/04/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 010106-100	TRINITY R	01/01/2006	0.974	Cubic Meters	0600043-000	01/04/2006	01/04/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 010106-147	HAMES STR	01/01/2006	0.966	Cubic Meters	0600043-000	01/04/2006	01/04/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 010106-151	EENWICH S	01/01/2006	0.964	Cubic Meters	0600043-000	01/04/2006	01/04/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 010106-161	LD/TRIP BLA	01/01/2006	0.000	Cubic Meters	0600043-000	01/04/2006	01/04/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 010206-100	TRINITY R	01/02/2006	0.976	Cubic Meters	0600060-000	01/04/2006	01/05/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 010206-147	HAMES STR	01/02/2006	0.968	Cubic Meters	0600060-000	01/04/2006	01/05/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 010206-151	EENWICH S	01/02/2006	0.970	Cubic Meters	0600060-000	01/04/2006	01/05/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 010206-161	LD/TRIP BLA	01/02/2006	0.000	Cubic Meters	0600060-000	01/04/2006	01/05/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 010306-100	TRINITY R	01/03/2006	0.976	Cubic Meters	0600132-000	01/04/2006	01/05/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 010306-147	HAMES STR	01/03/2006	0.976	Cubic Meters	0600132-000	01/04/2006	01/05/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 010306-151	EENWICH S	01/03/2006	0.972	Cubic Meters	0600132-000	01/04/2006	01/05/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 010306-161	LD/TRIP BLA	01/03/2006	0.000	Cubic Meters	0600132-000	01/04/2006	01/05/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 010306-200	DUPLICATE	01/03/2006	0.984	Cubic Meters	0600132-000	01/04/2006	01/05/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 010406-100	TRINITY R	01/04/2006	1.004	Cubic Meters	0600322-000	01/09/2006	01/10/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 010406-147	HAMES STR	01/04/2006	0.986	Cubic Meters	0600322-000	01/09/2006	01/10/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 010406-151	EENWICH S	01/04/2006	1.007	Cubic Meters	0600322-000	01/09/2006	01/10/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 010406-161	LD/TRIP BLA	01/04/2006	0.000	Cubic Meters	0600322-000	01/09/2006	01/10/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 010506-100	TRINITY R	01/05/2006	0.962	Cubic Meters	0600320-000	01/09/2006	01/10/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 010506-147	HAMES STR	01/05/2006	0.974	Cubic Meters	0600320-000	01/09/2006	01/10/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 010506-151	EENWICH S	01/05/2006	0.970	Cubic Meters	0600320-000	01/09/2006	01/10/2006	OSH 7500 XF	Silica-Quartz	
EMSL	3S 010506-161	LD/TRIP BLA	01/05/2006	0.000	Cubic Meters	0600320-000	01/09/2006	01/10/2006	OSH 7500 XF	Silica-Quartz	

2nd Shift 12-30-05 to 01-05-06

EMSL	GS 123005-100	TRINITY R	12/30/2005	0.956	Cubic Meters	0600049-000	01/04/2006	01/04/2006	OSH 7500 XF	Silica-Quartz
------	---------------	-----------	------------	-------	--------------	-------------	------------	------------	-------------	---------------

Concentration	Unit	Flag	Qualifier	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
10							
10							
5	ug/m3	<		01/05/2006		No	
5	ug/m3	<		01/05/2006		No	
5	ug/m3	<		01/05/2006		No	
5	ug	<		01/05/2006		No	
5	ug/m3	<		01/05/2006		No	
5	ug/m3	<		01/05/2006		No	
5	ug/m3	<		01/05/2006		No	
5	ug	<		01/05/2006		No	
5	ug/m3	<		01/05/2006		No	
5	ug/m3	<		01/05/2006		No	
5	ug/m3	<		01/05/2006		No	
5	ug	<		01/05/2006		No	
5	ug/m3	<		01/06/2006		No	
5	ug/m3	<		01/06/2006		No	
5	ug/m3	<		01/06/2006		No	
5	ug	<		01/06/2006		No	
5	ug/m3	<		01/06/2006		No	
5	ug/m3	<		01/06/2006		No	
5	ug/m3	<		01/06/2006		No	
5	ug	<		01/06/2006		No	
5	ug/m3	<		01/06/2006		No	
5	ug/m3	<		01/10/2006		No	
5	ug/m3	<		01/10/2006		No	
5	ug/m3	<		01/10/2006		No	
5	ug	<		01/10/2006		No	
5	ug/m3	<		01/10/2006		No	
5	ug/m3	<		01/10/2006		No	
5	ug/m3	<		01/10/2006		No	
5	ug	<		01/10/2006		No	
5	ug/m3	<		01/05/2006		No	

CITY_DEP_WORBY_CANNATA_SUBP_000091323

EMSL	GS 123005-1THAMES STR 12/30/2005	0.940	Cubic Meters	10600049-000	01/04/2006	01/04/2006	OSH 7500 XFSilica-Quartz
EMSL	GS 123005-1EENWICH S 12/30/2005	0.958	Cubic Meters	10600049-000	01/04/2006	01/04/2006	OSH 7500 XFSilica-Quartz
EMSL	GS 123005-1LD/TRIP BLA 12/30/2005	0.000	Cubic Meters	10600049-000	01/04/2006	01/04/2006	OSH 7500 XFSilica-Quartz
EMSL	#1-100 TRINITY ROOF		Cubic Meters				NIOSH 7500 XFSilica-Quartz
EMSL	#2- THAMES STREET		Cubic Meters				NIOSH 7500 XFSilica-Quartz
EMSL	#3 GREENWICH STREET		Cubic Meters				NIOSH 7500 XFSilica-Quartz
EMSL	FIELD/TRIP BLANK		Cubic Meters				NIOSH 7500 XFSilica-Quartz
EMSL	#1-100 TRINITY ROOF		Cubic Meters				NIOSH 7500 XFSilica-Quartz
EMSL	#2- THAMES STREET		Cubic Meters				NIOSH 7500 XFSilica-Quartz
EMSL	#3 GREENWICH STREET		Cubic Meters				NIOSH 7500 XFSilica-Quartz
EMSL	FIELD/TRIP BLANK		Cubic Meters				NIOSH 7500 XFSilica-Quartz
EMSL	#1-100 TRINITY ROOF		Cubic Meters				NIOSH 7500 XFSilica-Quartz
EMSL	#2- THAMES STREET		Cubic Meters				NIOSH 7500 XFSilica-Quartz
EMSL	#3 GREENWICH STREET		Cubic Meters				NIOSH 7500 XFSilica-Quartz
EMSL	FIELD/TRIP BLANK		Cubic Meters				NIOSH 7500 XFSilica-Quartz
EMSL	GS 010306-10 TRINITY R 01/03/2006	0.970	Cubic Meters	10600131-000	01/04/2006	01/05/2006	OSH 7500 XFSilica-Quartz
EMSL	GS 010306-1THAMES STR 01/03/2006	0.956	Cubic Meters	10600131-000	01/04/2006	01/05/2006	OSH 7500 XFSilica-Quartz
EMSL	GS 010306-1EENWICH S 01/03/2006	0.948	Cubic Meters	10600131-000	01/04/2006	01/05/2006	OSH 7500 XFSilica-Quartz
EMSL	GS 010306-1LD/TRIP BLA 01/03/2006	0.000	Cubic Meters	10600131-000	01/04/2006	01/05/2006	OSH 7500 XFSilica-Quartz
EMSL	#1-100 TRINITY ROOF		Cubic Meters				NIOSH 7500 XFSilica-Quartz
EMSL	#2- THAMES STREET		Cubic Meters				NIOSH 7500 XFSilica-Quartz
EMSL	#3 GREENWICH STREET		Cubic Meters				NIOSH 7500 XFSilica-Quartz
EMSL	FIELD/TRIP BLANK		Cubic Meters				NIOSH 7500 XFSilica-Quartz
EMSL	GS 010506-10 TRINITY R 01/05/2006	1.048	Cubic Meters	10600325-000	01/09/2006	01/10/2006	OSH 7500 XFSilica-Quartz
EMSL	GS 010506-1THAMES STR 01/05/2006	1.002	Cubic Meters	10600325-000	01/09/2006	01/10/2006	OSH 7500 XFSilica-Quartz
EMSL	GS 010506-1EENWICH S 01/05/2006	0.968	Cubic Meters	10600325-000	01/09/2006	01/10/2006	OSH 7500 XFSilica-Quartz
EMSL	GS 010506-1LD/TRIP BLA 01/05/2006	0.000	Cubic Meters	10600325-000	01/09/2006	01/10/2006	OSH 7500 XFSilica-Quartz

CITY_DEP_WORBY_CANNATA_SUBP_000091324

5	ug/m3	<	01/05/2006	No
5	ug/m3	<	01/05/2006	No
5	ug	<	01/05/2006	No
	ug/m3			
	ug/m3			
	ug/m3			
	ug			
	ug/m3			
	ug/m3			
	ug/m3			
	ug			
	ug/m3			
	ug/m3			
	ug/m3			
	ug			
5	ug/m3	<	01/06/2006	No
5	ug/m3	<	01/06/2006	No
5	ug/m3	<	01/06/2006	No
5	ug	<	01/06/2006	No
	ug/m3			
	ug/m3			
	ug/m3			
	ug			
5	ug/m3	<	01/10/2006	No
5	ug/m3	<	01/10/2006	No
5	ug/m3	<	01/10/2006	No
5	ug	<	01/10/2006	No

CITY_DEP_WORBY_CANNATA_SUBP_000091325