



Customer-Focused Solutions

1430 Broadway, 10th Fl. New York, New York 10018

Phone: (212) 221-7822 - Fax: (212) 221-7840

LMDC Air Metals Profile

Client	Lower Manhattan Development Corporation	Job Number	46600-0000-00001
Address	One Liberty Plaza, 20th Floor	Date Received	7/5/2005
	New York, NY 10006	Date Analyzed	7/5/2005
Collected By	V. Bajomo	Job Location	130 Liberty Street
Collected	7/4/2005		
Rotometer	Standard		
Lab ID	010502526-0001	Matrix	Air
Field ID	M-070405-967		
Location	Washington Street/Albany Street		

<u>Parameter</u>	<u>Start</u>	<u>End</u>	<u>Flow</u>	<u>Volume</u>	<u>Result</u>	<u>Units</u>	<u>MDL</u>	<u>MCL</u>	<u>Flag</u>
Barium, Total	16:02	16:01	4	5756	<0.87	µg/m3	0.87	500	
Beryllium, Total	16:02	16:01	4	5756	<0.035	µg/m3	0.035	1	
Cadmium, Total	16:02	16:01	4	5756	<0.035	µg/m3	0.035	2.5	
Chromium, Total	16:02	16:01	4	5756	<0.087	µg/m3	0.087	500	
Copper, Total	16:02	16:01	4	5756	<0.17	µg/m3	0.17	500	
Lead, Total	16:02	16:01	4	5756	<0.087	µg/m3	0.087	30	
Manganese, Total	16:02	16:01	4	5756	<0.13	µg/m3	0.13	1000	
Nickel, Total	16:02	16:01	4	5756	<0.17	µg/m3	0.17	500	
Zinc, Total	16:02	16:01	4	5756	<0.17	µg/m3	0.17	2500	

Lab ID	010502526-0002	Matrix	Air
Field ID	M-070405-968		
Location	Albany Street/Greenwich Street		

<u>Parameter</u>	<u>Start</u>	<u>End</u>	<u>Flow</u>	<u>Volume</u>	<u>Result</u>	<u>Units</u>	<u>MDL</u>	<u>MCL</u>	<u>Flag</u>
Barium, Total	16:06	16:04	4	5752	<0.87	µg/m3	0.87	500	
Beryllium, Total	16:06	16:04	4	5752	<0.035	µg/m3	0.035	1	
Cadmium, Total	16:06	16:04	4	5752	<0.035	µg/m3	0.035	2.5	
Chromium, Total	16:06	16:04	4	5752	<0.087	µg/m3	0.087	500	
Copper, Total	16:06	16:04	4	5752	<0.17	µg/m3	0.17	500	
Lead, Total	16:06	16:04	4	5752	<0.087	µg/m3	0.087	30	
Manganese, Total	16:06	16:04	4	5752	<0.13	µg/m3	0.13	1000	
Nickel, Total	16:06	16:04	4	5752	<0.17	µg/m3	0.17	500	
Zinc, Total	16:06	16:04	4	5752	<0.17	µg/m3	0.17	2500	

MDL = Minimum Detection Limit

MCL = Maximum Contaminant Level

> MCL = Exceeds Maximum Contaminant Level

Samples analyzed by EMSL Analytical, Inc.; NY ELAP ID# 10872 and 11506

Page 1 of 3

CITY_DEP_WORBY_CANNATA_SUBP_000115335



Customer-Focused Solutions

1430 Broadway, 10th Fl. New York, New York 10018

Phone: (212) 221-7822 - Fax: (212) 221-7840

LMDC Air Metals Profile

Client Lower Manhattan Development Corporation
Address One Liberty Plaza, 20th Floor
New York, NY 10006
Collected By V. Bajomo
Collected 7/4/2005
Rotometer Standard

Job Number 46600-0000-00001
Date Received 7/5/2005
Date Analyzed 7/5/2005
Job Location 130 Liberty Street

Lab ID 010502526-0003
Field ID M-070405-969
Location Greenwich Street

Matrix Air

<u>Parameter</u>	<u>Start</u>	<u>End</u>	<u>Flow</u>	<u>Volume</u>	<u>Result</u>	<u>Units</u>	<u>MDL</u>	<u>MCL</u>	<u>Flag</u>
Barium, Total	16:08	16:07	4	5756	<0.87	µg/m3	0.87	500	
Beryllium, Total	16:08	16:07	4	5756	<0.035	µg/m3	0.035	1	
Cadmium, Total	16:08	16:07	4	5756	<0.035	µg/m3	0.035	2.5	
Chromium, Total	16:08	16:07	4	5756	<0.087	µg/m3	0.087	500	
Copper, Total	16:08	16:07	4	5756	<0.17	µg/m3	0.17	500	
Lead, Total	16:08	16:07	4	5756	<0.087	µg/m3	0.087	30	
Manganese, Total	16:08	16:07	4	5756	<0.13	µg/m3	0.13	1000	
Nickel, Total	16:08	16:07	4	5756	<0.17	µg/m3	0.17	500	
Zinc, Total	16:08	16:07	4	5756	<0.17	µg/m3	0.17	2500	

Lab ID 010502526-0004
Field ID M-070405-970
Location Greenwich Street/Liberty Street

Matrix Air

<u>Parameter</u>	<u>Start</u>	<u>End</u>	<u>Flow</u>	<u>Volume</u>	<u>Result</u>	<u>Units</u>	<u>MDL</u>	<u>MCL</u>	<u>Flag</u>
Barium, Total	16:11	16:10	4	5756	<0.87	µg/m3	0.87	500	
Beryllium, Total	16:11	16:10	4	5756	<0.035	µg/m3	0.035	1	
Cadmium, Total	16:11	16:10	4	5756	<0.035	µg/m3	0.035	2.5	
Chromium, Total	16:11	16:10	4	5756	<0.087	µg/m3	0.087	500	
Copper, Total	16:11	16:10	4	5756	<0.17	µg/m3	0.17	500	
Lead, Total	16:11	16:10	4	5756	<0.087	µg/m3	0.087	30	
Manganese, Total	16:11	16:10	4	5756	<0.13	µg/m3	0.13	1000	
Nickel, Total	16:11	16:10	4	5756	<0.17	µg/m3	0.17	500	
Zinc, Total	16:11	16:10	4	5756	<0.17	µg/m3	0.17	2500	

MDL = Minimum Detection Limit

MCL = Maximum Contaminant Level

> MCL = Exceeds Maximum Contaminant Level

Samples analyzed by EMSL Analytical, Inc.; NY ELAP ID# 10872 and 11506

Page 2 of 3

CITY_DEP_WORBY_CANNATA_SUBP_000115336



Customer-Focused Solutions

1430 Broadway, 10th Fl. New York, New York 10018

Phone: (212) 221-7822 - Fax: (212) 221-7840

LMDC Air Metals Profile

Client Lower Manhattan Development Corporation
 Address One Liberty Plaza, 20th Floor
 New York, NY 10006
 Collected By V. Bajomo
 Collected 7/4/2005
 Rotometer Standard

Job Number 46600-0000-00001
 Date Received 7/5/2005
 Date Analyzed 7/5/2005
 Job Location 130 Liberty Street

Lab ID 010502526-0005 Matrix Air
 Field ID M-070405-971
 Location Washington Street/Cedar Street

<u>Parameter</u>	<u>Start</u>	<u>End</u>	<u>Flow</u>	<u>Volume</u>	<u>Result</u>	<u>Units</u>	<u>MDL</u>	<u>MCL</u>	<u>Flag</u>
Barium, Total	16:14	16:13	4	5756	<0.87	µg/m3	0.87	500	
Beryllium, Total	16:14	16:13	4	5756	<0.035	µg/m3	0.035	1	
Cadmium, Total	16:14	16:13	4	5756	<0.035	µg/m3	0.035	2.5	
Chromium, Total	16:14	16:13	4	5756	<0.087	µg/m3	0.087	500	
Copper, Total	16:14	16:13	4	5756	<0.17	µg/m3	0.17	500	
Lead, Total	16:14	16:13	4	5756	<0.087	µg/m3	0.087	30	
Manganese, Total	16:14	16:13	4	5756	<0.13	µg/m3	0.13	1000	
Nickel, Total	16:14	16:13	4	5756	<0.17	µg/m3	0.17	500	
Zinc, Total	16:14	16:13	4	5756	<0.17	µg/m3	0.17	2500	

MDL = Minimum Detection Limit

MCL = Maximum Contaminant Level

> MCL = Exceeds Maximum Contaminant Level

Samples analyzed by EMSL Analytical, Inc.; NY ELAP ID# 10872 and 11506

Page 3 of 3

CITY_DEP_WORBY_CANNATA_SUBP_000115337