

Field Samp	Sample No.	Sampling Location	Action Start	Work Shift	Sample Volume	Analyte	Analytical Meth	Lab	Sample Received	ME Concentration	Exceeds Target	Exceeds EPA	Comments
						Target Air Quality Levels				0.0009	Air Quality	Site Specific	
						EPA Site Specific Trigger Levels				N/A	Levels?	igger Levels?	
GS020306-0	030603723-0#1	100 TRIN	2/3/2006	Abatement	3.924	Asbestos	PCME	EMSL	2/6/2006	< 0.00063	No	No	
GS020306-0	030603723-0#2	THAMES	2/3/2006	Abatement	3.882	Asbestos	PCME	EMSL	2/6/2006	< 0.00064	No	No	
GS020306-0	030603723-0#3	GREENW	2/3/2006	Abatement	3.780	Asbestos	PCME	EMSL	2/6/2006	< 0.00065	No	No	
GS020406-0	030603725-0#1	100 TRIN	2/4/2006	Abatement	2.988	Asbestos	PCME	EMSL	2/6/2006	< 0.00083	No	No	
GS020406-0	030603725-0#2	THAMES	2/4/2006	Abatement	2.922	Asbestos	PCME	EMSL	2/6/2006	< 0.00084	No	No	
GS020406-0	030603725-0#3	GREENW	2/4/2006	Abatement	2.892	Asbestos	PCME	EMSL	2/6/2006	< 0.00085	No	No	
GS020506-0	030603724-0#1	100 TRIN	2/5/2006	Abatement	3.072	Asbestos	PCME	EMSL	2/6/2006	< 0.00080	No	No	
GS020506-0	030603724-0#2	THAMES	2/5/2006	Abatement	2.994	Asbestos	PCME	EMSL	2/6/2006	< 0.00082	No	No	
GS020506-0	030603724-0#3	GREENW	2/5/2006	Abatement	2.898	Asbestos	PCME	EMSL	2/6/2006	< 0.00085	No	No	
GS020606-0	030603788-0#1	100 TRIN	2/6/2006	Abatement	3.078	Asbestos	PCME	EMSL	2/7/2006	< 0.00080	No	No	
GS020606-0	030603788-0#2	THAMES	2/6/2006	Abatement	2.994	Asbestos	PCME	EMSL	2/7/2006	< 0.00082	No	No	
GS020606-0	030603788-0#3	GREENW	2/6/2006	Abatement	2.874	Asbestos	PCME	EMSL	2/7/2006	< 0.00086	No	No	
GS020706-0	030603934-0#1	100 TRIN	2/7/2006	Abatement	2.976	Asbestos	PCME	EMSL	2/8/2006	< 0.00083	No	No	
GS020706-0	030603934-0#2	THAMES	2/7/2006	Abatement	2.952	Asbestos	PCME	EMSL	2/8/2006	< 0.00084	No	No	
GS020706-0	030603934-0#3	GREENW	2/7/2006	Abatement	2.868	Asbestos	PCME	EMSL	2/8/2006	< 0.00086	No	No	
GS020706-1	030603934-0	DUPLICATE	2/7/2006	Abatement	2.946	Asbestos	PCME	EMSL	2/8/2006	< 0.00084	No	No	
GS020806-0	030604074-0#1	100 TRIN	2/8/2006	Abatement	2.922	Asbestos	PCME	EMSL	2/9/2006	< 0.00084	No	No	
GS020806-0	030604074-0#2	THAMES	2/8/2006	Abatement	2.850	Asbestos	PCME	EMSL	2/9/2006	< 0.00087	No	No	
GS020806-0	030604074-0#3	GREENW	2/8/2006	Abatement	2.760	Asbestos	PCME	EMSL	2/9/2006	< 0.00089	No	No	
GS020906-0	030604260-0#1	100 TRIN	2/9/2006	Abatement	2.958	Asbestos	PCME	EMSL	2/10/2006	< 0.00083	No	No	
GS020906-0	030604260-0#2	THAMES	2/9/2006	Abatement	2.862	Asbestos	PCME	EMSL	2/10/2006	< 0.00086	No	No	
GS020906-0	030604260-0#3	GREENW	2/9/2006	Abatement	2.826	Asbestos	PCME	EMSL	2/10/2006	< 0.00087	No	No	

Field Samp	Sample No.	Sampling Location	Collection Date	Work Shift	Sample Volume	Analyte	Analytical Method	Lab	Sample Received	RA Concentration
Target Air Quality Levels										N/A
EPA Site Specific Trigger Levels										70
GS020306-0	030603723-0#1	100 TRINI	2/3/2006	Abatement	3.924	Asbestos	TEM EPA 40 EMSL		2/6/2006	<13
GS020306-0	030603723-0#2	THAMES	2/3/2006	Abatement	3.882	Asbestos	TEM EPA 40 EMSL		2/6/2006	<13
GS020306-0	030603723-0#3	GREENW	2/3/2006	Abatement	3.780	Asbestos	TEM EPA 40 EMSL		2/6/2006	<13
GS020406-0	030603725-0#1	100 TRINI	2/4/2006	Abatement	2.988	Asbestos	TEM EPA 40 EMSL		2/6/2006	<13
GS020406-0	030603725-0#2	THAMES	2/4/2006	Abatement	2.922	Asbestos	TEM EPA 40 EMSL		2/6/2006	<13
GS020406-0	030603725-0#3	GREENW	2/4/2006	Abatement	2.892	Asbestos	TEM EPA 40 EMSL		2/6/2006	<13
GS020506-0	030603724-0#1	100 TRINI	2/5/2006	Abatement	3.072	Asbestos	TEM EPA 40 EMSL		2/6/2006	<13
GS020506-0	030603724-0#2	THAMES	2/5/2006	Abatement	2.994	Asbestos	TEM EPA 40 EMSL		2/6/2006	<13
GS020506-0	030603724-0#3	GREENW	2/5/2006	Abatement	2.898	Asbestos	TEM EPA 40 EMSL		2/6/2006	<13
GS020606-0	030603788-0#1	100 TRINI	2/6/2006	Abatement	3.078	Asbestos	TEM EPA 40 EMSL		2/7/2006	<13
GS020606-0	030603788-0#2	THAMES	2/6/2006	Abatement	2.994	Asbestos	TEM EPA 40 EMSL		2/7/2006	<13
GS020606-0	030603788-0#3	GREENW	2/6/2006	Abatement	2.874	Asbestos	TEM EPA 40 EMSL		2/7/2006	<13
GS020706-0	030603934-0#1	100 TRINI	2/7/2006	Abatement	2.976	Asbestos	TEM EPA 40 EMSL		2/8/2006	<13
GS020706-0	030603934-0#2	THAMES	2/7/2006	Abatement	2.952	Asbestos	TEM EPA 40 EMSL		2/8/2006	<13
GS020706-0	030603934-0#3	GREENW	2/7/2006	Abatement	2.868	Asbestos	TEM EPA 40 EMSL		2/8/2006	<13
GS020706-1	030603934-0	DUPLICATE	2/7/2006	Abatement	2.946	Asbestos	TEM EPA 40 EMSL		2/8/2006	<13
GS020806-0	030604074-0#1	100 TRINI	2/8/2006	Abatement	2.922	Asbestos	TEM EPA 40 EMSL		2/9/2006	<13
GS020806-0	030604074-0#2	THAMES	2/8/2006	Abatement	2.850	Asbestos	TEM EPA 40 EMSL		2/9/2006	<13
GS020806-0	030604074-0#3	GREENW	2/8/2006	Abatement	2.760	Asbestos	TEM EPA 40 EMSL		2/9/2006	<13
GS020906-0	030604260-0#1	100 TRINI	2/9/2006	Abatement	2.958	Asbestos	TEM EPA 40 EMSL		2/10/2006	<13
GS020906-0	030604260-0#2	THAMES	2/9/2006	Abatement	2.862	Asbestos	TEM EPA 40 EMSL		2/10/2006	<13
GS020906-0	030604260-0#3	GREENW	2/9/2006	Abatement	2.826	Asbestos	TEM EPA 40 EMSL		2/10/2006	<13

Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No

Field Sample	Sampling Location	Time Reading	ion time (min)	Analyte	lytical Meth	Instrument	late PM 2.5	Exceeds Target	Exceeds EPA	
Target Air Quality Levels							40	Air Quality	Site Specific	Comments
EPA Site Specific Trigger Levels							65	Levels?	Trigger Levels?	
20306-EBAM-	100 Trinity	2/3/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	10.99	No	No	
20306-EBAM2 -	Thames S	2/3/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	24.54	No	No	
20306-EBAM -	Greenwich	2/3/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	14.20	No	No	
20306-TEOM-	100 Trinity	2/3/2006	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		16.71	No	No	
20406-EBAM-	100 Trinity	2/4/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	17.98	No	No	
20406-EBAM2 -	Thames S	2/4/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	23.54	No	No	
20406-EBAM -	Greenwich	2/4/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	25.18	No	No	
20406-TEOM-	100 Trinity	2/4/2006	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		20.02	No	No	
20506-EBAM-	100 Trinity	2/5/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	6.63	No	No	
20506-EBAM2 -	Thames S	2/5/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	9.13	No	No	
20506-EBAM -	Greenwich	2/5/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	9.84	No	No	
20506-TEOM-	100 Trinity	2/5/2006	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		6.96	No	No	
20606-EBAM-	100 Trinity	2/6/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	8.94	No	No	
20606-EBAM2 -	Thames S	2/6/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	9.88	No	No	
20606-EBAM -	Greenwich	2/6/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	10.65	No	No	
20606-TEOM-	100 Trinity	2/6/2006	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		10.75	No	No	
20706-EBAM-	100 Trinity	2/7/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	8.38	No	No	
20706-EBAM2 -	Thames S	2/7/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	10.13	No	No	
20706-EBAM -	Greenwich	2/7/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	11.28	No	No	
20706-TEOM-	100 Trinity	2/7/2006	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		9.50	No	No	
20806-EBAM-	100 Trinity	2/8/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	7.97	No	No	
20806-EBAM2 -	Thames S	2/8/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	9.17	No	No	
20806-EBAM -	Greenwich	2/8/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	9.42	No	No	
20806-TEOM-	100 Trinity	2/8/2006	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		8.06	No	No	
20906-EBAM-	100 Trinity	2/9/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	7.43	No	No	
20906-EBAM2 -	Thames S	2/9/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	7.60	No	No	
20906-EBAM -	Greenwich	2/9/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	8.40	No	No	
20906-TEOM-	100 Trinity	2/9/2006	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		8.00	No	No	

Field Sampling Location	Time Reading	ion time (mi	Analyte	alytical Meth	Instrument	late PM 10 (
Target Air Quality Levels						150
EPA Site Specific Trigger Levels						150
120306-EBAM - 100 Trinity I	2/3/2006	1440	Particulate 1C	Real-time ReDne	EBAM PI	18.93
120306-EBAM2 - Thames S	2/3/2006	1440	Particulate 1C	Real-time ReDne	EBAM PI	21.69
120306-EBAM - Greenwich	2/3/2006	1440	Particulate 1C	Real-time ReDne	EBAM PI	21.45
120306-TEOM - Greenwich	2/3/2006	1440	Particulate 1C	Real-time ReTEOM	PM 10	23.63
120406-EBAM - 100 Trinity I	2/4/2006	1440	Particulate 1C	Real-time ReDne	EBAM PI	31.15
120406-EBAM2 - Thames S	2/4/2006	1440	Particulate 1C	Real-time ReDne	EBAM PI	27.31
120406-EBAM - Greenwich	2/4/2006	1440	Particulate 1C	Real-time ReDne	EBAM PI	52.80
120406-TEOM - Greenwich	2/4/2006	1440	Particulate 1C	Real-time ReTEOM	PM 10	28.97
120506-EBAM - 100 Trinity I	2/5/2006	1440	Particulate 1C	Real-time ReDne	EBAM PI	14.47
120506-EBAM2 - Thames S	2/5/2006	1440	Particulate 1C	Real-time ReDne	EBAM PI	7.83
120506-EBAM - Greenwich	2/5/2006	1440	Particulate 1C	Real-time ReDne	EBAM PI	11.08
120506-TEOM - Greenwich	2/5/2006	1440	Particulate 1C	Real-time ReTEOM	PM 10	10.21
120606-EBAM - 100 Trinity I	2/6/2006	1440	Particulate 1C	Real-time ReDne	EBAM PI	13.12
120606-EBAM2 - Thames S	2/6/2006	1440	Particulate 1C	Real-time ReDne	EBAM PI	20.08
120606-EBAM - Greenwich	2/6/2006	1440	Particulate 1C	Real-time ReDne	EBAM PI	19.42
120606-TEOM - Greenwich	2/6/2006	1440	Particulate 1C	Real-time ReTEOM	PM 10	26.50
120706-EBAM - 100 Trinity I	2/7/2006	1440	Particulate 1C	Real-time ReDne	EBAM PI	12.47
120706-EBAM2 - Thames S	2/7/2006	1440	Particulate 1C	Real-time ReDne	EBAM PI	14.31
120706-EBAM - Greenwich	2/7/2006	1440	Particulate 1C	Real-time ReDne	EBAM PI	19.15
120706-TEOM - Greenwich	2/7/2006	1440	Particulate 1C	Real-time ReTEOM	PM 10	25.74
120806-EBAM - 100 Trinity I	2/8/2006	1440	Particulate 1C	Real-time ReDne	EBAM PI	13.60
120806-EBAM2 - Thames S	2/8/2006	1440	Particulate 1C	Real-time ReDne	EBAM PI	15.50
120806-EBAM - Greenwich	2/8/2006	1440	Particulate 1C	Real-time ReDne	EBAM PI	15.35
120806-TEOM - Greenwich	2/8/2006	1440	Particulate 1C	Real-time ReTEOM	PM 10	16.96
120906-EBAM - 100 Trinity I	2/9/2006	1440	Particulate 1C	Real-time ReDne	EBAM PI	11.36
120906-EBAM2 - Thames S	2/9/2006	1440	Particulate 1C	Real-time ReDne	EBAM PI	20.01
120906-EBAM - Greenwich	2/9/2006	1440	Particulate 1C	Real-time ReDne	EBAM PI	14.96
120906-TEOM - Greenwich	2/9/2006	1440	Particulate 1C	Real-time ReTEOM	PM 10	21.67

[illegible]

Lab Name	Field Sample	Sampling Location	Section Start	Sample Volume	Volume unit	Lab Sample ID	date received	Date Analyzed	Analytical Method	Parameter
Target Air Quality Levels										
EPA Site Specific Trigger Levels										
BRL	GS 020306-05	#1 - 100 Trinity Roof	02/03/2006	0.55965	m3	06BR0167-01	02/07/2006	02/09/2006	EPA 324/1631	Hg
BRL	GS 020306-06	#2 - Thames Street	02/03/2006	0.569195	m3	06BR0167-02	02/07/2006	02/09/2006	EPA 324/1631	Hg
BRL	GS 020306-07	#3 - Greenwich Street	02/03/2006	0.56355	m3	06BR0167-03	02/07/2006	02/09/2006	EPA 324/1631	Hg
BRL	GS 020406-05	#1 - 100 Trinity Roof	02/04/2006	0.56327	m3	06BR0168-01	02/07/2006	02/09/2006	EPA 324/1631	Hg
BRL	GS 020406-06	#2 - Thames Street	02/04/2006	0.55731	m3	06BR0168-02	02/07/2006	02/09/2006	EPA 324/1631	Hg
BRL	GS 020406-07	#3 - Greenwich Street	02/04/2006	0.5736	m3	06BR0168-03	02/07/2006	02/09/2006	EPA 324/1631	Hg
BRL	GS 020506-05	#1 - 100 Trinity Roof	02/05/2006	0.5716	m3	06BR0169-01	02/07/2006	02/09/2006	EPA 324/1631	Hg
BRL	GS 020506-06	#2 - Thames Street	02/05/2006	0.55536	m3	06BR0169-02	02/07/2006	02/09/2006	EPA 324/1631	Hg
BRL	GS 020506-07	#3 - Greenwich Street	02/05/2006	0.562085	m3	06BR0169-03	02/07/2006	02/09/2006	EPA 324/1631	Hg
BRL	GS020606-05	#1 - 100 Trinity Roof	02/06/2006	0.56999	m3	06BR0176-01	02/08/2006	02/10/2006	EPA 324/1631	Hg
BRL	GS020606-06	#2 - Thames Street	02/06/2006	0.578	m3	06BR0176-02	02/08/2006	02/10/2006	EPA 324/1631	Hg
BRL	GS020606-07	#3 - Greenwich Street	02/06/2006	0.5772	m3	06BR0176-03	02/08/2006	02/10/2006	EPA 324/1631	Hg

CITY_21MC100_003239493

Concentration	Unit	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
300 ng/m3					
3000 ng/m3					
< 5.7ng/m3		02/10/2006	No	No	
< 5.6ng/m3		02/10/2006	No	No	
< 5.7ng/m3		02/10/2006	No	No	
< 5.7ng/m3		02/10/2006	No	No	
< 5.7ng/m3		02/10/2006	No	No	
< 5.6ng/m3		02/10/2006	No	No	
< 5.6ng/m3		02/10/2006	No	No	
< 5.8ng/m3		02/10/2006	No	No	
< 5.7ng/m3		02/10/2006	No	No	
< 5.6ng/m3		02/13/2006	No	No	
< 5.5ng/m3		02/13/2006	No	No	
< 5.5ng/m3		02/13/2006	No	No	

CITY_21MC100_003239494

BRL	GS 020706-05	#1 - 100 Trinity Roof	02/07/2006	0.5772	m3	06BR0183-01	02/09/2006	02/10/2006	EPA 324/1631	Hg
BRL	GS 020706-06	#2 - Thames Street	02/07/2006	0.57157	m3	06BR0183-02	02/09/2006	02/10/2006	EPA 324/1631	Hg
BRL	GS 020706-07	#3 - Greenwich Street	02/07/2006	0.5776	m3	06BR0183-03	02/09/2006	02/10/2006	EPA 324/1631	Hg
BRL	GS 020706-18	Duplicate	02/07/2006	0.57038	m3	06BR0183-05	02/09/2006	02/10/2006	EPA 324/1631	Hg
BRL	GS 020806-05	#1 -100 Trinity Roof	02/08/2006	0.5772	m3	06BR0191-01	02/10/2006	02/14/2006	EPA 324/1631	Hg
BRL	GS 020806-06	#2 - Thames Street	02/08/2006	0.5772	m3	06BR0191-02	02/10/2006	02/14/2006	EPA 324/1631	Hg
BRL	GS 020806-07	#3 - Greenwich Street	02/08/2006	0.569195	m3	06BR0191-03	02/10/2006	02/14/2006	EPA 324/1631	Hg
BRL	GS 020906-05	#1-100 Trinity Roof	02/09/2006	0.5768	m3	06BR0200-01	02/11/2006	02/15/2006	EPA 324/1631	Hg
BRL	GS 020906-06	#2-Thames Street	02/09/2006	0.57622	m3	06BR0200-02	02/11/2006	02/15/2006	EPA 324/1631	Hg
BRL	07	Street	02/09/2006	0.56643	m3	03	02/11/2006	02/15/2006	EPA 324/1631	Hg

< 5.5ng/m3	02/14/2006	No	No
< 5.6ng/m3	02/14/2006	No	No
< 5.5ng/m3	02/14/2006	No	No
< 5.6ng/m3	02/14/2006	No	No
< 5.5ng/m3	02/15/2006	No	No
< 5.5ng/m3	02/15/2006	No	No
< 5.6ng/m3	02/15/2006	No	No
< 5.5ng/m3	02/16/2006	No	No
< 5.6ng/m3	02/16/2006	No	No
< 5.7ng/m3	02/16/2006	No	No

Mercury Lumex RA 915+ Running Daa = sampling station (60 sec avg) b = perimeter walk (120 sec avg)
 all readings are in ng/m³ AM = first reading of day PM = last reading of day
 Target air quality level: 300 ng/m³ #1 - Trinity #2 - Thames #3 - Greenwich
 USEPA site specific mercury trigger level: 3000 ng/m³ Exceedance

Time	Location #1	Location # 1	Location # 2	Location # 2	Location # 3	Location # 3b
2/3/06 AM	9.6	10.1	11.7	11.8	16.2	19.8 No
2/3/06 PM	9.3	9.8	12.5	12.6	18.5	20.2 No
2/4/06 AM	10	9.5	13.7	13.7	18.7	20.3 No
2/4/06 PM	9.5	10.5	12.8	12.7	19	22.5 No
2/5/06 AM	9.3	9.8	13	12.8	18.5	20.2 No
2/5/06 PM	9.7	10.1	11.5	11.3	19	19.8 No
2/6/06 AM	9.2	10	13.3	12.2	18.3	20.6 No
2/6/06 PM	10	11	14.2	12.1	18.8	20.6 No
2/7/06 AM	9	9.2	9.8	9.7	13.8	13.6 No
2/7/06 PM	10.2	10	13.3	12.6	18	21.2 No
2/8/06 AM	8.7	8.7	10.5	11	12.5	12.7 No
2/8/06 PM	10.3	9.6	12.8	12.5	17.3	20 No
2/9/06 AM	7.8	7.6	10	9.3	16.5	16.6 No
2/9/06 PM	9.2	8.8	11.8	13	18.8	19.3 No

)

Airtek Field	Sample No.	Sampling Location	Collection Date	Sample Volume	Analyte	Analytical Method	Lab	Lab Sample	Antimony Concentration	Barium Concentration
Target Air Quality Levels									5,000	5,000
EPA Site Specific Trigger Levels									14,000	5,000
GS020306-0	G6B0701920	1 - Trinity St	2/3/2006	5.744	Metals	6020	STL		< 34.8	< 1740
GS020306-1	G6B0701920	2 - Thames St	2/3/2006	5.764	Metals	6020	STL		< 34.7	< 1730
GS020306-1	G6B0701920	Greenwich	2/3/2006	5.776	Metals	6020	STL		< 34.6	< 1730
GS020406-0	G6B0701880	1 - Trinity St	2/4/2006	5.708	Metals	6020	STL		< 35	< 1750
GS020406-1	G6B0701880	2 - Thames St	2/4/2006	5.72	Metals	6020	STL		< 35	< 1750
GS020406-1	G6B0701880	Greenwich	2/4/2006	5.732	Metals	6020	STL		< 34.9	< 1740
GS020506-0	G6B0701900	1 - Trinity St	2/5/2006	5.6485	Metals	6020	STL		< 35.4	< 1770
GS020506-1	G6B0701900	2 - Thames St	2/5/2006	5.704	Metals	6020	STL		< 35.1	< 1750
GS020506-1	G6B0701900	Greenwich	2/5/2006	5.7	Metals	6020	STL		< 35.1	< 1750
GS020606-0	G6B0801980	1 - Trinity St	2/6/2006	5.772	Metals	6020	STL		< 34.6	< 1730
GS020606-1	G6B0801980	2 - Thames St	2/6/2006	5.768	Metals	6020	STL		< 34.7	< 1730
GS020606-1	G6B0801980	Greenwich	2/6/2006	5.776	Metals	6020	STL		< 34.6	< 1730
GS020706-0	G6B0902070	1 - Trinity St	2/7/2006	5.772	Metals	6020	STL		< 34.6	< 1730
GS020706-1	G6B0902070	2 - Thames St	2/7/2006	5.772	Metals	6020	STL		< 34.6	< 1730
GS020706-1	G6B0902070	Greenwich	2/7/2006	5.78	Metals	6020	STL		< 34.6	< 1730
GS020706-1	G6B0902070	Duplicate	2/7/2006	5.768	Metals	6020	STL		< 34.7	< 1730
GS020806-0	G6B1002230	1 - Trinity St	2/8/2006	5.776	Metals	6020	STL		< 34.6	< 1730
GS020806-1	G6B1002230	2 - Thames St	2/8/2006	5.772	Metals	6020	STL		< 34.6	< 1730
GS020806-1	G6B1002230	Greenwich	2/8/2006	5.768	Metals	6020	STL		< 34.7	< 1730
GS020906-0	G6B1101950	1 - Trinity St	2/9/2006	5.768	Metals	6020	STL		< 34.7	< 1730
GS020906-1	G6B1101950	2 - Thames St	2/9/2006	5.768	Metals	6020	STL		< 34.7	< 1730
GS020906-1	G6B1101950	Greenwich	2/9/2006	5.744	Metals	6020	STL		< 34.8	< 1740

Benign	Cadmium C	Chromium (	Copper Con	Lead Conce	Manganese	Nickel Conc	Zinc Conce	Exceeds Tar	Exceeds EPA	Comments
20	40	600	10,000	1,500	500	200	16,000	Air Quality	Site Specific	
200	2,000	600	100,000	5,000	500	28,000	160,000	Levels?	Trigger Levels?	
< 17.4	< 17.4	< 174	< 87	< 17.4	< 87	< 87	< 348	No	No	
< 17.3	< 17.3	< 173	< 86.7	< 17.3	< 86.7	< 86.7	< 347	No	No	
< 17.3	< 17.3	< 173	< 86.6	< 17.3	< 86.6	< 86.6	< 346	No	No	
< 17.5	< 17.5	< 175	< 87.6	< 17.5	< 87.6	< 87.6	< 350	No	No	
< 17.5	< 17.5	< 175	< 87.4	< 17.5	< 87.4	< 87.4	< 350	No	No	
< 17.4	< 17.4	< 174	< 87.2	< 17.4	< 87.2	< 87.2	< 349	No	No	
< 17.7	< 17.7	< 177	< 88.5	< 17.7	< 88.5	< 88.5	< 354	No	No	
< 17.5	< 17.5	< 175	< 87.6	< 17.5	< 87.6	< 87.6	< 351	No	No	
< 17.5	< 17.5	< 175	< 87.7	< 17.5	< 87.7	< 87.7	< 351	No	No	
< 17.3	< 17.3	< 173	< 86.6	< 17.3	< 86.6	< 86.6	< 346	No	No	
< 17.3	< 17.3	< 173	< 86.7	< 17.3	< 86.7	< 86.7	< 347	No	No	
< 17.3	< 17.3	< 173	< 86.6	< 17.3	< 86.6	< 86.6	< 346	No	No	
< 17.3	< 17.3	< 173	151	< 17.3	< 86.6	< 86.6	< 346	No	No	
< 17.3	< 17.3	< 173	< 86.6	< 17.3	< 86.6	< 86.6	< 346	No	No	
< 17.3	< 17.3	< 173	< 86.5	< 17.3	< 86.5	< 86.5	< 346	No	No	
< 17.3	< 17.3	< 173	< 86.7	< 17.3	< 86.7	< 86.7	< 347	No	No	
< 17.3	< 17.3	< 173	< 86.6	< 17.3	< 86.6	< 86.6	< 346	No	No	
< 17.3	< 17.3	< 173	< 86.6	< 17.3	< 86.6	< 86.6	< 346	No	No	
< 17.3	< 17.3	< 173	< 86.7	< 17.3	< 86.7	< 86.7	< 347	No	No	
< 17.3	< 17.3	< 173	< 86.7	< 17.3	< 86.7	< 86.7	< 347	No	No	
< 17.3	< 17.3	< 173	< 86.7	< 17.3	< 86.7	< 86.7	< 347	No	No	
< 17.3	< 17.3	< 173	< 86.7	< 17.3	< 86.7	< 86.7	< 347	No	No	
< 17.4	< 17.4	< 174	< 87	< 17.4	< 87	< 87	< 348	No	No	

CITY_21MC100_003239500

Lab Name	Field Sample	Sample Location	Date Collected	Volume Collected	Volume Unit	Lab Sample ID	Date Received
Target Air Quality Levels							
EPA Site Specific Trigger Levels							
EMSL	3S 020306-100	TRINITY R	02/03/2006	1.285	Cubic Meters	0602399-000	02/08/2006
EMSL	3S 020306-14	HAMES STR	02/03/2006	1.220	Cubic Meters	0602399-000	02/08/2006
EMSL	3S 020306-1	EENWICH S	02/03/2006	1.280	Cubic Meters	0602399-000	02/08/2006
EMSL	3S 020406-100	TRINITY R	02/04/2006	0.990	Cubic Meters	0602402-000	02/08/2006
EMSL	3S 020406-14	HAMES STR	02/04/2006	0.940	Cubic Meters	0602402-000	02/08/2006
EMSL	3S 020406-1	EENWICH S	02/04/2006	0.964	Cubic Meters	0602402-000	02/08/2006
EMSL	3S 020506-100	TRINITY R	02/05/2006	1.016	Cubic Meters	0602392-000	02/08/2006
EMSL	3S 020506-14	HAMES STR	02/05/2006	0.986	Cubic Meters	0602392-000	02/08/2006
EMSL	3S 020506-1	EENWICH S	02/05/2006	0.962	Cubic Meters	0602392-000	02/08/2006
EMSL	3S 020606-100	TRINITY R	02/06/2006	1.016	Cubic Meters	0602394-000	02/08/2006
EMSL	3S 020606-14	HAMES STR	02/06/2006	0.922	Cubic Meters	0602394-000	02/08/2006
EMSL	3S 020606-1	EENWICH S	02/06/2006	0.922	Cubic Meters	0602394-000	02/08/2006
EMSL	3S 020706-100	TRINITY R	02/07/2006	1.000	Cubic Meters	0602504-000	02/09/2006
EMSL	3S 020706-14	HAMES STR	02/07/2006	0.982	Cubic Meters	0602504-000	02/09/2006
EMSL	3S 020706-1	EENWICH S	02/07/2006	0.964	Cubic Meters	0602504-000	02/09/2006
EMSL	3S 020706-2	ION #2/DUPI	02/07/2006	0.976	Cubic Meters	0602504-000	02/09/2006
EMSL	3S 020806-100	TRINITY R	02/08/2006	0.950	Cubic Meters	0602613-000	02/10/2006
EMSL	3S 020806-14	HAMES STR	02/08/2006	0.942	Cubic Meters	0602613-000	02/10/2006
EMSL	3S 020806-1	EENWICH S	02/08/2006	0.920	Cubic Meters	0602613-000	02/10/2006
EMSL	3S 020906-100	TRINITY R	02/09/2006	0.982	Cubic Meters	0602724-000	02/11/2006
EMSL	3S 020906-14	HAMES STR	02/09/2006	0.958	Cubic Meters	0602724-000	02/11/2006
EMSL	3S 020906-1	EENWICH S	02/09/2006	0.954	Cubic Meters	0602724-000	02/11/2006

Date Analyzed	Analytical Method	Parameter Name	Concentration	Unit	Date Reported	Exceeds Target	Exceeds EPA
			10 ug/m3			Air Quality Levels?	Site Specific Trigger Levels?
02/10/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	02/13/2006	No	No
02/10/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	02/13/2006	No	No
02/10/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	02/13/2006	No	No
02/09/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	02/10/2006	No	No
02/09/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	02/10/2006	No	No
02/09/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	02/10/2006	No	No
02/09/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	02/10/2006	No	No
02/09/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	02/10/2006	No	No
02/09/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	02/10/2006	No	No
02/09/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	02/10/2006	No	No
02/09/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	02/10/2006	No	No
02/09/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	02/10/2006	No	No
02/10/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	02/13/2006	No	No
02/10/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	02/13/2006	No	No
02/10/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	02/13/2006	No	No
02/10/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	02/13/2006	No	No
02/14/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	02/15/2006	No	No
02/14/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	02/15/2006	No	No
02/14/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	02/15/2006	No	No
02/13/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	02/14/2006	No	No
02/13/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	02/14/2006	No	No
02/13/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	02/14/2006	No	No

Comments