

Field Sample	Sample No.	Sampling Location	Action Start	Work Shift	Sample Volume	Analyte	Analytical Method	Lab	Sample Received	ME Concentration	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels										0.0009			
EPA Site Specific Trigger Levels										N/A			
GS031006-0	030607644-0#1	100 TRIN	3/10/2006	Abatement	2.922	Asbestos	PCME	EMSL	3/13/2006	< 0.00084	No	No	
GS031006-0	030607644-0#2	THAMES	3/10/2006	Abatement	2.898	Asbestos	PCME	EMSL	3/13/2006	< 0.00085	No	No	
GS031006-0	030607644-0#3	GREENW	3/10/2006	Abatement	2.886	Asbestos	PCME	EMSL	3/13/2006	Not Analyzed			See Note 1
GS031106-0	030607646-0#1	100 TRIN	3/11/2006	Abatement	2.922	Asbestos	PCME	EMSL	3/13/2006	< 0.00084	No	No	
GS031106-0	030607646-0#2	THAMES	3/11/2006	Abatement	2.892	Asbestos	PCME	EMSL	3/13/2006	< 0.00085	No	No	
GS031106-0	030607646-0#3	GREENW	3/11/2006	Abatement	2.904	Asbestos	PCME	EMSL	3/13/2006	< 0.00085	No	No	
GS031206-0	030607642-0#1	100 TRIN	3/12/2006	Abatement	2.874	Asbestos	PCME	EMSL	3/13/2006	< 0.00086	No	No	
GS031206-0	030607642-0#2	THAMES	3/12/2006	Abatement	2.940	Asbestos	PCME	EMSL	3/13/2006	< 0.00084	No	No	
GS031206-0	030607642-0#3	GREENW	3/12/2006	Abatement	2.934	Asbestos	PCME	EMSL	3/13/2006	< 0.00084	No	No	
GS031306-0	030607772-0#1	100 TRIN	3/13/2006	Abatement	2.892	Asbestos	PCME	EMSL	3/14/2006	< 0.00085	No	No	
GS031306-0	030607772-0#2	THAMES	3/13/2006	Abatement	2.910	Asbestos	PCME	EMSL	3/14/2006	< 0.00085	No	No	
GS031306-0	030607772-0#3	GREENW	3/13/2006	Abatement	2.898	Asbestos	PCME	EMSL	3/14/2006	< 0.00085	No	No	
GS031406-0	030607909-0#1	100 TRIN	3/14/2006	Abatement	2.910	Asbestos	PCME	EMSL	3/15/2006	< 0.00085	No	No	
GS031406-0	030607909-0#2	THAMES	3/14/2006	Abatement	2.886	Asbestos	PCME	EMSL	3/15/2006	< 0.00079	No	No	
GS031406-0	030607909-0#3	GREENW	3/14/2006	Abatement	2.880	Asbestos	PCME	EMSL	3/15/2006	< 0.00079	No	No	
GS031406-1	030607909-0	DUPLICATE	3/14/2006	Abatement	2.862	Asbestos	PCME	EMSL	3/15/2006	< 0.00080	No	No	
GS031506-0	030608017-0#1	100 TRIN	3/15/2006	Abatement	2.916	Asbestos	PCME	EMSL	3/16/2006	< 0.00085	No	No	
GS031506-0	030608017-0#2	THAMES	3/15/2006	Abatement	2.916	Asbestos	PCME	EMSL	3/16/2006	< 0.00085	No	No	
GS031506-0	030608017-0#3	GREENW	3/15/2006	Abatement	2.910	Asbestos	PCME	EMSL	3/16/2006	< 0.00085	No	No	
GS031606-0	030608212-0#1	100 TRIN	3/16/2006	Abatement	3.018	Asbestos	PCME	EMSL	3/17/2006	< 0.00082	No	No	
GS031606-0	030608212-0#2	THAMES	3/16/2006	Abatement	2.952	Asbestos	PCME	EMSL	3/17/2006	< 0.00084	No	No	
GS031606-0	030608212-0#3	GREENW	3/16/2006	Abatement	2.916	Asbestos	PCME	EMSL	3/17/2006	< 0.00085	No	No	
Note 1: Filter blown													
2nd shift 03-10-06 to 03-16-06. No second shift worked 3/10 to 3/12.													
		#1 100 TRIN	3/10/2006	Abatement		Asbestos	PCME	EMSL					
		#2 THAMES	3/10/2006	Abatement		Asbestos	PCME	EMSL					
		#3 GREENW	3/10/2006	Abatement		Asbestos	PCME	EMSL					
		#1-100 TRIN	3/11/2006	Abatement		Asbestos	PCME	EMSL					
		#2-THAMES	3/11/2006	Abatement		Asbestos	PCME	EMSL					
		#3 GREENW	3/11/2006	Abatement		Asbestos	PCME	EMSL					
		#1-100 TRIN	3/12/2006	Abatement		Asbestos	PCME	EMSL					
		#2-THAMES	3/12/2006	Abatement		Asbestos	PCME	EMSL					
		#3 GREENW	3/12/2006	Abatement		Asbestos	PCME	EMSL					
2GS031306-	030607771-0#1	100 TRIN	3/13/2006	Abatement	2.670	Asbestos	PCME	EMSL	3/14/2006	< 0.00079	No	No	
2GS031306-	030607771-0#2	THAMES	3/13/2006	Abatement	2.652	Asbestos	PCME	EMSL	3/14/2006	< 0.00080	No	No	
2GS031306-	030607771-0#3	GREENW	3/13/2006	Abatement	2.640	Asbestos	PCME	EMSL	3/14/2006	< 0.00080	No	No	
2GS031406-	030607911-0#1	100 TRIN	3/14/2006	Abatement	2.550	Asbestos	PCME	EMSL	3/15/2006	< 0.00089	No	No	
2GS031406-	030607911-0#2	THAMES	3/14/2006	Abatement	2.568	Asbestos	PCME	EMSL	3/15/2006	< 0.00089	No	No	
2GS031406-	030607911-0#3	GREENW	3/14/2006	Abatement	2.556	Asbestos	PCME	EMSL	3/15/2006	< 0.00089	No	No	
2GS031506-	030608022-0#1	100 TRIN	3/15/2006	Abatement	2.544	Asbestos	PCME	EMSL	3/16/2006	< 0.00083	No	No	
2GS031506-	030608022-0#2	THAMES	3/15/2006	Abatement	2.538	Asbestos	PCME	EMSL	3/16/2006	< 0.00083	No	No	
2GS031506-	030608022-0#3	GREENW	3/15/2006	Abatement	2.814	Asbestos	PCME	EMSL	3/16/2006	< 0.00081	No	No	
2GS031606-	030608214-0#1	100 TRIN	3/16/2006	Abatement	2.424	Asbestos	PCME	EMSL	3/17/2006	< 0.00081	No	No	
2GS031606-	030608214-0#2	THAMES	3/16/2006	Abatement	2.418	Asbestos	PCME	EMSL	3/17/2006	< 0.00082	No	No	
2GS031606-	030608214-0#3	GREENW	3/16/2006	Abatement	2.532	Asbestos	PCME	EMSL	3/17/2006	< 0.00084	No	No	

Field Samp	Sample No.	Sampling Location	Collection Date	Work Shift	Sample Volume	Analyte	Analytical Method	Lab	Sample Received	RA Concentration
Target Air Quality Levels										N/A
EPA Site Specific Trigger Levels										70
GS031006-0	030607644-0#1	100 TRINI	3/10/2006	Abatement	2.922	Asbestos	TEM EPA 40 EMSL		3/13/2006	<13
GS031006-0	030607644-0#2	THAMES :	3/10/2006	Abatement	2.898	Asbestos	TEM EPA 40 EMSL		3/13/2006	<13
GS031006-0	030607644-0#3	GREENW	3/10/2006	Abatement	2.886	Asbestos	TEM EPA 40 EMSL		3/13/2006	Not Analyzed
GS031106-0	030607646-0# 1-	100 TRIN	3/11/2006	Abatement	2.922	Asbestos	TEM EPA 40 EMSL		3/13/2006	< 13
GS031106-0	030607646-0# 2 -	THAME:	3/11/2006	Abatement	2.892	Asbestos	TEM EPA 40 EMSL		3/13/2006	< 13
GS031106-0	030607646-0# 3	GREENV	3/11/2006	Abatement	2.904	Asbestos	TEM EPA 40 EMSL		3/13/2006	< 13
GS031206-0	030607642-0# 1-	100 TRIN	3/12/2006	Abatement	2.874	Asbestos	TEM EPA 40 EMSL		3/13/2006	< 13
GS031206-0	030607642-0# 2 -	THAME:	3/12/2006	Abatement	2.940	Asbestos	TEM EPA 40 EMSL		3/13/2006	< 13
GS031206-0	030607642-0# 3	GREENV	3/12/2006	Abatement	2.934	Asbestos	TEM EPA 40 EMSL		3/13/2006	< 13
GS031306-0	030607772-0# 1-	100 TRIN	3/13/2006	Abatement	2.892	Asbestos	TEM EPA 40 EMSL		3/14/2006	< 13
GS031306-0	030607772-0# 2 -	THAME:	3/13/2006	Abatement	2.910	Asbestos	TEM EPA 40 EMSL		3/14/2006	< 13
GS031306-0	030607772-0# 3	GREENV	3/13/2006	Abatement	2.898	Asbestos	TEM EPA 40 EMSL		3/14/2006	< 13
GS031406-0	030607909-0# 1-	100 TRIN	3/14/2006	Abatement	2.910	Asbestos	TEM EPA 40 EMSL		3/15/2006	< 13
GS031406-0	030607909-0# 2-	THAMES	3/14/2006	Abatement	2.886	Asbestos	TEM EPA 40 EMSL		3/15/2006	< 13
GS031406-0	030607909-0# 3-	GREENV	3/14/2006	Abatement	2.880	Asbestos	TEM EPA 40 EMSL		3/15/2006	< 13
GS031406-1	030607909-0	DUPLICATE	3/14/2006	Abatement	2.862	Asbestos	TEM EPA 40 EMSL		3/15/2006	< 13
GS031506-0	030608017-0#1-100	TRINI	3/15/2006	Abatement	2.916	Asbestos	TEM EPA 40 EMSL		3/16/2006	< 13
GS031506-0	030608017-0#2-	THAMES	3/15/2006	Abatement	2.916	Asbestos	TEM EPA 40 EMSL		3/16/2006	< 13
GS031506-0	030608017-0#3-	GREENW	3/15/2006	Abatement	2.910	Asbestos	TEM EPA 40 EMSL		3/16/2006	< 13
GS031606-0	030608212-0#1-100	TRINI	3/16/2006	Abatement	3.018	Asbestos	TEM EPA 40 EMSL		3/17/2006	< 13
GS031606-0	030608212-0#2-	THAMES	3/16/2006	Abatement	2.952	Asbestos	TEM EPA 40 EMSL		3/17/2006	< 13
GS031606-0	030608212-0#3-	GREENW	3/16/2006	Abatement	2.916	Asbestos	TEM EPA 40 EMSL		3/17/2006	< 13

Note 1: Filter blown

2nd shift 03-10-06 to 03-16-06. No second shift worked 3/10 to 3/12.

#1 100 TRINI	3/10/2006	Abatement	Asbestos	TEM EPA 40 EMSL
#2 THAMES :	3/10/2006	Abatement	Asbestos	TEM EPA 40 EMSL
#3 GREENW	3/10/2006	Abatement	Asbestos	TEM EPA 40 EMSL
# 1- 100 TRIN	3/11/2006	Abatement	Asbestos	TEM EPA 40 EMSL
# 2 - THAME:	3/11/2006	Abatement	Asbestos	TEM EPA 40 EMSL
# 3 GREENV	3/11/2006	Abatement	Asbestos	TEM EPA 40 EMSL
# 1- 100 TRIN	3/12/2006	Abatement	Asbestos	TEM EPA 40 EMSL

CITY_21MC100_011982331

Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?
No	No
No	No
See Note 1	
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No

# 2 - THAME:	3/12/2006	Abatement	Asbestos	TEM EPA 40 EMSL		
# 3 GREENV	3/12/2006	Abatement	Asbestos	TEM EPA 40 EMSL		
2GS031306-030607771-0# 1- 100 TRIN	3/13/2006	Abatement	2.670 Asbestos	TEM EPA 40 EMSL	3/14/2006	< 13
2GS031306-030607771-0# 2 - THAME:	3/13/2006	Abatement	2.652 Asbestos	TEM EPA 40 EMSL	3/14/2006	< 13
2GS031306-030607771-0# 3 GREENV	3/13/2006	Abatement	2.640 Asbestos	TEM EPA 40 EMSL	3/14/2006	< 13
2GS031406-030607911-0# 1- 100 TRIN	3/14/2006	Abatement	2.550 Asbestos	TEM EPA 40 EMSL	3/15/2006	< 13
2GS031406-030607911-0# 2- THAMES	3/14/2006	Abatement	2.568 Asbestos	TEM EPA 40 EMSL	3/15/2006	< 13
2GS031406-030607911-0# 3- GREENV	3/14/2006	Abatement	2.556 Asbestos	TEM EPA 40 EMSL	3/15/2006	< 13
2GS031506-030608022-0#1-100 TRINI	3/15/2006	Abatement	2.544 Asbestos	TEM EPA 40 EMSL	3/16/2006	< 11
2GS031506-030608022-0#2-THAMES	3/15/2006	Abatement	2.538 Asbestos	TEM EPA 40 EMSL	3/16/2006	< 11
2GS031506-030608022-0#3-GREENW	3/15/2006	Abatement	2.814 Asbestos	TEM EPA 40 EMSL	3/16/2006	< 13
2GS031606-030608214-0#1-100 TRINI	3/16/2006	Abatement	2.424 Asbestos	TEM EPA 40 EMSL	3/17/2006	< 11
2GS031606-030608214-0#2-THAMES	3/16/2006	Abatement	2.418 Asbestos	TEM EPA 40 EMSL	3/17/2006	< 11
2GS031606-030608214-0#3-GREENW	3/16/2006	Abatement	2.532 Asbestos	TEM EPA 40 EMSL	3/17/2006	< 13

No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No

Field Sample	Sampling Location	Time Reading	ion time (mi)	Analyte	lytical Meth	Instrument	late PM 2.5	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels							40			
EPA Site Specific Trigger Levels							65			
31006-EBAM- 100 Trinity		3/10/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	12.49	No	No	
31006-EBAM2 - Thames S		3/10/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	16.58	No	No	
31006-EBAM - Greenwich		3/10/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	15.27	No	No	
31006-TEOM- 100 Trinity		3/10/2006	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		15.26	No	No	
31106-EBAM- 100 Trinity		3/11/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	10.01	No	No	
31106-EBAM2 - Thames S		3/11/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	11.06	No	No	
31106-EBAM - Greenwich		3/11/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	11.90	No	No	
31106-TEOM- 100 Trinity		3/11/2006	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		13.24	No	No	
31206-TEOM- 100 Trinity		3/12/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	16.42	No	No	
31206-TEOM2 - Thames S		3/12/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	20.10	No	No	
31206-TEOM - Greenwich		3/12/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	18.54	No	No	
31206-TEOM- 100 Trinity		3/12/2006	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		16.28	No	No	
31306-EBAM- 100 Trinity		3/13/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	26.67	No	No	
31306-EBAM2 - Thames S		3/13/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	31.59	No	No	
31306-EBAM - Greenwich		3/13/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	35.74	No	No	
31306-TEOM- 100 Trinity		3/13/2006	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		25.25	No	No	
31406-EBAM- 100 Trinity		3/14/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	12.57	No	No	
31406-EBAM2 - Thames S		3/14/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	20.37	No	No	
31406-EBAM - Greenwich		3/14/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	15.43	No	No	
31406-TEOM- 100 Trinity		3/14/2006	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		12.64	No	No	
31506-EBAM- 100 Trinity		3/15/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	8.40	No	No	
31506-EBAM2 - Thames S		3/15/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	8.83	No	No	
31506-EBAM - Greenwich		3/15/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	6.81	No	No	
31506-TEOM- 100 Trinity		3/15/2006	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		8.27	No	No	
31606-EBAM- 100 Trinity		3/16/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	7.83	No	No	
31606-EBAM2 - Thames S		3/16/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	7.92	No	No	
31606-EBAM - Greenwich		3/16/2006	1440	Particulate 2.5t	Real-time Fne	EBAM PM	7.69	No	No	
31606-TEOM- 100 Trinity		3/16/2006	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		8.19	No	No	

CITY_21MC100_011982335

Field Sampling Location	Time Reading	ion time (mi	Analyte	alytical Meth	Instrument	late PM 10 (
Target Air Quality Levels						150
EPA Site Specific Trigger Levels						150
131006-EBAM - 100 Trinity I	3/10/2006	1440	Particulate 1C	Real-time Re	One EBAM PI	35.19
131006-EBAM2 - Thames S	3/10/2006	1440	Particulate 1C	Real-time Re	One EBAM PI	30.69
131006-EBAM - Greenwich	3/10/2006	1440	Particulate 1C	Real-time Re	One EBAM PI	27.49
131006-TEOM - Greenwich	3/10/2006	1440	Particulate 1C	Real-time Re	TEOM PM 10	21.91
131106-EBAM - 100 Trinity I	3/11/2006	1440	Particulate 1C	Real-time Re	One EBAM PI	17.68
131106-EBAM2 - Thames S	3/11/2006	1440	Particulate 1C	Real-time Re	One EBAM PI	19.08
131106-EBAM - Greenwich	3/11/2006	1440	Particulate 1C	Real-time Re	One EBAM PI	18.62
131106-TEOM - Greenwich	3/11/2006	1440	Particulate 1C	Real-time Re	TEOM PM 10	14.56
131206-EBAM - 100 Trinity I	3/12/2006	1440	Particulate 1C	Real-time Re	One EBAM PI	26.17
131206-EBAM2 - Thames S	3/12/2006	1440	Particulate 1C	Real-time Re	One EBAM PI	29.59
131206-EBAM - Greenwich	3/12/2006	1440	Particulate 1C	Real-time Re	One EBAM PI	36.76
131206-TEOM - Greenwich	3/12/2006	1440	Particulate 1C	Real-time Re	TEOM PM 10	12.01
131306-EBAM - 100 Trinity I	3/13/2006	1440	Particulate 1C	Real-time Re	One EBAM PI	53.98
131306-EBAM2 - Thames S	3/13/2006	1440	Particulate 1C	Real-time Re	One EBAM PI	62.15
131306-EBAM - Greenwich	3/13/2006	1440	Particulate 1C	Real-time Re	One EBAM PI	53.76
131306-TEOM - Greenwich	3/13/2006	1440	Particulate 1C	Real-time Re	TEOM PM 10	23.33
131406-EBAM - 100 Trinity I	3/14/2006	1440	Particulate 1C	Real-time Re	One EBAM PI	27.10
131406-EBAM2 - Thames S	3/14/2006	1440	Particulate 1C	Real-time Re	One EBAM PI	42.67
131406-EBAM - Greenwich	3/14/2006	1440	Particulate 1C	Real-time Re	One EBAM PI	33.91
131406-TEOM - Greenwich	3/14/2006	1440	Particulate 1C	Real-time Re	TEOM PM 10	14.98
131506-EBAM - 100 Trinity I	3/15/2006	1440	Particulate 1C	Real-time Re	One EBAM PI	14.92
131506-EBAM2 - Thames S	3/15/2006	1440	Particulate 1C	Real-time Re	One EBAM PI	40.80
131506-EBAM - Greenwich	3/15/2006	1440	Particulate 1C	Real-time Re	One EBAM PI	20.26
131506-TEOM - Greenwich	3/15/2006	1440	Particulate 1C	Real-time Re	TEOM PM 10	10.83
131606-EBAM - 100 Trinity I	3/16/2006	1440	Particulate 1C	Real-time Re	One EBAM PI	14.42
131606-EBAM2 - Thames S	3/16/2006	1440	Particulate 1C	Real-time Re	One EBAM PI	15.99
131606-EBAM - Greenwich	3/16/2006	1440	Particulate 1C	Real-time Re	One EBAM PI	14.60
131606-TEOM - Greenwich	3/16/2006	1440	Particulate 1C	Real-time Re	TEOM PM 10	9.32

Lab Name	Field Sample	Sampling Location	Section Start	Sample Volume	Volume unit	Lab Sample ID	Sample received	Date Analyzed	Analytical Method	Parameter
Target Air Quality Levels										
EPA Site Specific Trigger Levels										
BRL	GS 031006-05	#1 - 100 Trinity Roof	03/10/2006	0.5784	m3	06BR0359-01	03/14/2006	03/15/2006	EPA 324/1631	Hg
BRL	GS 031006-06	#2 - Thames Street	03/10/2006	0.57156	m3	06BR0359-02	03/14/2006	03/15/2006	EPA 324/1631	Hg
BRL	GS 031006-07	#3 - Greenwich Street	03/10/2006	0.580	m3	06BR0359-03	03/14/2006	03/15/2006	EPA 324/1631	Hg
BRL	GS 031106-05	#1 - 100 Trinity Roof	03/11/2006	0.5676	m3	06BR0360-01	03/14/2006	03/15/2006	EPA 324/1631	Hg
BRL	GS 031106-06	#2 - Thames Street	03/11/2006	0.560505	m3	06BR0360-02	03/14/2006	03/15/2006	EPA 324/1631	Hg
BRL	GS 031106-07	#3 - Greenwich Street	03/11/2006	0.5664	m3	06BR0360-03	03/14/2006	03/15/2006	EPA 324/1631	Hg
BRL	GS 031206-05	#1 - 100 Trinity Roof	03/12/2006	0.5768	m3	06BR0361-01	03/14/2006	03/15/2006	EPA 324/1631	Hg
BRL	GS 031206-06	#2 - Thames Street	03/12/2006	0.5688	m3	06BR0361-02	03/14/2006	03/15/2006	EPA 324/1631	Hg
BRL	GS 031206-07	#3 - Greenwich Street	03/12/2006	0.5776	m3	06BR0361-03	03/14/2006	03/15/2006	EPA 324/1631	Hg
BRL	GS 031306-05	#1 - 100 Trinity Roof	03/13/2006	0.56959	m3	06BR0371-01	03/15/2006	03/17/2006	EPA 324/1631	Hg
BRL	GS 031306-06	#2 - Thames Street	03/13/2006	0.57078	m3	06BR0371-02	03/15/2006	03/17/2006	EPA 324/1631	Hg
BRL	GS 031306-07	#3 - Greenwich Street	03/13/2006	0.5772	m3	06BR0371-03	03/15/2006	03/17/2006	EPA 324/1631	Hg

CITY_21MC100_011982338

Concentration	Unit	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
300 ng/m3					
3000 ng/m3					
< 5.5ng/m3		03/17/2006	No	No	
< 5.6ng/m3		03/17/2006	No	No	
< 5.5ng/m3		03/17/2006	No	No	
< 5.6ng/m3		03/17/2006	No	No	
< 5.7ng/m3		03/17/2006	No	No	
< 5.7ng/m3		03/17/2006	No	No	
< 5.5ng/m3		03/17/2006	No	No	
< 5.6ng/m3		03/17/2006	No	No	
< 5.5ng/m3		03/17/2006	No	No	
~ 8.0ng/m3		03/20/2006	No	No	
~ 6.4ng/m3		03/20/2006	No	No	
~ 6.5ng/m3		03/20/2006	No	No	

CITY_21MC100_011982339

BRL	GS 031406-05	#1 - 100 Trinity Roof	03/14/2006	0.55893	m3	06BR0380-01	03/16/2006	03/20/2006	EPA 324/1631	Hg
BRL	GS 031406-06	#2 - Thames Street	03/14/2006	0.5676	m3	06BR0380-02	03/16/2006	03/20/2006	EPA 324/1631	Hg
BRL	GS 031406-07	#3 - Greenwich Street	03/14/2006	0.568	m3	06BR0380-03	03/16/2006	03/20/2006	EPA 324/1631	Hg
BRL	GS 031406-18	Duplicate	03/14/2006	0.5688	m3	06BR0380-05	03/16/2006	03/20/2006	EPA 324/1631	Hg
BRL	GS 031506-05	#1 - 100 Trinity Roof	03/15/2006	0.5764	m3	06BR0395-01	03/17/2006	03/21/2006	EPA 324/1631	Hg
BRL	GS 031506-06	#2 - Thames Street	03/15/2006	0.576	m3	06BR0395-02	03/17/2006	03/21/2006	EPA 324/1631	Hg
BRL	GS 031506-07	#3 - Greenwich Street	03/15/2006	0.5744	m3	06BR0395-03	03/17/2006	03/21/2006	EPA 324/1631	Hg
BRL	GS 031606-05	#1 - 100 Trinity Roof	03/16/2006	0.5708	m3	06BR0401-01	03/20/2006	03/22/2006	EPA 324/1631	Hg
BRL	GS 031606-06	#2 - Thames Street	03/16/2006	0.55887	m3	06BR0401-02	03/20/2006	03/22/2006	EPA 324/1631	Hg
BRL	07	Street	03/16/2006	0.5732	m3	03	03/20/2006	03/22/2006	EPA 324/1631	Hg

< 5.7ng/m3	03/21/2006	No	No
< 5.6ng/m3	03/21/2006	No	No
< 5.6ng/m3	03/21/2006	No	No
< 5.6ng/m3	03/21/2006	No	No
< 5.6ng/m3	03/22/2006	No	No
< 5.6ng/m3	03/22/2006	No	No
< 5.6ng/m3	03/22/2006	No	No
< 5.6ng/m3	03/23/2006	No	No
< 5.7ng/m3	03/23/2006	No	No
< 5.6ng/m3	03/23/2006	No	No

Mercury Lumex RA 915+ Running Daa = sampling station (60 sec avg) b = perimeter walk (120 sec avg)
 all readings are in ng/m³ AM = first reading of day PM = last reading of day
 Target air quality level: 300 ng/m³ #1 - Trinity #2 - Thames #3 - Greenwich
 USEPA site specific mercury trigger level: 3000 ng/m³ Exceedance

Time	Location #1	Location # 1	Location # 2	Location # 2	Location # 3	Location # 3b
03/10/06 AM	11	11.8	14.3	14.3	16.8	19.7 No
03/10/06 PM	13	12.3	13.8	12.7	20.3	22.8 No
03/11/06 AM	11	11	13	12.2	18.8	19.8 No
03/11/06 PM	11	11.4	13.7	13.1	17.7	19.2 No
03/12/06 AM	10.7	11.5	13.7	13.5	16.8	18.3 No
03/12/06 PM	11.3	11.3	16	14.9	19.7	19.2 No
03/13/06 AM	11.5	11	13.3	12.5	16.7	18.3 No
03/13/06 PM	10	11.3	13.8	13.3	18	20.3 No
03/14/06 AM	11.3	12	14.3	14.1	20.3	27.2 No
03/14/06 PM	12	13.2	14.8	15.9	19.2	26.7 No
03/15/06 AM	10.2	10.1	14	13.3	19.8	20.3 No
03/15/06 PM	11.3	10.1	15	15.5	19.7	20.3 No
03/16/06 AM	10.8	11.3	14.2	15.7	18.8	19.8 No
03/16/06 PM	9.2	9.3	13	13.8	19.7	20.6 No

)

CITY_21MC100_011982343

Airtek Field	Sample No.	Sampling Location	Collection Date	Sample Volume	Analyte	Analytical Method	Lab	Lab Sample	Antimony Concentration	Barium Concentration
Target Air Quality Levels									5,000	5,000
EPA Site Specific Trigger Levels									14,000	5,000
GS031006-0	G6C1402080	1 - Trinity St	3/10/2006	5.784	Metals	6020	STL		< 34.6	< 1730
GS031006-1	G6C14020802	- Thames St	3/10/2006	5.8	Metals	6020	STL		< 34.5	< 1720
GS031006-1	G6C1402080	- Greenwich St	3/10/2006	5.792	Metals	6020	STL		< 34.5	< 1730
GS031106-0	G6C1402140	1 - Trinity St	3/11/2006	5.672	Metals	6020	STL		< 35.3	< 1760
GS031106-1	G6C14021402	- Thames St	3/11/2006	5.664	Metals	6020	STL		< 35.3	< 1760
GS031106-1	G6C1402140	- Greenwich St	3/11/2006	5.66	Metals	6020	STL		< 35.3	< 1770
GS031206-0	G6C1402030	1 - Trinity St	3/12/2006	5.764	Metals	6020	STL		< 34.7	< 1730
GS031206-1	G6C14020302	- Thames St	3/12/2006	5.752	Metals	6020	STL		< 34.8	< 1740
GS031206-1	G6C1402030	- Greenwich St	3/12/2006	5.772	Metals	6020	STL		< 34.6	< 1730
GS031306-0	G6C1501810	1 - Trinity St	3/13/2006	5.772	Metals	6020	STL		< 34.6	< 1730
GS031306-1	G6C15018102	- Thames St	3/13/2006	5.78	Metals	6020	STL		< 34.6	< 1730
GS031306-1	G6C1501810	- Greenwich St	3/13/2006	5.78	Metals	6020	STL		< 34.6	< 1730
GS031406-0	G6C1602060	1 - Trinity St	3/14/2006	5.656	Metals	6020	STL		< 35.4	< 1770
GS031406-1	G6C16020602	- Thames St	3/14/2006	5.668	Metals	6020	STL		< 35.3	< 1760
GS031406-1	G6C1602060	- Greenwich St	3/14/2006	5.668	Metals	6020	STL		< 35.3	< 1760
GS031406-1	G6C1602060	Duplicate	3/14/2006	5.712	Metals	6020	STL		< 35	< 1750
GS031506-0	G6C1701780	1 - Trinity St	3/15/2006	5.768	Metals	6020	STL		< 34.7	< 1730
GS031506-1	G6C17017802	- Thames St	3/15/2006	5.768	Metals	6020	STL		< 34.7	< 1730
GS031506-1	G6C1701780	- Greenwich St	3/15/2006	5.748	Metals	6020	STL		< 34.8	< 1740
GS031606-0	G6C2001270	1 - Trinity St	3/16/2006	5.708	Metals	6020	STL		< 35	< 1750
GS031606-1	G6C20012702	- Thames St	3/16/2006	5.724	Metals	6020	STL		< 34.9	< 1750
GS031606-1	G6C2001270	- Greenwich St	3/16/2006	5.732	Metals	6020	STL		< 34.9	< 1740

Benzene C	Cadmium C	Chromium (C)	Copper Conc	Lead Conc	Manganese	Nickel Conc	Zinc Conc	Exceeds Tar	Exceeds EPA	Comments
20	40	600	10,000	1,500	500	200	16,000	Air Quality	Site Specific	
200	2,000	600	100,000	5,000	500	28,000	160,000	Levels?	Trigger Levels?	
< 17.3	< 17.3	< 173	< 86.4	< 17.3	< 86.4	< 86.4	< 346	No	No	
< 17.2	< 17.2	< 172	< 86.2	< 17.2	< 86.2	< 86.2	< 345	No	No	
< 17.3	< 17.3	< 173	< 86.3	24.6	< 86.3	< 86.3	< 345	No	No	
< 17.6	< 17.6	< 176	< 88.2	< 17.6	< 88.2	< 88.2	< 353	No	No	
< 17.6	< 17.6	< 176	< 88.3	< 17.6	< 88.3	< 88.3	< 353	No	No	
< 17.7	< 17.7	< 177	< 88.3	22.7	< 88.3	< 88.3	< 353	No	No	
< 17.3	< 17.3	< 173	< 86.7	< 17.3	< 86.7	< 86.7	< 347	No	No	
< 17.4	< 17.4	< 174	< 86.9	< 17.4	< 86.9	< 86.9	< 348	No	No	
< 17.3	< 17.3	< 173	< 86.6	< 17.3	< 86.6	< 86.6	< 346	No	No	
< 17.3	< 17.3	< 173	< 86.6	23.9	< 86.6	< 86.6	< 346	No	No	
< 17.3	< 17.3	< 173	< 86.5	< 17.3	< 86.5	< 86.5	< 346	No	No	
< 17.3	< 17.3	< 173	< 86.5	23.2	< 86.5	< 86.5	< 346	No	No	
< 17.7	< 17.7	< 177	< 88.4	< 17.7	< 88.4	< 88.4	< 354	No	No	
< 17.6	< 17.6	< 176	< 88.2	< 17.6	< 88.2	< 88.2	< 353	No	No	
< 17.6	< 17.6	< 176	< 88.2	21.7	< 88.2	< 88.2	< 353	No	No	
< 17.5	< 17.5	< 175	< 87.5	< 17.5	< 87.5	< 87.5	< 350	No	No	
< 17.3	< 17.3	< 173	< 86.7	< 17.3	< 86.7	< 86.7	< 347	No	No	
< 17.3	< 17.3	< 173	< 86.7	< 17.3	< 86.7	< 86.7	< 347	No	No	
< 17.4	< 17.4	< 174	< 87	< 17.4	< 87	< 87	< 348	No	No	
< 17.5	< 17.5	< 175	< 87.6	< 17.5	< 87.6	< 87.6	< 350	No	No	
< 17.5	< 17.5	< 175	< 87.4	< 17.5	< 87.4	< 87.4	< 349	No	No	
< 17.4	< 17.4	< 174	< 87.2	20.6	< 87.2	< 87.2	< 349	No	No	

Lab Name	Field Sample	Sample Location	Date Collected	Volume Collected	Volume Unit	Lab Sample ID	Date Received
Target Air Quality Levels							
EPA Site Specific Trigger Levels							
EMSL	3S	031006-100 TRINITY R	03/10/2006	0.968	Cubic Meters	0604683-000	03/14/2006
EMSL	3S	031006-147 HAMES STR	03/10/2006	0.938	Cubic Meters	0604683-000	03/14/2006
EMSL	3S	031006-111 EENWICH S	03/10/2006	0.976	Cubic Meters	0604683-000	03/14/2006
EMSL	3S	031106-100 TRINITY R	03/11/2006	0.984	Cubic Meters	0604692-000	03/14/2006
EMSL	3S	031106-147 HAMES STR	03/11/2006	0.966	Cubic Meters	0604692-000	03/14/2006
EMSL	3S	031106-111 EENWICH S	03/11/2006	0.976	Cubic Meters	0604692-000	03/14/2006
EMSL	3S	031206-100 TRINITY R	03/12/2006	0.968	Cubic Meters	0604679-000	03/14/2006
EMSL	3S	031206-147 HAMES STR	03/12/2006	0.938	Cubic Meters	0604679-000	03/14/2006
EMSL	3S	031206-111 EENWICH S	03/12/2006	0.976	Cubic Meters	0604679-000	03/14/2006
EMSL	3S	031306-100 TRINITY R	03/13/2006	0.964	Cubic Meters	0604795-000	03/15/2006
EMSL	3S	031306-147 HAMES STR	03/13/2006	0.982	Cubic Meters	0604795-000	03/15/2006
EMSL	3S	031306-111 EENWICH S	03/13/2006	0.968	Cubic Meters	0604795-000	03/15/2006
EMSL	3S	031406-100 TRINITY R	03/14/2006	0.972	Cubic Meters	0604858-000	03/16/2006
EMSL	3S	031406-147 HAMES STR	03/14/2006	0.966	Cubic Meters	0604858-000	03/16/2006
EMSL	3S	031406-111 EENWICH S	03/14/2006	0.956	Cubic Meters	0604858-000	03/16/2006
EMSL	3S	031506-100 TRINITY R	03/15/2006	0.970	Cubic Meters	0604943-000	03/17/2006
EMSL	3S	031506-147 HAMES STR	03/15/2006	0.968	Cubic Meters	0604943-000	03/17/2006
EMSL	3S	031506-111 EENWICH S	03/15/2006	0.956	Cubic Meters	0604943-000	03/17/2006
EMSL	3S	031606-100 TRINITY R	03/16/2006	1.014	Cubic Meters	0605021-000	03/18/2006
EMSL	3S	031606-147 HAMES STR	03/16/2006	0.992	Cubic Meters	0605021-000	03/18/2006
EMSL	3S	031606-111 EENWICH S	03/16/2006	0.976	Cubic Meters	0605021-000	03/18/2006

Note 1: Exceedance report submitted to EPA.

2nd shift 03-10-06 to 03-16-06. No second shift worked 3/10 to 3/12.

		#1-100 TRINITY R	03/10/2006		Cubic Meters	0604181-000	
		#2- THAMES STR	03/10/2006		Cubic Meters	0604181-000	
		#3 GREENWICH S	03/10/2006		Cubic Meters	0604181-000	
		#1-100 TRINITY R	03/11/2006		Cubic Meters	0603473-000	
		#2- THAMES STR	03/11/2006		Cubic Meters	0603473-000	
		#3 GREENWICH S	03/11/2006		Cubic Meters	0603473-000	
		#1-100 TRINITY R	03/12/2006		Cubic Meters	0603463-000	
		#2- THAMES STR	03/12/2006		Cubic Meters	0603463-000	
		#3 GREENWICH S	03/12/2006		Cubic Meters	0603463-000	
EMSL	GS	031306-100 TRINITY R	03/13/2006	0.890	Cubic Meters	0604794-000	03/15/2006
EMSL	GS	031306-147 HAMES STR	03/13/2006	0.882	Cubic Meters	0604794-000	03/15/2006
EMSL	GS	031306-111 EENWICH S	03/13/2006	0.880	Cubic Meters	0604794-000	03/15/2006
EMSL	GS	031406-100 TRINITY R	03/14/2006	0.848	Cubic Meters	0604857-000	03/16/2006
EMSL	GS	031406-147 HAMES STR	03/14/2006	0.856	Cubic Meters	0604857-000	03/16/2006
EMSL	GS	031406-111 EENWICH S	03/14/2006	0.888	Cubic Meters	0604857-000	03/16/2006
EMSL	GS	031506-100 TRINITY R	03/15/2006	0.846	Cubic Meters	0604936-000	03/17/2006
EMSL	GS	031506-147 HAMES STR	03/15/2006	0.842	Cubic Meters	0604936-000	03/17/2006
EMSL	GS	031506-111 EENWICH S	03/15/2006	0.940	Cubic Meters	0604936-000	03/17/2006
EMSL	GS	031606-100 TRINITY R	03/16/2006	0.806	Cubic Meters	0605022-000	03/18/2006
EMSL	GS	031606-147 HAMES STR	03/16/2006	0.808	Cubic Meters	0605022-000	03/18/2006
EMSL	GS	031606-111 EENWICH S	03/16/2006	0.802	Cubic Meters	0605022-000	03/18/2006

Date Analyzed	Analytical Method	Parameter Name	Concentration	Unit	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?
			10 ug/m3				
			10 ug/m3				
03/16/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	03/17/2006	No	No
03/16/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	03/17/2006	No	No
03/16/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	03/17/2006	No	No
03/16/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	03/17/2006	No	No
03/16/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	03/17/2006	No	No
03/16/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	03/17/2006	No	No
03/16/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	03/17/2006	No	No
03/16/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	03/17/2006	No	No
03/16/2006	OSH 7500 XFSilica-Quartz		14	ug/m3	03/17/2006	Yes	Yes
03/17/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	03/20/2006	No	No
03/17/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	03/20/2006	No	No
03/17/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	03/20/2006	No	No
03/20/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	03/21/2006	No	No
03/20/2006	OSH 7500 XFSilica-Quartz		7	ug/m3	03/21/2006	No	No
03/20/2006	OSH 7500 XFSilica-Quartz		6	ug/m3	03/21/2006	No	No
03/21/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	03/22/2006	No	No
03/21/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	03/22/2006	No	No
03/21/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	03/22/2006	No	No
03/22/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	03/23/2006	No	No
03/22/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	03/23/2006	No	No
03/22/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	03/23/2006	No	No

NIOSH 7500 XFSilica-Quartz
 NIOSH 7500 XFSilica-Quartz
 NIOSH 7500 XFSilica-Quartz
 NIOSH 7500 XFSilica-Quartz
 NIOSH 7500 XFSilica-Quartz
 NIOSH 7500 XFSilica-Quartz
 NIOSH 7500 XFSilica-Quartz
 NIOSH 7500 XFSilica-Quartz
 NIOSH 7500 XFSilica-Quartz

03/17/2006	OSH 7500 XFSilica-Quartz		< 6	ug/m3	03/20/2006	No	No
03/17/2006	OSH 7500 XFSilica-Quartz		< 6	ug/m3	03/20/2006	No	No
03/17/2006	OSH 7500 XFSilica-Quartz		< 6	ug/m3	03/20/2006	No	No
03/20/2006	OSH 7500 XFSilica-Quartz		< 6	ug/m3	03/21/2006	No	No
03/20/2006	OSH 7500 XFSilica-Quartz		< 6	ug/m3	03/21/2006	No	No
03/20/2006	OSH 7500 XFSilica-Quartz		< 6	ug/m3	03/21/2006	No	No
03/21/2006	OSH 7500 XFSilica-Quartz		< 6	ug/m3	03/22/2006	No	No
03/21/2006	OSH 7500 XFSilica-Quartz		< 6	ug/m3	03/22/2006	No	No
03/21/2006	OSH 7500 XFSilica-Quartz		< 5	ug/m3	03/22/2006	No	No
03/22/2006	OSH 7500 XFSilica-Quartz		< 6	ug/m3	03/23/2006	No	No
03/22/2006	OSH 7500 XFSilica-Quartz		< 6	ug/m3	03/23/2006	No	No
03/22/2006	OSH 7500 XFSilica-Quartz		< 6	ug/m3	03/23/2006	No	No

Comments

See Note 1