



Customer-Focused Solutions

1430 Broadway, 10th Fl. New York, New York 10018

Phone: (212) 221-7822 - Fax: (212) 221-7840

LMDC Air Metals Profile

Client	Lower Manhattan Development Corporation	Job Number	46600-0000-00001
Address	One Liberty Plaza, 20th Floor	Date Received	4/29/2005
	New York, NY 10006	Date Analyzed	4/29/2005
Collected By	K. Darocha	Job Location	130 Liberty Street
Collected	4/28/2005		
Rotometer	Standard		

Lab ID	010501583-0001	Matrix	Air
Field ID	M-042805-565		
Location	Washington Street/Albany Street		

<u>Parameter</u>	<u>Start</u>	<u>End</u>	<u>Flow</u>	<u>Volume</u>	<u>Result</u>	<u>Units</u>	<u>MDL</u>	<u>MCL</u>	<u>Flag</u>
Barium, Total	16:02	16:01	4	5756	<0.87	µg/m3	0.8700	500	
Beryllium, Total	16:02	16:01	4	5756	<0.035	µg/m3	0.035	1	
Cadmium, Total	16:02	16:01	4	5756	<0.035	µg/m3	0.035	3	
Chromium, Total	16:02	16:01	4	5756	<0.087	µg/m3	0.087	500	
Copper, Total	16:02	16:01	4	5756	<0.17	µg/m3	0.17	500	
Lead, Total	16:02	16:01	4	5756	<0.087	µg/m3	0.087	30	
Manganese, Total	16:02	16:01	4	5756	<0.13	µg/m3	0.13	1000	
Nickel, Total	16:02	16:01	4	5756	<0.17	µg/m3	0.17	500	
Zinc, Total	16:02	16:01	4	5756	<0.17	µg/m3	0.17	2500	

Lab ID	010501583-0002	Matrix	Air
Field ID	M-042805-566		
Location	Albany Street/Greenwich Street		

<u>Parameter</u>	<u>Start</u>	<u>End</u>	<u>Flow</u>	<u>Volume</u>	<u>Result</u>	<u>Units</u>	<u>MDL</u>	<u>MCL</u>	<u>Flag</u>
Barium, Total	16:05	16:04	4	5756	<0.87	µg/m3	0.8700	500	
Beryllium, Total	16:05	16:04	4	5756	<0.035	µg/m3	0.035	1	
Cadmium, Total	16:05	16:04	4	5756	<0.035	µg/m3	0.035	2.5	
Chromium, Total	16:05	16:04	4	5756	<0.087	µg/m3	0.087	500	
Copper, Total	16:05	16:04	4	5756	<0.17	µg/m3	0.17	500	
Lead, Total	16:05	16:04	4	5756	<0.087	µg/m3	0.087	30	
Manganese, Total	16:05	16:04	4	5756	<0.13	µg/m3	0.13	1000	
Nickel, Total	16:05	16:04	4	5756	<0.17	µg/m3	0.17	500	
Zinc, Total	16:05	16:04	4	5756	<0.17	µg/m3	0.17	2500	

MDL = Minimum Detection Limit

MCL = Maximum Contaminant Level

> MCL = Exceeds Maximum Contaminant Level

Samples analyzed by EMSL Analytical, Inc.; NY ELAP ID# 10872 and 11506

Page 1 of 3

CITY_21MC100_003217671



Customer-Focused Solutions

1430 Broadway, 10th Fl. New York, New York 10018
Phone: (212) 221-7822 - Fax: (212) 221-7840

LMDC Air Metals Profile

Client	Lower Manhattan Development Corporation	Job Number	46600-0000-00001
Address	One Liberty Plaza, 20th Floor	Date Received	4/29/2005
	New York, NY 10006	Date Analyzed	4/29/2005
Collected By	K. Darocha	Job Location	130 Liberty Street
Collected	4/28/2005		
Rotometer	Standard		

Lab ID	010501583-0003	Matrix	Air
Field ID	M-042805-567		
Location	Greenwich Street		

<u>Parameter</u>	<u>Start</u>	<u>End</u>	<u>Flow</u>	<u>Volume</u>	<u>Result</u>	<u>Units</u>	<u>MDL</u>	<u>MCL</u>	<u>Flag</u>
Barium, Total	16:08	16:08	4	5760	<0.87	µg/m3	0.8700	500	
Beryllium, Total	16:08	16:08	4	5760	<0.035	µg/m3	0.035	1	
Cadmium, Total	16:08	16:08	4	5760	<0.035	µg/m3	0.035	2.5	
Chromium, Total	16:08	16:08	4	5760	<0.087	µg/m3	0.087	500	
Copper, Total	16:08	16:08	4	5760	<0.17	µg/m3	0.17	500	
Lead, Total	16:08	16:08	4	5760	<0.087	µg/m3	0.087	30	
Manganese, Total	16:08	16:08	4	5760	<0.13	µg/m3	0.13	1000	
Nickel, Total	16:08	16:08	4	5760	<0.17	µg/m3	0.17	500	
Zinc, Total	16:08	16:08	4	5760	<0.17	µg/m3	0.17	2500	

Lab ID	010501583-0004	Matrix	Air
Field ID	M-042805-568		
Location	Greenwich Street/Liberty Street		

<u>Parameter</u>	<u>Start</u>	<u>End</u>	<u>Flow</u>	<u>Volume</u>	<u>Result</u>	<u>Units</u>	<u>MDL</u>	<u>MCL</u>	<u>Flag</u>
Barium, Total	16:11	16:11	4	5760	<0.87	µg/m3	0.8700	500	
Beryllium, Total	16:11	16:11	4	5760	<0.035	µg/m3	0.035	1	
Cadmium, Total	16:11	16:11	4	5760	<0.035	µg/m3	0.035	2.5	
Chromium, Total	16:11	16:11	4	5760	<0.087	µg/m3	0.087	500	
Copper, Total	16:11	16:11	4	5760	<0.17	µg/m3	0.17	500	
Lead, Total	16:11	16:11	4	5760	<0.087	µg/m3	0.087	30	
Manganese, Total	16:11	16:11	4	5760	<0.13	µg/m3	0.13	1000	
Nickel, Total	16:11	16:11	4	5760	<0.17	µg/m3	0.17	500	
Zinc, Total	16:11	16:11	4	5760	<0.17	µg/m3	0.17	2500	

MDL = Minimum Detection Limit
MCL = Maximum Contaminant Level
> MCL = Exceeds Maximum Contaminant Level
Samples analyzed by EMSL Analytical, Inc.; NY ELAP ID# 10872 and 11506



Customer-Focused Solutions

1430 Broadway, 10th Fl. New York, New York 10018
Phone: (212) 221-7822 - Fax: (212) 221-7840

LMDC Air Metals Profile

Client	Lower Manhattan Development Corporation	Job Number	46600-0000-00001
Address	One Liberty Plaza, 20th Floor	Date Received	4/29/2005
	New York, NY 10006	Date Analyzed	4/29/2005
Collected By	K. Darocha	Job Location	130 Liberty Street
Collected	4/28/2005		
Rotometer	Standard		

Lab ID	010501583-0005	Matrix	Air
Field ID	M-042805-569		
Location	Washington Street/Cedar Street		

<u>Parameter</u>	<u>Start</u>	<u>End</u>	<u>Flow</u>	<u>Volume</u>	<u>Result</u>	<u>Units</u>	<u>MDL</u>	<u>MCL</u>	<u>Flag</u>
Barium, Total	16:14	16:14	4	5760	<0.87	µg/m3	0.8700	500	
Beryllium, Total	16:14	16:14	4	5760	<0.035	µg/m3	0.035	1	
Cadmium, Total	16:14	16:14	4	5760	<0.035	µg/m3	0.035	2.5	
Chromium, Total	16:14	16:14	4	5760	<0.087	µg/m3	0.087	500	
Copper, Total	16:14	16:14	4	5760	<0.17	µg/m3	0.17	500	
Lead, Total	16:14	16:14	4	5760	<0.087	µg/m3	0.087	30	
Manganese, Total	16:14	16:14	4	5760	<0.13	µg/m3	0.13	1000	
Nickel, Total	16:14	16:14	4	5760	<0.17	µg/m3	0.17	500	
Zinc, Total	16:14	16:14	4	5760	<0.17	µg/m3	0.17	2500	

MDL = Minimum Detection Limit

MCL = Maximum Contaminant Level

> MCL = Exceeds Maximum Contaminant Level

Samples analyzed by EMSL Analytical, Inc.; NY ELAP ID# 10872 and 11506

Page 3 of 3

CITY_21MC100_003217673