

Field Samp	Sample No.	Sampling Location	Action Start	Work Shift	Sample Volume	Analyte	Analytical Meth	Lab	Sample Received	ME Concentration	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels						EPA Site Specific Trigger Levels				0.0009			
										N/A			
S-112105-0	030535173-000	TRINITY F	11/21/2005	Background	3.319	Asbestos	PCME	EMSL	11/22/2005	< 0.00089	No	No	
S-112105-0	030535173-000	THAMES ST F	11/21/2005	Background	4.020	Asbestos	PCME	EMSL	11/22/2005	< 0.00074	No	No	
S-112105-0	030535173-000	EENWICH S	11/21/2005	Background	3.600	Asbestos	PCME	EMSL	11/22/2005	< 0.00082	No	No	
S-112205-0	030535401-000	TRINITY F	11/22/2005	Background	2.970	Asbestos	PCME	EMSL	11/26/2005	< 0.00083	No	No	
S-112205-0	030535401-0	THAMES ST F	11/22/2005	Background	2.910	Asbestos	PCME	EMSL	11/26/2005	< 0.00085	No	No	
S-112205-0	030535401-0	EENWICH S	11/22/2005	Background	3.030	Asbestos	PCME	EMSL	11/26/2005	< 0.00081	No	No	
S-112305-0	030535400-000	TRINITY F	11/23/2005	Background	2.940	Asbestos	PCME	EMSL	11/26/2005	< 0.00084	No	No	
S-112305-0	030535400-0	THAMES ST F	11/23/2005	Background	2.880	Asbestos	PCME	EMSL	11/26/2005	< 0.00086	No	No	
S-112305-0	030535400-0	EENWICH S	11/23/2005	Background	2.880	Asbestos	PCME	EMSL	11/26/2005	< 0.00086	No	No	
S-112405-0	030535402-000	TRINITY F	11/24/2005	Background	2.940	Asbestos	PCME	EMSL	11/26/2005	< 0.00084	No	No	
S-112405-0	030535402-0	THAMES ST F	11/24/2005	Background	2.904	Asbestos	PCME	EMSL	11/26/2005	< 0.00085	No	No	
S-112405-0	030535402-0	EENWICH S	11/24/2005	Background	2.904	Asbestos	PCME	EMSL	11/26/2005	< 0.00085	No	No	
S-112505-0	030535499-0# 1- 100 TRIN		11/25/2005	Background	3.258	Asbestos	PCME	EMSL	11/27/2005	< 0.00083	No	No	
S-112505-0	030535499-0# 2- THAMES		11/25/2005	Background	3.228	Asbestos	PCME	EMSL	11/27/2005	< 0.00083	No	No	
S-112505-0	030535499-0# 3- GREENW		11/25/2005	Background	3.090	Asbestos	PCME	EMSL	11/27/2005	< 0.00080	No	No	
S-112505-1	030535499-0	DUPLICATE	11/25/2005	Background	3.096	Asbestos	PCME	EMSL	11/27/2005	< 0.00080	No	No	
S-112605-0	030535600-0# 1- 100 TRIN		11/26/2005	Background	2.952	Asbestos	PCME	EMSL	11/28/2005	< 0.00084	No	No	
S-112605-0	030535600-0# 2- THAMES		11/26/2005	Background	2.970	Asbestos	PCME	EMSL	11/28/2005	< 0.00083	No	No	
S-112605-0	030535600-0# 3- GREENW		11/26/2005	Background	3.006	Asbestos	PCME	EMSL	11/28/2005	< 0.00082	No	No	
S-112705-0	030535601-0#1-100 TRIN		11/27/2005	Background	3.018	Asbestos	PCME	EMSL	11/28/2005	< 0.00082	No	No	
S-112705-0	030535601-0#2-THAMES		11/27/2005	Background	2.994	Asbestos	PCME	EMSL	11/28/2005	< 0.00082	No	No	
S-112705-0	030535601-0#3-GREENW		11/27/2005	Background	2.964	Asbestos	PCME	EMSL	11/28/2005	< 0.00083	No	No	

Field Samp	Sample No.	Sampling Location	Collection Date	Work Shift	Sample Volume	Analyte	Analytical Method	Lab	Sample Received	RA Concentration
Target Air Quality Levels										N/A
EPA Site Specific Trigger Levels										70
GS 112105-C030535173-0# 1- 100 TRIN			11/21/2005	Background	3.319	Asbestos	TEM EPA 40 EMSL		11/22/2005	< 13
GS 112105-C030535173-0# 2 - THAME			11/21/2005	Background	4.020	Asbestos	TEM EPA 40 EMSL		11/22/2005	< 13
GS 112105-C030535173-0# 3 GREENV			11/21/2005	Background	3.600	Asbestos	TEM EPA 40 EMSL		11/22/2005	< 13
GS 112205-C030535401-0# 1- 100 TRIN			11/22/2005	Background	2.970	Asbestos	TEM EPA 40 EMSL		11/26/2005	< 13
GS 112205-C030535401-0# 2 - THAME			11/22/2005	Background	2.910	Asbestos	TEM EPA 40 EMSL		11/26/2005	< 13
GS 112205-C030535401-0# 3 GREENV			11/22/2005	Background	3.030	Asbestos	TEM EPA 40 EMSL		11/26/2005	< 13
GS112305-0:030535400-0# 1- 100 TRIN			11/23/2005	Background	2.940	Asbestos	TEM EPA 40 EMSL		11/26/2005	< 13
GS112305-0:030535400-0# 2 - THAME			11/23/2005	Background	2.880	Asbestos	TEM EPA 40 EMSL		11/26/2005	< 13
GS112305-0:030535400-0# 3 GREENV			11/23/2005	Background	2.880	Asbestos	TEM EPA 40 EMSL		11/26/2005	< 13
GS112405-0:030535402-0# 1- 100 TRIN			11/24/2005	Background	2.940	Asbestos	TEM EPA 40 EMSL		11/26/2005	< 13
GS112405-0:030535402-0# 2 - THAME			11/24/2005	Background	2.904	Asbestos	TEM EPA 40 EMSL		11/26/2005	< 13
GS112405-0:030535402-0# 3 GREENV			11/24/2005	Background	2.904	Asbestos	TEM EPA 40 EMSL		11/26/2005	< 13
GS 112505-C030535499-0# 1- 100 TRIN			11/25/2005	Background	3.258	Asbestos	TEM EPA 40 EMSL		11/27/2005	< 15
GS 112505-C030535499-0# 2- THAME			11/25/2005	Background	3.228	Asbestos	TEM EPA 40 EMSL		11/27/2005	< 15
GS 112505-C030535499-0# 3- GREEN			11/25/2005	Background	3.090	Asbestos	TEM EPA 40 EMSL		11/27/2005	< 15
GS 112505-1030535499-0DUPLICATE			11/25/2005	Background	3.096	Asbestos	TEM EPA 40 EMSL		11/27/2005	< 15
GS 112605-C030535600-0#1-100 TRINI			11/26/2005	Background	2.952	Asbestos	TEM EPA 40 EMSL		11/28/2005	< 13
GS 112605-C030535600-0#2-THAMES			11/26/2005	Background	2.970	Asbestos	TEM EPA 40 EMSL		11/28/2005	< 13
GS 112605-C030535600-0#3-GREENW			11/26/2005	Background	3.006	Asbestos	TEM EPA 40 EMSL		11/28/2005	< 13
GS 112705-C030535601-0#1-100 TRINI			11/27/2005	Background	3.018	Asbestos	TEM EPA 40 EMSL		11/28/2005	< 13
GS 112705-C030535601-0#2-THAMES			11/27/2005	Background	2.994	Asbestos	TEM EPA 40 EMSL		11/28/2005	< 13
GS 112705-C030535601-0#3-GREENW			11/27/2005	Background	2.964	Asbestos	TEM EPA 40 EMSL		11/28/2005	< 13

Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No

Field Sample	Sampling Location	Time Reading	ion time (mi)	Analyte	lytical Meth	Instrument	late PM 2.5	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels							40			
EPA Site Specific Trigger Levels							65			
12105-EBAM-	100 Trinity	11/21/2005	1440	Particulate 2.5t	Real-time Fne	EBAM PM	25.89	No	No	
12105-EBAM2 -	Thames S	11/21/2005	1440	Particulate 2.5t	Real-time Fne	EBAM PM	31.59	No	No	
12105-EBAM -	Greenwich	11/21/2005	1440	Particulate 2.5t	Real-time Fne	EBAM PM	34.1	No	No	
12105-TEOM2 -	Thames S	11/21/2005	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		25.81	No	No	
12205-EBAM-	100 Trinity	11/22/2005	1440	Particulate 2.5t	Real-time Fne	EBAM PM	7.85	No	No	
12205-EBAM2 -	Thames S	11/22/2005	1440	Particulate 2.5t	Real-time Fne	EBAM PM	13.61	No	No	
12205-EBAM -	Greenwich	11/22/2005	1440	Particulate 2.5t	Real-time Fne	EBAM PM	7.94	No	No	
12205-TEOM2 -	Thames S	11/22/2005	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		6.28	No	No	
12305-EBAM-	100 Trinity	11/23/2005	1440	Particulate 2.5t	Real-time Fne	EBAM PM	5.5	No	No	
12305-EBAM2 -	Thames S	11/23/2005	1440	Particulate 2.5t	Real-time Fne	EBAM PM	6.16	No	No	
12305-EBAM -	Greenwich	11/23/2005	1440	Particulate 2.5t	Real-time Fne	EBAM PM	7.27	No	No	
12305-TEOM2 -	Thames S	11/23/2005	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		7.29	No	No	
12405-EBAM-	100 Trinity	11/24/2005	1440	Particulate 2.5t	Real-time Fne	EBAM PM	6.85	No	No	
12405-EBAM2 -	Thames S	11/24/2005	1440	Particulate 2.5t	Real-time Fne	EBAM PM	9.07	No	No	
12405-EBAM -	Greenwich	11/24/2005	1440	Particulate 2.5t	Real-time Fne	EBAM PM	8.92	No	No	
12405-TEOM2 -	Thames S	11/24/2005	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		7.41	No	No	
12505-EBAM-	100 Trinity	11/25/2005	1440	Particulate 2.5t	Real-time Fne	EBAM PM	8.79	No	No	
12505-EBAM2 -	Thames S	11/25/2005	1440	Particulate 2.5t	Real-time Fne	EBAM PM	8.69	No	No	
12505-EBAM -	Greenwich	11/25/2005	1440	Particulate 2.5t	Real-time Fne	EBAM PM	9.94	No	No	
12505-TEOM2 -	Thames S	11/25/2005	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		10.4	No	No	
12605-EBAM-	100 Trinity	11/26/2005	1440	Particulate 2.5t	Real-time Fne	EBAM PM	10.53	No	No	
12605-EBAM2 -	Thames S	11/26/2005	1440	Particulate 2.5t	Real-time Fne	EBAM PM	12.84	No	No	
12605-EBAM -	Greenwich	11/26/2005	1440	Particulate 2.5t	Real-time Fne	EBAM PM	13.26	No	No	
12605-TEOM2 -	Thames S	11/26/2005	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		11.22	No	No	
12705-EBAM-	100 Trinity	11/27/2005	1440	Particulate 2.5t	Real-time Fne	EBAM PM	12.76	No	No	
12705-EBAM2 -	Thames S	11/27/2005	1440	Particulate 2.5t	Real-time Fne	EBAM PM	18.15	No	No	
12705-EBAM -	Greenwich	11/27/2005	1440	Particulate 2.5t	Real-time Fne	EBAM PM	21.18	No	No	
12705-TEOM2 -	Thames S	11/27/2005	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		14.8	No	No	

CITY_21MC100_011231091

Field Sample	Sampling Location	Time Reading	ion time (mi)	Analyte	lytical Meth	Instrument	late PM 10 (	Exceeds Targ	Exceeds EPA	
Target Air Quality Levels							150	Air Quality Levels?	Site Specific Trigger Levels?	Comments
EPA Site Specific Trigger Levels							150			
12105-EBAM - 100 Trinity		11/21/2005	1440	Particulate 1C	Real-time Re	One EBAM PI	25.89	No	No	
12105-EBAM2 - Thames S		11/21/2005	1440	Particulate 1C	Real-time Re	One EBAM PI	35.94	No	No	
12105-EBAM - Greenwich		11/21/2005	1440	Particulate 1C	Real-time Re	One EBAM PI	43.25	No	No	
12105-TEOM - 100 Trinity		11/21/2005	1440	Particulate 1C	Real-time Re	TEOM PM 10	36.97	No	No	
12205-EBAM - 100 Trinity		11/22/2005	1440	Particulate 1C	Real-time Re	One EBAM PI	7.85	No	No	
12205-EBAM2 - Thames S		11/22/2005	1440	Particulate 1C	Real-time Re	One EBAM PI	9.86	No	No	
12205-EBAM - Greenwich		11/22/2005	1440	Particulate 1C	Real-time Re	One EBAM PI	9.6	No	No	
12205-TEOM - 100 Trinity		11/22/2005	1440	Particulate 1C	Real-time Re	TEOM PM 10	8.29	No	No	
12305-EBAM - 100 Trinity		11/23/2005	1440	Particulate 1C	Real-time Re	One EBAM PI	7.85	No	No	
12305-EBAM2 - Thames S		11/23/2005	1440	Particulate 1C	Real-time Re	One EBAM PI	12.07	No	No	
12305-EBAM - Greenwich		11/23/2005	1440	Particulate 1C	Real-time Re	One EBAM PI	13.36	No	No	
12305-TEOM - 100 Trinity		11/23/2005	1440	Particulate 1C	Real-time Re	TEOM PM 10	13.97	No	No	
12405-EBAM - 100 Trinity		11/24/2005	1440	Particulate 1C	Real-time Re	One EBAM PI	10.8	No	No	
12405-EBAM2 - Thames S		11/24/2005	1440	Particulate 1C	Real-time Re	One EBAM PI	7.9	No	No	
12405-EBAM - Greenwich		11/24/2005	1440	Particulate 1C	Real-time Re	One EBAM PI	12.03	No	No	
12405-TEOM - 100 Trinity		11/24/2005	1440	Particulate 1C	Real-time Re	TEOM PM 10	10.22	No	No	
12505-EBAM - 100 Trinity		11/25/2005	1440	Particulate 1C	Real-time Re	One EBAM PI	12.68	No	No	
12505-EBAM2 - Thames S		11/25/2005	1440	Particulate 1C	Real-time Re	One EBAM PI	13.44	No	No	
12505-EBAM - Greenwich		11/25/2005	1440	Particulate 1C	Real-time Re	One EBAM PI	13.59	No	No	
12505-TEOM - 100 Trinity		11/25/2005	1440	Particulate 1C	Real-time Re	TEOM PM 10	15.39	No	No	
12605-EBAM - 100 Trinity		11/26/2005	1440	Particulate 1C	Real-time Re	One EBAM PI	14.92	No	No	
12605-EBAM2 - Thames S		11/26/2005	1440	Particulate 1C	Real-time Re	One EBAM PI	16.26	No	No	
12605-EBAM - Greenwich		11/26/2005	1440	Particulate 1C	Real-time Re	One EBAM PI	20.07	No	No	
12605-TEOM - 100 Trinity		11/26/2005	1440	Particulate 1C	Real-time Re	TEOM PM 10	14.73	No	No	
12705-EBAM - 100 Trinity		11/27/2005	1440	Particulate 1C	Real-time Re	One EBAM PI	16.75	No	No	
12705-EBAM2 - Thames S		11/27/2005	1440	Particulate 1C	Real-time Re	One EBAM PI	18.09	No	No	
12705-EBAM - Greenwich		11/27/2005	1440	Particulate 1C	Real-time Re	One EBAM PI	24.61	No	No	
12705-TEOM - 100 Trinity		11/27/2005	1440	Particulate 1C	Real-time Re	TEOM PM 10	19.12	No	No	

CITY_21MC100_011231092

Lab Name	Field Sample	Sampling Location	Collection Start	Sample Volume	Volume unit	Lab Sample ID	Sample received	Date Analyzed	Analytical Method	Parameter
Target Air Quality Levels										
EPA Site Specific Trigger Levels										
BRL	GS 112105-05	#1 - 100 Trinity Roof	11/21/2005	0.594	m3	05BR1772-1	11/23/2005	11/28/2005	EPA 324/1631	Hg
BRL	GS 112105-06	#2 - Thames	11/21/2005	0	m3	N/A	N/A	N/A	N/A	N/A
BRL	GS 112105-07	#3 - Greenwich St.	11/21/2005	0.546	m3	05BR1772-2	11/23/2005	11/28/2005	EPA 324/1631	Hg
BRL	GS 112205-05	#1-100 Trinity Roof	11/22/2005	0.576	m3	05BR1777-1	11/28/2005	12/02/2005	EPA 324/1631	Hg
BRL	GS 112205-06	#2 - Thames	11/22/2005	0.572	m3	05BR1777-2	11/28/2005	12/02/2005	EPA 324/1631	Hg
BRL	GS 112205-07	#3 - Greenwich	11/22/2005	0.569	m3	05BR1777-3	11/28/2005	12/02/2005	EPA 324/1631	Hg
BRL	GS 112305-05	#1 - 100 Trinity Roof	11/23/2005	0.53325	m3	05BR1778-1	11/28/2005	12/02/2005	EPA 324/1631	Hg
BRL	GS 112305-06	#2 - Thames Street	11/23/2005	0.5173125	m3	05BR1778-2	11/28/2005	12/02/2005	EPA 324/1631	Hg
BRL	GS 112305-07	#3 - Greenwich St.	11/23/2005	0.523375	m3	05BR1778-3	11/28/2005	12/02/2005	EPA 324/1631	Hg
BRL	GS 112405-05	#1 - 100 Trinity Roof	11/24/2005	0.586	m3	05BR1779-1	11/28/2005	12/02/2005	EPA 324/1631	Hg
BRL	GS 112405-06	#2 - Thames Street	11/24/2005	0.590	m3	05BR1779-2	11/28/2005	12/02/2005	EPA 324/1631	Hg
BRL	GS 112405-07	#3 - Greenwich St.	11/24/2005	0.584	m3	05BR1779-3	11/28/2005	12/02/2005	EPA 324/1631	Hg
BRL	GS 112505-05	#1 - 100 Trinity Roof	11/25/2005	0.588	m3	05BR1785-1	11/29/2005	11/30/2005	EPA 324/1631	Hg

Concentration	Unit	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
300ng/m3					
3000ng/m3					
< 5.4	ng/m3	12/02/2005	No	No	
N/A	N/A	N/A	N/A	N/A	Void - Pump Failure
< 5.9	ng/m3	12/02/2005	No	No	
< 5.6	ng/m3	12/04/2005	No	No	
< 5.6	ng/m3	12/04/2005	No	No	
< 5.6	ng/m3	12/04/2005	No	No	
< 6.0	ng/m3	12/04/2005	No	No	
< 6.2	ng/m3	12/04/2005	No	No	
< 6.1	ng/m3	12/04/2005	No	No	
< 5.5	ng/m3	12/04/2005	No	No	
< 5.4	ng/m3	12/04/2005	No	No	
< 5.5	ng/m3	12/04/2005	No	No	
< 5.4	ng/m3	12/02/2005	No	No	

CITY_21MC100_011231094

BRL	GS 112505-06	#2 - Thames Street	11/25/2005	0.59081	m3	05BR1785-2	11/29/2005	11/30/2005	EPA 324/1631	Hg
BRL	GS 112505-07	#3 - Greenwich St.	11/25/2005	0.570775	m3	05BR1785-3	11/29/2005	11/30/2005	EPA 324/1631	Hg
BRL	GS 112505-18	Duplicate: #2 - Thames St.	11/25/2005	0.57117	m3	05BR1785-5	11/29/2005	11/30/2005	EPA 324/1631	Hg
BRL	GS 112605-05	#1 - 100 Trinity Roof	11/26/2005	0.551	m3	05BR1786-1	11/29/2005	11/30/2005	EPA 324/1631	Hg
BRL	GS 112605-06	#2 - Thames Street	11/26/2005	0.564	m3	05BR1786-2	11/29/2005	11/30/2005	EPA 324/1631	Hg
BRL	GS 112605-07	#3 - Greenwich Street	11/26/2005	0.558	m3	05BR1786-3	11/29/2005	11/30/2005	EPA 324/1631	Hg
BRL	GS 112705-05	#1 - 100 Trinity Roof	11/27/2005	0.5948	m3	05BR1787-1	11/29/2005	11/30/2005	EPA 324/1631	Hg
BRL	GS 112705-06	#2 - Thames Street	11/27/2005	0.61049	m3	05BR1787-2	11/29/2005	11/30/2005	EPA 324/1631	Hg
BRL	07	Street	11/27/2005	0.60102	m3	05BR1787-3	11/29/2005	11/30/2005	EPA 324/1631	Hg

< 5.4	ng/m3	12/02/2005	No	No
< 5.6	ng/m3	12/02/2005	No	No
< 5.6	ng/m3	12/02/2005	No	No
< 5.8	ng/m3	12/02/2005	No	No
< 5.7	ng/m3	12/02/2005	No	No
< 5.7	ng/m3	12/02/2005	No	No
< 5.4	ng/m3	12/02/2005	No	No
< 5.2	ng/m3	12/02/2005	No	No
< 5.3	ng/m3	12/02/2005	No	No

Mercury Lumex RA 915+ Running Daa = sampling station (60 sec avg) b = perimeter walk (120 sec avg)
 all readings are in ng/m³ AM = first reading of day PM = last reading of day
 Target air quality level: 300 ng/m³ #1 - Trinity #2 - Thames#3 - Greenwich
 USEPA site specific mercury trigger level: 3000 ng/m³ Exceedance

Time	Location #1	Location # 1	Location # 2	Location # 2	Location # 3	Location # 3b
11/21/05 AM	31.8	35.3	15	17.8	43.7	42.5 No
11/21/05 PM	36.3	37	29.5	29.2	25.2	27.1 No
11/22/05 AM	58.8	59.6	31	36.9	9.2	7.8 No
11/22/05 PM	10.5	11.3	1.7	1.7	17.2	16 No
11/23/05 AM	6.5	7.7	13.7	15	4.2	5.8 No
11/23/05 PM	1.8	3.3	5.8	7.8	19.2	18.3 No
11/24/05 AM N/A	N/A	N/A	N/A	N/A	N/A	No data ¹
11/24/05 PM	6.8	5.7	4.3	4.3	16	16.3 No
11/25/05 AM	4.8	6.3	5.5	5.8	6.7	7.1 No
11/25/05 PM	17	17.3	15.8	17.5	18.8	19 No
11/26/05 AM	11	15.8	10	11.6	12.5	19.8 No
11/26/05 PM	24.5	23.6	23.8	23	19.2	19.2 No
11/27/05 AM	19.5	18.9	22	22.3	19.5	18.7 No
11/27/05 PM	19.3	19.8	20.7	20.8	23.8	24.6 No

1. No Direct-read Mercury Data Collected in morning session due to Holiday

)

CITY_21MC100_011231098

Airtek Field	Sample No.	Sampling Location	Collection Date	Sample Volume	Analyte	Analytical Method	Lab	Lab Sample	Antimony Concentration	Barium Concentration
Target Air Quality Levels									5,000	5,000
EPA Site Specific Trigger Levels									14,000	5,000
GS-112105-CG5K2302040	1	- Trinity St	11/21/2005	5.92	Metals	6020	STL	11/23/2005	< 33.8	< 1690
GS-112105-1G5K23020402		- Thames St	11/21/2005	6.06	Metals	6020	STL	11/23/2005	< 33.0	< 1650
GS-112105-1G5K2302040		- Greenwich St	11/21/2005	6.476	Metals	6020	STL	11/23/2005	< 30.9	< 1540
GS-112205-CG5K2801390	1	- Trinity St	11/22/2005	5.74	Metals	6020	STL	11/28/2005	< 34.8	< 1740
GS-112205-1G5K28013902		- Thames St	11/22/2005	5.82	Metals	6020	STL	11/28/2005	< 34.4	< 1720
GS-112205-1G5K2801390		- Greenwich St	11/22/2005	5.78	Metals	6020	STL	11/28/2005	< 34.6	< 1730
GS-112305-CG5K2801360	1	- Trinity St	11/23/2005	5.5145	Metals	6020	STL	11/28/2005	< 36.3	< 1810
GS-112305-1G5K28013602		- Thames St	11/23/2005	5.28	Metals	6020	STL	11/28/2005	< 37.9	< 1890
GS-112305-1G5K2801360		- Greenwich St	11/23/2005	5.4244	Metals	6020	STL	11/28/2005	< 36.9	< 1840
GS-112405-CG5K2801310	1	- Trinity St	11/24/2005	5.836	Metals	6020	STL	11/28/2005	< 34.3	< 1710
GS-112405-1G5K28013102		- Thames St	11/24/2005	5.884	Metals	6020	STL	11/28/2005	< 34.0	< 1700
GS-112405-1G5K2801310		- Greenwich St	11/24/2005	5.824	Metals	6020	STL	11/28/2005	< 34.3	< 1720
GS-112505-CG5K2901960	1	- Trinity St	11/25/2005	5.9373	Metals	6020	STL	11/29/2005	< 33.7	< 1680
GS-112505-1G5K29019602		- Thames St	11/25/2005	5.784	Metals	6020	STL	11/29/2005	< 34.6	< 1730
GS-112505-1G5K2901960		- Greenwich St	11/25/2005	5.788	Metals	6020	STL	11/29/2005	< 34.6	< 1730
GS-112505-1G5K2901960e: #3		- Green St	11/25/2005	5.8958	Metals	6020	STL	11/29/2005	< 33.9	< 1700
GS-112605-CG5K2902020	1	- Trinity St	11/26/2005	5.664	Metals	6020	STL	11/29/2005	< 35.3	< 1760
GS-112605-1G5K29020202		- Thames St	11/26/2005	5.503	Metals	6020	STL	11/29/2005	< 36.3	< 1820
GS-112605-1G5K2902020		- Greenwich St	11/26/2005	5.648	Metals	6020	STL	11/29/2005	< 35.4	< 1770
GS-112705-CG5K2902000	1	- Trinity St	11/27/2005	6.475	Metals	6020	STL	11/29/2005	< 30.9	< 1540
GS-112705-1G5K29020002		- Thames St	11/27/2005	6.101	Metals	6020	STL	11/29/2005	< 32.8	< 1640
GS-112705-1G5K2902000		- Greenwich St	11/27/2005	6.072	Metals	6020	STL	11/29/2005	< 32.9	< 1650

Benz (ppm)	Cadmium (ppm)	Chromium (ppm)	Copper Conc (ppm)	Lead Conc (ppm)	Manganese (ppm)	Nickel Conc (ppm)	Zinc Conc (ppm)	Exceeds Tar	Exceeds EPA
20	40	600	10,000	1,500	500	200	16,000	Air Quality	Site Specific
200	2,000	600	100,000	5,000	500	28,000	160,000	Levels?	Trigger Levels?
< 16.9	< 16.9	< 169	< 84.4	20.7	< 84.4	< 84.4	< 338	No	No
< 16.5	< 16.5	< 165	< 82.5	22	< 82.5	< 82.5	< 330	No	No
< 15.4	< 15.4	< 154	< 77.2	37.9	< 77.2	< 77.2	< 309	No	No
< 17.4	< 17.4	< 174	< 87.1	< 17.4	< 87.1	< 87.1	< 348	No	No
< 17.2	< 17.2	< 172	< 85.9	< 17.2	< 85.9	< 85.9	< 344	No	No
< 17.3	< 17.3	< 173	< 86.5	< 17.3	< 86.5	< 86.5	< 346	No	No
< 18.1	< 18.1	< 181	< 90.7	< 18.1	< 90.7	< 90.7	< 363	No	No
< 18.9	< 18.9	< 189	< 94.7	< 18.9	< 94.7	< 94.7	< 379	No	No
< 18.4	< 18.4	< 184	< 92.2	< 18.4	< 92.2	< 92.2	< 369	No	No
< 17.1	< 17.1	< 171	< 85.7	< 17.1	< 85.7	< 85.7	< 343	No	No
< 17.0	< 17.0	< 170	< 85.0	< 17.0	< 85.0	< 85.0	< 340	No	No
< 17.2	< 17.2	< 172	< 85.8	< 17.2	< 85.8	< 85.8	< 343	No	No
< 16.8	< 16.8	< 168	< 84.2	< 16.8	< 84.2	< 84.2	< 337	No	No
< 17.3	< 17.3	< 173	< 86.4	< 17.3	< 86.4	< 86.4	< 346	No	No
< 17.3	< 17.3	< 173	< 86.4	< 17.3	< 86.4	< 86.4	< 346	No	No
< 17.0	< 17.0	< 170	< 84.8	< 17.0	< 84.8	< 84.8	< 339	No	No
< 17.6	< 17.6	< 176	< 88.3	< 17.6	< 88.3	< 88.3	< 353	No	No
< 18.2	< 18.2	< 182	< 90.8	< 18.2	< 90.8	< 90.8	< 363	No	No
< 17.7	< 17.7	< 177	< 88.5	< 17.7	< 88.5	< 88.5	< 354	No	No
< 15.4	< 15.4	< 154	< 77.2	< 15.4	< 77.2	< 77.2	< 309	No	No
< 16.4	< 16.4	< 164	< 82.0	< 16.4	< 82.0	< 82.0	< 328	No	No
< 16.5	< 16.5	< 165	< 82.3	< 16.5	< 82.3	< 82.3	< 329	No	No

CITY_21MC100_011231100

Lab Name	Field Sample ID	Sample Location	Date Collected	Volume Collected	Volume Unit	Lab Sample ID	Date Received	Date Analyzed	Analytical Method	Parameter Name
Target Air Quality Levels										
EPA Site Specific Trigger Levels										
EMSL	3S 112105-100	TRINITY R	11/21/2005	1.220	Cubic Meters	0522226-000	11/23/2005	11/30/2005	OSH 7500 XFSilica-Quartz	
EMSL	3S 112105-147	HAMES STR	11/21/2005	1.407	Cubic Meters	0522226-000	11/23/2005	11/30/2005	OSH 7500 XFSilica-Quartz	
EMSL	3S 112105-147	EENWICH S	11/21/2005	1.322	Cubic Meters	0522226-000	11/23/2005	11/30/2005	OSH 7500 XFSilica-Quartz	
EMSL	3S 112205-100	TRINITY R	11/22/2005	0.980	Cubic Meters	0522393-000	11/28/2005	11/30/2005	OSH 7500 XFSilica-Quartz	
EMSL	3S 112205-147	HAMES STR	11/22/2005	1.043	Cubic Meters	0522393-000	11/28/2005	11/30/2005	OSH 7500 XFSilica-Quartz	
EMSL	3S 112205-147	EENWICH S	11/22/2005	1.035	Cubic Meters	0522393-000	11/28/2005	11/30/2005	OSH 7500 XFSilica-Quartz	
EMSL	3S 112305-100	TRINITY R	11/23/2005	0.980	Cubic Meters	0522390-000	11/28/2005	12/01/2005	OSH 7500 XFSilica-Quartz	
EMSL	3S 112305-147	HAMES STR	11/23/2005	0.930	Cubic Meters	0522390-000	11/28/2005	12/01/2005	OSH 7500 XFSilica-Quartz	
EMSL	3S 112305-147	EENWICH S	11/23/2005	0.960	Cubic Meters	0522390-000	11/28/2005	12/01/2005	OSH 7500 XFSilica-Quartz	
EMSL	3S 112405-100	TRINITY R	11/24/2005	0.976	Cubic Meters	0522392-000	11/28/2005	11/30/2005	OSH 7500 XFSilica-Quartz	
EMSL	3S 112405-147	HAMES STR	11/24/2005	0.954	Cubic Meters	0522392-000	11/28/2005	11/30/2005	OSH 7500 XFSilica-Quartz	
EMSL	3S 112405-147	EENWICH S	11/24/2005	0.984	Cubic Meters	0522392-000	11/28/2005	11/30/2005	OSH 7500 XFSilica-Quartz	
EMSL	3S 112505-100	TRINITY R	11/25/2005	1.090	Cubic Meters	0522423-000	11/28/2005	12/01/2005	OSH 7500 XFSilica-Quartz	
EMSL	3S 112505-147	HAMES STR	11/25/2005	1.097	Cubic Meters	0522423-000	11/28/2005	12/01/2005	OSH 7500 XFSilica-Quartz	
EMSL	3S 112505-147	EENWICH S	11/25/2005	1.034	Cubic Meters	0522423-000	11/28/2005	12/01/2005	OSH 7500 XFSilica-Quartz	
EMSL	3S 112505-200	ATE: # 2 Tha	11/25/2005	1.111	Cubic Meters	0522423-000	11/28/2005	12/01/2005	OSH 7500 XFSilica-Quartz	
EMSL	3S 112605-100	TRINITY R	11/26/2005	0.992	Cubic Meters	0522484-000	11/29/2005	12/01/2005	OSH 7500 XFSilica-Quartz	
EMSL	3S 112605-147	HAMES STR	11/26/2005	1.139	Cubic Meters	0522484-000	11/29/2005	12/01/2005	OSH 7500 XFSilica-Quartz	
EMSL	3S 112605-147	EENWICH S	11/26/2005	1.000	Cubic Meters	0522484-000	11/29/2005	12/01/2005	OSH 7500 XFSilica-Quartz	
EMSL	3S 112705-100	TRINITY R	11/27/2005	1.008	Cubic Meters	0522482-000	11/29/2005	12/01/2005	OSH 7500 XFSilica-Quartz	
EMSL	3S 112705-147	HAMES STR	11/27/2005	1.050	Cubic Meters	0522482-000	11/29/2005	12/01/2005	OSH 7500 XFSilica-Quartz	
EMSL	3S 112705-147	EENWICH S	11/27/2005	0.988	Cubic Meters	0522482-000	11/29/2005	12/01/2005	OSH 7500 XFSilica-Quartz	

CITY_21MC100_011231101

Concentration	Unit	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
10					
10					
<5	ug/m3	11/29/2005	No	No	
<5	ug/m3	11/29/2005	No	No	
<5	ug/m3	11/29/2005	No	No	
<5	ug/m3	11/30/2005	No	No	
<5	ug/m3	11/30/2005	No	No	
<5	ug/m3	11/30/2005	No	No	
<5	ug/m3	12/01/2005	No	No	
<5	ug/m3	12/01/2005	No	No	
<5	ug/m3	12/01/2005	No	No	
<5	ug/m3	11/30/2005	No	No	
<5	ug/m3	11/30/2005	No	No	
<5	ug/m3	11/30/2005	No	No	
11	ug/m3	12/01/2005	Yes	Yes	No Work at Site
5	ug/m3	12/01/2005	No	No	
19	ug/m3	12/01/2005	Yes	Yes	No Work at Site
<5	ug/m3	12/01/2005	No	No	
<5	ug/m3	12/01/2005	No	No	
23	ug/m3	12/01/2005	Yes	Yes	No Work at Site
<5	ug/m3	12/01/2005	No	No	
<5	ug/m3	12/01/2005	No	No	
<5	ug/m3	12/01/2005	No	No	
<5	ug/m3	12/01/2005	No	No	