Certificate of Analysis

Certificate Nc2J0575

CLIENT INFORMATION		LABORATORY INFORMATION	
Attention:	Fred Usbeck	**Contact:**	Martin Dea
Client Name:	PHILIP ANALYTICAL SERVIC	**Project:**	AN022771
Address:	4418,Pottville Pike	**Date Received:**	2002/10/16
	Reading, Pensylvanie	**Date Reported:**	2002/11/27
	19605-1286	**Date Revised:**	
Fax Number:	610-921-9667	**Revision Number:**	0
Phone Number:	1-800-345-4026	**No. of pages:**	26

Project: SW 8290
Project Desc: PO#10295-R02100400
Sampled by: PHILIP ANALYTICAL SERVICES-PA

Approved by: _____
Martin Dea, Chemist
Project manager

Verified by:_____
Éric Fortin, Chemist
Inorganic Manager

Verified by:_____
Stephan Obarewicz, Chemist
High Resolution Manager

file # =DEP00206977.XLS
Revision No. 0

Certificate of Analysis

Certificate Nc2J0575

CLIENT INFORMATION		LABORATORY INFORMATION	
Attention:	Fred Usbeck	**Contact:**	Martin Dea
Client Name:	PHILIP ANALYTICAL SERVIC	**Project:**	AN022771
Address:	4418,Pottville Pike	**Date Received:**	2002/10/16
	Reading, Pensylvanie	**Date Reported:**	2002/11/27
	19605-1286	**Date Revised:**	
Fax Number:	610-921-9667	**Revision Number:**	0
Phone Number:	1-800-345-4026	**No. of pages:**	26

Project: SW 8290
Project Desc: PO#10295-R02100400
Sampled by: PHILIP ANALYTICAL SERVICES-PA

Approved by: _____
Martin Dea, Chemist
Project manager

Verified by:_____
Éric Fortin, Chemist
Inorganic Manager

Verified by:_____
Stephan Obarewicz, Chemist
High Resolution Manager

CONFIDENTIAL CLAUSE

e is intended only for the use of the individual or entity to which it is addressed,and may contain information that is privileged
d exempt from disclosure under applicable law. Any other distribution, copying or disclosure is strictly prohibited. If you hav
n error,please notify us immediately by telephone,and return the original transmission to us by mail, without making a copy. Thank you !

file # =DEP00206977.XLS
Revision No. 0

PSC Services Analytiques

All work recorded herein has been done in accordance with normal professional standards using accepted testing methodologies, quality assurance and quality control procedures except where otherwise agreed to by the client and testing company in writing. Any and all use of these test results shall be limited to the actual cost of the pertinent analysis done.
There is no other warranty expressed or implied . Your samples will be retained at PSC Analytical Services for a period of six weeks from date of reception or as per contract.
This report may not be reproduced except in its entirety, without the written authorization of PSC Analytical Services. Reference material results are under control statistically unless otherwise specified (RM).
The enclosed guidelines and criterias are provided for information purposes only.
In case of desparity between the guidelines and criterias provided and the official version, these are the valid one.

Organic analyses are not corrected for extraction recovery standards except for PCDD/F and PCB's (congeners).
Batch and run dates for subcontracted analyses are reported only when available; if not, the date of reception of the certificate by fax is reported.
Methods used by PSC Analytical Services are based upon those found in 'Standard Methods for the Examination of Water and Wastewater', Nineteenth Edition. Other methods are based on the principles of MENV or EPA methodologies.
See the confirmation analysis report in the appendix at the end of this report for the list of the methods used, and the list of parameters analyzed by subcontracting laboratories.
Please contact your project manager for additionnals informations.

NOTES:
- = not analyzed
< = less than Reported Detection Limit (RDL)
NA = Not Applicable
RDL = Reported Detection Limit
Solids data is based on dry weight (unless otherwise specified).

Comments:

PSC Analytical Services
Certificate of Analysis

			R02100402	R02100402	R02100402		
		Client ID:	01A	01A	01A		***Client ID:***
		Lab No.:	039086 02	039086 02	039086 02		***Lab No.:***
		Date Sampled:	02/10/09	02/10/09	02/10/09		***Date Sampled:***
		Matrix:					***Matrix:***
Component	**RDL**	**Units**		**TEF**	**# of Isomers**	**RDL**	**Units**
Dioxins and furans							
2,3,7,8-Cl4DBF	0.34	pg	2.1	0.21		0.25	pg
2,3,7,8-Cl4DBD	0.24	"	<0.24	<0.24		0.27	"
1,2,3,7,8-Cl5DBF	0.53	"	<0.53	<0.026		0.30	"
2,3,4,7,8-Cl5DBF	0.46	"	<0.46	<0.23		0.29	"
1,2,3,7,8-Cl5DBD	0.49	"	<0.49	<0.24		0.57	"
1,2,3,4,7,8-Cl6DBF	0.54	"	<0.54	<0.054		0.55	"
1,2,3,6,7,8-Cl6DBF	0.51	"	<0.51	<0.051		0.24	"
2,3,4,6,7,8-Cl6DBF	0.59	"	<0.59	<0.059		0.92	"
1,2,3,7,8,9-Cl6DBF	0.64	"	<0.64	<0.064		0.45	"
1,2,3,4,7,8-Cl6DBD	0.59	"	<0.59	<0.059		0.47	"
1,2,3,6,7,8-Cl6DBD	0.55	"	<0.55	<0.055		0.19	"
1,2,3,7,8,9-Cl6DBD	0.53	"	<0.53	<0.053		0.43	"
1,2,3,4,6,7,8-Cl7DBF	2.0	"	<2.0	<0.020		3.1	"
1,2,3,4,7,8,9-Cl7DBF	3.7	"	<3.7	<0.037		7.8	"
1,2,3,4,6,7,8-Cl7DBD	0.81	"	<0.81	<0.0081		0.78	"
1,2,3,4,6,7,8,9-Cl8DBF	0.84	"	<0.84	<0.00084		1.2	"
1,2,3,4,6,7,8,9-Cl8DBD	5.6	"	<5.6	<0.0056		7.9	"
TEF		pg		0.21			pg
MAX TEF		"		<1.4			"
ΣT4CDF	0.34	pg	4.3		4	0.25	pg
ΣP5CDF	0.30	"	<0.30		0	0.30	"
ΣH6CDF	0.54	"	<0.54		0	0.38	"
ΣH7CDF	3.5	"	<3.5		0	7.3	"
OCDF	0.84	"	<0.84		0	1.2	"
ΣT4CDD	0.21	"	1.9		2	0.52	"
ΣP5CDD	0.49	"	2.2		3	0.81	"
ΣH6CDD	0.55	"	<0.55		0	0.44	"
ΣH7CDD	0.40	"	<0.40		0	0.78	"
OCDD	5.6	"	<5.6		0	7.9	"
Surrogate Recoveries		%					%
2,3,7,8-T4CDF-13C12			98				
2,3,7,8-T4CDD-13C12			90				
1,2,3,7,8-P5CDF-13C12			79				
1,2,3,7,8-P5CDD-13C12			72				
1,2,3,6,7,8-H6CDF-13C12			56				
1,2,3,6,7,8-H6CDD-13C12			71				
1,2,3,4,6,7,8-H7CDF-13C12			39				
1,2,3,4,6,7,8-H7CDD-13C12			75				
OCDD-13C12			54				

Certificate No:2J0575
nh

file # =DEP00206977.XLS
Revision No. 0

PSC Analytical Services
Certificate of Analysis

	R02100402 02A 039087 02 02/10/09	R02100402 02A 039087 02 02/10/09	R02100402 02A 039087 02 02/10/09			R02100402 03A 039088 02 02/10/09	R02100402 03A 039088 02 02/10/09
				Client ID:		03A	03A
				Lab No.:		039088 02	039088 02
				Date Sampled:		02/10/09	02/10/09
				Matrix:			
Component		**TEF**	**# of Isomers**	**RDL**	**Units**		**TEF**
Dioxins and furans							
2,3,7,8-Cl4DBF	3.3	0.33		0.13	pg	2.2	0.22
2,3,7,8-Cl4DBD	<0.27	<0.27		0.37	"	<0.37	<0.37
1,2,3,7,8-Cl5DBF	<0.30	<0.015		0.33	"	<0.33	<0.016
2,3,4,7,8-Cl5DBF	0.71	0.35		0.25	"	0.48	0.24
1,2,3,7,8-Cl5DBD	<0.57	<0.29		0.65	"	<0.65	<0.33
1,2,3,4,7,8-Cl6DBF	<0.55	<0.055		0.19	"	<0.19	<0.019
1,2,3,6,7,8-Cl6DBF	<0.24	<0.024		0.18	"	<0.18	<0.018
2,3,4,6,7,8-Cl6DBF	<0.92	<0.092		0.21	"	<0.21	<0.021
1,2,3,7,8,9-Cl6DBF	<0.45	<0.045		0.23	"	<0.23	<0.023
1,2,3,4,7,8-Cl6DBD	<0.47	<0.047		0.23	"	<0.23	<0.023
1,2,3,6,7,8-Cl6DBD	<0.19	<0.019		0.21	"	<0.21	<0.021
1,2,3,7,8,9-Cl6DBD	<0.43	<0.043		0.21	"	<0.21	<0.021
1,2,3,4,6,7,8-Cl7DBF	<3.1	<0.031		0.68	"	<0.68	<0.0068
1,2,3,4,7,8,9-Cl7DBF	<7.8	<0.078		1.5	"	<1.5	<0.015
1,2,3,4,6,7,8-Cl7DBD	1.7	0.017		0.21	"	0.44	0.0044
1,2,3,4,6,7,8,9-Cl8DBF	<1.2	<0.0012		0.38	"	<0.38	<0.00038
1,2,3,4,6,7,8,9-Cl8DBD	<7.9	<0.0079		0.27	"	3.0	0.0030
TEF		0.70			pg		0.46
MAX TEF		<1.7			"		<1.3
ΣT4CDF	11		8	0.13	pg	5.5	
ΣP5CDF	2.0		2	0.26	"	1.6	
ΣH6CDF	<0.38		0	0.19	"	<0.19	
ΣH7CDF	<7.3		0	1.4	"	<1.4	
OCDF	<1.2		0	0.38	"	<0.38	
ΣT4CDD	9.5		2	0.37	"	3.9	
ΣP5CDD	3.2		2	0.65	"	1.9	
ΣH6CDD	<0.44		0	0.21	"	<0.21	
ΣH7CDD	3.2		2	0.21	"	0.44	
OCDD	<7.9		0	0.27	"	3.0	
Surrogate Recoveries					%		
2,3,7,8-T4CDF-13C12	88					85	
2,3,7,8-T4CDD-13C12	81					84	
1,2,3,7,8-P5CDF-13C12	75					87	
1,2,3,7,8-P5CDD-13C12	69					92	
1,2,3,6,7,8-H6CDF-13C12	97					87	
1,2,3,6,7,8-H6CDD-13C12	89					88	
1,2,3,4,6,7,8-H7CDF-13C12	90					99	
1,2,3,4,6,7,8-H7CDD-13C12	82					98	
OCDD-13C12	58					78	

PSC Analytical Services
Certificate of Analysis

	R02100402 03A			R02100402 04A	R02100402 04A	R02100402 04A
	039088 02		***Client ID:***			
	02/10/09		***Lab No.:***	039089 02	039089 02	039089 02
			Date Sampled:	02/10/09	02/10/09	02/10/09
			Matrix:			
Component	**# of Isomers**	**RDL**	**Units**		**TEF**	**# of Isomers**	**RDL**
Dioxins and furans							
2,3,7,8-Cl4DBF		0.085	pg	3.6	0.36		3.1
2,3,7,8-Cl4DBD		0.26	"	0.33	0.33		0.47
1,2,3,7,8-Cl5DBF		0.49	"	0.64	0.032		0.49
2,3,4,7,8-Cl5DBF		0.47	"	<0.47	<0.24		0.13
1,2,3,7,8-Cl5DBD		0.38	"	<0.38	<0.19		0.37
1,2,3,4,7,8-Cl6DBF		0.42	"	<0.42	<0.042		0.64
1,2,3,6,7,8-Cl6DBF		0.39	"	<0.39	<0.039		0.42
2,3,4,6,7,8-Cl6DBF		0.46	"	<0.46	<0.046		0.49
1,2,3,7,8,9-Cl6DBF		0.49	"	<0.49	<0.049		0.53
1,2,3,4,7,8-Cl6DBD		0.30	"	<0.30	<0.030		0.27
1,2,3,6,7,8-Cl6DBD		0.44	"	0.66	0.066		0.25
1,2,3,7,8,9-Cl6DBD		0.42	"	0.71	0.071		0.25
1,2,3,4,6,7,8-Cl7DBF		7.8	"	<7.8	<0.078		3.7
1,2,3,4,7,8,9-Cl7DBF		6.3	"	<6.3	<0.063		4.3
1,2,3,4,6,7,8-Cl7DBD		1.1	"	6.1	0.061		3.8
1,2,3,4,6,7,8,9-Cl8DBF		1.1	"	<1.1	<0.0011		1.9
1,2,3,4,6,7,8,9-Cl8DBD		1.4	"	37	0.037		1.9
TEF			pg		0.96		
MAX TEF			"		<1.7		
ΣT4CDF	6	0.085	pg	6.9		5	0.14
ΣP5CDF	3	0.49	"	2.3		3	0.13
ΣH6CDF	0	0.42	"	<0.42		0	0.45
ΣH7CDF	0	5.8	"	<5.8		0	4.0
OCDF	0	1.1	"	<1.1		0	1.9
ΣT4CDD	2	0.26	"	11		7	0.47
ΣP5CDD	2	0.29	"	0.81		1	0.37
ΣH6CDD	0	0.44	"	2.9		3	0.25
ΣH7CDD	1	1.1	"	14		2	0.64
OCDD	1	1.4	"	37		1	1.9
Surrogate Recoveries			%				
2,3,7,8-T4CDF-13C12				89			
2,3,7,8-T4CDD-13C12				85			
1,2,3,7,8-P5CDF-13C12				72			
1,2,3,7,8-P5CDD-13C12				67			
1,2,3,6,7,8-H6CDF-13C12				76			
1,2,3,6,7,8-H6CDD-13C12				82			
1,2,3,4,6,7,8-H7CDF-13C12				59			
1,2,3,4,6,7,8-H7CDD-13C12				79			
OCDD-13C12				58			

PSC Analytical Services
Certificate of Analysis

		R02100402	R02100402	R02100402		R02100402
	Client ID:	05A	05A	05A	***Client ID:***	06A
	Lab No.:	039090 02	039090 02	039090 02	***Lab No.:***	039091 02
	e Sampled:	02/10/09	02/10/09	02/10/09	***Date Sampled:***	02/10/09
	Matrix:				***Matrix:***	
Component	**Units**		**TEF**	**# of Isomers**	**RDL**	**Units**
Dioxins and furans						
2,3,7,8-Cl4DBF	pg	<3.1	<0.31		0.22	pg 1.2
2,3,7,8-Cl4DBD	"	<0.47	<0.47		0.37	" <0.37
1,2,3,7,8-Cl5DBF	"	<0.49	<0.025		0.29	" <0.29
2,3,4,7,8-Cl5DBF	"	0.53	0.27		0.27	" <0.27
1,2,3,7,8-Cl5DBD	"	<0.37	<0.18		0.37	" <0.37
1,2,3,4,7,8-Cl6DBF	"	<0.64	<0.064		0.36	" <0.36
1,2,3,6,7,8-Cl6DBF	"	<0.42	<0.042		0.34	" <0.34
2,3,4,6,7,8-Cl6DBF	"	<0.49	<0.049		0.40	" <0.40
1,2,3,7,8,9-Cl6DBF	"	<0.53	<0.053		0.43	" <0.43
1,2,3,4,7,8-Cl6DBD	"	<0.27	<0.027		0.25	" <0.25
1,2,3,6,7,8-Cl6DBD	"	<0.25	<0.025		0.23	" <0.23
1,2,3,7,8,9-Cl6DBD	"	<0.25	<0.025		0.22	" <0.22
1,2,3,4,6,7,8-Cl7DBF	"	<3.7	<0.037		28	" <28
1,2,3,4,7,8,9-Cl7DBF	"	<4.3	<0.043		32	" <32
1,2,3,4,6,7,8-Cl7DBD	"	<3.8	<0.038		0.48	" <0.48
1,2,3,4,6,7,8,9-Cl8DBF	"	<1.9	<0.0019		0.44	" <0.44
1,2,3,4,6,7,8,9-Cl8DBD	"	34	0.034		0.46	" 2.8
TEF	pg		0.30			pg
MAX TEF	"		<1.7			"
ΣT4CDF	pg	5.1		5	0.22	pg 2.1
ΣP5CDF	"	0.53		1	0.29	" <0.29
ΣH6CDF	"	<0.45		0	0.36	" <0.36
ΣH7CDF	"	<4.0		0	30	" <30
OCDF	"	<1.9		0	0.44	" <0.44
ΣT4CDD	"	10		4	0.37	" <0.37
ΣP5CDD	"	2.6		1	0.37	" 0.49
ΣH6CDD	"	1.3		1	0.23	" <0.23
ΣH7CDD	"	4.7		1	0.34	" <0.34
OCDD	"	34		1	0.46	" 2.8
Surrogate Recoveries	%					%
2,3,7,8-T4CDF-13C12		91				98
2,3,7,8-T4CDD-13C12		88				94
1,2,3,7,8-P5CDF-13C12		75				92
1,2,3,7,8-P5CDD-13C12		70				91
1,2,3,6,7,8-H6CDF-13C12		96				77
1,2,3,6,7,8-H6CDD-13C12		89				87
1,2,3,4,6,7,8-H7CDF-13C12		85				68
1,2,3,4,6,7,8-H7CDD-13C12		77				98
OCDD-13C12		50				76

CITY_21MC100_003233015

PSC Analytical Services
Certificate of Analysis

	R02100402 06A	R02100402 06A		R02100402 07A	R02100402 07A	R02100402 07A
Client ID:						
Lab No.:	039091 02	039091 02		039092 02	039092 02	039092 02
Date Sampled:	02/10/09	02/10/09		02/10/09	02/10/09	02/10/09
Matrix:						
Component	**TEF**	**# of Isomers**	**RDL**	**Units**	**TEF**	**# of Isomers**
Dioxins and furans						
2,3,7,8-Cl4DBF	0.12		0.31	pg	34	3.4
2,3,7,8-Cl4DBD	<0.37		8.8	"	<8.8	<8.8
1,2,3,7,8-Cl5DBF	<0.015		0.46	"	6.6	0.33
2,3,4,7,8-Cl5DBF	<0.14		0.45	"	6.6	3.3
1,2,3,7,8-Cl5DBD	<0.19		3.6	"	<3.6	<1.8
1,2,3,4,7,8-Cl6DBF	<0.036		0.74	"	7.0	0.70
1,2,3,6,7,8-Cl6DBF	<0.034		5.0	"	<5.0	<0.50
2,3,4,6,7,8-Cl6DBF	<0.040		0.81	"	7.8	0.78
1,2,3,7,8,9-Cl6DBF	<0.043		0.87	"	6.2	0.62
1,2,3,4,7,8-Cl6DBD	<0.025		1.5	"	3.2	0.32
1,2,3,6,7,8-Cl6DBD	<0.023		4.6	"	<4.6	<0.46
1,2,3,7,8,9-Cl6DBD	<0.022		1.3	"	6.8	0.68
1,2,3,4,6,7,8-Cl7DBF	<0.28		51	"	<51	<0.51
1,2,3,4,7,8,9-Cl7DBF	<0.32		8.5	"	<8.5	<0.085
1,2,3,4,6,7,8-Cl7DBD	<0.0048		1.9	"	20	0.20
1,2,3,4,6,7,8,9-Cl8DBF	<0.00044		1.8	"	12	0.012
1,2,3,4,6,7,8,9-Cl8DBD	0.0028		2.5	"	100	0.10
TEF	0.12			pg		10
MAX TEF	<1.7			"		<23
ΣT4CDF		3	0.31	pg	150	13
ΣP5CDF		0	0.46	"	56	8
ΣH6CDF		0	0.74	"	28	4
ΣH7CDF		0	11	"	<11	0
OCDF		0	1.8	"	12	1
ΣT4CDD		0	0.55	"	170	10
ΣP5CDD		1	0.96	"	84	5
ΣH6CDD		0	1.4	"	54	5
ΣH7CDD		0	1.9	"	38	2
OCDD		1	2.5	"	100	1
Surrogate Recoveries				%		
2,3,7,8-T4CDF-13C12					91	
2,3,7,8-T4CDD-13C12					88	
1,2,3,7,8-P5CDF-13C12					69	
1,2,3,7,8-P5CDD-13C12					62	
1,2,3,6,7,8-H6CDF-13C12					88	
1,2,3,6,7,8-H6CDD-13C12					83	
1,2,3,4,6,7,8-H7CDF-13C12					65	
1,2,3,4,6,7,8-H7CDD-13C12					67	
OCDD-13C12					41	

PSC Analytical Services
Certificate of Analysis

			R02100402	R02100402	R02100402		
		Client ID:	08A	08A	08A		***Client ID:***
		Lab No.:	039093 02	039093 02	039093 02		***Lab No.:***
		Date Sampled:	02/10/09	02/10/09	02/10/09		***Date Sampled:***
		Matrix:					***Matrix:***
Component	**RDL**	**Units**		**TEF**	**# of Isomers**	**RDL**	**Units**
Dioxins and furans							
2,3,7,8-Cl4DBF	0.18	pg	2.7	0.27		0.25	pg
2,3,7,8-Cl4DBD	0.42	"	<0.42	<0.42		0.44	"
1,2,3,7,8-Cl5DBF	0.55	"	<0.55	<0.027		0.59	"
2,3,4,7,8-Cl5DBF	0.61	"	<0.61	<0.30		0.48	"
1,2,3,7,8-Cl5DBD	6.3	"	<6.3	<3.2		0.64	"
1,2,3,4,7,8-Cl6DBF	0.21	"	0.43	0.043		0.67	"
1,2,3,6,7,8-Cl6DBF	0.19	"	0.28	0.028		0.30	"
2,3,4,6,7,8-Cl6DBF	0.66	"	<0.66	<0.066		0.25	"
1,2,3,7,8,9-Cl6DBF	0.66	"	<0.66	<0.066		0.28	"
1,2,3,4,7,8-Cl6DBD	1.1	"	<1.1	<0.11		0.63	"
1,2,3,6,7,8-Cl6DBD	0.98	"	<0.98	<0.098		0.43	"
1,2,3,7,8,9-Cl6DBD	1.2	"	<1.2	<0.12		0.42	"
1,2,3,4,6,7,8-Cl7DBF	490	"	<490	<4.9		1.5	"
1,2,3,4,7,8,9-Cl7DBF	28	"	<28	<0.28		1.1	"
1,2,3,4,6,7,8-Cl7DBD	0.41	"	42	0.42		0.45	"
1,2,3,4,6,7,8,9-Cl8DBF	0.21	"	2.4	0.0024		0.48	"
1,2,3,4,6,7,8,9-Cl8DBD	0.48	"	430	0.43		3.0	"
TEF		pg		1.2			pg
MAX TEF		"		<11			"
ΣT4CDF	0.18	pg	5.8		7	0.25	pg
ΣP5CDF	0.50	"	0.70		1	0.36	"
ΣH6CDF	0.21	"	1.8		3	0.23	"
ΣH7CDF	26	"	<26		0	1.1	"
OCDF	0.21	"	2.4		1	0.48	"
ΣT4CDD	0.27	"	0.43		1	0.19	"
ΣP5CDD	6.3	"	6.4		1	0.64	"
ΣH6CDD	0.57	"	3.3		2	0.43	"
ΣH7CDD	0.41	"	75		2	0.28	"
OCDD	0.48	"	430		1	3.0	"
Surrogate Recoveries		%					%
2,3,7,8-T4CDF-13C12			92				
2,3,7,8-T4CDD-13C12			92				
1,2,3,7,8-P5CDF-13C12			93				
1,2,3,7,8-P5CDD-13C12			97				
1,2,3,6,7,8-H6CDF-13C12			86				
1,2,3,6,7,8-H6CDD-13C12			88				
1,2,3,4,6,7,8-H7CDF-13C12			99				
1,2,3,4,6,7,8-H7CDD-13C12			100				
OCDD-13C12			72				

PSC Analytical Services
Certificate of Analysis

	R02100402 09A	R02100402 09A	R02100402 09A		R02100402 10A	R02100402 10A
	039094 02	039094 02	039094 02	***Client ID:***	039095 02	039095 02
	02/10/09	02/10/09	02/10/09	***Lab No.:***	02/10/09	02/10/09
				Date Sampled:		
				Matrix:		

Component		TEF	# of Isomers	RDL	Units		TEF
Dioxins and furans							
2,3,7,8-Cl4DBF	1.8	0.18		0.36	pg	3.4	0.34
2,3,7,8-Cl4DBD	<0.44	<0.44		1.0	"	<1.0	<1.0
1,2,3,7,8-Cl5DBF	<0.59	<0.030		0.23	"	0.63	0.031
2,3,4,7,8-Cl5DBF	<0.48	<0.24		0.22	"	0.84	0.42
1,2,3,7,8-Cl5DBD	<0.64	<0.32		0.23	"	<0.23	<0.12
1,2,3,4,7,8-Cl6DBF	<0.67	<0.067		0.21	"	0.89	0.089
1,2,3,6,7,8-Cl6DBF	<0.30	<0.030		0.19	"	0.60	0.060
2,3,4,6,7,8-Cl6DBF	0.35	0.035		0.75	"	<0.75	<0.075
1,2,3,7,8,9-Cl6DBF	<0.28	<0.028		0.24	"	<0.24	<0.024
1,2,3,4,7,8-Cl6DBD	<0.63	<0.063		0.25	"	<0.25	<0.025
1,2,3,6,7,8-Cl6DBD	<0.43	<0.043		0.24	"	<0.24	<0.024
1,2,3,7,8,9-Cl6DBD	<0.42	<0.042		0.23	"	0.38	0.038
1,2,3,4,6,7,8-Cl7DBF	<1.5	<0.015		3.3	"	<3.3	<0.033
1,2,3,4,7,8,9-Cl7DBF	<1.1	<0.011		0.81	"	<0.81	<0.0081
1,2,3,4,6,7,8-Cl7DBD	<0.45	<0.0045		0.32	"	3.1	0.031
1,2,3,4,6,7,8,9-Cl8DBF	5.8	0.0058		1.9	"	<1.9	<0.0019
1,2,3,4,6,7,8,9-Cl8DBD	<3.0	<0.0030		0.97	"	23	0.023
TEF		0.22			pg		1.0
MAX TEF		<1.6			"		<2.4
ΣT4CDF	3.9		5	0.36	pg	12	
ΣP5CDF	<0.36		0	0.23	"	5.1	
ΣH6CDF	0.35		1	0.21	"	2.5	
ΣH7CDF	<1.1		0	1.7	"	<1.7	
OCDF	5.8		1	1.9	"	<1.9	
ΣT4CDD	1.5		2	0.21	"	15	
ΣP5CDD	<0.64		0	0.23	"	3.3	
ΣH6CDD	<0.43		0	0.24	"	1.2	
ΣH7CDD	<0.28		0	0.32	"	5.7	
OCDD	<3.0		0	0.97	"	23	
Surrogate Recoveries					%		
2,3,7,8-T4CDF-13C12	100					90	
2,3,7,8-T4CDD-13C12	98					87	
1,2,3,7,8-P5CDF-13C12	102					94	
1,2,3,7,8-P5CDD-13C12	101					96	
1,2,3,6,7,8-H6CDF-13C12	71					85	
1,2,3,6,7,8-H6CDD-13C12	84					85	
1,2,3,4,6,7,8-H7CDF-13C12	60					91	
1,2,3,4,6,7,8-H7CDD-13C12	96					88	
OCDD-13C12	67					73	

CITY_21MC100_003233018

PSC Analytical Services
Certificate of Analysis

	R02100402 10A 039095 02 02/10/09			R02100402 11A 039096 02 02/10/09	R02100402 11A 039096 02 02/10/09	R02100402 11A 039096 02 02/10/09	
			Client ID:	11A	11A	11A	
			Lab No.:	039096 02	039096 02	039096 02	
			Date Sampled:	02/10/09	02/10/09	02/10/09	
			Matrix:				
Component	**# of Isomers**	**RDL**	**Units**		**TEF**	**# of Isomers**	**RDL**
Dioxins and furans							
2,3,7,8-Cl4DBF		0.41	pg	7.5	0.75		0.17
2,3,7,8-Cl4DBD		0.24	"	2.8	2.8		0.25
1,2,3,7,8-Cl5DBF		0.41	"	1.1	0.054		0.28
2,3,4,7,8-Cl5DBF		0.40	"	1.0	0.51		0.27
1,2,3,7,8-Cl5DBD		0.56	"	<0.56	<0.28		0.43
1,2,3,4,7,8-Cl6DBF		1.4	"	<1.4	<0.14		0.29
1,2,3,6,7,8-Cl6DBF		0.17	"	0.64	0.064		0.27
2,3,4,6,7,8-Cl6DBF		0.89	"	<0.89	<0.089		0.19
1,2,3,7,8,9-Cl6DBF		0.22	"	<0.22	<0.022		0.25
1,2,3,4,7,8-Cl6DBD		0.70	"	<0.70	<0.070		0.24
1,2,3,6,7,8-Cl6DBD		0.65	"	0.99	0.099		0.22
1,2,3,7,8,9-Cl6DBD		0.69	"	<0.69	<0.069		0.22
1,2,3,4,6,7,8-Cl7DBF		6.8	"	<6.8	<0.068		0.69
1,2,3,4,7,8,9-Cl7DBF		3.0	"	<3.0	<0.030		1.3
1,2,3,4,6,7,8-Cl7DBD		0.83	"	6.6	0.066		1.1
1,2,3,4,6,7,8,9-Cl8DBF		3.4	"	<3.4	<0.0034		0.41
1,2,3,4,6,7,8,9-Cl8DBD		1.3	"	59	0.059		1.3
TEF			pg		4.3		
MAX TEF			"		<5.1		
ΣT4CDF	11	0.41	pg	50		13	0.17
ΣP5CDF	6	0.41	"	11		7	0.28
ΣH6CDF	3	0.19	"	2.3		2	0.18
ΣH7CDF	0	2.8	"	<2.8		0	1.2
OCDF	0	3.4	"	<3.4		0	0.41
ΣT4CDD	6	0.24	"	23		6	0.25
ΣP5CDD	3	0.56	"	11		3	0.43
ΣH6CDD	2	0.65	"	0.99		1	0.22
ΣH7CDD	2	0.83	"	13		2	0.42
OCDD	1	1.3	"	59		1	1.3
Surrogate Recoveries			%				
2,3,7,8-T4CDF-13C12				50			
2,3,7,8-T4CDD-13C12				88			
1,2,3,7,8-P5CDF-13C12				51			
1,2,3,7,8-P5CDD-13C12				52			
1,2,3,6,7,8-H6CDF-13C12				43			
1,2,3,6,7,8-H6CDD-13C12				44			
1,2,3,4,6,7,8-H7CDF-13C12				46			
1,2,3,4,6,7,8-H7CDD-13C12				45			
OCDD-13C12				35			

PSC Analytical Services
Certificate of Analysis

		R02100402	R02100402	R02100402		R02100402
	Client ID:	12A	12A	12A	***Client ID:***	13A
	Lab No.:	039097 02	039097 02	039097 02	***Lab No.:***	039098 02
	e Sampled:	02/10/09	02/10/09	02/10/09	***Date Sampled:***	02/10/09
	Matrix:				***Matrix:***	
Component	**Units**		**TEF**	**# of Isomers**	**RDL**	**Units**	
Dioxins and furans							
2,3,7,8-Cl4DBF	pg	1.0	0.10		1.2	pg	<1.2
2,3,7,8-Cl4DBD	"	<0.25	<0.25		0.31	"	<0.31
1,2,3,7,8-Cl5DBF	"	0.40	0.020		0.50	"	<0.50
2,3,4,7,8-Cl5DBF	"	<0.27	<0.14		0.45	"	<0.45
1,2,3,7,8-Cl5DBD	"	<0.43	<0.22		0.42	"	<0.42
1,2,3,4,7,8-Cl6DBF	"	<0.29	<0.029		0.27	"	0.46
1,2,3,6,7,8-Cl6DBF	"	<0.27	<0.027		0.25	"	<0.25
2,3,4,6,7,8-Cl6DBF	"	<0.19	<0.019		0.29	"	<0.29
1,2,3,7,8,9-Cl6DBF	"	<0.25	<0.025		0.32	"	<0.32
1,2,3,4,7,8-Cl6DBD	"	<0.24	<0.024		0.51	"	<0.51
1,2,3,6,7,8-Cl6DBD	"	<0.22	<0.022		0.47	"	<0.47
1,2,3,7,8,9-Cl6DBD	"	<0.22	<0.022		0.46	"	<0.46
1,2,3,4,6,7,8-Cl7DBF	"	<0.69	<0.0069		0.80	"	<0.80
1,2,3,4,7,8,9-Cl7DBF	"	<1.3	<0.013		0.32	"	<0.32
1,2,3,4,6,7,8-Cl7DBD	"	<1.1	<0.011		0.28	"	0.41
1,2,3,4,6,7,8,9-Cl8DBF	"	<0.41	<0.00041		0.55	"	11
1,2,3,4,6,7,8,9-Cl8DBD	"	8.1	0.0081		0.84	"	2.6
TEF	pg		0.13			pg	
MAX TEF	"		<0.93			"	
ΣT4CDF	pg	1.9		4	0.17	pg	1.1
ΣP5CDF	"	0.40		1	0.50	"	<0.50
ΣH6CDF	"	0.29		1	0.27	"	0.86
ΣH7CDF	"	0.31		1	0.30	"	<0.30
OCDF	"	<0.41		0	0.55	"	11
ΣT4CDD	"	<0.25		0	0.31	"	<0.31
ΣP5CDD	"	<0.43		0	0.42	"	<0.42
ΣH6CDD	"	<0.22		0	0.47	"	<0.47
ΣH7CDD	"	<0.42		0	0.28	"	0.41
OCDD	"	8.1		1	0.84	"	2.6
Surrogate Recoveries	%					%	
2,3,7,8-T4CDF-13C12		94					92
2,3,7,8-T4CDD-13C12		93					93
1,2,3,7,8-P5CDF-13C12		95					95
1,2,3,7,8-P5CDD-13C12		96					96
1,2,3,6,7,8-H6CDF-13C12		85					90
1,2,3,6,7,8-H6CDD-13C12		87					89
1,2,3,4,6,7,8-H7CDF-13C12		89					103
1,2,3,4,6,7,8-H7CDD-13C12		92					98
OCDD-13C12		72					78

PSC Analytical Services
Certificate of Analysis

	R02100402 13A	R02100402 13A		R02100402 14A	R02100402 14A	R02100402 14A
Client ID:						
Lab No.:	039098 02	039098 02		039099 02	039099 02	039099 02
Date Sampled:	02/10/09	02/10/09		02/10/09	02/10/09	02/10/09
Matrix:						
Component	**TEF**	**# of Isomers**	**RDL**	**Units**	**TEF**	**# of Isomers**
Dioxins and furans						
2,3,7,8-Cl4DBF	<0.12		0.27	pg	<0.27	<0.027	
2,3,7,8-Cl4DBD	<0.31		0.68	"	<0.68	<0.68	
1,2,3,7,8-Cl5DBF	<0.025		0.65	"	0.85	0.042	
2,3,4,7,8-Cl5DBF	<0.23		0.77	"	<0.77	<0.39	
1,2,3,7,8-Cl5DBD	<0.21		0.74	"	<0.74	<0.37	
1,2,3,4,7,8-Cl6DBF	0.046		1.1	"	<1.1	<0.11	
1,2,3,6,7,8-Cl6DBF	<0.025		0.24	"	0.88	0.088	
2,3,4,6,7,8-Cl6DBF	<0.029		1.1	"	<1.1	<0.11	
1,2,3,7,8,9-Cl6DBF	<0.032		0.31	"	0.63	0.063	
1,2,3,4,7,8-Cl6DBD	<0.051		0.78	"	0.99	0.099	
1,2,3,6,7,8-Cl6DBD	<0.047		0.69	"	<0.69	<0.069	
1,2,3,7,8,9-Cl6DBD	<0.046		0.99	"	<0.99	<0.099	
1,2,3,4,6,7,8-Cl7DBF	<0.0080		1.9	"	<1.9	<0.019	
1,2,3,4,7,8,9-Cl7DBF	<0.0032		1.4	"	<1.4	<0.014	
1,2,3,4,6,7,8-Cl7DBD	0.0041		2.5	"	<2.5	<0.025	
1,2,3,4,6,7,8,9-Cl8DBF	0.011		0.74	"	3.6	0.0037	
1,2,3,4,6,7,8,9-Cl8DBD	0.0026		1.4	"	23	0.023	
TEF	0.064			pg		0.32	
MAX TEF	<1.2			"		<2.2	
ΣT4CDF		3	0.27	pg	7.5		6
ΣP5CDF		0	0.65	"	0.85		1
ΣH6CDF		2	0.26	"	1.5		2
ΣH7CDF		0	1.3	"	<1.3		0
OCDF		1	0.74	"	3.6		1
ΣT4CDD		0	0.4	"	4.6		2
ΣP5CDD		0	0.74	"	<0.74		0
ΣH6CDD		0	0.72	"	0.99		1
ΣH7CDD		1	0.75	"	1.5		1
OCDD		1	1.4	"	23		1
Surrogate Recoveries				%			
2,3,7,8-T4CDF-13C12					88		
2,3,7,8-T4CDD-13C12					87		
1,2,3,7,8-P5CDF-13C12					76		
1,2,3,7,8-P5CDD-13C12					72		
1,2,3,6,7,8-H6CDF-13C12					91		
1,2,3,6,7,8-H6CDD-13C12					89		
1,2,3,4,6,7,8-H7CDF-13C12					92		
1,2,3,4,6,7,8-H7CDD-13C12					84		
OCDD-13C12					60		

PSC Analytical Services
Certificate of Analysis

			R02100402	R02100402	R02100402		
		Client ID:	15A	15A	15A		***Client ID:***
		Lab No.:	039100 02	039100 02	039100 02		***Lab No.:***
		Date Sampled:	02/10/09	02/10/09	02/10/09		***Date Sampled:***
		Matrix:					***Matrix:***
Component	**RDL**	**Units**		**TEF**	**# of Isomers**	**RDL**	**Units**
Dioxins and furans							
2,3,7,8-Cl4DBF	0.22	pg	5.3	0.53		0.15	pg
2,3,7,8-Cl4DBD	0.20	"	0.62	0.62		0.35	"
1,2,3,7,8-Cl5DBF	0.35	"	1.3	0.066		0.51	"
2,3,4,7,8-Cl5DBF	0.34	"	1.4	0.71		0.43	"
1,2,3,7,8-Cl5DBD	0.28	"	0.57	0.29		0.55	"
1,2,3,4,7,8-Cl6DBF	0.27	"	1.3	0.13		0.34	"
1,2,3,6,7,8-Cl6DBF	0.88	"	<0.88	<0.088		0.32	"
2,3,4,6,7,8-Cl6DBF	0.3	"	1.6	0.16		0.37	"
1,2,3,7,8,9-Cl6DBF	0.32	"	0.88	0.088		0.41	"
1,2,3,4,7,8-Cl6DBD	0.45	"	<0.45	<0.045		0.30	"
1,2,3,6,7,8-Cl6DBD	0.31	"	0.89	0.089		0.28	"
1,2,3,7,8,9-Cl6DBD	0.3	"	1.1	0.11		0.27	"
1,2,3,4,6,7,8-Cl7DBF	8.8	"	<8.8	<0.088		54	"
1,2,3,4,7,8,9-Cl7DBF	1.3	"	<1.3	<0.013		62	"
1,2,3,4,6,7,8-Cl7DBD	0.61	"	17	0.17		0.73	"
1,2,3,4,6,7,8,9-Cl8DBF	0.87	"	16	0.016		0.57	"
1,2,3,4,6,7,8,9-Cl8DBD	0.38	"	330	0.33		0.43	"
TEF		pg		3.3			pg
MAX TEF		"		<3.5			"
ΣT4CDF	0.22	pg	14		9	0.15	pg
ΣP5CDF	0.35	"	7.8		7	0.44	"
ΣH6CDF	0.27	"	5.5		5	0.34	"
ΣH7CDF	4.7	"	8.3		1	58	"
OCDF	0.87	"	16		1	0.57	"
ΣT4CDD	0.20	"	7.1		7	0.22	"
ΣP5CDD	0.28	"	7.7		4	0.55	"
ΣH6CDD	0.31	"	4.1		3	0.28	"
ΣH7CDD	0.61	"	34		2	0.73	"
OCDD	0.38	"	330		1	0.43	"
Surrogate Recoveries		%					%
2,3,7,8-T4CDF-13C12			97				
2,3,7,8-T4CDD-13C12			91				
1,2,3,7,8-P5CDF-13C12			97				
1,2,3,7,8-P5CDD-13C12			91				
1,2,3,6,7,8-H6CDF-13C12			68				
1,2,3,6,7,8-H6CDD-13C12			80				
1,2,3,4,6,7,8-H7CDF-13C12			72				
1,2,3,4,6,7,8-H7CDD-13C12			75				
OCDD-13C12			76				

PSC Analytical Services
Certificate of Analysis

	R02100402 16A 039101 02 02/10/09	R02100402 16A 039101 02 02/10/09	R02100402 16A 039101 02 02/10/09		R02100402 17A 039102 02 02/10/09	R02100402 17A 039102 02 02/10/09
Client ID:						
Lab No.:						
Date Sampled:						
Matrix:						
Component		**TEF**	**# of Isomers**	**RDL**	**Units**	**TEF**
Dioxins and furans						
2,3,7,8-Cl4DBF	1.5	0.15		0.16	pg	2.6	0.26
2,3,7,8-Cl4DBD	<0.35	<0.35		0.68	"	<0.68	<0.68
1,2,3,7,8-Cl5DBF	<0.51	<0.026		0.67	"	<0.67	<0.033
2,3,4,7,8-Cl5DBF	<0.43	<0.21		0.50	"	<0.50	<0.25
1,2,3,7,8-Cl5DBD	<0.55	<0.28		0.22	"	<0.22	<0.11
1,2,3,4,7,8-Cl6DBF	<0.34	<0.034		0.33	"	<0.33	<0.033
1,2,3,6,7,8-Cl6DBF	<0.32	<0.032		0.28	"	<0.28	<0.028
2,3,4,6,7,8-Cl6DBF	<0.37	<0.037		0.38	"	<0.38	<0.038
1,2,3,7,8,9-Cl6DBF	<0.41	<0.041		0.26	"	<0.26	<0.026
1,2,3,4,7,8-Cl6DBD	<0.30	<0.030		0.099	"	<0.099	<0.0099
1,2,3,6,7,8-Cl6DBD	<0.28	<0.028		0.33	"	<0.33	<0.033
1,2,3,7,8,9-Cl6DBD	<0.27	<0.027		0.23	"	0.33	0.033
1,2,3,4,6,7,8-Cl7DBF	<54	<0.54		2.1	"	<2.1	<0.021
1,2,3,4,7,8,9-Cl7DBF	<62	<0.62		29	"	<29	<0.29
1,2,3,4,6,7,8-Cl7DBD	<0.73	<0.0073		0.28	"	1.1	0.011
1,2,3,4,6,7,8,9-Cl8DBF	<0.57	<0.00057		0.62	"	<0.62	<0.00062
1,2,3,4,6,7,8,9-Cl8DBD	3.5	0.0035		0.58	"	9.4	0.0094
TEF		0.16			pg		0.32
MAX TEF		<2.4			"		<1.9
ΣT4CDF	3.4		6	0.16	pg	11	
ΣP5CDF	0.22		1	0.44	"	2.8	
ΣH6CDF	<0.34		0	0.22	"	0.56	
ΣH7CDF	<58		0	27	"	<27	
OCDF	<0.57		0	0.62	"	<0.62	
ΣT4CDD	1.3		3	0.32	"	8.5	
ΣP5CDD	0.71		1	0.55	"	3.5	
ΣH6CDD	<0.28		0	0.24	"	0.97	
ΣH7CDD	<0.73		0	0.28	"	2.6	
OCDD	3.5		1	0.58	"	9.4	
Surrogate Recoveries					%		
2,3,7,8-T4CDF-13C12	101					84	
2,3,7,8-T4CDD-13C12	94					77	
1,2,3,7,8-P5CDF-13C12	99					89	
1,2,3,7,8-P5CDD-13C12	93					86	
1,2,3,6,7,8-H6CDF-13C12	64					86	
1,2,3,6,7,8-H6CDD-13C12	77					81	
1,2,3,4,6,7,8-H7CDF-13C12	65					96	
1,2,3,4,6,7,8-H7CDD-13C12	84					86	
OCDD-13C12	73					78	

CITY_21MC100_003233023

PSC Analytical Services
Certificate of Analysis

	R02100402			R02100402	R02100402	R02100402	
	17A		***Client ID:***	18A	18A	18A	
	039102 02		***Lab No.:***	039103 02	039103 02	039103 02	
	02/10/09		***Date Sampled:***	02/10/09	02/10/09	02/10/09	
			Matrix:				
Component	**# of Isomers**	**RDL**	**Units**		**TEF**	**# of Isomers**	**RDL**
Dioxins and furans							
2,3,7,8-Cl4DBF		0.23	pg	2.8	0.28		0.51
2,3,7,8-Cl4DBD		0.32	"	<0.32	<0.32		0.72
1,2,3,7,8-Cl5DBF		0.26	"	0.61	0.031		0.65
2,3,4,7,8-Cl5DBF		0.25	"	0.59	0.29		2.5
1,2,3,7,8-Cl5DBD		0.49	"	<0.49	<0.25		0.79
1,2,3,4,7,8-Cl6DBF		0.68	"	<0.68	<0.068		2.6
1,2,3,6,7,8-Cl6DBF		0.46	"	<0.46	<0.046		0.56
2,3,4,6,7,8-Cl6DBF		0.54	"	<0.54	<0.054		0.65
1,2,3,7,8,9-Cl6DBF		0.58	"	<0.58	<0.058		0.71
1,2,3,4,7,8-Cl6DBD		0.25	"	<0.25	<0.025		2.3
1,2,3,6,7,8-Cl6DBD		0.23	"	0.27	0.027		0.68
1,2,3,7,8,9-Cl6DBD		0.36	"	<0.36	<0.036		3.8
1,2,3,4,6,7,8-Cl7DBF		4.2	"	<4.2	<0.042		4.6
1,2,3,4,7,8,9-Cl7DBF		46	"	<46	<0.46		2.4
1,2,3,4,6,7,8-Cl7DBD		0.46	"	4.1	0.041		1.1
1,2,3,4,6,7,8,9-Cl8DBF		0.71	"	2.6	0.0026		0.68
1,2,3,4,6,7,8,9-Cl8DBD		0.50	"	39	0.039		1.5
TEF			pg		0.71		
MAX TEF			"		<2.1		
ΣT4CDF	12	0.23	pg	9.1		10	0.51
ΣP5CDF	4	0.26	"	3.2		5	0.65
ΣH6CDF	1	0.50	"	<0.50		0	0.60
ΣH7CDF	0	43	"	<43		0	2.2
OCDF	0	0.71	"	2.6		1	0.68
ΣT4CDD	5	0.32	"	3.0		2	0.72
ΣP5CDD	2	0.49	"	0.91		1	0.79
ΣH6CDD	2	0.23	"	0.79		2	0.68
ΣH7CDD	2	0.46	"	7.9		2	1.1
OCDD	1	0.50	"	39		1	1.5
Surrogate Recoveries			%				
2,3,7,8-T4CDF-13C12				82			
2,3,7,8-T4CDD-13C12				78			
1,2,3,7,8-P5CDF-13C12				85			
1,2,3,7,8-P5CDD-13C12				84			
1,2,3,6,7,8-H6CDF-13C12				72			
1,2,3,6,7,8-H6CDD-13C12				78			
1,2,3,4,6,7,8-H7CDF-13C12				79			
1,2,3,4,6,7,8-H7CDD-13C12				87			
OCDD-13C12				77			

PSC Analytical Services
Certificate of Analysis

		R02100402	R02100402	R02100402		R02100402
	Client ID:	19A	19A	19A	***Client ID:***	20A
	Lab No.:	039104 02	039104 02	039104 02	***Lab No.:***	039105 02
	e Sampled:	02/09/10	02/09/10	02/09/10	***Date Sampled:***	02/09/10
	Matrix:				***Matrix:***	
Component	**Units**		**TEF**	**# of Isomers**	**RDL**	**Units**
Dioxins and furans						
2,3,7,8-Cl4DBF	pg	2.9	0.29		0.33	pg 0.94
2,3,7,8-Cl4DBD	"	1.4	1.4		0.38	" <0.38
1,2,3,7,8-Cl5DBF	"	2.1	0.10		0.45	" <0.45
2,3,4,7,8-Cl5DBF	"	<2.5	<1.3		0.43	" <0.43
1,2,3,7,8-Cl5DBD	"	1.7	0.85		1.1	" <1.1
1,2,3,4,7,8-Cl6DBF	"	<2.6	<0.26		1.3	" <1.3
1,2,3,6,7,8-Cl6DBF	"	2.4	0.24		1.2	" <1.2
2,3,4,6,7,8-Cl6DBF	"	5.3	0.53		1.4	" <1.4
1,2,3,7,8,9-Cl6DBF	"	3.8	0.38		1.5	" <1.5
1,2,3,4,7,8-Cl6DBD	"	<2.3	<0.23		1.2	" <1.2
1,2,3,6,7,8-Cl6DBD	"	2.6	0.26		1.1	" <1.1
1,2,3,7,8,9-Cl6DBD	"	<3.8	<0.38		1.1	" <1.1
1,2,3,4,6,7,8-Cl7DBF	"	<4.6	<0.046		3.0	" <3.0
1,2,3,4,7,8,9-Cl7DBF	"	4.3	0.043		1.2	" <1.2
1,2,3,4,6,7,8-Cl7DBD	"	4.0	0.040		0.90	" <0.90
1,2,3,4,6,7,8,9-Cl8DBF	"	7.0	0.0070		1.1	" <1.1
1,2,3,4,6,7,8,9-Cl8DBD	"	12	0.012		3.1	" <3.1
TEF	pg		4.2			pg
MAX TEF	"		<6.4			"
ΣT4CDF	pg	2.9		1	0.33	pg 0.94
ΣP5CDF	"	2.1		1	0.45	" <0.45
ΣH6CDF	"	12		3	1.3	" <1.3
ΣH7CDF	"	4.3		1	1.2	" <1.2
OCDF	"	7.0		1	1.1	" <1.1
ΣT4CDD	"	2.9		2	0.34	" <0.34
ΣP5CDD	"	1.7		1	1.1	" <1.1
ΣH6CDD	"	2.6		1	1.1	" <1.1
ΣH7CDD	"	4.0		1	0.90	" <0.90
OCDD	"	12		1	3.1	" <3.1
Surrogate Recoveries	%					%
2,3,7,8-T4CDF-13C12		89				91
2,3,7,8-T4CDD-13C12		81				82
1,2,3,7,8-P5CDF-13C12		75				76
1,2,3,7,8-P5CDD-13C12		70				73
1,2,3,6,7,8-H6CDF-13C12		68				48
1,2,3,6,7,8-H6CDD-13C12		80				69
1,2,3,4,6,7,8-H7CDF-13C12		58				37
1,2,3,4,6,7,8-H7CDD-13C12		83				80
OCDD-13C12		64				60

CITY_21MC100_003233025

PSC Analytical Services
Certificate of Analysis

	R02100402 20A 039105 02 02/09/10	R02100402 20A 039105 02 02/09/10
Component	**TEF**	**# of Isomers**
Dioxins and furans		
2,3,7,8-Cl4DBF	0.094	
2,3,7,8-Cl4DBD	<0.38	
1,2,3,7,8-Cl5DBF	<0.022	
2,3,4,7,8-Cl5DBF	<0.21	
1,2,3,7,8-Cl5DBD	<0.53	
1,2,3,4,7,8-Cl6DBF	<0.13	
1,2,3,6,7,8-Cl6DBF	<0.12	
2,3,4,6,7,8-Cl6DBF	<0.14	
1,2,3,7,8,9-Cl6DBF	<0.15	
1,2,3,4,7,8-Cl6DBD	<0.12	
1,2,3,6,7,8-Cl6DBD	<0.11	
1,2,3,7,8,9-Cl6DBD	<0.11	
1,2,3,4,6,7,8-Cl7DBF	<0.030	
1,2,3,4,7,8,9-Cl7DBF	<0.012	
1,2,3,4,6,7,8-Cl7DBD	<0.0090	
1,2,3,4,6,7,8,9-Cl8DBF	<0.0011	
1,2,3,4,6,7,8,9-Cl8DBD	<0.0031	
TEF	0.094	
MAX TEF	<2.2	
ΣT4CDF		1
ΣP5CDF		0
ΣH6CDF		0
ΣH7CDF		0
OCDF		0
ΣT4CDD		0
ΣP5CDD		0
ΣH6CDD		0
ΣH7CDD		0
OCDD		0
Surrogate Recoveries		
2,3,7,8-T4CDF-13C12		
2,3,7,8-T4CDD-13C12		
1,2,3,7,8-P5CDF-13C12		
1,2,3,7,8-P5CDD-13C12		
1,2,3,6,7,8-H6CDF-13C12		
1,2,3,6,7,8-H6CDD-13C12		
1,2,3,4,6,7,8-H7CDF-13C12		
1,2,3,4,6,7,8-H7CDD-13C12		
OCDD-13C12		

PSC Analytical Services
Laboratory Method Blanks

Component	RDL	Units	BLANK	TEF	# of Isomers	MR	RDL	Units
Batch Code:			**1030NZ01**					
2,3,7,8-Cl4DBF	0.27	pg	0.55	0.055		99%	0.12	pg
2,3,7,8-Cl4DBD	0.27	"	<0.27	<0.27		112%	0.26	"
1,2,3,7,8-Cl5DBF	0.62	"	<0.62	<0.031		111%	0.23	"
2,3,4,7,8-Cl5DBF	0.59	"	<0.59	<0.30		99%	0.47	"
1,2,3,7,8-Cl5DBD	0.53	"	<0.53	<0.27		98%	0.32	"
1,2,3,4,7,8-Cl6DBF	0.45	"	0.50	0.050		109%	0.21	"
1,2,3,6,7,8-Cl6DBF	0.42	"	<0.42	<0.042		102%	0.20	"
2,3,4,6,7,8-Cl6DBF	0.49	"	<0.49	<0.049		110%	0.59	"
1,2,3,7,8,9-Cl6DBF	0.53	"	<0.53	<0.053		112%	0.25	"
1,2,3,4,7,8-Cl6DBD	0.43	"	<0.43	<0.043		105%	0.39	"
1,2,3,6,7,8-Cl6DBD	0.40	"	<0.40	<0.040		105%	0.36	"
1,2,3,7,8,9-Cl6DBD	0.39	"	0.45	0.045		100%	0.56	"
1,2,3,4,6,7,8-Cl7DBF	0.99	"	<0.99	<0.0099		105%	0.97	"
1,2,3,4,7,8,9-Cl7DBF	0.62	"	<0.62	<0.0062		96%	0.53	"
1,2,3,4,6,7,8-Cl7DBD	0.58	"	<0.58	<0.0058		104%	0.27	"
1,2,3,4,6,7,8,9-Cl8DBF	0.74	"	2.0	0.0020		97%	0.69	"
1,2,3,4,6,7,8,9-Cl8DBD	3.7	"	<3.7	<0.0037		102%	0.29	"
FET		pg		0.15				pg
FET MAX		"		<1.3				"
ΣT4CDF	0.27	pg	0.55		1	99%	0.14	pg
ΣP5CDF	0.62	"	<0.62		0	105%	0.23	"
ΣH6CDF	0.45	"	0.50		1	108%	0.21	"
ΣH7CDF	0.39	"	<0.39		0	101%	0.49	"
OCDF	0.74	"	2.0		1	97%	0.69	"
ΣT4CDD	0.27	"	<0.27		0	112%	0.26	"
ΣP5CDD	0.53	"	<0.53		0	98%	0.32	"
ΣH6CDD	0.40	"	0.45		1	103%	0.36	"
ΣH7CDD	0.47	"	<0.47		0	104%	0.27	"
OCDD	3.7	"	<3.7		0	102%	0.29	"
Surrogate Recoveries		%						%
2,3,7,8-T4CDF-13C12			93					
2,3,7,8-T4CDD-13C12			88					
1,2,3,7,8-P5CDF-13C12			78					
1,2,3,7,8-P5CDD-13C12			74					
1,2,3,6,7,8-H6CDF-13C12			90					
1,2,3,6,7,8-H6CDD-13C12			90					
1,2,3,4,6,7,8-H7CDF-13C12			78					
1,2,3,4,6,7,8-H7CDD-13C12			87					
OCDD-13C12			65					

Certificate No:2J0575
nh

file # =DEP00206977.XLS
Revision No. 0

PSC Analytical Services
Laboratory Method Blanks

Component	BLANK				RDL	Units	BLANK	
Batch Code:	**1101NZ01**	**TEF**	**# of Isomers**	**MR**			**1104NZ01**	**TEF**
2,3,7,8-Cl4DBF	1.7	0.17		103%	0.12	pg	0.50	0.050
2,3,7,8-Cl4DBD	<0.26	<0.26		114%	0.22	"	<0.22	<0.22
1,2,3,7,8-Cl5DBF	0.40	0.020		111%	0.21	"	0.31	0.015
2,3,4,7,8-Cl5DBF	<0.47	<0.24		92%	0.15	"	<0.15	<0.076
1,2,3,7,8-Cl5DBD	<0.32	<0.16		95%	0.38	"	<0.38	<0.19
1,2,3,4,7,8-Cl6DBF	<0.21	<0.021		95%	0.13	"	<0.13	<0.013
1,2,3,6,7,8-Cl6DBF	<0.20	<0.020		103%	0.12	"	0.15	0.015
2,3,4,6,7,8-Cl6DBF	<0.59	<0.059		168%	0.14	"	<0.14	<0.014
1,2,3,7,8,9-Cl6DBF	<0.25	<0.025		155%	0.15	"	<0.15	<0.015
1,2,3,4,7,8-Cl6DBD	<0.39	<0.039		85%	0.094	"	<0.094	<0.0094
1,2,3,6,7,8-Cl6DBD	<0.36	<0.036		99%	0.13	"	0.18	0.018
1,2,3,7,8,9-Cl6DBD	<0.56	<0.056		130%	0.11	"	<0.11	<0.011
1,2,3,4,6,7,8-Cl7DBF	<0.97	<0.0098		103%	0.81	"	<0.81	<0.0081
1,2,3,4,7,8,9-Cl7DBF	<0.53	<0.0053		141%	0.62	"	<0.62	<0.0062
1,2,3,4,6,7,8-Cl7DBD	<0.27	<0.0027		103%	0.20	"	2.0	0.020
1,2,3,4,6,7,8,9-Cl8DBF	<0.69	<0.0069		66%	0.34	"	0.69	0.00069
1,2,3,4,6,7,8,9-Cl8DBD	2.3	0.0024		100%	0.28	"	14	0.014
FET		0.19						0.13
FET MAX		<1.1						<0.70
ΣT4CDF	3.0		4	103%	0.12	pg	0.50	
ΣP5CDF	0.40		1	102%	0.21	"	0.31	
ΣH6CDF	<0.21		0	130%	0.13	"	0.15	
ΣH7CDF	<0.49		0	122%	0.58	"	<0.58	
OCDF	<0.69		0	66%	0.34	"	0.69	
ΣT4CDD	0.27		1	114%	0.20	"	<0.20	
ΣP5CDD	0.48		1	95%	0.38	"	<0.38	
ΣH6CDD	<0.36		0	105%	0.12	"	0.46	
ΣH7CDD	<0.27		0	103%	0.20	"	3.7	
OCDD	2.3		1	100	0.28	"	14	
Surrogate Recoveries						%		
2,3,7,8-T4CDF-13C12	93						88	
2,3,7,8-T4CDD-13C12	91						80	
1,2,3,7,8-P5CDF-13C12	96						91	
1,2,3,7,8-P5CDD-13C12	91						85	
1,2,3,6,7,8-H6CDF-13C12	55						76	
1,2,3,6,7,8-H6CDD-13C12	65						80	
1,2,3,4,6,7,8-H7CDF-13C12	47						84	
1,2,3,4,6,7,8-H7CDD-13C12	82						96	
OCDD-13C12	69						74	

CITY_21MC100_003233028

PSC Analytical Services
Laboratory Method Blanks

Component Batch Code:	# of Isomers	MR
2,3,7,8-Cl4DBF		106%
2,3,7,8-Cl4DBD		117%
1,2,3,7,8-Cl5DBF		116%
2,3,4,7,8-Cl5DBF		97%
1,2,3,7,8-Cl5DBD		96%
1,2,3,4,7,8-Cl6DBF		114%
1,2,3,6,7,8-Cl6DBF		105%
2,3,4,6,7,8-Cl6DBF		116%
1,2,3,7,8,9-Cl6DBF		119%
1,2,3,4,7,8-Cl6DBD		102%
1,2,3,6,7,8-Cl6DBD		99%
1,2,3,7,8,9-Cl6DBD		99%
1,2,3,4,6,7,8-Cl7DBF		105%
1,2,3,4,7,8,9-Cl7DBF		52%
1,2,3,4,6,7,8-Cl7DBD		102%
1,2,3,4,6,7,8,9-Cl8DBF		125%
1,2,3,4,6,7,8,9-Cl8DBD		108%

	FET FET MAX	
ΣT4CDF	1	106%
ΣP5CDF	1	107%
ΣH6CDF	1	114%
ΣH7CDF	0	79%
OCDF	1	125%
ΣT4CDD	0	117%
ΣP5CDD	0	96%
ΣH6CDD	2	100%
ΣH7CDD	2	102%
OCDD	1	108%

Surrogate Recoveries

2,3,7,8-T4CDF-13C12
2,3,7,8-T4CDD-13C12
1,2,3,7,8-P5CDF-13C12
1,2,3,7,8-P5CDD-13C12
1,2,3,6,7,8-H6CDF-13C12
1,2,3,6,7,8-H6CDD-13C12
1,2,3,4,6,7,8-H7CDF-13C12
1,2,3,4,6,7,8-H7CDD-13C12
OCDD-13C12

PSC Analytical Services
Summary of Analysis Prep. Dates

Batch Code:	**1030NZ01**	**1101NZ01**	**1104NZ01**	**1104NZ01**
2,3,7,8-Cl4DBF etc	039086 02	039092 02	039100 02	039104 02
	039087 02	039093 02	039101 02	039105 02
	039088 02	039094 02	039102 02	
	039089 02	039095 02	039103 02	
	039090 02	039096 02		
	039091 02	039097 02		
		039098 02		
		039099 02		
Date Analyzed:	11/17/2002	11/18/2002	11/19/2002	11/21/2002
Date Prepared:	10/30/2002	11/1/2002	11/4/2002	11/4/2002

Batch Code:	**1030NZ01**	**1101NZ01**	**1104NZ01**	**1104NZ01**
ΣT4CDF etc.	039086 02	039092 02	039100 02	039104 02
	039087 02	039093 02	039101 02	039105 02
	039088 02	039094 02	039102 02	
	039089 02	039095 02	039103 02	
	039090 02	039096 02		
	039091 02	039097 02		
		039098 02		
		039099 02		
Date Analyzed:	11/17/2002	11/18/2002	11/19/2002	11/21/2002
Date Prepared:	10/30/2002	11/1/2002	11/4/2002	11/4/2002

ZEL - Testers's Comments and Sample Notepad Summary

039086	02	2378AH-	039086	02	2,3,7,8-Cl4-Dibenzofuran	0.3396	0.34
039087	02	2378AH-	039086	02	1,2,3,7,8-Cl5-Dibenzofuran	0.3013	0.3
039088	02	2378AH-	039086	02	2,3,4,7,8-Cl5-Dibenzofuran	0.2899	0.29
039089	02	2378AH-	039086	02	1,2,3,4,6,7,8-Cl7-Dibenzofuran	3.2265	3.2
039090	02	2378AH-	039086	02	1,2,3,4,6,7,8,9-Cl8-Dibenzofurar	0.5032	0.5
039091	02	2378AH-	039086	02	2,3,7,8-Cl4-Dibenzo-p-dioxin	0.2122	0.21
039092	02	2378AH-	039086	02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	0.4006	0.4
039093	02	2378AH-	039086	02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	1.6287	1.6
039094	02	2378AH-	039086	02	Total Tetrachlorodibenzofurans	0.3396	0.34
039095	02	2378AH-	039086	02	Total Tetrachlorodibenzo-p-dioxi	0.2122	0.21
039096	02	2378AH-	039086	02	Total Pentachlorodibenzo-p-dioxi	0.486	0.49
039097	02	2378AH-	039087	02	2,3,7,8-Cl4-Dibenzofuran	0.2462	0.25
039098	02	2378AH-	039087	02	2,3,4,7,8-Cl5-Dibenzofuran	0.2905	0.29
039099	02	2378AH-	039087	02	1,2,3,4,7,8-Cl6-Dibenzofuran	0.3809	0.38
039100	02	2378AH-	039087	02	1,2,3,6,7,8-Cl6-Dibenzofuran	0.3544	0.35
039101	02	2378AH-	039087	02	2,3,4,6,7,8-Cl6-Dibenzofuran	0.4144	0.41
039102	02	2378AH-	039087	02	1,2,3,4,6,7,8-Cl7-Dibenzofuran	6.7706	6.8
039103	02	2378AH-	039087	02	1,2,3,4,6,7,8,9-Cl8-Dibenzofurar	1.0543	1.1
039104	02	2378AH-	039087	02	2,3,7,8-Cl4-Dibenzo-p-dioxin	0.5159	0.52
039105	02	2378AH-	039087	02	1,2,3,7,8-Cl5-Dibenzo-p-dioxin	0.81	0.81
			039087	02	1,2,3,6,7,8-Cl6-Dibenzo-p-dioxin	0.4387	0.44
		S	039087	02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	0.7817	0.78
ZN			039087	02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	2.4479	2.4
--			039087	02	Total Tetrachlorodibenzofurans	0.2462	0.25
			039087	02	Total Tetrachlorodibenzo-p-dioxi	0.5159	0.52
039086	02		039087	02	Total Pentachlorodibenzofurans	0.3	0.3
			039087	02	Total Pentachlorodibenzo-p-dioxi	0.81	0.81
TC=2378AHRF		BC	039087	02	Total Heptachlorodibenzo-p-diox	0.7817	0.78
2,3,7,8-Cl4-Dibenz			039088	02	2,3,7,8-Cl4-Dibenzofuran	0.1303	0.13
----------			039088	02	1,2,3,7,8-Cl5-Dibenzofuran	0.2625	0.26
Posted by EGAGN			039088	02	2,3,4,7,8-Cl5-Dibenzofuran	0.2526	0.25
TC=2378AHRF		BC	039088	02	1,2,3,4,6,7,8-Cl7-Dibenzofuran	1.2736	1.3
1,2,3,7,8-Cl5-Diber			039088	02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	0.2108	0.21
TC=02/11/17 BC=(			039088	02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	0.2731	0.27
1,2,3,7,8-Cl5-Diber			039088	02	Total Tetrachlorodibenzofurans	0.1303	0.13
----------			039088	02	Total Tetrachlorodibenzo-p-dioxi	0.3696	0.37
Posted by EGAGN			039088	02	Total Pentachlorodibenzofurans	0.2625	0.26
TC=2378AHRF		BC	039088	02	Total Pentachlorodibenzo-p-dioxi	0.654	0.65
2,3,4,7,8-Cl5-Diber			039088	02	Total Heptachlorodibenzo-p-diox	0.2108	0.21
TC=02/11/17 BC=(			039089	02	2,3,7,8-Cl4-Dibenzofuran	0.0852	0.085
2,3,4,7,8-Cl5-Diber			039089	02	1,2,3,7,8-Cl5-Dibenzofuran	0.4925	0.49
----------			039089	02	1,2,3,4,6,7,8-Cl7-Dibenzofuran	5.4324	5.4
Posted by EGAGN			039089	02	1,2,3,4,6,7,8,9-Cl8-Dibenzofurar	0.713	0.71

file # =DEP00206977.XLS

Revision No. 0

NYC 9/11 Public Portal Document

TC=2378AHRF BC	039089	02	2,3,7,8-Cl4-Dibenzo-p-dioxin	0.2574	0.26
1,2,3,4,6,7,8-Cl7-D	039089	02	1,2,3,7,8-Cl5-Dibenzo-p-dioxin	0.2894	0.29
TC=NZ01 BC=02/10	39089	02	1,2,3,4,7,8-Cl6-Dibenzo-p-dioxin	0.4711	0.47
1,2,3,4,6,7,8-Cl7-D	039089	02	1,2,3,6,7,8-Cl6-Dibenzo-p-dioxin	0.4358	0.44
----------	039089	02	1,2,3,7,8,9-Cl6-Dibenzo-p-dioxin	0.4248	0.42
Posted by EGAGN	039089	02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	1.1095	1.1
TC=2378AHRF BC	039089	02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	1.3521	1.4
1,2,3,4,6,7,8,9-Cl8-	039089	02	Total Tetrachlorodibenzofurans	0.0852	0.085
TC=NZ01 BC=02/10	39089	02	Total Tetrachlorodibenzo-p-dioxin	0.2574	0.26
1,2,3,4,6,7,8,9-Cl8-	039089	02	Total Pentachlorodibenzofurans	0.4925	0.49
----------	039089	02	Total Pentachlorodibenzo-p-dioxi	0.2894	0.29
Posted by EGAGN	039089	02	Total Hexachlorodibenzo-p-dioxin	0.4358	0.44
TC=2378AHRF BC	039089	02	Total Heptachlorodibenzo-p-diox	1.1095	1.1
2,3,7,8-Cl4-Dibenz	039090	02	2,3,7,8-Cl4-Dibenzofuran	0.1377	0.14
TC=02/11/17 BC=(	039090	02	1,2,3,7,8-Cl5-Dibenzofuran	0.1328	0.13
2,3,7,8-Cl4-Dibenz	039090	02	2,3,4,7,8-Cl5-Dibenzofuran	0.1278	0.13
----------	039090	02	1,2,3,4,7,8-Cl6-Dibenzofuran	0.4534	0.45
Posted by EGAGN	039090	02	1,2,3,4,6,7,8,9-Cl8-Dibenzofurar	0.756	0.76
TC=2378AHRF BC	039090	02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	0.6364	0.64
1,2,3,4,6,7,8-Cl7-D	039090	02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	1.9388	1.9
TC=NZ01 BC=02/10	39090	02	Total Tetrachlorodibenzofurans	0.1377	0.14
1,2,3,4,6,7,8-Cl7-D	039090	02	Total Tetrachlorodibenzo-p-dioxin	0.4675	0.47
----------	039090	02	Total Pentachlorodibenzofurans	0.1328	0.13
Posted by EGAGN	039090	02	Total Pentachlorodibenzo-p-dioxi	0.3661	0.37
TC=2378AHRF BC	039090	02	Total Hexachlorodibenzo-p-dioxin	0.2518	0.25
1,2,3,4,6,7,8,9-Cl8-	039090	02	Total Heptachlorodibenzo-p-diox	0.6364	0.64
TC=NZ01 BC=02/10	39091	02	2,3,7,8-Cl4-Dibenzofuran	0.2201	0.22
1,2,3,4,6,7,8,9-Cl8-	039091	02	1,2,3,4,6,7,8,9-Cl8-Dibenzofurar	0.4332	0.43
----------	039091	02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	0.3448	0.34
Posted by EGAGN	039091	02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	0.4558	0.46
TC=PCDDAHRF B	039091	02	Total Tetrachlorodibenzofurans	0.2201	0.22
Total Tetrachlorodit	039091	02	Total Pentachlorodibenzo-p-dioxi	0.3726	0.37
----------	039092	02	2,3,7,8-Cl4-Dibenzofuran	0.3111	0.31
Posted by EGAGN	039092	02	1,2,3,7,8-Cl5-Dibenzofuran	0.4648	0.46
TC=PCDDAHRF B	039092	02	2,3,4,7,8-Cl5-Dibenzofuran	0.4473	0.45
Total Tetrachlorodit	039092	02	1,2,3,4,7,8-Cl6-Dibenzofuran	0.7427	0.74
----------	039092	02	1,2,3,6,7,8-Cl6-Dibenzofuran	0.691	0.69
Posted by EGAGN	039092	02	2,3,4,6,7,8-Cl6-Dibenzofuran	0.8081	0.81
TC=PCDDAHRF B	039092	02	1,2,3,7,8,9-Cl6-Dibenzofuran	0.8742	0.87
Total Pentachlorodi	039092	02	1,2,3,4,6,7,8-Cl7-Dibenzofuran	10.1831	10
----------	039092	02	1,2,3,4,7,8,9-Cl7-Dibenzofuran	11.7304	12
	039092	02	1,2,3,4,6,7,8,9-Cl8-Dibenzofurar	1.8335	1.8
039087 02	039092	02	2,3,7,8-Cl4-Dibenzo-p-dioxin	0.5472	0.55

CITY_21MC100_003233032

NYC-WTC_000234125

NYC 9/11 Public Portal Document

	039092	021,2,3,7,8-Cl5-Dibenzo-p-dioxin	0.9638	0.96
TC=2378AHRF BC	039092	021,2,3,4,7,8-Cl6-Dibenzo-p-dioxin	1.4719	1.5
2,3,7,8-Cl4-Dibenz	039092	021,2,3,6,7,8-Cl6-Dibenzo-p-dioxin	1.3615	1.4
----------	039092	021,2,3,7,8,9-Cl6-Dibenzo-p-dioxin	1.3274	1.3
Posted by EGAGN	039092	021,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	1.8924	1.9
TC=2378AHRF BC	039092	021,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	2.4527	2.5
2,3,4,7,8-Cl5-Diber	039092	02Total Tetrachlorodibenzofurans	0.3111	0.31
----------	039092	02Total Tetrachlorodibenzo-p-dioxi	0.5472	0.55
Posted by EGAGN	039092	02Total Pentachlorodibenzofurans	0.4648	0.46
TC=2378AHRF BC	039092	02Total Pentachlorodibenzo-p-dioxi	0.9638	0.96
1,2,3,4,7,8-Cl6-Dib	039092	02Total Hexachlorodibenzofurans	0.7427	0.74
TC=02/11/17 BC=(	039092	02Total Hexachlorodibenzo-p-dioxi	1.3615	1.4
1,2,3,4,7,8-Cl6-Dib	039092	02Total Heptachlorodibenzo-p-diox	1.8924	1.9
----------	039093	022,3,7,8-Cl4-Dibenzofuran	0.1807	0.18
Posted by EGAGN	039093	021,2,3,7,8-Cl5-Dibenzofuran	0.5003	0.5
TC=2378AHRF BC	039093	022,3,4,7,8-Cl5-Dibenzofuran	0.4814	0.48
1,2,3,6,7,8-Cl6-Dib	039093	021,2,3,4,7,8-Cl6-Dibenzofuran	0.2053	0.21
TC=02/11/17 BC=(	039093	021,2,3,6,7,8-Cl6-Dibenzofuran	0.191	0.19
1,2,3,6,7,8-Cl6-Dib	039093	022,3,4,6,7,8-Cl6-Dibenzofuran	0.2234	0.22
----------	039093	021,2,3,7,8,9-Cl6-Dibenzofuran	0.2417	0.24
Posted by EGAGN	039093	021,2,3,4,6,7,8-Cl7-Dibenzofuran	24.2498	24
TC=2378AHRF BC	039093	021,2,3,4,6,7,8,9-Cl8-Dibenzofurar	0.2144	0.21
2,3,4,6,7,8-Cl6-Dib	039093	022,3,7,8-Cl4-Dibenzo-p-dioxin	0.2717	0.27
TC=02/11/17 BC=(	039093	021,2,3,4,7,8-Cl6-Dibenzo-p-dioxin	0.6159	0.62
2,3,4,6,7,8-Cl6-Dib	039093	021,2,3,6,7,8-Cl6-Dibenzo-p-dioxin	0.5697	0.57
----------	039093	021,2,3,7,8,9-Cl6-Dibenzo-p-dioxin	0.5554	0.56
Posted by EGAGN	039093	021,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	0.411	0.41
TC=2378AHRF BC	039093	021,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	0.482	0.48
1,2,3,4,6,7,8-Cl7-D	039093	02Total Tetrachlorodibenzofurans	0.1807	0.18
TC=NZ01 BC=02/1	039093	02Total Tetrachlorodibenzo-p-dioxi	0.2717	0.27
1,2,3,4,6,7,8-Cl7-D	039093	02Total Pentachlorodibenzofurans	0.5003	0.5
----------	039093	02Total Pentachlorodibenzo-p-dioxi	6.309	6.3
Posted by EGAGN	039093	02Total Hexachlorodibenzofurans	0.2053	0.21
TC=2378AHRF BC	039093	02Total Hexachlorodibenzo-p-dioxi	0.5697	0.57
1,2,3,4,6,7,8,9-Cl8-	039093	02Total Heptachlorodibenzo-p-diox	0.411	0.41
TC=NZ01 BC=02/1	039094	022,3,7,8-Cl4-Dibenzofuran	0.2459	0.25
1,2,3,4,6,7,8,9-Cl8-	039094	021,2,3,7,8-Cl5-Dibenzofuran	0.3625	0.36
----------	039094	022,3,4,7,8-Cl5-Dibenzofuran	0.3489	0.35
Posted by EGAGN	039094	021,2,3,4,7,8-Cl6-Dibenzofuran	0.2339	0.23
TC=2378AHRF BC	039094	021,2,3,6,7,8-Cl6-Dibenzofuran	0.2176	0.22
2,3,7,8-Cl4-Dibenz	039094	022,3,4,6,7,8-Cl6-Dibenzofuran	0.2545	0.25
TC=02/11/17 BC=(	039094	021,2,3,4,6,7,8-Cl7-Dibenzofuran	0.9883	0.99
2,3,7,8-Cl4-Dibenz	039094	021,2,3,4,6,7,8,9-Cl8-Dibenzofurar	0.4799	0.48

CITY_21MC100_003233033

NYC-WTC_000234126

NYC 9/11 Public Portal Document

----------	039094	02	2,3,7,8-Cl4-Dibenzo-p-dioxin	0.1887	0.19
Posted by EGAGN	039094	02	1,2,3,4,7,8-Cl6-Dibenzo-p-dioxin	0.4608	0.46
TC=2378AHRF BC	039094	02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	0.2844	0.28
1,2,3,7,8-Cl5-Diber	039094	02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	0.4764	0.48
TC=NZ01 BC=02/10	039094	02	Total Tetrachlorodibenzofurans	0.2459	0.25
1,2,3,7,8-Cl5-Diber	039094	02	Total Tetrachlorodibenzo-p-dioxi	0.1887	0.19
----------	039094	02	Total Hexachlorodibenzofurans	0.2339	0.23
Posted by EGAGN	039095	02	2,3,7,8-Cl4-Dibenzofuran	0.357	0.36
TC=2378AHRF BC	039095	02	1,2,3,7,8-Cl5-Dibenzofuran	0.2293	0.23
1,2,3,6,7,8-Cl6-Dib	039095	02	2,3,4,7,8-Cl5-Dibenzofuran	0.2207	0.22
TC=NZ01 BC=02/10	039095	02	1,2,3,4,7,8-Cl6-Dibenzofuran	0.2063	0.21
1,2,3,6,7,8-Cl6-Dib	039095	02	1,2,3,6,7,8-Cl6-Dibenzofuran	0.192	0.19
----------	039095	02	2,3,4,6,7,8-Cl6-Dibenzofuran	0.2245	0.22
Posted by EGAGN	039095	02	1,2,3,4,6,7,8-Cl7-Dibenzofuran	1.5485	1.5
TC=2378AHRF BC	039095	02	1,2,3,4,7,8,9-Cl7-Dibenzofuran	1.7838	1.8
1,2,3,4,6,7,8-Cl7-D	039095	02	1,2,3,4,6,7,8,9-Cl8-Dibenzofurar	0.6716	0.67
----------	039095	02	2,3,7,8-Cl4-Dibenzo-p-dioxin	0.2116	0.21
Posted by EGAGN	039095	02	1,2,3,7,8,9-Cl6-Dibenzo-p-dioxin	0.2296	0.23
TC=2378AHRF BC	039095	02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	0.3237	0.32
1,2,3,4,6,7,8,9-Cl8-	039095	02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	0.9706	0.97
TC=NZ01 BC=02/10	039095	02	Total Tetrachlorodibenzofurans	0.357	0.36
1,2,3,4,6,7,8,9-Cl8-	039095	02	Total Tetrachlorodibenzo-p-dioxi	0.2116	0.21
----------	039095	02	Total Pentachlorodibenzofurans	0.2293	0.23
Posted by EGAGN	039095	02	Total Pentachlorodibenzo-p-dioxi	0.2322	0.23
TC=PCDDAHRF B	039095	02	Total Hexachlorodibenzofurans	0.2063	0.21
Total Tetrachlorodit	039095	02	Total Hexachlorodibenzo-p-dioxi	0.2355	0.24
----------	039095	02	Total Heptachlorodibenzo-p-diox	0.3237	0.32
Posted by EGAGN	039096	02	2,3,7,8-Cl4-Dibenzofuran	0.4122	0.41
TC=PCDDAHRF B	039096	02	1,2,3,7,8-Cl5-Dibenzofuran	0.4122	0.41
Total Tetrachlorodit	039096	02	2,3,4,7,8-Cl5-Dibenzofuran	0.3967	0.4
----------	039096	02	1,2,3,4,7,8-Cl6-Dibenzofuran	0.187	0.19
Posted by EGAGN	039096	02	1,2,3,6,7,8-Cl6-Dibenzofuran	0.174	0.17
TC=PCDDAHRF B	039096	02	2,3,4,6,7,8-Cl6-Dibenzofuran	0.2035	0.2
Total Pentachlorodi	039096	02	1,2,3,4,6,7,8-Cl7-Dibenzofuran	2.6184	2.6
----------	039096	02	1,2,3,4,6,7,8,9-Cl8-Dibenzofurar	0.3812	0.38
Posted by EGAGN	039096	02	2,3,7,8-Cl4-Dibenzo-p-dioxin	0.2397	0.24
TC=PCDDAHRF B	039096	02	1,2,3,6,7,8-Cl6-Dibenzo-p-dioxin	0.6475	0.65
Total Pentachlorodi	039096	02	1,2,3,7,8,9-Cl6-Dibenzo-p-dioxin	0.6313	0.63
----------	039096	02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	0.8292	0.83
Posted by EGAGN	039096	02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	1.3294	1.3
TC=PCDDAHRF B	039096	02	Total Tetrachlorodibenzofurans	0.4122	0.41
Total Heptachlorodi	039096	02	Total Tetrachlorodibenzo-p-dioxi	0.2397	0.24
----------	039096	02	Total Pentachlorodibenzofurans	0.4122	0.41

	039096	02	Total Pentachlorodibenzo-p-dioxi	0.558	0.56
039088 02	039096	02	Total Hexachlorodibenzofurans	0.187	0.19
	039096	02	Total Hexachlorodibenzo-p-dioxir	0.6475	0.65
TC=2378AHRF BC	039097	02	2,3,7,8-Cl4-Dibenzofuran	0.1663	0.17
2,3,7,8-Cl4-Dibenz	039097	02	1,2,3,7,8-Cl5-Dibenzofuran	0.2809	0.28
----------	039097	02	1,2,3,4,7,8-Cl6-Dibenzofuran	0.1756	0.18
Posted by EGAGN	039097	02	1,2,3,6,7,8-Cl6-Dibenzofuran	0.1633	0.16
TC=2378AHRF BC	039097	02	1,2,3,4,6,7,8-Cl7-Dibenzofuran	1.0856	1.1
1,2,3,7,8-Cl5-Diber	039097	02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	0.4195	0.42
TC=02/11/17 BC=(	039097	02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	1.2573	1.3
1,2,3,7,8-Cl5-Diber	039097	02	Total Tetrachlorodibenzofurans	0.1663	0.17
----------	039097	02	Total Pentachlorodibenzofurans	0.281	0.28
Posted by EGAGN	039097	02	Total Hexachlorodibenzofurans	0.176	0.18
TC=2378AHRF BC	039097	02	Total Heptachlorodibenzofurans	1.1668	1.2
2,3,4,7,8-Cl5-Diber	039098	02	2,3,7,8-Cl4-Dibenzofuran	0.1691	0.17
----------	039098	02	1,2,3,4,7,8-Cl6-Dibenzofuran	0.2697	0.27
Posted by EGAGN	039098	02	1,2,3,4,6,7,8-Cl7-Dibenzofuran	0.2809	0.28
TC=2378AHRF BC	039098	02	1,2,3,4,6,7,8,9-Cl8-Dibenzofurar	0.5474	0.55
1,2,3,4,6,7,8-Cl7-D	039098	02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	0.2762	0.28
TC=NZ01 BC=02/1	039098	02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	0.839	0.84
1,2,3,4,6,7,8-Cl7-D	039098	02	Total Tetrachlorodibenzofurans	0.1691	0.17
----------	039098	02	Total Hexachlorodibenzofurans	0.2697	0.27
Posted by EGAGN	039098	02	Total Heptachlorodibenzo-p-diox	0.2762	0.28
TC=2378AHRF BC	039099	02	1,2,3,7,8-Cl5-Dibenzofuran	0.6455	0.65
1,2,3,4,6,7,8-Cl7-D	039099	02	2,3,4,7,8-Cl5-Dibenzofuran	0.6212	0.62
----------	039099	02	1,2,3,4,7,8-Cl6-Dibenzofuran	0.2617	0.26
Posted by EGAGN	039099	02	1,2,3,6,7,8-Cl6-Dibenzofuran	0.2435	0.24
TC=2378AHRF BC	039099	02	2,3,4,6,7,8-Cl6-Dibenzofuran	0.2847	0.28
1,2,3,4,6,7,8,9-Cl8	039099	02	1,2,3,7,8,9-Cl6-Dibenzofuran	0.308	0.31
----------	039099	02	1,2,3,4,6,7,8-Cl7-Dibenzofuran	1.2149	1.2
Posted by EGAGN	039099	02	1,2,3,4,6,7,8,9-Cl8-Dibenzofurar	0.7363	0.74
TC=PCDDAHRF B	039099	02	2,3,7,8-Cl4-Dibenzo-p-dioxin	0.4006	0.4
Total Tetrachlorodit	039099	02	1,2,3,4,7,8-Cl6-Dibenzo-p-dioxin	0.7807	0.78
----------	039099	02	1,2,3,6,7,8-Cl6-Dibenzo-p-dioxin	0.7222	0.72
Posted by EGAGN	039099	02	1,2,3,7,8,9-Cl6-Dibenzo-p-dioxin	0.7041	0.7
TC=PCDDAHRF B	039099	02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	0.7486	0.75
Total Tetrachlorodit	039099	02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	1.4488	1.4
----------	039099	02	Total Tetrachlorodibenzofurans	0.2706	0.27
Posted by EGAGN	039099	02	Total Tetrachlorodibenzo-p-dioxii	0.4006	0.4
TC=PCDDAHRF B	039099	02	Total Pentachlorodibenzofurans	0.6455	0.65
Total Pentachlorodi	039099	02	Total Hexachlorodibenzofurans	0.2617	0.26
----------	039099	02	Total Hexachlorodibenzo-p-dioxir	0.7222	0.72
Posted by EGAGN	039099	02	Total Heptachlorodibenzo-p-diox	0.7486	0.75

NYC 9/11 Public Portal Document

TC=PCDDAHRF B	039100	02	2,3,7,8-Cl4-Dibenzofuran	0.2222	0.22
Total Pentachlorodi	039100	02	1,2,3,7,8-Cl5-Dibenzofuran	0.349	0.35
----------	039100	02	2,3,4,7,8-Cl5-Dibenzofuran	0.3358	0.34
Posted by EGAGN	039100	02	1,2,3,4,7,8-Cl6-Dibenzofuran	0.2714	0.27
TC=PCDDAHRF B	039100	02	1,2,3,6,7,8-Cl6-Dibenzofuran	0.2525	0.25
Total Heptachlorodi	039100	02	2,3,4,6,7,8-Cl6-Dibenzofuran	0.2953	0.3
----------	039100	02	1,2,3,7,8,9-Cl6-Dibenzofuran	0.3195	0.32
039089 02	039100	02	1,2,3,4,6,7,8-Cl7-Dibenzofuran	4.3981	4.4
	039100	02	1,2,3,4,7,8,9-Cl7-Dibenzofuran	5.0663	5.1
TC=2378AHRF BC	039100	02	1,2,3,4,6,7,8,9-Cl8-Dibenzofurar	0.868	0.87
2,3,7,8-Cl4-Dibenz	039100	02	2,3,7,8-Cl4-Dibenzo-p-dioxin	0.1968	0.2
----------	039100	02	1,2,3,7,8-Cl5-Dibenzo-p-dioxin	0.2816	0.28
Posted by EGAGN	039100	02	1,2,3,4,7,8-Cl6-Dibenzo-p-dioxin	0.3318	0.33
TC=2378AHRF BC	039100	02	1,2,3,6,7,8-Cl6-Dibenzo-p-dioxin	0.3069	0.31
1,2,3,7,8-Cl5-Diber	039100	02	1,2,3,7,8,9-Cl6-Dibenzo-p-dioxin	0.2992	0.3
----------	039100	02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	0.6052	0.61
Posted by EGAGN	039100	02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	0.3775	0.38
TC=2378AHRF BC	039100	02	Total Tetrachlorodibenzofurans	0.2222	0.22
1,2,3,4,6,7,8-Cl7-D	039100	02	Total Tetrachlorodibenzo-p-dioxi	0.1968	0.2
TC=NZ01 BC=02/1	039100	02	Total Pentachlorodibenzofurans	0.349	0.35
1,2,3,4,6,7,8-Cl7-D	039100	02	Total Pentachlorodibenzo-p-dioxi	0.2816	0.28
----------	039100	02	Total Hexachlorodibenzofurans	0.2714	0.27
Posted by EGAGN	039100	02	Total Hexachlorodibenzo-p-dioxi	0.3069	0.31
TC=2378AHRF BC	039100	02	Total Heptachlorodibenzofurans	4.7272	4.7
1,2,3,4,6,7,8,9-Cl8-	039100	02	Total Heptachlorodibenzo-p-diox	0.6052	0.61
TC=NZ01 BC=02/1	039101	02	2,3,7,8-Cl4-Dibenzofuran	0.1533	0.15
1,2,3,4,6,7,8,9-Cl8-	039101	02	1,2,3,7,8-Cl5-Dibenzofuran	0.4447	0.44
----------	039101	02	2,3,7,8-Cl4-Dibenzo-p-dioxin	0.221	0.22
Posted by EGAGN	039101	02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	0.4289	0.43
TC=2378AHRF BC	039101	02	Total Tetrachlorodibenzofurans	0.1533	0.15
2,3,7,8-Cl4-Dibenz	039101	02	Total Tetrachlorodibenzo-p-dioxi	0.221	0.22
----------	039101	02	Total Pentachlorodibenzofurans	0.4447	0.44
Posted by EGAGN	039101	02	Total Pentachlorodibenzo-p-dioxi	0.5533	0.55
TC=2378AHRF BC	039102	02	2,3,7,8-Cl4-Dibenzofuran	0.1617	0.16
1,2,3,7,8-Cl5-Diber	039102	02	1,2,3,7,8-Cl5-Dibenzofuran	0.4369	0.44
TC=NZ01 BC=02/1	039102	02	2,3,4,7,8-Cl5-Dibenzofuran	0.4205	0.42
1,2,3,7,8-Cl5-Diber	039102	02	1,2,3,4,7,8-Cl6-Dibenzofuran	0.2183	0.22
----------	039102	02	1,2,3,6,7,8-Cl6-Dibenzofuran	0.2031	0.2
Posted by EGAGN	039102	02	2,3,4,6,7,8-Cl6-Dibenzofuran	0.2376	0.24
TC=2378AHRF BC	039102	02	1,2,3,4,6,7,8-Cl7-Dibenzofuran	25.5812	26
1,2,3,4,7,8-Cl6-Dib	039102	02	1,2,3,4,6,7,8,9-Cl8-Dibenzofurar	0.4382	0.44
TC=NZ01 BC=02/1	039102	02	2,3,7,8-Cl4-Dibenzo-p-dioxin	0.3214	0.32
1,2,3,4,7,8-Cl6-Dib	039102	02	1,2,3,7,8-Cl5-Dibenzo-p-dioxin	0.5474	0.55

CITY_21MC100_003233036

NYC-WTC_000234129

NYC 9/11 Public Portal Document

----------	039102	021,2,3,4,7,8-Cl6-Dibenzo-p-dioxin	0.2596	0.26
Posted by EGAGN	039102	021,2,3,6,7,8-Cl6-Dibenzo-p-dioxin	0.2401	0.24
TC=2378AHRF BC	039102	021,2,3,7,8,9-Cl6-Dibenzo-p-dioxin	0.2341	0.23
1,2,3,6,7,8-Cl6-Dib	039102	021,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	0.2768	0.28
----------	039102	021,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	0.5846	0.58
Posted by EGAGN	039102	02Total Tetrachlorodibenzofurans	0.1617	0.16
TC=2378AHRF BC	039102	02Total Tetrachlorodibenzo-p-dioxi	0.3214	0.32
1,2,3,7,8,9-Cl6-Dib	039102	02Total Pentachlorodibenzofurans	0.4369	0.44
----------	039102	02Total Pentachlorodibenzo-p-dioxi	0.5474	0.55
Posted by EGAGN	039102	02Total Hexachlorodibenzofurans	0.2183	0.22
TC=2378AHRF BC	039102	02Total Hexachlorodibenzo-p-dioxi	0.2401	0.24
1,2,3,4,6,7,8-Cl7-D	039102	02Total Heptachlorodibenzo-p-diox	0.2768	0.28
----------	039103	022,3,7,8-Cl4-Dibenzofuran	0.2344	0.23
Posted by EGAGN	039103	021,2,3,7,8-Cl5-Dibenzofuran	0.2594	0.26
TC=2378AHRF BC	039103	022,3,4,7,8-Cl5-Dibenzofuran	0.2496	0.25
1,2,3,4,6,7,8,9-Cl8-	039103	021,2,3,4,7,8-Cl6-Dibenzofuran	0.4962	0.5
----------	039103	021,2,3,4,6,7,8-Cl7-Dibenzofuran	39.5979	40
Posted by EGAGN	039103	021,2,3,4,6,7,8,9-Cl8-Dibenzofurar	0.706	0.71
TC=PCDDAHRF B	039103	021,2,3,6,7,8-Cl6-Dibenzo-p-dioxin	0.2293	0.23
Total Tetrachlorodit	039103	021,2,3,7,8,9-Cl6-Dibenzo-p-dioxin	0.2236	0.22
----------	039103	021,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	0.46	0.46
Posted by EGAGN	039103	021,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	0.4979	0.5
TC=PCDDAHRF B	039103	02Total Tetrachlorodibenzofurans	0.2344	0.23
Total Tetrachlorodit	039103	02Total Tetrachlorodibenzo-p-dioxi	0.3207	0.32
----------	039103	02Total Pentachlorodibenzofurans	0.2594	0.26
Posted by EGAGN	039103	02Total Pentachlorodibenzo-p-dioxi	0.491	0.49
TC=PCDDAHRF B	039103	02Total Hexachlorodibenzo-p-dioxi	0.2293	0.23
Total Pentachlorodi	039103	02Total Heptachlorodibenzo-p-diox	0.46	0.46
----------	039104	022,3,7,8-Cl4-Dibenzofuran	0.5125	0.51
Posted by EGAGN	039104	021,2,3,7,8-Cl5-Dibenzofuran	0.654	0.65
TC=PCDDAHRF B	039104	022,3,4,7,8-Cl5-Dibenzofuran	0.6294	0.63
Total Pentachlorodi	039104	021,2,3,4,7,8-Cl6-Dibenzofuran	0.6013	0.6
----------	039104	021,2,3,6,7,8-Cl6-Dibenzofuran	0.5594	0.56
Posted by EGAGN	039104	022,3,4,6,7,8-Cl6-Dibenzofuran	0.6542	0.65
TC=PCDDAHRF B	039104	021,2,3,7,8,9-Cl6-Dibenzofuran	0.7077	0.71
Total Hexachlorodit	039104	021,2,3,4,6,7,8-Cl7-Dibenzofuran	2.0473	2
----------	039104	021,2,3,4,7,8,9-Cl7-Dibenzofuran	2.3583	2.4
Posted by EGAGN	039104	021,2,3,4,6,7,8,9-Cl8-Dibenzofurar	0.6817	0.68
TC=PCDDAHRF B	039104	022,3,7,8-Cl4-Dibenzo-p-dioxin	0.7156	0.72
Total Heptachlorodi	039104	021,2,3,7,8-Cl5-Dibenzo-p-dioxin	0.789	0.79
----------	039104	021,2,3,4,7,8-Cl6-Dibenzo-p-dioxin	0.7349	0.73
039090 02	039104	021,2,3,6,7,8-Cl6-Dibenzo-p-dioxin	0.6799	0.68
	039104	021,2,3,7,8,9-Cl6-Dibenzo-p-dioxin	0.6628	0.66

CITY_21MC100_003233037

NYC-WTC_000234130

TC=OLD TEST BC	039104	02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	1.1435	1.1
2,3,7,8-Cl4-Dibenz	039104	02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	1.4976	1.5
TC=02/11/17 BC=0	039104	02	Total Tetrachlorodibenzofurans	0.5125	0.51
2,3,7,8-Cl4-Dibenz	039104	02	Total Tetrachlorodibenzo-p-dioxi	0.7156	0.72
TC=02/11/17 BC=0	039104	02	Total Pentachlorodibenzofurans	0.654	0.65
1,2,3,7,8-Cl5-Diber	039104	02	Total Pentachlorodibenzo-p-dioxi	0.789	0.79
TC=02/11/17 BC=0	039104	02	Total Hexachlorodibenzofurans	0.6013	0.6
1,2,3,7,8-Cl5-Diber	039104	02	Total Hexachlorodibenzo-p-dioxi	0.6799	0.68
TC=02/11/17 BC=0	039104	02	Total Heptachlorodibenzofurans	2.2005	2.2
2,3,4,7,8-Cl5-Diber	039104	02	Total Heptachlorodibenzo-p-diox	1.1435	1.1
TC=02/11/17 BC=0	039105	02	2,3,7,8-Cl4-Dibenzofuran	0.3266	0.33
1,2,3,4,7,8-Cl6-Dib	039105	02	1,2,3,4,6,7,8-Cl7-Dibenzofuran	1.1438	1.1
TC=02/11/17 BC=0	039105	02	1,2,3,4,7,8,9-Cl7-Dibenzofuran	1.3176	1.3
1,2,3,4,7,8-Cl6-Dib	039105	02	1,2,3,4,6,7,8,9-Cl8-Dibenzofurar	0.7936	0.79
TC=NZ01 BC=02/1	039105	02	2,3,7,8-Cl4-Dibenzo-p-dioxin	0.3374	0.34
1,2,3,4,6,7,8,9-Cl8-	039105	02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	1.159	1.2
TC=NZ01 BC=02/1	039105	02	Total Tetrachlorodibenzofurans	0.3266	0.33

1,2,3,4,6,7,8,9-Cl8-Dibenzofuran NDR
TC=NZ01 BC=02/10/30:NZ01 RC=02/11/17:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 0.6364
TC=NZ01 BC=02/10/30:NZ01 RC=02/11/17:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin NDR
TC=NZ01 BC=02/10/30:NZ01 RC=02/11/17:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 1.9388
TC=02/11/17 BC=02/10/30:NZ01 RC=02/11/17:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.1377
TC=NZ01 BC=02/10/30:NZ01 RC=02/11/17:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.4675
TC=02/11/17 BC=02/10/30:NZ01 RC=02/11/17:SO01 1
Total Pentachlorodibenzofurans MDL = 0.1328
TC=NZ01 BC=02/10/30:NZ01 RC=02/11/17:SO01 1
Total Pentachlorodibenzo-p-dioxins MDL = 0.3661
TC=NZ01 BC=02/10/30:NZ01 RC=02/11/17:SO01 1
Total Hexachlorodibenzo-p-dioxins MDL = 0.2518
TC=NZ01 BC=02/10/30:NZ01 RC=02/11/17:SO01 1
Total Heptachlorodibenzo-p-dioxins MDL = 0.6364

Posted by EGAGNON on 13:10:12 02/11/22
039091 02

TC=2378AHRF BC=02/10/30:NZ01 RC=02/11/17:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.2201

NYC 9/11 Public Portal Document

Posted by EGAGNON on 11:05:46 02/11/22
TC=2378AHRF BC=02/10/30:NZ01 RC=02/11/17:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 0.4332
TC=NZ01 BC=02/10/30:NZ01 RC=02/11/17:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran OCDF NDR

Posted by EGAGNON on 11:05:47 02/11/22
TC=2378AHRF BC=02/10/30:NZ01 RC=02/11/17:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 0.3448
TC=NZ01 BC=02/10/30:NZ01 RC=02/11/17:SO01 1
1,2,3,4,6,7,8-HpCDD NDR

Posted by EGAGNON on 11:05:47 02/11/22
TC=2378AHRF BC=02/10/30:NZ01 RC=02/11/17:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 0.4558

Posted by EGAGNON on 11:05:48 02/11/22
TC=PCDDAHRF BC=02/10/30:NZ01 RC=02/11/17:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.2201

Posted by EGAGNON on 11:05:48 02/11/22
TC=PCDDAHRF BC=02/10/30:NZ01 RC=02/11/17:SO01 1
Total Pentachlorodibenzo-p-dioxins MDL = 0.3726

039092 02

TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.3111

Posted by EGAGNON on 09:08:37 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.4648

Posted by EGAGNON on 09:08:37 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,4,7,8-Cl5-Dibenzofuran MDL = 0.4473

Posted by EGAGNON on 09:08:38 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,7,8-Cl6-Dibenzofuran MDL = 0.7427

Posted by EGAGNON on 09:08:38 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1

NYC 9/11 Public Portal Document

1,2,3,6,7,8-Cl6-Dibenzofuran MDL = 0.6910
TC=02/11/18 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,6,7,8-HxCDF DPE

Posted by EGAGNON on 09:08:39 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,4,6,7,8-Cl6-Dibenzofuran MDL = 0.8081

Posted by EGAGNON on 09:08:39 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,7,8,9-Cl6-Dibenzofuran MDL = 0.8742

Posted by EGAGNON on 09:08:39 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzofuran MDL = 10.1831
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-HpCDF NDR

Posted by EGAGNON on 09:08:40 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,7,8,9-Cl7-Dibenzofuran MDL = 11.7304
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,7,8,9-HpCDF NDR

Posted by EGAGNON on 09:08:40 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 1.8335

Posted by EGAGNON on 09:08:40 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,7,8-Cl4-Dibenzo-p-dioxin MDL = 0.5472
TC=02/11/18 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,7,8-TCDD TR

Posted by EGAGNON on 09:08:41 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,7,8-Cl5-Dibenzo-p-dioxin MDL = 0.9638
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,7,8-PeCDD NDR

Posted by EGAGNON on 09:08:41 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,7,8-Cl6-Dibenzo-p-dioxin MDL = 1.4719

Posted by EGAGNON on 09:08:42 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,6,7,8-Cl6-Dibenzo-p-dioxin MDL = 1.3615
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,6,7,8-HxCDD NDR

Posted by EGAGNON on 09:08:43 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,7,8,9-Cl6-Dibenzo-p-dioxin MDL = 1.3274

Posted by EGAGNON on 09:08:43 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 1.8924

Posted by EGAGNON on 09:08:43 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 2.4527

Posted by EGAGNON on 09:08:44 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.3111

Posted by EGAGNON on 09:08:44 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.5472

Posted by EGAGNON on 09:08:45 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Pentachlorodibenzofurans MDL = 0.4648

Posted by EGAGNON on 09:08:45 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Pentachlorodibenzo-p-dioxins MDL = 0.9638

Posted by EGAGNON on 09:08:46 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Hexachlorodibenzofurans MDL = 0.7427

Posted by EGAGNON on 09:08:46 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Hexachlorodibenzo-p-dioxins MDL = 1.3615

NYC 9/11 Public Portal Document

Posted by EGAGNON on 09:08:47 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Heptachlorodibenzo-p-dioxins MDL = 1.8924

Posted by EGAGNON on 09:08:47 02/11/26
039093 02

Posted by EGAGNON on 9:04:27 02/11/26

TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.1807

Posted by EGAGNON on 09:08:49 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.5003
TC=02/11/18 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,7,8-PeCDF NDR

Posted by EGAGNON on 09:08:50 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,4,7,8-Cl5-Dibenzofuran MDL = 0.4814
TC=02/11/18 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,4,7,8-PeCDF NDR

Posted by EGAGNON on 09:08:50 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,7,8-Cl6-Dibenzofuran MDL = 0.2053

Posted by EGAGNON on 09:08:51 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,6,7,8-Cl6-Dibenzofuran MDL = 0.1910

Posted by EGAGNON on 09:08:53 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,4,6,7,8-Cl6-Dibenzofuran MDL = 0.2234
TC=02/11/18 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,4,6,7,8-HxCDF NDR

Posted by EGAGNON on 09:08:54 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,7,8,9-Cl6-Dibenzofuran MDL = 0.2417
TC=02/11/18 BC=02/11/01:NZ01 RC=02/11/18:SO01 1

NYC 9/11 Public Portal Document

1,2,3,7,8,9-HxCDF NDR

Posted by EGAGNON on 09:08:56 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzofuran MDL = 24.2498
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-HpCDF NDR

Posted by EGAGNON on 09:08:56 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 0.2144

Posted by EGAGNON on 09:08:57 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,7,8-Cl4-Dibenzo-p-dioxin MDL = 0.2717
TC=02/11/18 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,7,8-TCDD NDR

Posted by EGAGNON on 09:08:57 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,7,8-Cl6-Dibenzo-p-dioxin MDL = 0.6159
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,7,8-HxCDD NDR

Posted by EGAGNON on 09:08:58 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,6,7,8-Cl6-Dibenzo-p-dioxin MDL = 0.5697
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,6,7,8-HxCDD NDR

Posted by EGAGNON on 09:08:58 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,7,8,9-Cl6-Dibenzo-p-dioxin MDL = 0.5554
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,7,8,9-HxCDD NDR

Posted by EGAGNON on 09:08:59 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 0.4110

Posted by EGAGNON on 09:08:59 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 0.4820

CITY_21MC100_003233043

NYC-WTC_000234136

NYC 9/11 Public Portal Document

Posted by EGAGNON on 09:09:00 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.1807

Posted by EGAGNON on 09:09:01 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.2717

Posted by EGAGNON on 09:09:02 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Pentachlorodibenzofurans MDL = 0.5003

Posted by EGAGNON on 09:09:03 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Pentachlorodibenzo-p-dioxins MDL = 6.3090

Posted by EGAGNON on 09:09:03 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Hexachlorodibenzofurans MDL = 0.2053

Posted by EGAGNON on 09:09:04 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Hexachlorodibenzo-p-dioxins MDL = 0.5697

Posted by EGAGNON on 09:09:04 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Heptachlorodibenzo-p-dioxins MDL = 0.4110

Posted by EGAGNON on 09:09:05 02/11/26
039094 02
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.2459

Posted by EGAGNON on 09:09:06 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.3625
TC=02/11/18 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,7,8-PeCDF NDR

Posted by EGAGNON on 09:09:07 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,4,7,8-Cl5-Dibenzofuran MDL = 0.3489

CITY_21MC100_003233044

NYC-WTC_000234137

NYC 9/11 Public Portal Document

TC=02/11/18 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,4,7,8-PeCDF NDR

Posted by EGAGNON on 09:09:07 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,7,8-Cl6-Dibenzofuran MDL = 0.2339
TC=02/11/18 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,7,8-HxCDF NDR

Posted by EGAGNON on 09:09:08 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,6,7,8-Cl6-Dibenzofuran MDL = 0.2176
TC=02/11/18 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,6,7,8-HxCDF NDR

Posted by EGAGNON on 09:09:08 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,4,6,7,8-Cl6-Dibenzofuran MDL = 0.2545

Posted by EGAGNON on 09:09:08 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzofuran MDL = 0.9883
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-HpCDF NDR

Posted by EGAGNON on 09:09:09 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 0.4799

Posted by EGAGNON on 09:09:10 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,7,8-Cl4-Dibenzo-p-dioxin MDL = 0.1887
TC=02/11/18 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,7,8-TCDD NDR

Posted by EGAGNON on 09:09:10 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,7,8-Cl6-Dibenzo-p-dioxin MDL = 0.4608
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,7,8-HxCDD NDR

Posted by EGAGNON on 09:09:11 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1

CITY_21MC100_003233045

NYC-WTC_000234138

NYC 9/11 Public Portal Document

1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 0.2844
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-HpCDD NDR

Posted by EGAGNON on 09:09:11 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 0.4764
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin OCDD NDR

Posted by EGAGNON on 09:09:12 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.2459

Posted by EGAGNON on 09:09:12 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.1887

Posted by EGAGNON on 09:09:12 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Hexachlorodibenzofurans MDL = 0.2339

Posted by EGAGNON on 09:09:13 02/11/26
039095 02
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.3570

Posted by EGAGNON on 09:09:16 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.2293

Posted by EGAGNON on 09:09:16 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,4,7,8-Cl5-Dibenzofuran MDL = 0.2207

Posted by EGAGNON on 09:09:17 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,7,8-Cl6-Dibenzofuran MDL = 0.2063

Posted by EGAGNON on 09:09:17 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,6,7,8-Cl6-Dibenzofuran MDL = 0.1920

CITY_21MC100_003233046

NYC-WTC_000234139

NYC 9/11 Public Portal Document

Posted by EGAGNON on 09:09:18 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,4,6,7,8-Cl6-Dibenzofuran MDL = 0.2245
TC=02/11/18 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,4,6,7,8-HxCDF NDR

Posted by EGAGNON on 09:09:18 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzofuran MDL = 1.5485
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-HpCDF NDR

Posted by EGAGNON on 09:09:19 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,7,8,9-Cl7-Dibenzofuran MDL = 1.7838
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,7,8,9-HpCDF NDR

Posted by EGAGNON on 09:09:20 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 0.6716
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran OCDF NDR

Posted by EGAGNON on 09:09:20 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,7,8-Cl4-Dibenzo-p-dioxin MDL = 0.2116
TC=02/11/18 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,7,8-TCDD NDR

Posted by EGAGNON on 09:09:21 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,7,8,9-Cl6-Dibenzo-p-dioxin MDL = 0.2296

Posted by EGAGNON on 09:09:21 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 0.3237

Posted by EGAGNON on 09:09:22 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 0.9706

Posted by EGAGNON on 09:09:22 02/11/26

NYC 9/11 Public Portal Document

TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.3570

Posted by EGAGNON on 09:09:23 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.2116

Posted by EGAGNON on 09:09:23 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Pentachlorodibenzofurans MDL = 0.2293

Posted by EGAGNON on 09:09:24 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Pentachlorodibenzo-p-dioxins MDL = 0.2322

Posted by EGAGNON on 09:09:24 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Hexachlorodibenzofurans MDL = 0.2063

Posted by EGAGNON on 09:09:25 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Hexachlorodibenzo-p-dioxins MDL = 0.2355

Posted by EGAGNON on 09:09:25 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Heptachlorodibenzo-p-dioxins MDL = 0.3237

Posted by EGAGNON on 09:09:25 02/11/26
039096 02
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.4122

Posted by EGAGNON on 09:09:27 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.4122

Posted by EGAGNON on 09:09:27 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,4,7,8-Cl5-Dibenzofuran MDL = 0.3967

Posted by EGAGNON on 09:09:28 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,7,8-Cl6-Dibenzofuran MDL = 0.1870

CITY_21MC100_003233048

NYC-WTC_000234141

NYC 9/11 Public Portal Document

TC=02/11/18 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,7,8-HxCDF NDR

Posted by EGAGNON on 09:09:28 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,6,7,8-Cl6-Dibenzofuran MDL = 0.1740

Posted by EGAGNON on 09:09:29 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,4,6,7,8-Cl6-Dibenzofuran MDL = 0.2035
TC=02/11/18 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,4,6,7,8-HxCDF NDR

Posted by EGAGNON on 09:09:29 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzofuran MDL = 2.6184
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-HpCDF NDR

Posted by EGAGNON on 09:09:30 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 0.3812
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran OCDF NDR

Posted by EGAGNON on 09:09:30 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,7,8-Cl4-Dibenzo-p-dioxin MDL = 0.2397

Posted by EGAGNON on 09:09:31 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,6,7,8-Cl6-Dibenzo-p-dioxin MDL = 0.6475

Posted by EGAGNON on 09:09:31 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,7,8,9-Cl6-Dibenzo-p-dioxin MDL = 0.6313
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,7,8,9-HxCDD NDR

Posted by EGAGNON on 09:09:32 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 0.8292

CITY_21MC100_003233049

NYC-WTC_000234142

NYC 9/11 Public Portal Document

Posted by EGAGNON on 09:09:32 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 1.3294

Posted by EGAGNON on 09:09:33 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.4122

Posted by EGAGNON on 09:09:34 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.2397

Posted by EGAGNON on 09:09:34 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Pentachlorodibenzofurans MDL = 0.4122

Posted by EGAGNON on 09:09:34 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Pentachlorodibenzo-p-dioxins MDL = 0.5580

Posted by EGAGNON on 09:09:35 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Hexachlorodibenzofurans MDL = 0.1870

Posted by EGAGNON on 09:09:35 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Hexachlorodibenzo-p-dioxins MDL = 0.6475

Posted by EGAGNON on 09:09:36 02/11/26
039097 02
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.1663

Posted by EGAGNON on 09:09:38 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.2809

Posted by EGAGNON on 09:09:38 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,7,8-Cl6-Dibenzofuran MDL = 0.1756
TC=02/11/18 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,7,8-HxCDF NDR

NYC 9/11 Public Portal Document

Posted by EGAGNON on 09:09:39 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,6,7,8-Cl6-Dibenzofuran MDL = 0.1633
TC=02/11/18 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,6,7,8-HxCDF NDR

Posted by EGAGNON on 09:09:39 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzofuran MDL = 1.0856
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-HpCDF NDR

Posted by EGAGNON on 09:09:40 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 0.4195
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-HpCDD NDR

Posted by EGAGNON on 09:09:40 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 1.2573

Posted by EGAGNON on 09:09:41 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.1663

Posted by EGAGNON on 09:09:42 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Pentachlorodibenzofurans MDL = 0.2810

Posted by EGAGNON on 09:09:42 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Hexachlorodibenzofurans MDL = 0.1760

Posted by EGAGNON on 09:09:43 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Heptachlorodibenzofurans MDL = 1.1668

Posted by EGAGNON on 09:09:43 02/11/26
039098 02
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.1691
TC=02/11/18 BC=02/11/01:NZ01 RC=02/11/18:SO01 1

CITY_21MC100_003233051

NYC-WTC_000234144

NYC 9/11 Public Portal Document

2,3,7,8-TCDF NDR

Posted by EGAGNON on 09:09:45 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,7,8-Cl6-Dibenzofuran MDL = 0.2697

Posted by EGAGNON on 09:09:46 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzofuran MDL = 0.2809
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-HpCDF NDR

Posted by EGAGNON on 09:09:46 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 0.5474

Posted by EGAGNON on 09:09:47 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 0.2762

Posted by EGAGNON on 09:09:48 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 0.8390

Posted by EGAGNON on 09:09:49 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.1691

Posted by EGAGNON on 09:09:50 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Hexachlorodibenzofurans MDL = 0.2697

Posted by EGAGNON on 09:09:51 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Heptachlorodibenzo-p-dioxins MDL = 0.2762

Posted by EGAGNON on 09:09:51 02/11/26
039099 02
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.6455

Posted by EGAGNON on 09:09:53 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1

NYC 9/11 Public Portal Document

2,3,4,7,8-Cl5-Dibenzofuran MDL = 0.6212
TC=02/11/18 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,4,7,8-PeCDF NDR

Posted by EGAGNON on 09:09:54 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,7,8-Cl6-Dibenzofuran MDL = 0.2617
TC=02/11/18 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,7,8-HxCDF NDR

Posted by EGAGNON on 09:09:55 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,6,7,8-Cl6-Dibenzofuran MDL = 0.2435

Posted by EGAGNON on 09:09:56 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,4,6,7,8-Cl6-Dibenzofuran MDL = 0.2847
TC=02/11/18 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,4,6,7,8-HxCDF NDR

Posted by EGAGNON on 09:09:56 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,7,8,9-Cl6-Dibenzofuran MDL = 0.3080

Posted by EGAGNON on 09:09:57 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzofuran MDL = 1.2149
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-HpCDF NDR

Posted by EGAGNON on 09:09:58 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 0.7363

Posted by EGAGNON on 09:09:59 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,7,8-Cl4-Dibenzo-p-dioxin MDL = 0.4006
TC=02/11/18 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
2,3,7,8-TCDD NDR

Posted by EGAGNON on 09:10:00 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,7,8-Cl6-Dibenzo-p-dioxin MDL = 0.7807

CITY_21MC100_003233053

NYC-WTC_000234146

NYC 9/11 Public Portal Document

Posted by EGAGNON on 09:10:01 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,6,7,8-Cl6-Dibenzo-p-dioxin MDL = 0.7222

Posted by EGAGNON on 09:10:02 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,7,8,9-Cl6-Dibenzo-p-dioxin MDL = 0.7041
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,7,8,9-HxCDD NDR

Posted by EGAGNON on 09:10:03 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 0.7486
TC=NZ01 BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8-HpCDD NDR

Posted by EGAGNON on 09:10:04 02/11/26
TC=2378AHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 1.4488

Posted by EGAGNON on 09:10:05 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.2706

Posted by EGAGNON on 09:10:06 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.4006

Posted by EGAGNON on 09:10:07 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Pentachlorodibenzofurans MDL = 0.6455

Posted by EGAGNON on 09:10:08 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Hexachlorodibenzofurans MDL = 0.2617

Posted by EGAGNON on 09:10:08 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1
Total Hexachlorodibenzo-p-dioxins MDL = 0.7222

Posted by EGAGNON on 09:10:09 02/11/26
TC=PCDDAHRF BC=02/11/01:NZ01 RC=02/11/18:SO01 1

CITY_21MC100_003233054

NYC-WTC_000234147

NYC 9/11 Public Portal Document

Total Heptachlorodibenzo-p-dioxins MDL = 0.7486

Posted by EGAGNON on 09:10:09 02/11/26
039100 02
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.2222

Posted by EGAGNON on 15:24:08 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.3490

Posted by EGAGNON on 15:24:09 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
2,3,4,7,8-Cl5-Dibenzofuran MDL = 0.3358

Posted by EGAGNON on 15:24:09 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,7,8-Cl6-Dibenzofuran MDL = 0.2714

Posted by EGAGNON on 15:24:10 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,6,7,8-Cl6-Dibenzofuran MDL = 0.2525
TC=02/11/19 BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,6,7,8-HxCDF NDR

Posted by EGAGNON on 15:24:10 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
2,3,4,6,7,8-Cl6-Dibenzofuran MDL = 0.2953

Posted by EGAGNON on 15:24:11 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,7,8,9-Cl6-Dibenzofuran MDL = 0.3195

Posted by EGAGNON on 15:24:12 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzofuran MDL = 4.3981
TC=NZ01 BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,6,7,8-HpCDF NDR

Posted by EGAGNON on 15:24:13 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,7,8,9-Cl7-Dibenzofuran MDL = 5.0663
TC=NZ01 BC=02/11/04:NZ01 RC=02/11/19:SO01 1

NYC-WTC_000234148

NYC 9/11 Public Portal Document

1,2,3,4,7,8,9-HpCDF NDR

Posted by EGAGNON on 15:24:15 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 0.8680

Posted by EGAGNON on 15:24:16 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
2,3,7,8-Cl4-Dibenzo-p-dioxin MDL = 0.1968

Posted by EGAGNON on 15:24:17 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,7,8-Cl5-Dibenzo-p-dioxin MDL = 0.2816

Posted by EGAGNON on 15:24:17 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,7,8-Cl6-Dibenzo-p-dioxin MDL = 0.3318
TC=NZ01 BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,7,8-HxCDD NDR

Posted by EGAGNON on 15:24:20 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,6,7,8-Cl6-Dibenzo-p-dioxin MDL = 0.3069

Posted by EGAGNON on 15:24:21 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,7,8,9-Cl6-Dibenzo-p-dioxin MDL = 0.2992

Posted by EGAGNON on 15:24:21 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 0.6052

Posted by EGAGNON on 15:24:22 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 0.3775

Posted by EGAGNON on 15:24:23 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.2222

Posted by EGAGNON on 15:24:23 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.1968

CITY_21MC100_003233056

NYC-WTC_000234149

Posted by EGAGNON on 15:24:24 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Pentachlorodibenzofurans MDL = 0.3490

Posted by EGAGNON on 15:24:25 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Pentachlorodibenzo-p-dioxins MDL = 0.2816

Posted by EGAGNON on 15:24:27 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Hexachlorodibenzofurans MDL = 0.2714

Posted by EGAGNON on 15:24:28 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Hexachlorodibenzo-p-dioxins MDL = 0.3069

Posted by EGAGNON on 15:24:29 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Heptachlorodibenzofurans MDL = 4.7272

Posted by EGAGNON on 15:24:30 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Heptachlorodibenzo-p-dioxins MDL = 0.6052

Posted by EGAGNON on 15:24:30 02/11/26
039101 02
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.1533

Posted by EGAGNON on 15:24:32 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.4447
TC=02/11/19 BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,7,8-PeCDF NDR

Posted by EGAGNON on 15:24:34 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
2,3,7,8-Cl4-Dibenzo-p-dioxin MDL = 0.2210
TC=02/11/19 BC=02/11/04:NZ01 RC=02/11/19:SO01 1
2,3,7,8-TCDD NDR

Posted by EGAGNON on 15:24:36 02/11/26

TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 0.4289

Posted by EGAGNON on 15:24:37 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.1533

Posted by EGAGNON on 15:24:37 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.2210

Posted by EGAGNON on 15:24:38 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Pentachlorodibenzofurans MDL = 0.4447

Posted by EGAGNON on 15:24:38 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Pentachlorodibenzo-p-dioxins MDL = 0.5533

Posted by EGAGNON on 15:24:39 02/11/26
039102 02
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.1617

Posted by EGAGNON on 15:24:41 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.4369
TC=02/11/19 BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,7,8-PeCDF NDR

Posted by EGAGNON on 15:24:42 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
2,3,4,7,8-Cl5-Dibenzofuran MDL = 0.4205
TC=02/11/19 BC=02/11/04:NZ01 RC=02/11/19:SO01 1
2,3,4,7,8-PeCDF NDR

Posted by EGAGNON on 15:24:43 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,7,8-Cl6-Dibenzofuran MDL = 0.2183
TC=02/11/19 BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,7,8-HxCDF NDR

Posted by EGAGNON on 15:24:44 02/11/26

NYC 9/11 Public Portal Document

TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,6,7,8-Cl6-Dibenzofuran MDL = 0.2031
TC=02/11/19 BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,6,7,8-HxCDF NDR

Posted by EGAGNON on 15:24:45 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
2,3,4,6,7,8-Cl6-Dibenzofuran MDL = 0.2376
TC=02/11/19 BC=02/11/04:NZ01 RC=02/11/19:SO01 1
2,3,4,6,7,8-HxCDF NDR

Posted by EGAGNON on 15:24:45 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzofuran MDL = 25.5812
TC=NZ01 BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,6,7,8-HpCDF NDR

Posted by EGAGNON on 15:24:46 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 0.4382
TC=NZ01 BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran OCDF NDR

Posted by EGAGNON on 15:24:47 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
2,3,7,8-Cl4-Dibenzo-p-dioxin MDL = 0.3214
TC=02/11/19 BC=02/11/04:NZ01 RC=02/11/19:SO01 1
2,3,7,8-TCDD NDR

Posted by EGAGNON on 15:24:47 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,7,8-Cl5-Dibenzo-p-dioxin MDL = 0.5474
TC=NZ01 BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,7,8-PeCDD NDR

Posted by EGAGNON on 15:24:48 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,7,8-Cl6-Dibenzo-p-dioxin MDL = 0.2596
TC=NZ01 BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,7,8-HxCDD NDR

Posted by EGAGNON on 15:24:48 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1

CITY_21MC100_003233059

NYC-WTC_000234152

NYC 9/11 Public Portal Document

1,2,3,6,7,8-Cl6-Dibenzo-p-dioxin MDL = 0.2401
TC=NZ01 BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,6,7,8-HxCDD NDR

Posted by EGAGNON on 15:24:49 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,7,8,9-Cl6-Dibenzo-p-dioxin MDL = 0.2341

Posted by EGAGNON on 15:24:49 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 0.2768

Posted by EGAGNON on 15:24:50 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 0.5846

Posted by EGAGNON on 15:24:51 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.1617

Posted by EGAGNON on 15:24:52 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.3214

Posted by EGAGNON on 15:24:53 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Pentachlorodibenzofurans MDL = 0.4369

Posted by EGAGNON on 15:24:53 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Pentachlorodibenzo-p-dioxins MDL = 0.5474

Posted by EGAGNON on 15:24:54 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Hexachlorodibenzofurans MDL = 0.2183

Posted by EGAGNON on 15:25:00 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Hexachlorodibenzo-p-dioxins MDL = 0.2401

Posted by EGAGNON on 15:25:01 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Heptachlorodibenzo-p-dioxins MDL = 0.2768

NYC 9/11 Public Portal Document

Posted by EGAGNON on 15:25:02 02/11/26
039103 02
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.2344

Posted by EGAGNON on 15:25:06 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.2594

Posted by EGAGNON on 15:25:07 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
2,3,4,7,8-Cl5-Dibenzofuran MDL = 0.2496

Posted by EGAGNON on 15:25:08 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,7,8-Cl6-Dibenzofuran MDL = 0.4962
TC=02/11/19 BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,7,8-HxCDF NDR

Posted by EGAGNON on 15:25:09 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzofuran MDL = 39.5979
TC=NZ01 BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,6,7,8-HpCDF NDR

Posted by EGAGNON on 15:25:10 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 0.7060

Posted by EGAGNON on 15:25:10 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,6,7,8-Cl6-Dibenzo-p-dioxin MDL = 0.2293

Posted by EGAGNON on 15:25:11 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,7,8,9-Cl6-Dibenzo-p-dioxin MDL = 0.2236
TC=NZ01 BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,7,8,9-HxCDD NDR

Posted by EGAGNON on 15:25:12 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 0.4600

CITY_21MC100_003233061

NYC-WTC_000234154

NYC 9/11 Public Portal Document

Posted by EGAGNON on 15:25:13 02/11/26
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 0.4979

Posted by EGAGNON on 15:25:14 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.2344

Posted by EGAGNON on 15:25:15 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.3207

Posted by EGAGNON on 15:25:16 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Pentachlorodibenzofurans MDL = 0.2594

Posted by EGAGNON on 15:25:17 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Pentachlorodibenzo-p-dioxins MDL = 0.4910

Posted by EGAGNON on 15:25:18 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Hexachlorodibenzo-p-dioxins MDL = 0.2293

Posted by EGAGNON on 15:25:18 02/11/26
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/19:SO01 1
Total Heptachlorodibenzo-p-dioxins MDL = 0.4600

Posted by EGAGNON on 15:25:19 02/11/26
039104 02
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.5125

Posted by EGAGNON on 09:22:35 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.6540

Posted by EGAGNON on 09:22:36 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
2,3,4,7,8-Cl5-Dibenzofuran MDL = 0.6294
TC=02/11/21 BC=02/11/04:NZ01 RC=02/11/21:SO01 1
2,3,4,7,8-PeCDF NDR

CITY_21MC100_003233062

NYC-WTC_000234155

Posted by EGAGNON on 09:22:37 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,7,8-Cl6-Dibenzofuran MDL = 0.6013
TC=02/11/21 BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,7,8-HxCDF NDR

Posted by EGAGNON on 09:22:38 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,6,7,8-Cl6-Dibenzofuran MDL = 0.5594

Posted by EGAGNON on 09:22:39 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
2,3,4,6,7,8-Cl6-Dibenzofuran MDL = 0.6542

Posted by EGAGNON on 09:22:40 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,7,8,9-Cl6-Dibenzofuran MDL = 0.7077

Posted by EGAGNON on 09:22:41 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzofuran MDL = 2.0473
TC=NZ01 BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8-HpCDF NDR

Posted by EGAGNON on 09:22:42 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,7,8,9-Cl7-Dibenzofuran MDL = 2.3583

Posted by EGAGNON on 09:22:42 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 0.6817

Posted by EGAGNON on 09:22:43 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
2,3,7,8-Cl4-Dibenzo-p-dioxin MDL = 0.7156

Posted by EGAGNON on 09:22:44 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,7,8-Cl5-Dibenzo-p-dioxin MDL = 0.7890

Posted by EGAGNON on 09:22:45 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1

NYC 9/11 Public Portal Document

1,2,3,4,7,8-Cl6-Dibenzo-p-dioxin MDL = 0.7349
TC=NZ01 BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,7,8-HxCDD NDR

Posted by EGAGNON on 09:22:45 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,6,7,8-Cl6-Dibenzo-p-dioxin MDL = 0.6799

Posted by EGAGNON on 09:22:46 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,7,8,9-Cl6-Dibenzo-p-dioxin MDL = 0.6628
TC=NZ01 BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,7,8,9-HxCDD NDR

Posted by EGAGNON on 09:22:47 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 1.1435

Posted by EGAGNON on 09:22:48 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 1.4976

Posted by EGAGNON on 09:22:48 02/11/27
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.5125

Posted by EGAGNON on 09:22:49 02/11/27
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.7156

Posted by EGAGNON on 09:22:50 02/11/27
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
Total Pentachlorodibenzofurans MDL = 0.6540

Posted by EGAGNON on 09:22:51 02/11/27
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
Total Pentachlorodibenzo-p-dioxins MDL = 0.7890

Posted by EGAGNON on 09:22:52 02/11/27
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
Total Hexachlorodibenzofurans MDL = 0.6013

Posted by EGAGNON on 09:22:52 02/11/27

CITY_21MC100_003233064

NYC-WTC_000234157

NYC 9/11 Public Portal Document

TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
Total Hexachlorodibenzo-p-dioxins MDL = 0.6799

Posted by EGAGNON on 09:22:53 02/11/27
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
Total Heptachlorodibenzofurans MDL = 2.2005

Posted by EGAGNON on 09:22:53 02/11/27
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
Total Heptachlorodibenzo-p-dioxins MDL = 1.1435

Posted by EGAGNON on 09:22:54 02/11/27
039105 02
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.3266

Posted by EGAGNON on 09:22:56 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzofuran MDL = 1.1438
TC=NZ01 BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8-HpCDF NDR

Posted by EGAGNON on 09:22:57 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,7,8,9-Cl7-Dibenzofuran MDL = 1.3176
TC=NZ01 BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,7,8,9-HpCDF NDR

Posted by EGAGNON on 09:22:57 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 0.7936
TC=NZ01 BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran OCDF NDR

Posted by EGAGNON on 09:22:58 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
2,3,7,8-Cl4-Dibenzo-p-dioxin MDL = 0.3374
TC=02/11/21 BC=02/11/04:NZ01 RC=02/11/21:SO01 1
2,3,7,8-TCDD NDR

Posted by EGAGNON on 09:22:58 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 1.1590

CITY_21MC100_003233065

NYC-WTC_000234158

NYC 9/11 Public Portal Document

TC=NZ01 BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin OCDD NDR

Posted by EGAGNON on 09:22:59 02/11/27
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.3266

Posted by EGAGNON on 09:22:59 02/11/27

T2 TEST RESULTS SUMMARY

CITY_21MC100_003233066

NYC-WTC_000234159

PARAMETER

ENGLISH
MDEA
SPIKE
NORMAL
TEF
9
2
39086
39087
39088
39089
39090
39091
39092
39093
39094
39095
39096
39097
39098
39099
39100
39101
39102
39103
39104
39105

file # =DEP00206977.XLS
Revision No. 0