

NYC-WTC_000234445

No. of pag24

Sampled bPHILIP ANALYTICAL SERVICES-PA

Verified by: Stephan Obarewicz, Chemist
High Resolution Manager

is for the use of the individual or entity to which it is addressed, and may contain information that is privileged, disclosure under applicable law. Any other distribution, copying or disclosure is strictly prohibited. If you have notified us immediately by telephone and return the original transmission to us by mail, without making a copy. Thank you!

$$R \circ f \circ i \circ l \circ e \circ \# \circ \circ = F \circ \circ R \circ$$

The enclosed guidelines and criterias are provided for information purposes only.
In case of disparity between the guidelines and criterias provided and the official version, these are the valid one.

Organic analyses are not corrected for extraction recovery standards except for PCDD/F and PCB's (congeners).

Batch and run dates for subcontracted analyses are reported only when available; if not, the date of reception of the certificate by fax is reported.

Methods used by PSC Analytical Services are based upon those found in 'Standard Methods for the Examination of Water and Wastewater', Nineteenth Edition. Other methods are based on the principles of MENV or EPA methodologies.

See the confirmation analysis report in the appendix at the end of this report for the list of the methods used, and the list of parameters analyzed by subcontracting laboratories.

Please contact your project manager for additionnals informations.

- = not analyzed
< = less than Reported Detection Limit (RDL)
NA = Not Applicable
RDL = Reported Detection Limit
Solids data is based on dry weight (unless otherwise specified).

Comments:

L"Arta,ItaCertaafae No:2J0576
nhrBfi[e]#[]=

City of New York Department of Environmental Protection
 Office of Environmental Health Assessment
 114 Park Street
 New York, NY 10007

R02100403R02100403R02100403

Client ID: 01A 01A 01A

Lab No.: 039106 02 039106 02 039106 02

Date Sampled: 02/10/09 02/10/09 02/10/09

Matrix:

R02100403R02100403

Client ID: 02A 02A

Lab No.: 039107 02 039107 02

Date Sampled: 02/10/09 02/10/09

Matrix:

Component	RDL	Units	TEF	Ratio of Isomers	RDL	Units	TEF
2,3,7,8-Cl ₄ DBP	0.21	pg	2.6	0.26	0.30	pg	0.40
2,3,7,8-Cl ₄ DBP	0.52	"	<0.52	<0.52	0.38	"	<0.38
1,2,3,7,8-Cl ₅ DBP	0.52	"	<0.62	<0.031	0.54	"	<0.54
2,3,4,7,8-Cl ₅ DBP	0.41	"	<0.41	<0.20	0.52	"	<0.52
1,2,3,7,8-Cl ₅ DBP	0.48	"	<0.48	<0.24	0.66	"	<0.66
1,2,3,4,7,8-Cl ₆ DBP	0.57	"	<0.57	<0.057	0.39	"	<0.39
1,2,3,6,7,8-Cl ₆ DBP	0.53	"	<0.53	<0.053	0.36	"	<0.36
2,3,4,6,7,8-Cl ₆ DBP	0.62	"	<0.62	<0.062	0.42	"	<0.42
1,2,3,7,8,9-Cl ₆ DBP	0.68	"	<0.68	<0.068	0.46	"	<0.46
1,2,3,4,7,8-Cl ₆ DBP	0.39	"	<0.39	<0.039	0.28	"	<0.28
1,2,3,6,7,8-Cl ₆ DBP	0.36	"	<0.36	<0.036	0.26	"	<0.26
1,2,3,7,8,9-Cl ₆ DBP	0.35	"	<0.35	<0.035	0.26	"	<0.26
1,2,3,4,6,7,8-Cl ₇ DBP	7.4	"	<7.4	<0.074	110	"	<110
1,2,3,4,7,8,9-Cl ₇ DBP	8.5	"	<8.5	<0.085	130	"	<130
1,2,3,4,6,7,8-Cl ₇ DBP	1.7	"	1.7	0.017	0.68	"	<0.68
1,2,3,4,6,7,8,9-Cl ₈ DBP	1.5	"	1.5	0.0015	1.3	"	<1.3
1,2,3,4,6,7,8,9-Cl ₈ DBP	26	"	26	0.026	0.50	"	1.3
TEF	pg		0.31		pg		0.042
MAX TEF	"		<1.8		"		<3.7
ΣT4CDF	0.21	pg	10	8	0.30	pg	0.40
ΣP5CDF	0.42	"	0.76	1	0.54	"	<0.54
ΣH6CDF	0.57	"	<0.57	0	0.39	"	<0.39
ΣH7CDF	7.9	"	<7.9	0	120	"	<120
OCDF	0.42	"	1.5	1	1.3	"	<1.3
ΣT4CDD	0.53	"	8.9	3	0.38	"	<0.38
ΣP5CDD	0.48	"	<0.48	0	0.66	"	<0.66
ΣH6CDD	0.36	"	<0.36	0	0.26	"	<0.26
ΣH7CDD	0.64	"	3.2	2	0.68	"	<0.68
OCDD	0.71	"	26	1	0.50	"	1.3
Surrogate Recoveries	%				%		
2,3,7,8-T4CDF-13C12			84				94
2,3,7,8-T4CDD-13C12			76				88
1,2,3,7,8-P5CDF-13C12			82				91
1,2,3,7,8-P5CDD-13C12			85				96
1,2,3,6,7,8-H6CDF-13C12			76				81
1,2,3,6,7,8-H6CDD-13C12			75				84
1,2,3,4,6,7,8-H7CDF-13C12			82				79
1,2,3,4,6,7,8-H7CDD-13C12			93				92
OCDD-13C12			75				76

City of New York Department of Environmental Protection
 Office of Environmental Health Assessment
 114 Park Street
 New York, NY 10007

C:\Program Files\Agilent\ChemStation\Bin\msdchk.exe 14PSCC\Analyt

R02100403R02100403R02100403
06A 06A 06A
039111 02 039111 02 039111 02
02/10/09 02/10/09 02/10/09

R02100403R02100403R02100403
Client ID: 07A 07A 07A
Lab No.: 039112 02 039112 02 039112 02
Date Sampled: 02/10/09 02/10/09 02/10/09
Matrix:

Component	TEF	# of Isomer	RDL	Units	TEF	# of Isomer	RDL
2,3,7,8-Cl ₄ DBF	1.4	<0.14	0.65	pg	0.95	0.095	1.7
2,3,7,8-Cl ₄ DBD	0.94	<0.94	0.54	"	<0.54	<0.54	0.57
1,2,3,7,8-Cl ₅ DBF	5	<0.073	0.41	"	<0.41	<0.020	0.74
2,3,4,7,8-Cl ₅ DBF	4	<0.70	0.39	"	<0.39	<0.19	0.71
1,2,3,7,8-Cl ₅ DBD	4	<0.68	0.89	"	<0.89	<0.44	0.66
1,2,3,4,7,8-Cl ₆ DBF	5	<0.25	0.51	"	<0.51	<0.051	1.0
1,2,3,6,7,8-Cl ₆ DBF	5	<0.23	0.47	"	<0.47	<0.047	0.97
2,3,4,6,7,8-Cl ₆ DBF	5	<0.27	0.55	"	<0.55	<0.055	1.1
1,2,3,7,8,9-Cl ₆ DBF	5	<0.30	0.60	"	<0.60	<0.060	1.2
1,2,3,4,7,8-Cl ₆ DBD	5	<0.39	0.85	"	<0.85	<0.085	0.82
1,2,3,6,7,8-Cl ₆ DBD	5	<0.36	0.79	"	<0.79	<0.079	0.76
1,2,3,7,8,9-Cl ₆ DBD	5	<0.35	0.77	"	<0.77	<0.077	0.74
1,2,3,4,6,7,8-Cl ₇ DBF	10	<0.96	13	"	<13	<0.13	11
1,2,3,4,7,8,9-Cl ₇ DBF	10	<1.1	15	"	<15	<0.15	13
1,2,3,4,6,7,8-Cl ₇ DBD	10	<0.037	0.69	"	1.3	0.013	0.85
1,2,3,4,6,7,8,9-Cl ₈ DBF	35	<0.0030	6.7	"	<6.7	<0.0067	0.72
1,2,3,4,6,7,8,9-Cl ₈ DBD	35	<0.0060	1.3	"	11	0.011	1.6
TEF	0			pg	0.12		
MAX TEF	<6.8			"	<2.1		
ΣT4CDF	<0.76	0	0.65	pg	0.95	1	0.53
ΣP5CDF	<1.5	0	0.41	"	<0.41	0	0.74
ΣH6CDF	<2.7	0	0.55	"	<0.55	0	1.1
ΣH7CDF	<100	0	14	"	<14	0	12
OCDF	<3.0	0	6.7	"	<6.7	0	0.72
ΣT4CDD	<0.94	0	0.54	"	<0.54	0	0.57
ΣP5CDD	<1.4	0	0.89	"	<0.89	0	0.66
ΣH6CDD	<3.6	0	0.79	"	<0.79	0	0.76
ΣH7CDD	<3.7	0	0.69	"	2.3	2	0.85
OCDD	<6.0	0	1.3	"	11	1	1.6
Surrogate Recoveries				%			
2,3,7,8-T4CDF-13C12					92		
2,3,7,8-T4CDD-13C12					80		
1,2,3,7,8-P5CDF-13C12					80		
1,2,3,7,8-P5CDD-13C12					76		
1,2,3,6,7,8-H6CDF-13C12					76		
1,2,3,6,7,8-H6CDD-13C12					74		
1,2,3,4,6,7,8-H7CDF-13C12					90		
1,2,3,4,6,7,8-H7CDD-13C12					96		
OCDD-13C12	62				82		

L:\Program Files\Agilent\ChemStation\Bin\msdchk.exe 2J00576
n\h\Rf\100e\# =

R02100403R02100403

Client ID: 11A 11A

Lab No.: 039116 02 039116 02

Date Sampled: 02/10/09 02/10/09

Matrix:

$\Sigma T4CDF$	0.46	pg	2.0	2	0.79	pg	3.9
$\Sigma P5CDF$	1.7	"	<1.7	0	0.50	"	<0.50
$\Sigma H6CDF$	1.3	"	<1.3	0	2.1	"	<2.1
$\Sigma H7CDF$	150	"	<150	0	180	"	<180
OCDF	4.3	"	<4.3	0	6.7	"	<6.7
$\Sigma T4CDD$	1.1	"	6.9	2	1.4	"	<1.4
$\Sigma P5CDD$	1.5	"	<1.5	0	1.9	"	<1.9
$\Sigma H6CDD$	2.2	"	<2.2	0	1.6	"	<1.6
$\Sigma H7CDD$	6.4	"	<6.4	0	2.1	"	12
OCDD	2.2	"	13	1	1.5	"	54

%

2,3,7,8-T4CDF-13C12	94	96
2,3,7,8-T4CDD-13C12	66	76
1,2,3,7,8-P5CDF-13C12	64	74
1,2,3,7,8-P5CDD-13C12	50	60
1,2,3,6,7,8-H6CDF-13C12	102	44
1,2,3,6,7,8-H6CDD-13C12	78	60
1,2,3,4,6,7,8-H7CDF-13C12	100	36
1,2,3,4,6,7,8-H7CDD-13C12	82	80
OCDD-13C12	60	64

L"Arifa,afa"Ceafa N:2J0576
nBfa # =

039116 02 02/10/09 039117 02 02/10/09 039117 02 02/10/09 039118 02 02/10/09

R02100403
11A
039116 02
02/10/09

R02100403R02100403R02100403
Client ID: 12A 12A 12A
Lab No.: 039117 02 039117 02 039117 02
Date Sampled: 02/10/09 02/10/09 02/10/09
Matrix:

R02100403
Client ID: 13A
Lab No.: 039118 02
Date Sampled: 02/10/09
Matrix:

Component of Isomer	RDL	Units	TEF	of Isomer	RDL	Units
2,3,7,8-Cl4DBF	0.99	pg	2.2	0.22	0.29	pg
2,3,7,8-Cl4DBD	1.3	"	<1.3	<1.3	0.30	"
1,2,3,7,8-Cl5DBF	0.99	"	<0.99	<0.049	0.55	"
2,3,4,7,8-Cl5DBF	0.95	"	<0.95	<0.48	0.55	"
1,2,3,7,8-Cl5DBD	2.5	"	<2.5	<1.2	0.54	"
1,2,3,4,7,8-Cl6DBF	2.2	"	<2.2	<0.22	0.28	"
1,2,3,6,7,8-Cl6DBF	2.1	"	<2.1	<0.21	0.26	"
2,3,4,6,7,8-Cl6DBF	2.4	"	<2.4	<0.24	0.31	"
1,2,3,7,8,9-Cl6DBF	2.6	"	<2.6	<0.26	0.37	"
1,2,3,4,7,8-Cl6DBD	1.9	"	<1.9	<0.19	0.59	"
1,2,3,6,7,8-Cl6DBD	1.8	"	<1.8	<0.18	0.55	"
1,2,3,7,8,9-Cl6DBD	1.7	"	<1.7	<0.17	0.54	"
1,2,3,4,6,7,8-Cl7DBF	250	"	<250	<2.5	13	"
1,2,3,4,7,8,9-Cl7DBF	290	"	<290	<2.9	14	"
1,2,3,4,6,7,8-Cl7DBD	3.5	"	<3.5	<0.035	0.43	"
1,2,3,4,6,7,8,9-Cl8DBF	3.7	"	20	0.020	0.83	"
1,2,3,4,6,7,8,9-Cl8DBD	3.9	"	7.3	0.0073	0.42	"

TEF
MAX TEF

pg
"

0.24
<10

pg
"

ΣT4CDF	2	0.99	pg	2.2	1	0.29	pg	2.9
ΣP5CDF	0	0.99	"	<0.99	0	0.55	"	1.3
ΣH6CDF	0	2.2	"	<2.2	0	0.31	"	0.44
ΣH7CDF	0	270	"	<270	0	14	"	<14
OCDF	0	3.7	"	20	1	0.83	"	<0.83
ΣT4CDD	0	1.7	"	5.8	2	0.30	"	3.3
ΣP5CDD	0	2.5	"	<2.5	0	0.54	"	2.4
ΣH6CDD	0	1.8	"	<1.8	0	0.55	"	<0.55
ΣH7CDD	2	3.5	"	<3.5	0	0.43	"	0.68
OCDD	1	3.9	"	7.3	1	0.42	"	4.1

Surrogate Recoveries

%

%

2,3,7,8-T4CDF-13C12	88	102
2,3,7,8-T4CDD-13C12	70	84
1,2,3,7,8-P5CDF-13C12	64	89
1,2,3,7,8-P5CDD-13C12	52	84
1,2,3,6,7,8-H6CDF-13C12	76	91
1,2,3,6,7,8-H6CDD-13C12	78	81
1,2,3,4,6,7,8-H7CDF-13C12	62	101
1,2,3,4,6,7,8-H7CDD-13C12	84	95
OCDD-13C12	58	80

039116 02 02/10/09 039117 02 02/10/09 039117 02 02/10/09 039118 02 02/10/09

039118 02 039118 02 02/10/09 02/10/09 039119 02 039119 02 039119 02 02/10/09 02/10/09 02/10/09 02/10/09

R02100403R02100403
13A 13A
039118 02 039118 02
02/10/09 02/10/09

R02100403R02100403R02100403
Client ID: 14A 14A 14A
Lab No.: 039119 02 039119 02 039119 02
Date Sampled: 02/10/09 02/10/09 02/10/09
Matrix:

Client ID:
Lab No.:
Date Sampled:
Matrix:

Component	TEF	% of Isomer	RDL	Units	TEF	% of Isomer	RDL	Units
2,3,7,8-Cl ₄ DBP	0.18		0.34	pg	7.0		0.38	pg
2,3,7,8-Cl ₄ DBP	0.72		0.92	"	2.7		0.60	"
1,2,3,7,8-Cl ₅ DBP	0.35		0.78	"	<0.78	<0.039	0.91	"
2,3,4,7,8-Cl ₅ DBP	0.27		1.7	"	<1.7	<0.83	0.87	"
1,2,3,7,8-Cl ₅ DBP	0.27		1.8	"	<1.8	<0.92	1.1	"
1,2,3,4,7,8-Cl ₆ DBP	0.34		0.82	"	<0.82	<0.082	1.1	"
1,2,3,6,7,8-Cl ₆ DBP	0.26		0.76	"	<0.76	<0.076	1.0	"
2,3,4,6,7,8-Cl ₆ DBP	0.31		0.89	"	<0.89	<0.089	1.2	"
1,2,3,7,8,9-Cl ₆ DBP	0.37		0.37	"	<0.37	<0.037	1.3	"
1,2,3,4,7,8-Cl ₆ DBP	0.59		2.0	"	<2.0	<0.20	1.5	"
1,2,3,6,7,8-Cl ₆ DBP	0.55		1.8	"	<1.8	<0.18	1.4	"
1,2,3,7,8,9-Cl ₆ DBP	0.54		1.8	"	<1.8	<0.18	1.3	"
1,2,3,4,6,7,8-Cl ₇ DBP	0.33		110	"	<110	<1.1	69	"
1,2,3,4,7,8,9-Cl ₇ DBP	0.33		130	"	<130	<1.3	79	"
1,2,3,4,6,7,8-Cl ₇ DBP	0.33		6.1	"	<6.1	<0.061	2.1	"
1,2,3,4,6,7,8,9-Cl ₈ DBP	0.33		11	"	<11	<0.011	3.5	"
1,2,3,4,6,7,8,9-Cl ₈ DBP	0.33		39	"	<39	<0.039	5.6	"
TEF	0.99			pg	3.4			pg
MAX TEF	<2.1			"	<8.6			"

ΣT4CDF	3	0.34	pg	24	9	0.38	pg
ΣP5CDF	2	0.79	"	4.0	2	0.91	"
ΣH6CDF	1	0.89	"	<0.89	0	1.2	"
ΣH7CDF	0	120	"	<120	0	74	"
OCDF	0	11	"	<11	0	3.5	"
ΣT4CDD	3	0.92	"	22	5	0.6	"
ΣP5CDD	3	1.8	"	9.9	1	1.1	"
ΣH6CDD	0	1.8	"	39	1	1.4	"
ΣH7CDD	1	5.4	"	<5.4	0	2.1	"
OCDD	1	39	"	<39	0	5.6	"

Surrogate Recoveries

2,3,7,8-T4CDF-13C12	86
2,3,7,8-T4CDD-13C12	61
1,2,3,7,8-P5CDF-13C12	47
1,2,3,7,8-P5CDD-13C12	36
1,2,3,6,7,8-H6CDF-13C12	91
1,2,3,6,7,8-H6CDD-13C12	56
1,2,3,4,6,7,8-H7CDF-13C12	66
1,2,3,4,6,7,8-H7CDD-13C12	44
OCDD-13C12	30

039118 02 039118 02 02/10/09 02/10/09 039119 02 039119 02 039119 02 02/10/09 02/10/09 02/10/09 02/10/09

City of New York Department of Environmental Protection
 114th Street, New York, NY 10035

Component	RDL	Units	BLANK	TEF	of Isomer	MR	RDL	Units	BLANK
Batch Code:			1104NZ01						1108NZ01
2,3,7,8-Cl4DBF	0.12	pg	0.50	0.050		106%	0.34	pg	0.62
2,3,7,8-Cl4DBD	0.22	"	<0.22	<0.22		117%	0.59	"	<0.59
1,2,3,7,8-Cl5DBF	0.21	"	0.31	0.015		116%	0.34	"	<0.34
2,3,4,7,8-Cl5DBF	0.15	"	<0.15	<0.076		97%	0.33	"	<0.33
1,2,3,7,8-Cl5DBD	0.38	"	<0.38	<0.19		96%	0.58	"	<0.58
1,2,3,4,7,8-Cl6DBF	0.15	"	<0.13	<0.013		114%	0.50	"	<0.50
1,2,3,6,7,8-Cl6DBF	0.15	"	0.15	0.015		105%	0.47	"	<0.47
2,3,4,6,7,8-Cl6DBF	0.15	"	<0.14	<0.014		116%	0.55	"	<0.55
1,2,3,7,8,9-Cl6DBF	0.15	"	<0.15	<0.015		119%	0.59	"	<0.59
1,2,3,4,7,8-Cl6DBD	0.15	"	<0.094	<0.0094		102%	0.58	"	<0.58
1,2,3,6,7,8-Cl6DBD	0.15	"	0.18	0.018		99%	0.53	"	<0.53
1,2,3,7,8,9-Cl6DBD	0.15	"	<0.11	<0.011		99%	0.52	"	<0.52
1,2,3,4,6,7,8-Cl7DBF	0.15	"	<0.81	<0.0081		105%	0.90	"	<0.90
1,2,3,4,7,8,9-Cl7DBF	0.15	"	<0.62	<0.0062		52%	1.0	"	<1.0
1,2,3,4,6,7,8-Cl7DBD	0.15	"	2.0	0.0020		102%	0.77	"	<0.77
1,2,3,4,6,7,8,9-Cl8DBF	0.15	"	0.69	0.00069		125%	0.48	"	0.92
1,2,3,4,6,7,8,9-Cl8DBD	0.15	"	14	0.014		108%	1.6	"	<1.6
FET				0.13					
FET MAX				<0.70					
ΣT4CDF	0.12	pg	0.50		1	106%	0.34	pg	0.62
ΣP5CDF	0.21	"	0.31		1	107%	0.34	"	<0.34
ΣH6CDF	0.13	"	0.15		1	109%	0.50	"	<0.50
ΣH7CDF	0.58	"	<0.58		0	79%	0.97	"	<0.97
OCDF	0.32	"	0.69		1	125%	0.48	"	0.92
ΣT4CDD	0.20	"	<0.20		0	117%	0.59	"	<0.59
ΣP5CDD	0.38	"	<0.38		0	96%	0.58	"	<0.58
ΣH6CDD	0.12	"	0.46		2	100%	0.53	"	<0.53
ΣH7CDD	0.20	"	3.7		2	102%	0.77	"	<0.77
OCDD	0.28	"	14		1	108%	1.7	"	<1.7
Surrogate Recoveries	%							%	
2,3,7,8-T4CDF-13C12			88						82
2,3,7,8-T4CDD-13C12			80						76
1,2,3,7,8-P5CDF-13C12			91						82
1,2,3,7,8-P5CDD-13C12			85						80
1,2,3,6,7,8-H6CDF-13C12			76						62
1,2,3,6,7,8-H6CDD-13C12			80						74
1,2,3,4,6,7,8-H7CDF-13C12			84						64
1,2,3,4,6,7,8-H7CDD-13C12			96						90
OCDD-13C12			74						78

City of New York Department of Environmental Protection
 114th Street, New York, NY 10035

Component Batch Code: TEF 1 of Isomer MR RDL Units BLANK 1113NZ01 TEF 1 of Isomer MR

Component	Batch Code: TEF	1 of Isomer	MR	RDL	Units	BLANK 1113NZ01	TEF	1 of Isomer	MR
2,3,7,8-Cl4DBF	0.062		103%	0.42	pg	1.4	0.14		108%
2,3,7,8-Cl4DBF	0.59		118%	0.80	"	<0.80	<0.81		124%
1,2,3,7,8-Cl5DBF	0.17		116%	0.69	"	<0.69	<0.035		119%
2,3,4,7,8-Cl5DBF	0.17		105%	0.47	"	<0.47	<0.23		103%
1,2,3,7,8-Cl5DBF	0.29		94%	0.57	"	<0.57	<0.28		98%
1,2,3,4,7,8-Cl6DBF	0.50		98%	0.31	"	<0.31	<0.031		107%
1,2,3,6,7,8-Cl6DBF	0.47		105%	0.57	"	<0.57	<0.057		113%
2,3,4,6,7,8-Cl6DBF	0.55		164%	0.65	"	<0.65	<0.065		119%
1,2,3,7,8,9-Cl6DBF	0.59		158%	0.37	"	<0.37	<0.037		114%
1,2,3,4,7,8-Cl6DBF	0.53		90%	0.68	"	<0.68	<0.068		104%
1,2,3,6,7,8-Cl6DBF	0.53		104%	0.63	"	<0.63	<0.063		113%
1,2,3,7,8,9-Cl6DBF	0.52		108%	0.61	"	<0.61	<0.061		107%
1,2,3,4,6,7,8-Cl7DBF	0.96		104%	0.92	"	<0.92	<0.0092		114%
1,2,3,4,7,8,9-Cl7DBF	0.81		166%	0.50	"	<0.50	<0.0050		105%
1,2,3,4,6,7,8-Cl7DBF	0.70		101%	0.72	"	<0.72	<0.0072		120%
1,2,3,4,6,7,8,9-Cl8DBF	0.88		86%	0.55	"	2.5	0.0025		118%
1,2,3,4,6,7,8,9-Cl8DBD	0.88		103%	3.5	"	<3.5	<0.0035		111%

FET 0.063
FET MAX <1.5

0.14
<1.9

ΣT4CDF	1	103%	0.42	pg	1.4	1	108%
ΣP5CDF	0	111%	0.48	"	<0.48	0	111%
ΣH6CDF	0	131%	0.34	"	<0.34	0	113%
ΣH7CDF	0	135%	0.47	"	<0.47	0	110%
OCDF	1	86%	0.55	"	2.5	1	118%
ΣT4CDD	0	118%	0.42	"	<0.42	0	124%
ΣP5CDD	0	94%	0.57	"	<0.57	0	98%
ΣH6CDD	0	101%	0.63	"	<0.63	0	108%
ΣH7CDD	0	101%	0.72	"	<0.72	0	120%
OCDD	0	103%	3.5	"	<3.5	0	111%

Surrogate Recoveries

2,3,7,8-T4CDF-13C12	99
2,3,7,8-T4CDD-13C12	84
1,2,3,7,8-P5CDF-13C12	80
1,2,3,7,8-P5CDD-13C12	66
1,2,3,6,7,8-H6CDF-13C12	83
1,2,3,6,7,8-H6CDD-13C12	84
1,2,3,4,6,7,8-H7CDF-13C12	69
1,2,3,4,6,7,8-H7CDD-13C12	91
OCDD-13C12	71

Component Batch Code: TEF 1 of Isomer MR RDL Units BLANK 1113NZ01 TEF 1 of Isomer MR
N00:02J0050706
nRhRf000e # 0 0=

C"r a, g r a s i t a i q u e" 1 4 P S C A n a y t i c a

Batch Cod 1104NZ01 1108NZ01 1108NZ01 1113NZ01

2,3,7,8-C14 039106 02 039109 02 039115 02 039118 02
 039107 02 039110 02 039116 02 039119 02
 039108 02 039111 02 039117 02 039120 02
 039112 02 039121 02
 039113 02 039122 02
 039114 02 039123 02

Date Analy:11/21/200211/22/200211/21/200211/22/2002
 Date Prepa 11/4/2002 11/8/2002 11/8/2002 11/13/2002

Batch Cod 1104NZ01 1108NZ01 1108NZ01 1113NZ01

ΣT4CDF et 039106 02 039109 02 039115 02 039118 02
 039107 02 039110 02 039116 02 039119 02
 039108 02 039111 02 039117 02 039120 02
 039112 02 039121 02
 039113 02 039122 02
 039114 02 039123 02

Date Analy:11/21/200211/22/200211/21/200211/22/2002
 Date Prepa 11/4/2002 11/8/2002 11/8/2002 11/13/2002

L"r a, i t a i c" N o d e c e r t i f i c a t :
 n h R f i e # = F

LLDL C "LTlilmLeLS LNLelwL LRloLmLaLnL, LBloLLdL
 LLLtLaLLiLcL" L1L4LZ_ELLL L-L LTLelSLtLeRl

039106 02 2378AHRF * TEQ = 0.307 Max TEQ < 1.815
 039107 02 2378AHRF * TEQ = 0.042 Max TEQ < 3.716
 039108 02 2378AHRF * TEQ = 0.115 Max TEQ < 2.345
 039109 02 2378AHRF * TEQ = 0.383 MAX TEQ < 9.180
 039110 02 2378AHRF * TEQ = 0.408 Max TEQ < 1.358
 039111 02 2378AHRF * TEQ = 0.000 Max TEQ < 6.817
 039112 02 2378AHRF * TEQ = 0.119 Max TEQ < 2.064
 039113 02 2378AHRF * TEQ = 0.043 Max TEQ < 2.424
 039114 02 2378AHRF * TEQ = 0.156 Max TEQ < 2.819
 039115 02 2378AHRF * TEQ = 0.013 Max TEQ < 7.141
 039116 02 2378AHRF * TEQ = 0.368 Max TEQ < 8.056
 039117 02 2378AHRF * TEQ = 0.243 MAX TEQ < 10.148
 039118 02 2378AHRF * TEQ = 0.988 Max TEQ < 2.065
 039119 02 2378AHRF * TEQ = 3.381 Max TEQ < 8.558
 039120 02 2378AHRF * TEQ = 0.254 Max TEQ < 4.243
 039121 02 2378AHRF * TEQ = 0.180 Max TEQ < 2.650
 039122 02 2378AHRF * TEQ = 0.079 Max TEQ < 3.109
 039123 02 2378AHRF * TEQ = 1.737 Max TEQ < 4.151

039106 02 2,3,7,8-Cl4
 039106 02 1,2,3,7,8-C
 039106 02 1,2,3,4,6,7,
 039106 02 1,2,3,4,6,7,
 039106 02 1,2,3,4,6,7,
 039106 02 Total Tetra
 039106 02 Total Tetra
 039106 02 Total Penta
 039106 02 Total Hepta
 039107 02 2,3,7,8-Cl4
 039107 02 1,2,3,4,6,7,
 039107 02 Total Tetra
 039108 02 2,3,7,8-Cl4
 039108 02 1,2,3,4,6,7,
 039108 02 1,2,3,4,6,7,
 039108 02 Total Tetra
 039108 02 Total Tetra
 039109 02 2,3,4,6,7,8-

Nathalie F 039109 02 1,2,3,4,6,7,

SAMPLE NOTEPAD SUMMARY

ZN

--

039106 02
 TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
 2,3,7,8-Cl4-Dibenzofuran MDL = 0.2122

 Posted by EGAGNON on 14:20:26 02/11/27
 TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
 1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.4245
 TC=02/11/21 BC=02/11/04:NZ01 RC=02/11/21:SO01 1
 1,2,3,7,8-PeCDF NDR

 Posted by EGAGNON on 14:20:27 02/11/27
 TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
 1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 0.4172

 Posted by EGAGNON on 14:20:27 02/11/27
 TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
 1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 0.6363

 Posted by EGAGNON on 14:20:28 02/11/27
 TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1

039109 02 1,2,3,4,6,7,
 039109 02 1,2,3,4,7,8,
 039109 02 1,2,3,4,6,7,
 039109 02 2,3,7,8-Cl4
 039109 02 1,2,3,4,6,7,
 039109 02 1,2,3,4,6,7,
 039109 02 Total Tetra
 039109 02 Total Tetra
 039109 02 Total Penta
 039109 02 Total Penta
 039109 02 Total Hexa
 039109 02 Total Hepta
 039110 02 2,3,7,8-Cl4
 039110 02 1,2,3,7,8-C
 039110 02 1,2,3,4,7,8-
 039110 02 1,2,3,6,7,8-
 039110 02 2,3,4,6,7,8-
 039110 02 1,2,3,4,6,7,
 039110 02 1,2,3,4,6,7,
 039110 02 2,3,7,8-Cl4
 039110 02 1,2,3,4,6,7,
 039110 02 Total Tetra
 039110 02 Total Penta
 039111 02 2,3,7,8-Cl4
 039111 02 1,2,3,4,6,7,

RlfLiLiLeL L#L L L=LF L
 LRLelv_iLSLiLoLnL LNLolL L L L _OLC

LLDL C_ "LTlilmlels L Nlewl Rlo mla nl, L Blo lldL
LlLtlallilcl "L1L4Z_ ELL L-L L Tle sltlerL

zofu02122 0.21
nzof02445 0.42
-Dib02072 0.42
iben06368 0.64
-Dib02049-dioxin
iben02122ns 0.21
iben05250 0.55
iben04245ns 0.42
dib02683-dioxins
zofu03019 0.3
-Dib05028-dioxin
iben03019ns 0.3
zofu03773 0.38
iben05231 0.52
-Dib02368-dioxin
iben03773ns 0.38
iben04788 0.48
benzofu0313 1.2
iben03456 8.8
iben02053n 10
-Dib02012ar 2.2
zo-pi03046 1.3
iben02074-dioxin
-Dib02023-dioxin
iben05038ns 0.56
iben03058 0.58
iben02935ns 1.3
iben04638 0.58
iben02013ns 1.2
dib02074-dioxins
zofu02307 0.23
nzof025052 0.51
benz05247 0.52
benz04882 0.49
benz05709 0.57
iben02023n 1
-Dib02042ar 0.87
zo-pi03083 0.34
-Dib02075-dioxin
iben03388 0.38
iben05052ns 0.51
zofu027595 0.76
-Dib02017-dioxin

Rlfli l l eL L #L L L =L FL
L RLeLv_i l sLi l oLn L NLoL.L L L _0LC

LLDL C "LTlilmLeLS LNLelwL LRloLmLaLnL, LBloLLdL
 LLLtLaLLiLcL" L1L4LZ_ELLL L-L LTLelSLtLeRl

1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 0.7148

 Posted by EGAGNON on 14:20:29 02/11/27
 TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
 Total Tetrachlorodibenzofurans MDL = 0.2122

 Posted by EGAGNON on 14:20:29 02/11/27
 TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
 Total Tetrachlorodibenzo-p-dioxins MDL = 0.5250

 Posted by EGAGNON on 14:20:30 02/11/27
 TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
 Total Pentachlorodibenzofurans MDL = 0.4245

 Posted by EGAGNON on 14:20:30 02/11/27
 TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
 Total Heptachlorodibenzo-p-dioxins MDL = 0.6363

 Posted by EGAGNON on 14:20:31 02/11/27
 039107 02
 TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
 2,3,7,8-Cl4-Dibenzofuran MDL = 0.3019

 Posted by EGAGNON on 14:20:34 02/11/27
 TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
 1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 0.5028

 Posted by EGAGNON on 14:20:35 02/11/27
 TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
 Total Tetrachlorodibenzofurans MDL = 0.3019

 Posted by EGAGNON on 14:20:35 02/11/27
 039108 02
 TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
 2,3,7,8-Cl4-Dibenzofuran MDL = 0.3773

 Posted by EGAGNON on 14:20:39 02/11/27
 TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
 1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 0.5232
 TC=NZ01 BC=02/11/04:NZ01 RC=02/11/21:SO01 1
 1,2,3,4,6,7,8-HpCDD NDR

 Posted by EGAGNON on 14:20:40 02/11/27

039112 02 2,3,7,8-Cl4
 039112 02 1,2,3,4,6,7,
 039112 02 1,2,3,4,6,7,
 039112 02 1,2,3,4,6,7,
 039112 02 Total Tetra
 039112 02 Total Hepta
 039113 02 2,3,7,8-Cl4
 039113 02 1,2,3,4,6,7,
 039113 02 1,2,3,4,6,7,
 039113 02 1,2,3,4,6,7,
 039113 02 Total Tetra
 039113 02 Total Tetra
 039113 02 Total Hepta
 039114 02 2,3,7,8-Cl4
 039114 02 1,2,3,7,8-C
 039114 02 1,2,3,4,7,8,
 039114 02 1,2,3,4,6,7,
 039114 02 1,2,3,4,6,7,
 039114 02 1,2,3,4,6,7,
 039114 02 Total Tetra
 039115 02 2,3,7,8-Cl4
 039115 02 1,2,3,4,6,7,
 039115 02 Total Tetra
 039115 02 Total Tetra
 039116 02 2,3,7,8-Cl4
 039116 02 1,2,3,7,8-C
 039116 02 1,2,3,4,6,7,
 039116 02 1,2,3,4,6,7,
 039116 02 1,2,3,4,6,7,
 039116 02 Total Tetra
 039116 02 Total Hepta
 039117 02 2,3,7,8-Cl4
 039117 02 1,2,3,4,6,7,
 039117 02 1,2,3,4,6,7,
 039117 02 Total Tetra
 039117 02 Total Tetra
 039118 02 2,3,7,8-Cl4
 039118 02 1,2,3,7,8-C
 039118 02 2,3,4,7,8-C
 039118 02 1,2,3,4,7,8-
 039118 02 1,2,3,4,6,7,
 039118 02 2,3,7,8-Cl4
 039118 02 1,2,3,4,6,7,

RlfLiLLeL L#L L L=LF L
 LRLeLv_iLSLiLoLnL LNLol.L L L _OLC

LLDL C_ "LTlilmlels L Nlewl Rlo mlalnL, L Blo lldL
LlLtlallilcl" L1L4Z_ ELL L-L L Tle sltle rL

zofur06542 0.65
-Diben06263 0.63
iben2069108169
-Diben2065-dioxin
iben206542ns 0.65
diben20691-dioxin
zofur06305 0.53
-Diben06263 0.72
iben20816208185
-Diben2065-dioxin
iben206305ns 0.53
iben20574808157
diben208462-dioxin
zofur06476 0.48
nzof06265 0.63
iben20408 64
-Diben2025 0.1
iben20589108159
-Diben2053-dioxin
iben20476ns 0.48
zofur061638 0.46
-Diben2068-dioxin
iben204038ns 0.46
iben201374oxins
zofur067944 0.79
nzof064877 0.5
-Diben2068-ar8.5
iben20158 0.1
-Diben2069-dioxin
iben20794ns 0.79
diben20158-dioxins
zofur06916 0.99
-Diben20545-ar8.7
-Diben2069-dioxin
iben20916ns 0.99
iben20158oxins
zofur06882 0.29
nzof06472 0.55
nzof06266 0.53
benz06228 0.28
-Diben06264 0.51
zo-p06001 0.3
iben2043-dioxin

RlfliileL L#L L L=LF L
L RLeLv_iLsLiLoLnL LNL oL.L L L _0LC

LLDL C_ "LTlilmLeLSL LNLelwL LRLolmLaLnL, LBloLLdL
 LLLtLaLLiLcL" L1L4LZ_ ELLL L-L LTLelSLtLeRl

TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1

1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 0.7368

TC=NZ01 BC=02/11/04:NZ01 RC=02/11/21:SO01 1

1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin OCDD NDR

 Posted by EGAGNON on 14:20:40 02/11/27

TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1

Total Tetrachlorodibenzofurans MDL = 0.3773

 Posted by EGAGNON on 14:20:42 02/11/27

TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1

Total Tetrachlorodibenzo-p-dioxins MDL = 0.4786

 Posted by EGAGNON on 14:20:42 02/11/27

039109 02

TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1

2,3,4,6,7,8-Cl6-Dibenzofuran MDL = 1.1613

 Posted by EGAGNON on 11:08:22 02/11/29

TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1

1,2,3,4,6,7,8-Cl7-Dibenzofuran MDL = 8.8156

TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1

1,2,3,4,6,7,8-HpCDF NDR

 Posted by EGAGNON on 11:08:26 02/11/29

TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1

1,2,3,4,7,8,9-Cl7-Dibenzofuran MDL = 10.1551

TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1

1,2,3,4,7,8,9-HpCDF NDR

 Posted by EGAGNON on 11:08:27 02/11/29

TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1

1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 2.2412

 Posted by EGAGNON on 11:08:27 02/11/29

TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1

2,3,7,8-Cl4-Dibenzo-p-dioxin MDL = 1.3056

TC=02/11/22 BC=02/11/08:NZ01 RC=02/11/22:SO01 1

2,3,7,8-TCDD NDR

 Posted by EGAGNON on 11:08:29 02/11/29

TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1

039118 02 1,2,3,4,6,7,

039118 02 Total Tetra

039118 02 Total Tetra

039118 02 Total Penta

039118 02 Total Penta

039118 02 Total Hexa

039118 02 Total Hepta

039118 02 2,3,7,8-Cl4

039119 02 2,3,7,8-Cl4

039119 02 2,3,4,7,8-C

039119 02 2,3,7,8-Cl4

039119 02 1,2,3,4,6,7,

039119 02 1,2,3,4,6,7,

039119 02 Total Tetra

039119 02 Total Tetra

039119 02 Total Penta

039119 02 Total Penta

039119 02 Total Hexa

039119 02 2,3,7,8-Cl4

039120 02 2,3,7,8-Cl4

039120 02 1,2,3,7,8-C

039120 02 1,2,3,4,6,7,

039120 02 Total Tetra

039120 02 Total Tetra

039120 02 Total Penta

039120 02 2,3,7,8-Cl4

039121 02 2,3,7,8-Cl4

039121 02 1,2,3,7,8-C

039121 02 2,3,4,7,8-C

039121 02 1,2,3,4,7,8-

039121 02 1,2,3,6,7,8-

039121 02 1,2,3,4,7,8,

039121 02 1,2,3,4,6,7,

039121 02 2,3,7,8-Cl4

039121 02 1,2,3,7,8-C

039121 02 1,2,3,4,6,7,

039121 02 1,2,3,4,6,7,

039121 02 Total Tetra

039121 02 Total Tetra

039121 02 Total Penta

039121 02 Total Penta

039121 02 Total Hexa

039121 02 Total Hepta

RlfLiLLeL L#L L L=LF L
 LRLelV_iLSLiLoLnL LNLol.L L L _OLC

LLDL C_ "LTlilmlels LNLelwL RLolmlalnL, LBlolldL
 LltlaLlilcl" L1L4Z_ ELL L-L LTeLstleRl

-Dibenzo-p-dioxin
 ibenzo-p-dioxin 0.29
 ibenzo-p-dioxin 0.3
 ibenzo-p-dioxin 0.55
 ibenzo-p-dioxin 0.54
 ibenzo-p-dioxin 0.31
 dibenzo-p-dioxin
 zofuran 0.29
 zofuran 0.34
 nzofuran 0.82
 zo-p-dioxin 0.92
 ibenzo-p-dioxin 0.4
 -Dibenzo-p-dioxin
 ibenzo-p-dioxin 0.34
 ibenzo-p-dioxin 0.92
 ibenzo-p-dioxin 0.79
 ibenzo-p-dioxin
 ibenzo-p-dioxin
 zofuran 0.34
 zofuran 0.38
 nzofuran 0.91
 -Dibenzo-p-dioxin
 ibenzo-p-dioxin 0.38
 ibenzo-p-dioxin
 ibenzo-p-dioxin 0.91
 zofuran 0.38
 zofuran 0.31
 nzofuran 0.48
 nzofuran 0.46
 benzo-furan 0.57
 benzo-furan 0.53
 ibenzo-furan 0.34
 -Dibenzo-p-dioxin
 zo-p-dioxin 0.49
 nzo-p-dioxin 1.1
 ibenzo-p-dioxin 0.6
 -Dibenzo-p-dioxin
 ibenzo-p-dioxin 0.31
 ibenzo-p-dioxin 0.49
 ibenzo-p-dioxin 0.48
 ibenzo-p-dioxin
 ibenzo-p-dioxin 0.62
 dibenzo-p-dioxin

RflilileL L#L L L=LF L
 LRLelv_iLsLiLoLnL LNLol.L L L _0LC

LLDL C "LTlilmlels LNLelwL LRloLmLaLnL, LBloLLdL
 LLltLaLLilcL" L1L4LZ_ELLL L-L LTleSLtLeRl

1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 2.0741

039122 02 2,3,7,8-Cl4

 Posted by EGAGNON on 11:08:30 02/11/29

039122 02 1,2,3,7,8-C

TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1

039122 02 1,2,3,4,6,7,

1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 5.7423

039122 02 1,2,3,4,7,8,

039122 02 1,2,3,4,6,7,

039122 02 1,2,3,4,6,7,

039122 02 1,2,3,4,6,7,

039122 02 Total Tetra

 Posted by EGAGNON on 11:08:32 02/11/29

TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1

Total Tetrachlorodibenzofurans MDL = 0.5633

039122 02 Total Tetra

039122 02 Total Hepta

 Posted by EGAGNON on 11:08:35 02/11/29

039123 02 2,3,7,8-Cl4

TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1

039123 02 1,2,3,7,8-C

Total Tetrachlorodibenzo-p-dioxins MDL = 1.3056

039123 02 2,3,4,7,8-C

039123 02 1,2,3,6,7,8-

 Posted by EGAGNON on 11:08:37 02/11/29

039123 02 2,3,4,6,7,8-

TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1

039123 02 2,3,7,8-Cl4

Total Pentachlorodibenzofurans MDL = 1.2935

039123 02 1,2,3,4,7,8-

039123 02 1,2,3,6,7,8-

 Posted by EGAGNON on 11:08:39 02/11/29

039123 02 1,2,3,7,8,9-

TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1

039123 02 1,2,3,4,6,7,

Total Pentachlorodibenzo-p-dioxins MDL = 1.4633

039123 02 Total Tetra

039123 02 Total Tetra

 Posted by EGAGNON on 11:08:43 02/11/29

039123 02 Total Penta

TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1

039123 02 Total Hexa

Total Hexachlorodibenzofurans MDL = 1.1613

 Posted by EGAGNON on 11:08:44 02/11/29

TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1

Total Heptachlorodibenzo-p-dioxins MDL = 2.0741

 Posted by EGAGNON on 11:08:46 02/11/29

039110 02

TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1

2,3,7,8-Cl4-Dibenzofuran MDL = 0.2307

TC=02/11/22 BC=02/11/08:NZ01 RC=02/11/22:SO01 1

2,3,7,8-TCDF NDR

 Posted by EGAGNON on 09:12:28 02/11/29

TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1

1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.5052

 Posted by EGAGNON on 09:12:28 02/11/29

TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1

RlfLiLleL L#L L L=LF L
 LRLeLv_iLsLiLoLnL LNL oL.L L L _OLC

LLDLC_"LTlilmlelsLNLelwLRLolmlalnL,BLoLLdL
 LLLtLaLLilcl"L1L4Z_ELLL L-L LTeLstLeRL

zofura03588 0.36
 nzofura7746 0.77
 ibenz070019 98
 ibenz1204324 110
 -Diben292567ran30
 ibenz013451n.6
 -Diben512062-dioxn
 ibenz205588ns.36
 ibenz2055080815
 dibenz0645dioxins
 zofura01454 0.45
 nzofura5647 0.56
 nzofura5434 0.54
 benzo051282 0.53
 benzo06177 0.62
 zo-ped05503 0.55
 benzo086910r.87
 benzo093010.8
 benzo078880.78
 -Diben1788-dioxn
 ibenz01454ns.45
 ibenz2055080815
 ibenz205647ns.56
 ibenz206177ns.62

RlfLiLLeL L#L L L=LF
 LRLelv_iLsLiLoLnL LNLol.L L L _OLC

LLDLC_"LTlilmLeLSL LNLelwL LRloLmLaLnL,LBloLLdL
LlLtLaLlLilcL"L1L4LZ_ELLL L-L LTLeSLtLeRl

1,2,3,4,7,8-Cl6-Dibenzofuran MDL = 0.5247
TC=02/11/22 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,7,8-HxCDF NDR

Posted by EGAGNON on 09:12:29 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,6,7,8-Cl6-Dibenzofuran MDL = 0.4882
TC=02/11/22 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,6,7,8-HxCDF NDR

Posted by EGAGNON on 09:12:29 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,4,6,7,8-Cl6-Dibenzofuran MDL = 0.5709
TC=02/11/22 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,4,6,7,8-HxCDF NDR

Posted by EGAGNON on 09:12:30 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzofuran MDL = 1.0023
TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-HpCDF NDR

Posted by EGAGNON on 09:12:30 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 0.8742

Posted by EGAGNON on 09:12:31 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzo-p-dioxin MDL = 0.3383

Posted by EGAGNON on 09:12:31 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 1.1975
TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin OCDD NDR

Posted by EGAGNON on 09:12:32 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.3383

Posted by EGAGNON on 09:12:33 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Pentachlorodibenzofurans MDL = 0.5052

RlfLiLLeL L#L L L=LF
LRLeLv_iLSLiLoLnL LNLol.L L L _OLC

LLDLC "Tilmls Nlewl Rlmlaln, Blold
Lltalllc"14Z_ELL -L TleslelrL

RfllleL #L L =FL
LRelvilsilolnL NloL. L L _0LC

LLDL C "LTlilmlels LNLelwL RLolmlalnL, LBolldL
LltlaLilcl" L1L4Z_ELL L-L LTleSLteLrL

039111 02

TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.7595
TC=02/11/22 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-TCDF NDR

Posted by EGAGNON on 09:12:35 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 3.0517
TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin OCDD NDR

039112 02

TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.6542

Posted by EGAGNON on 09:12:38 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 0.6253
TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran OCDF NDR

Posted by EGAGNON on 09:12:39 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 0.6911

Posted by EGAGNON on 09:12:39 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 1.2935

Posted by EGAGNON on 09:12:40 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.6542

Posted by EGAGNON on 09:12:40 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Heptachlorodibenzo-p-dioxins MDL = 0.6911

039113 02

TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.5305
TC=02/11/22 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-TCDF NDR

RlfliLeL #L L L=FL
LRLeLv_iLSliLoLnL LNLol.L L L _0LC

LLDLC "Tilmls Nlewl Rlmlaln, Blold
Lltalllc"14Z_ELL -L Tleslelr

RfllleL #L L =FL
LRelvilsilolnL NloL. L L _0LC

LLDL C_ "LTlilmLeLS LNLelwL LRloLmLaLnL, LBloLLdL
 LLLtLaLLilcL" L1L4Z_ ELL L-L LTleSLteLrL

 Posted by EGAGNON on 09:12:43 02/11/29
 TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
 1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 0.7151

Posted by EGAGNON on 09:12:43 02/11/29
 TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
 1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 0.8462

Posted by EGAGNON on 09:12:44 02/11/29
 TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
 1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 1.5837

Posted by EGAGNON on 09:12:44 02/11/29
 TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
 Total Tetrachlorodibenzofurans MDL = 0.5305

Posted by EGAGNON on 09:12:45 02/11/29
 TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
 Total Tetrachlorodibenzo-p-dioxins MDL = 0.5748

Posted by EGAGNON on 09:12:45 02/11/29
 TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
 Total Heptachlorodibenzo-p-dioxins MDL = 0.8462

039114 02
 TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
 2,3,7,8-Cl4-Dibenzofuran MDL = 0.4760

Posted by EGAGNON on 09:12:48 02/11/29
 TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
 1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.6265
 TC=02/11/22 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
 1,2,3,7,8-PeCDF NDR

Posted by EGAGNON on 09:12:49 02/11/29
 TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
 1,2,3,4,7,8,9-Cl7-Dibenzofuran MDL = 64.0800
 TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
 1,2,3,4,7,8,9-HpCDF NDR

Posted by EGAGNON on 09:12:50 02/11/29
 TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1

RlfLiLLeL L#L L L=LF L
 LRLeLv_iLSLiLoLnL LNL oL.L L L _0LC

LLDLC "Tilmls Nlewl Rlmlaln, Blold
Lltalllc"14Z_ELL -L Tleslelr

RfllleL #L L =FL
LRelvilsilolnL NloL. L L _0LC

LLDL C "LTlilmLeLS LNLelwL LRloLmLaLnL, LBloLLdL
 LLLtLaLLiLcL" L1L4Z_ELLL L-L LTeLSLtLeRl

1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 1.1425
 TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
 1,2,3,4,6,7,8,9-Cl8-Dibenzofuran OCDF NDR

 Posted by EGAGNON on 09:12:51 02/11/29
 TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
 1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 0.5892
 TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
 1,2,3,4,6,7,8-HpCDD NDR

 Posted by EGAGNON on 09:12:52 02/11/29
 TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
 1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 1.2530
 TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
 1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin OCDD NDR

 Posted by EGAGNON on 09:12:52 02/11/29
 TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
 Total Tetrachlorodibenzofurans MDL = 0.4760

 039115 02
 TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
 2,3,7,8-Cl4-Dibenzofuran MDL = 0.4638
 TC=02/11/21 BC=02/11/04:NZ01 RC=02/11/21:SO01 1
 2,3,7,8-TCDF NDR

 Posted by EGAGNON on 14:20:46 02/11/27
 TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
 1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 2.1688

 Posted by EGAGNON on 14:20:47 02/11/27
 TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
 Total Tetrachlorodibenzofurans MDL = 0.4638

 Posted by EGAGNON on 14:20:48 02/11/27
 TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
 Total Tetrachlorodibenzo-p-dioxins MDL = 1.1374

 Posted by EGAGNON on 14:20:48 02/11/27
 039116 02
 TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
 2,3,7,8-Cl4-Dibenzofuran MDL = 0.7944

RlfLiLLeL L#L L L=FL
 LRLeLv_iLSLiLoLnL LNL oL.L L L _0LC

LLDLC "Tilmls Nlewl Rlmlaln, Blold
Lltalllc"14Z_ELL -L Tleslelr

RfllleL #L L=FL
LRelvilsilolnL NloL. L L _0LC

LLDLC_"LTliLmLeLsL LNLeLwL LRLoLmLaLnL,LBLoLldL
LlLtLaLlLiLcL"L1L4LZ_ELLL L-L LTLeLstLeLrL

Posted by EGAGNON on 14:20:51 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.4977
TC=02/11/21 BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,7,8-PeCDF NDR

Posted by EGAGNON on 14:20:52 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 3.4639
TC=NZ01 BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran OCDF NDR

Posted by EGAGNON on 14:20:53 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 2.1158

Posted by EGAGNON on 14:20:54 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 1.4561

Posted by EGAGNON on 14:20:54 02/11/27
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.7944

Posted by EGAGNON on 14:20:55 02/11/27
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
Total Heptachlorodibenzo-p-dioxins MDL = 2.1158

Posted by EGAGNON on 14:20:57 02/11/27
039117 02
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.9916

Posted by EGAGNON on 14:20:59 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 3.6545

Posted by EGAGNON on 14:21:00 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 3.8696

Posted by EGAGNON on 14:21:00 02/11/27

RlfLiLLeL L#L L L=LF L
LRLeLv_iLsLiLoLnL LNLoL.L L L _0LC

LLDLC "Tilmls Nlewl Rlmlaln, Blold
Lltalllc"14Z_ELL -L Tleslelr

RfllleL #L L =FL
LRelvilsilolnL NloL. L L _0LC

LLDLC_"LTlilmLeLsL LNLeLwL LRLoLmLaLnL,LBLoLlLdL
LlLtLaLlLlLcL"L1L4LZ_ELLL L-L LTLeLsLtLeLrL

TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.9916

Posted by EGAGNON on 14:21:01 02/11/27
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 1.6530

Posted by EGAGNON on 14:21:02 02/11/27
039118 02
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.2882

Posted by EGAGNON on 09:12:55 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.5472

Posted by EGAGNON on 09:12:56 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,4,7,8-Cl5-Dibenzofuran MDL = 0.5266
TC=02/11/22 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,4,7,8-PeCDF NDR

Posted by EGAGNON on 09:12:56 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,7,8-Cl6-Dibenzofuran MDL = 0.2828

Posted by EGAGNON on 09:12:57 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 0.5054
TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran OCDF NDR

Posted by EGAGNON on 09:12:58 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzo-p-dioxin MDL = 0.3001

Posted by EGAGNON on 09:12:59 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 0.4314

Posted by EGAGNON on 09:13:00 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 0.4175

RlfLiLLeL L#L L L=FL
LRLeLv_iLsLiLoLnL LNLoL.L L L _OLC

LLDLC "Tilmls Nlewl Rlmlaln, Blold
LltaLilc"14Z_ELL -L TleslelrL

RfllleL #L L =FL
LRelvilsilolnL NloL. L L _0LC

LLDLC "LTlilmlelsL LNeLwL LRloLmLaLnL, LBloLLdL
LlLtLaLlLlcL" L1L4LZ_ELL L-L LTleSLteLrL

Posted by EGAGNON on 09:13:00 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.2882

Posted by EGAGNON on 09:13:01 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.3001

Posted by EGAGNON on 09:13:01 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Pentachlorodibenzofurans MDL = 0.5472

Posted by EGAGNON on 09:13:01 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Pentachlorodibenzo-p-dioxins MDL = 0.5420

Posted by EGAGNON on 09:13:03 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Hexachlorodibenzofurans MDL = 0.3080

Posted by EGAGNON on 09:13:03 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Heptachlorodibenzo-p-dioxins MDL = 0.4314

Posted by EGAGNON on 09:13:04 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.2882

039119 02
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.3419

Posted by EGAGNON on 09:13:06 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,4,7,8-Cl5-Dibenzofuran MDL = 0.8160
TC=02/11/22 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,4,7,8-PeCDF NDR

Posted by EGAGNON on 09:13:07 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzo-p-dioxin MDL = 0.9178

RlfLiLLeL L#L L L=LF L
LRLeLv_iLSLiLoLnL LNL oL.L L L _0LC

LLDLC "Tilmls Nlewl Rlmlaln, Blold
Lltalllc"14Z_ELL -L TleslelrL

RfllleL #L L =FL
LRelvilsilolnL NloL. L L _0LC

LLDL C "LTlilmlels LNLelwL LRloLmLaNL, LBloLLdL
LlLtLaLLilcL" L1L4LZ_ELLL L-L LTleSLteLrL

Posted by EGAGNON on 09:13:08 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 5.3803
TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-HpCDD NDR

Posted by EGAGNON on 09:13:09 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 8.0578
TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin OCDD NDR

Posted by EGAGNON on 09:13:10 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.3419

Posted by EGAGNON on 09:13:11 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.9178

Posted by EGAGNON on 09:13:12 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Pentachlorodibenzofurans MDL = 0.7850

Posted by EGAGNON on 09:13:13 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Pentachlorodibenzo-p-dioxins MDL = 1.8321

Posted by EGAGNON on 09:13:14 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Hexachlorodibenzo-p-dioxins MDL = 1.8399

Posted by EGAGNON on 09:13:15 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.3419

039120 02
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.3770

Posted by EGAGNON on 09:13:18 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.9091

RlfLiLleL L#L L L=LF L
LRLeLv_iLSLiLoLnL LNL oL.L L L _0LC

LLDLC "Tilmls Nlewl Rlmlaln, Blold
Lltalllc"14Z_ELL -L TleslelrL

RfllleL #L L =FL
LRelvilsilolnL NloL. L L _0LC

LLDLC_"LTlilmLeLSL LNLelwL LRloLmLaLnL,LBloLLdL
 LLLtLaLLilcL"L1L4LZ_ELLL L-L LTLeSLtLeRl

 Posted by EGAGNON on 09:13:18 02/11/29
 TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
 1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 1.7389
 TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
 1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin OCDD NDR

Posted by EGAGNON on 09:13:19 02/11/29
 TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
 Total Tetrachlorodibenzofurans MDL = 0.3770

Posted by EGAGNON on 09:13:20 02/11/29
 TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
 Total Tetrachlorodibenzo-p-dioxins MDL = 0.5990

Posted by EGAGNON on 09:13:21 02/11/29
 TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
 Total Pentachlorodibenzofurans MDL = 0.9090

Posted by EGAGNON on 09:13:21 02/11/29
 TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
 2,3,7,8-Cl4-Dibenzofuran MDL = 0.3770

039121 02
 TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 2,3,7,8-Cl4-Dibenzofuran MDL = 0.3144
 TC=02/11/22 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 2,3,7,8-Cl4-Dibenzofuran RT

Posted by EGAGNON on 11:41:53 02/11/29
 TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.4788

Posted by EGAGNON on 11:41:53 02/11/29
 TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 2,3,4,7,8-Cl5-Dibenzofuran MDL = 0.4608
 TC=02/11/22 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 2,3,4,7,8-PeCDF NDR

Posted by EGAGNON on 11:41:54 02/11/29
 TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 1,2,3,4,7,8-Cl6-Dibenzofuran MDL = 0.5702

RlfLiLLeL L#L L L=LF
 LRLeLv_iLSLiLoLnL LNLol.L L L _0LC

LLDLC "Tilmls Nlewl Rlmlaln, Blold
Lltalllc"14Z_ELL -L Tleslelr

RfllleL #L L =FL
LRelvilsilolnL NloL. L L _0LC

LLDLC_"LTliLmLeLsL LNLeLwL LRLoLmLaLnL,LBLoLldL
LlLtLaLlLiLcL"L1L4LZ_ELLL L-L LTLeLsLtLeLrL

Posted by EGAGNON on 11:41:54 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,6,7,8-Cl6-Dibenzofuran MDL = 0.5305
TC=02/11/22 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,6,7,8-HxCDF NDR

Posted by EGAGNON on 11:41:55 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,7,8,9-Cl7-Dibenzofuran MDL = 34.4171
TC=NZ01 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,7,8,9-HpCDF NDR

Posted by EGAGNON on 11:41:56 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 3.7832

Posted by EGAGNON on 11:41:57 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzo-p-dioxin MDL = 0.4896
TC=02/11/22 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
2,3,7,8-TCDD NDR

Posted by EGAGNON on 11:41:58 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,7,8-Cl5-Dibenzo-p-dioxin MDL = 1.1451
TC=NZ01 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,7,8-PeCDD NDR

Posted by EGAGNON on 11:41:58 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 1.6095
TC=NZ01 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-HpCDD NDR

Posted by EGAGNON on 11:41:59 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 3.0948
TC=NZ01 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin OCDD NDR

Posted by EGAGNON on 11:42:00 02/11/29
TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.3144

RlfLiLiLeL L#L L L=LF L
LRLeLv_iLsLiLoLnL LNLoL.L L L _OLC

LLDLC "Tilmls Nlewl Rlmlaln, Blold
Lltalllc"14Z_ELL -L Tleslelr

RfllleL #L L=FL
LRelvilsilolnL NloL. L L _0LC

LLDLC_"LTlilmlelsL LNlelwL LRloLmLaLnL,LBloLLdL
LlLtLaLlLlcL"L1L4LZ_ELLL L-L LTleSLteLrL

Posted by EGAGNON on 11:42:02 02/11/29
TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.4896

Posted by EGAGNON on 11:42:05 02/11/29
TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
Total Pentachlorodibenzofurans MDL = 0.4788

Posted by EGAGNON on 11:42:06 02/11/29
TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
Total Pentachlorodibenzo-p-dioxins MDL = 1.1450

Posted by EGAGNON on 11:42:07 02/11/29
TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
Total Hexachlorodibenzofurans MDL = 0.6200

Posted by EGAGNON on 11:42:08 02/11/29
TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
Total Heptachlorodibenzo-p-dioxins MDL = 1.6100

Posted by EGAGNON on 11:42:08 02/11/29
039122 02
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.3588
TC=02/11/22 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
2,3,7,8-TCDF NDR

Posted by EGAGNON on 11:42:13 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.7746
TC=02/11/22 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,7,8-PeCDF NDR

Posted by EGAGNON on 11:42:15 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzofuran MDL = 97.6019
TC=NZ01 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-HpCDF NDR

Posted by EGAGNON on 11:42:16 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,7,8,9-Cl7-Dibenzofuran MDL = 112.4324

RlfLiLleL L#L L L=LF L
LRleLv_iLSLiLoLnL LNLoL.L L L _0LC

LLDLC "Tilmls Nlewl Rlmlaln, Blolld
Lltallilc"14Z_ELL -L TleslelrL

RfllleL #L L =FL
LRelvilsilolnL NloL. L L _0LC

LLDL C "LTlilmLeLS LNLelwL LRloLmLaLnL, LBloLLdL
 LLLtLaLLiLcL" L1L4Z_ELLL L-L LTleSLteLrL

TC=NZ01 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 1,2,3,4,7,8,9-HpCDF NDR

 Posted by EGAGNON on 11:42:17 02/11/29
 TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 29.5570
 TC=NZ01 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 1,2,3,4,6,7,8,9-Cl8-Dibenzofuran SIN

 Posted by EGAGNON on 11:42:18 02/11/29
 TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 1.6450

 Posted by EGAGNON on 11:42:20 02/11/29
 TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 5.8162

 Posted by EGAGNON on 11:42:20 02/11/29
 TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 Total Tetrachlorodibenzofurans MDL = 0.3588

 Posted by EGAGNON on 11:42:21 02/11/29
 TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 Total Tetrachlorodibenzo-p-dioxins MDL = 0.5103

 Posted by EGAGNON on 11:42:21 02/11/29
 TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 Total Heptachlorodibenzo-p-dioxins MDL = 1.6450

 Posted by EGAGNON on 11:42:22 02/11/29
 039123 02
 TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 2,3,7,8-Cl4-Dibenzofuran MDL = 0.4540

 Posted by EGAGNON on 11:42:25 02/11/29
 TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.5647

 Posted by EGAGNON on 11:42:26 02/11/29
 TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 2,3,4,7,8-Cl5-Dibenzofuran MDL = 0.5434

 Posted by EGAGNON on 11:42:27 02/11/29

RlfLiLLeL L#L L L=LF L
 LRLeLv_iLSLiLoLnL LNL oL.L L L _0LC

LLDLC "Tilmls Nlewl Rlmlaln, Blold
Lltalllc"14Z_ELL -L Tleslelr

RfllleL #L L =FL
LRelvilsilolnL NloL. L L _0LC

LLDL C "LTlilmlels LNLelwL LRloLmLaLnL, LBloLLdL
 LltLaLLilcL" L1L4Z_ELLL L-L LTleSLteLrL

TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 1,2,3,6,7,8-Cl6-Dibenzofuran MDL = 0.5282

 Posted by EGAGNON on 11:42:28 02/11/29
 TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 2,3,4,6,7,8-Cl6-Dibenzofuran MDL = 0.6177

 Posted by EGAGNON on 11:42:29 02/11/29
 TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 2,3,7,8-Cl4-Dibenzo-p-dioxin MDL = 0.5503

 Posted by EGAGNON on 11:42:30 02/11/29
 TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 1,2,3,4,7,8-Cl6-Dibenzo-p-dioxin MDL = 0.8692
 TC=NZ01 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 1,2,3,4,7,8-HxCDD NDR

 Posted by EGAGNON on 11:42:30 02/11/29
 TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 1,2,3,6,7,8-Cl6-Dibenzo-p-dioxin MDL = 0.8040
 TC=NZ01 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 1,2,3,6,7,8-HxCDD NDR

 Posted by EGAGNON on 11:42:31 02/11/29
 TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 1,2,3,7,8,9-Cl6-Dibenzo-p-dioxin MDL = 0.7838
 TC=NZ01 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 1,2,3,7,8,9-HxCDD NDR

 Posted by EGAGNON on 11:42:31 02/11/29
 TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 1.1788

 Posted by EGAGNON on 11:42:32 02/11/29
 TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 Total Tetrachlorodibenzofurans MDL = 0.4540

 Posted by EGAGNON on 11:42:32 02/11/29
 TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
 Total Tetrachlorodibenzo-p-dioxins MDL = 0.5503

 Posted by EGAGNON on 11:42:33 02/11/29
 TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1

RlfLiLLeL L#L L L=LF L
 LRLeLv_iLSLiLoLnL LNL oL.L L L _0LC

LLDLC "Tilmls Nlewl Rlmlaln, Blold
Lltalllc"14Z_ELL -L Tleslelr

RfllleL #L L =FL
LRelvilsilolnL NloL. L L _0LC

LLDL C_"LTliLmLeLsL LNLeLwL LRLoLmLaLnL,LBLoLLdL
LlLtLaLiLiLcL"L1L4LZ_ELLL L-L LTLeLsLtLeLrL

Total Pentachlorodibenzofurans MDL = 0.5647

Posted by EGAGNON on 11:42:33 02/11/29
TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
Total Hexachlorodibenzofurans MDL = 0.6177

Posted by EGAGNON on 11:42:34 02/11/29

T2 TEST RESULTS SUMMARY

RlfLiLiLeL L#L L L=LF_L
LRLeLv_iLsLiLoLnL LNLoL.L L L _0LC

LLDLC "Tilmls Nlewl Rlmlaln, Blold
Lltalllc"14Z_ELL -L Tleslelr

RfllleL #L L =FL
LRelvilsilolnL NloL. L L _0LC

CL

ENGLISH
MDEA
SPIKE
NORMAL
TEF
9
2
39106
39107
39108
39109
39110
39111
39112
39113
39114
39115
39116
39117
39118
39119
39120
39121
39122
39123

RfLiLeL #L L L=LF
 LRLv_iLsLiLoLnL LNL oL.L L L _0LC