

Field Sample	Sample No.	Sampling Location	Action Start	Work Shift	Sample Volume	Analyte	Analytical Method	Lab	Sample Received	ME Concentration	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels										0.0009			
EPA Site Specific Trigger Levels										N/A			
GS 010606-030600522-000 TRINITY F			1/6/2006	Abatement	2.940	Asbestos	PCME	EMSL	1/7/2006	< 0.00084	No	No	
GS 010606-030600522-01 HAMES ST			1/6/2006	Abatement	2.826	Asbestos	PCME	EMSL	1/7/2006	< 0.00081	No	No	
GS 010606-030600522-01 EENWICH S			1/6/2006	Abatement	2.820	Asbestos	PCME	EMSL	1/7/2006	< 0.00081	No	No	
GS010706-030600671-000 TRINITY F			1/7/2006	Abatement	2.934	Asbestos	PCME	EMSL	1/9/2006	< 0.00084	No	No	
GS010706-030600671-01 HAMES ST			1/7/2006	Abatement	2.928	Asbestos	PCME	EMSL	1/9/2006	< 0.00084	No	No	
GS010706-030600671-01 EENWICH S			1/7/2006	Abatement	2.928	Asbestos	PCME	EMSL	1/9/2006	< 0.00084	No	No	
GS010806-030600852-000 TRINITY F			1/8/2006	Abatement	2.892	Asbestos	PCME	EMSL	1/10/2006	< 0.00085	No	No	
GS010806-030600852-01 HAMES ST			1/8/2006	Abatement	2.862	Asbestos	PCME	EMSL	1/10/2006	< 0.00086	No	No	
GS010806-030600852-01 EENWICH S			1/8/2006	Abatement	2.832	Asbestos	PCME	EMSL	1/10/2006	< 0.00087	No	No	
GS010906-030600851-000 TRINITY F			1/9/2006	Abatement	2.886	Asbestos	PCME	EMSL	1/10/2006	< 0.00086	No	No	
GS010906-030600851-01 HAMES ST			1/9/2006	Abatement	2.880	Asbestos	PCME	EMSL	1/10/2006	< 0.00086	No	No	
GS010906-030600851-01 EENWICH S			1/9/2006	Abatement	2.862	Asbestos	PCME	EMSL	1/10/2006	< 0.00086	No	No	
GS 011006-030600967-0# 1- 100 TRIN			1/10/2006	Abatement	2.964	Asbestos	PCME	EMSL	1/11/2006	< 0.00083	No	No	
GS 011006-030600967-0# 2- THAMES			1/10/2006	Abatement	3.000	Asbestos	PCME	EMSL	1/11/2006	< 0.00082	No	No	
GS 011006-030600967-0# 3- GREENV			1/10/2006	Abatement	3.030	Asbestos	PCME	EMSL	1/11/2006	< 0.00081	No	No	
GS 011006-030600967-0# DUPLICATE			1/10/2006	Abatement	2.982	Asbestos	PCME	EMSL	1/11/2006	< 0.00083	No	No	
GS011106-030601125-0# 1- 100 TRIN			1/11/2006	Abatement	2.868	Asbestos	PCME	EMSL	1/12/2006	< 0.00086	No	No	
GS011106-030601125-0# 2- THAMES			1/11/2006	Abatement	2.838	Asbestos	PCME	EMSL	1/12/2006	< 0.00087	No	No	
GS011106-030601125-0# 3- GREENV			1/11/2006	Abatement	2.826	Asbestos	PCME	EMSL	1/12/2006	< 0.00087	No	No	
GS011206-030601214-0#1-100 TRIN			1/12/2006	Abatement	2.916	Asbestos	PCME	EMSL	1/13/2006	< 0.00085	No	No	
GS011206-030601214-0#2-THAMES			1/12/2006	Abatement	2.844	Asbestos	PCME	EMSL	1/13/2006	< 0.00087	No	No	
GS011206-030601214-0#3-GREENV			1/12/2006	Abatement	2.790	Asbestos	PCME	EMSL	1/13/2006	< 0.00088	No	No	
2nd Shift for 01-06-06 to 01-12-06													
* No Second Shift on Weekend 1/7 and 1/8													
GS 010606-030600524-0# 1- 100 TRIN			1/6/2006	Abatement	2.880	Asbestos	PCME	EMSL	1/7/2006	< 0.00086	No	No	
GS 010606-030600524-0# 2 - THAMES			1/6/2006	Abatement	2.880	Asbestos	PCME	EMSL	1/7/2006	< 0.00086	No	No	
GS 010606-030600524-0# 3 GREENV			1/6/2006	Abatement	2.880	Asbestos	PCME	EMSL	1/7/2006	< 0.00086	No	No	
* # 1- 100 TRINITY ROOF				Abatement		Asbestos	PCME	EMSL					
* # 2 - THAMES STREET				Abatement		Asbestos	PCME	EMSL					
* # 3 GREENWICH STREET				Abatement		Asbestos	PCME	EMSL					
* # 1- 100 TRINITY ROOF				Abatement		Asbestos	PCME	EMSL					
* # 2 - THAMES STREET				Abatement		Asbestos	PCME	EMSL					
* # 3 GREENWICH STREET				Abatement		Asbestos	PCME	EMSL					
2GS010906-030600853-0# 1- 100 TRIN			1/9/2006	Abatement	2.772	Asbestos	PCME	EMSL	1/10/2006	< 0.00089	No	No	
2GS010906-030600853-0# 2 - THAMES			1/9/2006	Abatement	2.766	Asbestos	PCME	EMSL	1/10/2006	< 0.00089	No	No	
2GS010906-030600853-0# 3 GREENV			1/9/2006	Abatement	2.766	Asbestos	PCME	EMSL	1/10/2006	< 0.00089	No	No	
2GS011006-030600951-0# 1- 100 TRIN			1/10/2006	Abatement	2.898	Asbestos	PCME	EMSL	1/11/2006	< 0.00085	No	No	
2GS011006-030600951-0# 2 - THAMES			1/10/2006	Abatement	2.778	Asbestos	PCME	EMSL	1/11/2006	< 0.00089	No	No	
2GS011006-030600951-0# 3 GREENV			1/10/2006	Abatement	2.760	Asbestos	PCME	EMSL	1/11/2006	< 0.00089	No	No	
2GS011106-030601126-0# 1- 100 TRIN			1/11/2006	Abatement	2.856	Asbestos	PCME	EMSL	1/12/2006	< 0.00086	No	No	
2GS011106-030601126-0# 2 - THAMES			1/11/2006	Abatement	2.814	Asbestos	PCME	EMSL	1/12/2006	< 0.00088	No	No	
2GS011106-030601126-0# 3 GREENV			1/11/2006	Abatement	2.778	Asbestos	PCME	EMSL	1/12/2006	< 0.00089	No	No	
2GS011206-030601217-0# 1- 100 TRIN			1/12/2006	Abatement	2.880	Asbestos	PCME	EMSL	1/13/2006	< 0.00086	No	No	
2GS011206-030601217-0# 2 - THAMES			1/12/2006	Abatement	2.862	Asbestos	PCME	EMSL	1/13/2006	< 0.00086	No	No	
2GS011206-030601217-0# 3 GREENV			1/12/2006	Abatement	2.808	Asbestos	PCME	EMSL	1/13/2006	< 0.00088	No	No	

Field Samp	Sample No.	Sampling Location	Collection Date	Work Shift	Sample Volume	Analyte	Analytical Method
Target Air Quality Levels							
EPA Site Specific Trigger Levels							
GS 010606-C030600522-0# 1- 100 TRIN			1/6/2006	Abatement	2.940 Asbestos	TEM EPA 40	
GS 010606-C030600522-0# 2 - THAME:			1/6/2006	Abatement	2.826 Asbestos	TEM EPA 40	
GS 010606-C030600522-0# 3 GREENV			1/6/2006	Abatement	2.820 Asbestos	TEM EPA 40	
GS010706-0 030600671-0# 1- 100 TRIN			1/7/2006	Abatement	2.934 Asbestos	TEM EPA 40	
GS010706-0:030600671-0# 2 - THAME:			1/7/2006	Abatement	2.928 Asbestos	TEM EPA 40	
GS010706-0:030600671-0# 3 GREENV			1/7/2006	Abatement	2.928 Asbestos	TEM EPA 40	
GS010806-0 030600852-0# 1- 100 TRIN			1/8/2006	Abatement	2.892 Asbestos	TEM EPA 40	
GS010806-0:030600852-0# 2 - THAME:			1/8/2006	Abatement	2.862 Asbestos	TEM EPA 40	
GS010806-0:030600852-0# 3 GREENV			1/8/2006	Abatement	2.832 Asbestos	TEM EPA 40	
GS010906-0 030600851-0# 1- 100 TRIN			1/9/2006	Abatement	2.886 Asbestos	TEM EPA 40	
GS010906-0:030600851-0# 2 - THAME:			1/9/2006	Abatement	2.880 Asbestos	TEM EPA 40	
GS010906-0:030600851-0# 3 GREENV			1/9/2006	Abatement	2.862 Asbestos	TEM EPA 40	
GS 011006-C030600967-0# 1- 100 TRIN			1/10/2006	Abatement	2.964 Asbestos	TEM EPA 40	
GS 011006-C030600967-0# 2- THAMES			1/10/2006	Abatement	3.000 Asbestos	TEM EPA 40	
GS 011006-C030600967-0# 3- GREENV			1/10/2006	Abatement	3.030 Asbestos	TEM EPA 40	
GS 011006-1030600967-0:ICATE #2 Th			1/10/2006	Abatement	2.982 Asbestos	TEM EPA 40	
GS011106-0 030601125-0#1-100 TRINI			1/11/2006	Abatement	2.868 Asbestos	TEM EPA 40	
GS011106-0:030601125-0#2-THAMES			1/11/2006	Abatement	2.838 Asbestos	TEM EPA 40	
GS011106-0:030601125-0#3-GREENV			1/11/2006	Abatement	2.826 Asbestos	TEM EPA 40	
GS011206-0 030601214-0#1-100 TRINI			1/12/2006	Abatement	2.916 Asbestos	TEM EPA 40	
GS011206-0:030601214-0#2-THAMES			1/12/2006	Abatement	2.844 Asbestos	TEM EPA 40	
GS011206-0:030601214-0#3-GREENV			1/12/2006	Abatement	2.790 Asbestos	TEM EPA 40	

2nd Shift For 01-06-2005 to 01-12-2005

* No Second Shift on Weekend 1/7 and 1/8

GS 010606-C030600524-0# 1- 100 TRIN	1/6/2006	Abatement	2.880 Asbestos	TEM EPA 40
GS 010606-C030600524-0# 2 - THAME:	1/6/2006	Abatement	2.880 Asbestos	TEM EPA 40
GS 010606-C030600524-0# 3 GREENV	1/6/2006	Abatement	2.880 Asbestos	TEM EPA 40
* # 1- 100 TRINITY ROOF	Abatement	Asbestos	TEM EPA 40	
* # 2 - THAMES STREET	Abatement	Asbestos	TEM EPA 40	
* # 3 GREENWICH STREET	Abatement	Asbestos	TEM EPA 40	
* # 1- 100 TRINITY ROOF	Abatement	Asbestos	TEM EPA 40	
* # 2 - THAMES STREET	Abatement	Asbestos	TEM EPA 40	
* # 3 GREENWICH STREET	Abatement	Asbestos	TEM EPA 40	
2GS010906-030600853-0# 1- 100 TRIN	1/9/2006	Abatement	2.772 Asbestos	TEM EPA 40
2GS010906-030600853-0# 2 - THAME:	1/9/2006	Abatement	2.766 Asbestos	TEM EPA 40
2GS010906-030600853-0# 3 GREENV	1/9/2006	Abatement	2.766 Asbestos	TEM EPA 40
2GS011006-030600951-0# 1- 100 TRIN	1/10/2006	Abatement	2.898 Asbestos	TEM EPA 40
2GS011006-030600951-0# 2 - THAME:	1/10/2006	Abatement	2.778 Asbestos	TEM EPA 40
2GS011006-030600951-0# 3 GREENV	1/10/2006	Abatement	2.760 Asbestos	TEM EPA 40
2GS011106-030601126-0# 1- 100 TRIN	1/11/2006	Abatement	2.856 Asbestos	TEM EPA 40
2GS011106-030601126-0# 2 - THAME:	1/11/2006	Abatement	2.814 Asbestos	TEM EPA 40
2GS011106-030601126-0# 3 GREENV	1/11/2006	Abatement	2.778 Asbestos	TEM EPA 40
2GS011206-030601217-0# 1- 100 TRIN	1/12/2006	Abatement	2.880 Asbestos	TEM EPA 40
2GS011206-030601217-0# 2 - THAME:	1/12/2006	Abatement	2.862 Asbestos	TEM EPA 40
2GS011206-030601217-0# 3 GREENV	1/12/2006	Abatement	2.808 Asbestos	TEM EPA 40

Lab	Sample Received	RA Concentration	Exceeds Target	Exceeds EPA
		N/A 70	Air Quality Levels?	Site Specific Trigger Levels?
BMS63 (AHERA) 1/7/2006		< 13	No	No
BMS63 (AHERA) 1/7/2006		< 13	No	No
BMS63 (AHERA) 1/7/2006		< 13	No	No
BMS63 (AHERA) 1/9/2006		< 11	No	No
BMS63 (AHERA) 1/9/2006		< 11	No	No
BMS63 (AHERA) 1/9/2006		< 11	No	No
BMS63 (AHERA) 1/10/2006		< 13	No	No
BMS63 (AHERA) 1/10/2006		< 13	No	No
BMS63 (AHERA) 1/10/2006		< 13	No	No
BMS63 (AHERA) 1/10/2006		< 13	No	No
BMS63 (AHERA) 1/10/2006		< 13	No	No
BMS63 (AHERA) 1/10/2006		< 13	No	No
BMS63 (AHERA) 1/11/2006		< 13	No	No
BMS63 (AHERA) 1/11/2006		< 13	No	No
BMS63 (AHERA) 1/11/2006		< 13	No	No
BMS63 (AHERA) 1/11/2006		< 13	No	No
BMS63 (AHERA) 1/12/2006		< 13	No	No
BMS63 (AHERA) 1/12/2006		< 13	No	No
BMS63 (AHERA) 1/12/2006		< 13	No	No
BMS63 (AHERA) 1/13/2006		< 13	No	No
BMS63 (AHERA) 1/13/2006		< 13	No	No
BMS63 (AHERA) 1/13/2006		< 13	No	No

BMS63 (AHERA) 1/7/2006	< 13	No	No
BMS63 (AHERA) 1/7/2006	< 13	No	No
BMS63 (AHERA) 1/7/2006	< 13	No	No
BMS63 (AHERA)			
BMS63 (AHERA)			
BMS63 (AHERA)			
BMS63 (AHERA)			
BMS63 (AHERA)			
BMS63 (AHERA) 1/10/2006	< 13	No	No
BMS63 (AHERA) 1/10/2006	< 13	No	No
BMS63 (AHERA) 1/10/2006	< 13	No	No
BMS63 (AHERA) 1/11/2006	< 13	No	No
BMS63 (AHERA) 1/11/2006	< 13	No	No
BMS63 (AHERA) 1/11/2006	< 13	No	No
BMS63 (AHERA) 1/12/2006	< 13	No	No
BMS63 (AHERA) 1/12/2006	< 13	No	No
BMS63 (AHERA) 1/12/2006	< 13	No	No
BMS63 (AHERA) 1/13/2006	< 13	No	No
BMS63 (AHERA) 1/13/2006	< 13	No	No
BMS63 (AHERA) 1/13/2006	< 13	No	No

Field Sample	Sampling Location	Time Reading	ion time (mi)	Analyte	lytical Meth	Instrument	late PM 2.5	Exceeds Target	Exceeds EPA	
Target Air Quality Levels							40	Air Quality	Site Specific	Comments
EPA Site Specific Trigger Levels							65	Levels?	igger Levels?	
10606-EBAM- 100 Trinity		1/6/2006	1440	Particulate 2.5t	Real-time P	ne EBAM PM	8.08	No	No	
10606-EBAM2 - Thames S		1/6/2006	1440	Particulate 2.5t	Real-time P	ne EBAM PM	10.19	No	No	
10606-EBAM - Greenwich		1/6/2006	1440	Particulate 2.5t	Real-time P	ne EBAM PM	12.28	No	No	
10606-TEOM- 100 Trinity		1/6/2006	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		8.23	No	No	
10706-EBAM- 100 Trinity		1/7/2006	1440	Particulate 2.5t	Real-time P	ne EBAM PM	9.48	No	No	
10706-EBAM2 - Thames S		1/7/2006	1440	Particulate 2.5t	Real-time P	ne EBAM PM	11.33	No	No	
10706-EBAM - Greenwich		1/7/2006	1440	Particulate 2.5t	Real-time P	ne EBAM PM	13.04	No	No	
10706-TEOM- 100 Trinity		1/7/2006	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		9.88	No	No	
10806-EBAM- 100 Trinity		1/8/2006	1440	Particulate 2.5t	Real-time P	ne EBAM PM	12.1	No	No	
10806-EBAM2 - Thames S		1/8/2006	1440	Particulate 2.5t	Real-time P	ne EBAM PM	17.79	No	No	
10806-EBAM - Greenwich		1/8/2006	1440	Particulate 2.5t	Real-time P	ne EBAM PM	19.23	No	No	
10806-TEOM- 100 Trinity		1/8/2006	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		12.33	No	No	
10906-EBAM- 100 Trinity		1/9/2006	1440	Particulate 2.5t	Real-time P	ne EBAM PM	15.62	No	No	
10906-EBAM2 - Thames S		1/9/2006	1440	Particulate 2.5t	Real-time P	ne EBAM PM	19.26	No	No	
10906-EBAM - Greenwich		1/9/2006	1440	Particulate 2.5t	Real-time P	ne EBAM PM	19.81	No	No	
10906-TEOM- 100 Trinity		1/9/2006	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		18.13	No	No	
11006-EBAM- 100 Trinity		1/10/2006	1440	Particulate 2.5t	Real-time P	ne EBAM PM	14.25	No	No	
11006-EBAM2 - Thames S		1/10/2006	1440	Particulate 2.5t	Real-time P	ne EBAM PM	17.21	No	No	
11006-EBAM - Greenwich		1/10/2006	1440	Particulate 2.5t	Real-time P	ne EBAM PM	17.38	No	No	
11006-TEOM- 100 Trinity		1/10/2006	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		14.83	No	No	
11106-EBAM- 100 Trinity		1/11/2006	1440	Particulate 2.5t	Real-time P	ne EBAM PM	27.92	No	No	
11106-EBAM2 - Thames S		1/11/2006	1440	Particulate 2.5t	Real-time P	ne EBAM PM	32	No	No	
11106-EBAM - Greenwich		1/11/2006	1440	Particulate 2.5t	Real-time P	ne EBAM PM	32.88	No	No	
11106-TEOM- 100 Trinity		1/11/2006	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		27.19	No	No	
11206-EBAM- 100 Trinity		1/12/2006	1440	Particulate 2.5t	Real-time P	ne EBAM PM	13.6	No	No	
11206-EBAM2 - Thames S		1/12/2006	1440	Particulate 2.5t	Real-time P	ne EBAM PM	19.57	No	No	
11206-EBAM - Greenwich		1/12/2006	1440	Particulate 2.5t	Real-time P	ne EBAM PM	17.11	No	No	
11206-TEOM- 100 Trinity		1/12/2006	1440	Particulate 2.5t	Real-time FTEOM PM 2.5		15.2	No	No	

Field Sample	Sampling Location	Time Reading	ion time (min)	Analyte	lytical Meth	Instrument	late PM 10	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
Target Air Quality Levels							150			
EPA Site Specific Trigger Levels							150			
10606-EBAM - 100 Trinity	1	1/6/2006	1440	Particulate	1CReal-time Re	One EBAM PI	13.54	No	No	
10606-EBAM2 - Thames	S	1/6/2006	1440	Particulate	1CReal-time Re	One EBAM PI	13.93	No	No	
10606-EBAM - Greenwich	1	1/6/2006	1440	Particulate	1CReal-time Re	One EBAM PI	16.85	No	No	
10606-TEOM2 - Thames	S	1/6/2006	1440	Particulate	1CReal-time Re	TEOM PM 10	15.83	No	No	
10706-EBAM - 100 Trinity	1	1/7/2006	1440	Particulate	1CReal-time Re	One EBAM PI	15.36	No	No	
10706-EBAM2 - Thames	S	1/7/2006	1440	Particulate	1CReal-time Re	One EBAM PI	17.79	No	No	
10706-EBAM - Greenwich	1	1/7/2006	1440	Particulate	1CReal-time Re	One EBAM PI	26.11	No	No	
10706-TEOM2 - Thames	S	1/7/2006	1440	Particulate	1CReal-time Re	TEOM PM 10	22.27	No	No	
10806-EBAM - 100 Trinity	1	1/8/2006	1440	Particulate	1CReal-time Re	One EBAM PI	20.03	No	No	
10806-EBAM2 - Thames	S	1/8/2006	1440	Particulate	1CReal-time Re	One EBAM PI	17.32	No	No	
10806-EBAM - Greenwich	1	1/8/2006	1440	Particulate	1CReal-time Re	One EBAM PI	20.45	No	No	
10806-TEOM2 - Thames	S	1/8/2006	1440	Particulate	1CReal-time Re	TEOM PM 10	17.69	No	No	
10906-EBAM - 100 Trinity	1	1/9/2006	1440	Particulate	1CReal-time Re	One EBAM PI	26.71	No	No	
10906-EBAM2 - Thames	S	1/9/2006	1440	Particulate	1CReal-time Re	One EBAM PI	29.67	No	No	
10906-EBAM - Greenwich	1	1/9/2006	1440	Particulate	1CReal-time Re	One EBAM PI	26.64	No	No	
10906-TEOM2 - Thames	S	1/9/2006	1440	Particulate	1CReal-time Re	TEOM PM 10	38.15	No	No	
11006-EBAM - 100 Trinity	1	1/10/2006	1440	Particulate	1CReal-time Re	One EBAM PI	22.56	No	No	
11006-EBAM2 - Thames	S	1/10/2006	1440	Particulate	1CReal-time Re	One EBAM PI	25.31	No	No	
11006-EBAM - Greenwich	1	1/10/2006	1440	Particulate	1CReal-time Re	One EBAM PI	24.7	No	No	
11006-TEOM2 - Thames	S	1/10/2006	1440	Particulate	1CReal-time Re	TEOM PM 10	26.44	No	No	
11106-EBAM - 100 Trinity	1	1/11/2006	1440	Particulate	1CReal-time Re	One EBAM PI	46.63	No	No	
11106-EBAM2 - Thames	S	1/11/2006	1440	Particulate	1CReal-time Re	One EBAM PI	44.04	No	No	
11106-EBAM - Greenwich	1	1/11/2006	1440	Particulate	1CReal-time Re	One EBAM PI	72.88	No	No	
11106-TEOM2 - Thames	S	1/11/2006	1440	Particulate	1CReal-time Re	TEOM PM 10	46.21	No	No	
11206-EBAM - 100 Trinity	1	1/12/2006	1440	Particulate	1CReal-time Re	One EBAM PI	25.43	No	No	
11206-EBAM2 - Thames	S	1/12/2006	1440	Particulate	1CReal-time Re	One EBAM PI	22.4	No	No	
11206-EBAM - Greenwich	1	1/12/2006	1440	Particulate	1CReal-time Re	One EBAM PI	23.41	No	No	
11206-TEOM2 - Thames	S	1/12/2006	1440	Particulate	1CReal-time Re	TEOM PM 10	29.26	No	No	

Lab Name	Field Sample	Sampling Location	Collection Start	Sample Volume	Volume unit	Lab Sample ID	date received
Target Air Quality Levels							
EPA Site Specific Trigger Levels							
BRL	GS 010606-05	#1 - 100 Trinity Roof	01/06/2006	0.578	m3	06BR0034-01	01/11/2006
BRL	GS 010606-06	#2 - Thames Street	01/06/2006	0.579	m3	06BR0034-02	01/11/2006
BRL	GS 010606-07	#3 - Greenwich Street	01/06/2006	0.577	m3	06BR0034-03	01/11/2006
BRL	GS 010706-05	#1 - 100 Trinity Roof	01/07/2006	0.581	m3	06BR0035-01	01/11/2006
BRL	GS 010706-06	#2 - Thames Street	01/07/2006	0.578	m3	06BR0035-02	01/11/2006
BRL	GS 010706-07	#3 - Greenwich Street	01/07/2006	0.578	m3	06BR0035-03	01/11/2006
BRL	GS 010806-05	#1 - 100 Trinity Roof	01/08/2006	0.546	m3	06BR0036-01	01/11/2006
BRL	GS 010806-06	#2 - Thames Street	01/08/2006	0.551	m3	06BR0036-02	01/11/2006
BRL	GS 010806-07	#3 - Greenwich Street	01/08/2006	0.556	m3	06BR0036-03	01/11/2006
BRL	GS 010906-05	#1 - 100 Trinity Roof	01/09/2006	0.563	m3	06BR0037-01	01/11/2006
BRL	GS 010906-06	#2 - Thames Street	01/09/2006	0.566	m3	06BR0037-02	01/11/2006
BRL	GS 010906-07	#3 - Greenwich Street	01/09/2006	0.579	m3	06BR0037-03	01/11/2006
	GS 011006-05	#1 - 100 Trinity Roof	01/10/2006	Sample Delayed in Transit to Lab			
	GS 011006-06	#2 - Thames Street	01/10/2006	Sample Delayed in Transit to Lab			
	GS 011006-07	#3 - Greenwich Street	01/10/2006	Sample Delayed in Transit to Lab			
BRL	GS 011106-05	#1 - 100 Trinity Roof	01/11/2006	0.561	m3	06BR0055-01	01/16/2006

Date Analy	lytical Meth	Parameter	Concentration	Unit	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?
			300 ng/m3				
			3000 ng/m3				
01/15/2006	EPA 324/1631	Hg	< 5.5 ng/m3		01/17/2006	No	No
01/15/2006	EPA 324/1631	Hg	< 5.5 ng/m3		01/17/2006	No	No
01/15/2006	EPA 324/1631	Hg	< 5.5 ng/m3		01/17/2006	No	No
01/15/2006	EPA 324/1631	Hg	< 5.5 ng/m3		01/17/2006	No	No
01/15/2006	EPA 324/1631	Hg	< 5.5 ng/m3		01/17/2006	No	No
01/15/2006	EPA 324/1631	Hg	< 5.5 ng/m3		01/17/2006	No	No
01/15/2006	EPA 324/1631	Hg	< 5.9 ng/m3		01/17/2006	No	No
01/15/2006	EPA 324/1631	Hg	< 5.8 ng/m3		01/17/2006	No	No
01/15/2006	EPA 324/1631	Hg	< 5.8 ng/m3		01/17/2006	No	No
01/15/2006	EPA 324/1631	Hg	< 5.7 ng/m3		01/17/2006	No	No
01/15/2006	EPA 324/1631	Hg	< 5.7 ng/m3		01/17/2006	No	No
01/15/2006	EPA 324/1631	Hg	< 5.5 ng/m3		01/17/2006	No	No
01/18/2006	EPA 324/1631	Hg	< 5.7 ng/m3		01/20/2006	No	No

Comments

No data as of 1/24/06

No data as of 1/24/06

No data as of 1/24/06

BRL	GS 011106-06	#2 - Thames Street	01/11/2006	0.568	m3	06BR0055-02	01/16/2006
BRL	GS 011106-07	#3 - Greenwich Street	01/11/2006	0.556	m3	06BR0055-03	01/16/2006
BRL	GS 011206-05	#1 - 100 Trinity Roof	01/12/2006	0.56959	m3	06BR0058-01	01/17/2006
BRL	GS 011206-06	#2 - Thames Street	01/12/2006	0.5768	m3	06BR0058-02	01/17/2006
BRL	GS 011206-07	#3 - Greenwich Street	01/12/2006	0.56238	m3	06BR0058-03	01/17/2006

01/18/2006	EPA 324/1631	Hg	< 5.6ng/m3	01/20/2006	No	No
01/18/2006	EPA 324/1631	Hg	< 5.8ng/m3	01/20/2006	No	No
01/19/2006	EPA 324/1631	Hg	< 5.6ng/m3	01/20/2006	No	No
01/19/2006	EPA 324/1631	Hg	< 5.5ng/m3	01/20/2006	No	No
01/19/2006	EPA 324/1631	Hg	< 5.7ng/m3	01/20/2006	No	No

Mercury Lumex RA 915+ Running Daa = sampling station (60 sec avg) b = perimeter walk (120 sec avg)
 all readings are in ng/m³ AM = first reading of day PM = last reading of day
 Target air quality level: 300 ng/m³ #1 - Trinity #2 - Thames #3 - Greenwich
 USEPA site specific mercury trigger level: 3000 ng/m³ Exceedance

Time	Location #1	Location # 1	Location # 2	Location # 2	Location # 3	Location # 3b
1/6/2006 AM	8	7.7	12.8	12.1	17	19.7 No
1/6/2006 PM	8.8	9.3	12.8	11.5	17.8	19.8 No
1/7/2006 AM	4.7	5.2	9.5	9.6	13.3	13.8 No
1/7/2006 PM	9.2	9	13.3	12.9	18.5	19.9 No
1/8/2006 AM	9.8	10.8	12	12.3	18.7	19.8 No
1/8/2006 PM	10.2	10.5	12.7	12.9	19.8	20.3 No
1/9/2006 AM	11.8	12.7	13.7	12.4	18.7	21.8 No
1/9/2006 PM	9.8	10.3	12.3	12.6	15.8	19 No
1/10/06 AM	8.7	10.8	12.7	13.4	17	22.4 No
1/10/06 PM	8.5	8.8	12.3	12.5	17.2	20.5 No
1/11/06 AM	8	9.3	11.7	12.6	17.5	20.1 No
1/11/06 PM	8	9.1	11.3	11	17.2	20 No
1/12/06 AM	7.2	8.5	12	12.8	19	20 No
1/12/06 PM	8	8.4	11.8	11.8	17.5	21.3 No

)

Airtek Field	Sample No.	Sampling Location	Collection Date	Sample Volume	Analyte	Analytical Method	Lab	Lab Sample	Antimony Concentration	Barium Concentration
Target Air Quality Levels									5,000	5,000
EPA Site Specific Trigger Levels									14,000	5,000
GS010606-01	G6A11024901	1 - Trinity St	1/6/2006	5.804	Metals	6020	STL	01/11/2006	< 34.4	< 1720
GS010606-11	G6A11024902	2 - Thames St	1/6/2006	5.792	Metals	6020	STL	01/11/2006	< 34.6	< 1730
GS010606-1	G6A1102490	Greenwich	1/6/2006	5.784	Metals	6020	STL	01/11/2006	< 34.6	< 1730
GS010706-01	G6A11024901	1 - Trinity St	1/7/2006	5.784	Metals	6020	STL	01/11/2006	< 34.6	< 1730
GS010706-11	G6A11024902	2 - Thames St	1/7/2006	5.784	Metals	6020	STL	01/11/2006	< 34.6	< 1730
GS010706-1	G6A1102490	Greenwich	1/7/2006	5.772	Metals	6020	STL	01/11/2006	< 34.6	< 1730
GS010806-01	G6A11024901	1 - Trinity St	1/8/2006	5.479	Metals	6020	STL	01/11/2006	< 36.5	< 1820
GS010806-11	G6A11024902	2 - Thames St	1/8/2006	5.572	Metals	6020	STL	01/11/2006	< 35.9	< 1790
GS010806-1	G6A1102490	Greenwich	1/8/2006	5.556	Metals	6020	STL	01/11/2006	< 36	< 1800
GS010906-01	G6A11024901	1 - Trinity St	1/9/2006	5.776	Metals	6020	STL	01/11/2006	< 34.6	< 1730
GS010906-11	G6A11024902	2 - Thames St	1/9/2006	5.812	Metals	6020	STL	01/11/2006	< 34.4	< 1720
GS010906-1	G6A1102490	Greenwich	1/9/2006	5.792	Metals	6020	STL	01/11/2006	< 34.5	< 1730
GS-011006-CG	G6A12015801	1 - Trinity St	1/10/2006	5.788	Metals	6020	STL	01/12/2006	< 34.6	< 1730
GS-011006-1G	G6A12015802	2 - Thames St	1/10/2006	5.764	Metals	6020	STL	01/12/2006	< 34.7	< 1730
GS-011006-1G	G6A1201580	Greenwich	1/10/2006	5.764	Metals	6020	STL	01/12/2006	< 34.7	< 1730
GS-011006-1G	G6A1201580e: #3	Green	1/10/2006	5.764	Metals	6020	STL	01/12/2006	< 34.7	< 1730
GS011106-01	G6A16012901	1 - Trinity St	1/11/2006	5.68	Metals	6020	STL	01/16/2006	< 35.2	< 1760
GS011106-11	G6A16012902	2 - Thames St	1/11/2006	5.625	Metals	6020	STL	01/16/2006	< 35.6	< 1780
GS011106-1	G6A1601290	Greenwich	1/11/2006	5.696	Metals	6020	STL	01/16/2006	< 35.1	< 1760
GS011206-01	G6A16012901	1 - Trinity St	1/12/2006	5.772	Metals	6020	STL	01/16/2006	< 34.6	< 1730
GS011206-11	G6A16012902	2 - Thames St	1/12/2006	5.784	Metals	6020	STL	01/16/2006	< 34.6	< 1730
GS011206-1	G6A1601290	Greenwich	1/12/2006	5.7078	Metals	6020	STL	01/16/2006	< 35.0	< 1750

Benz (ppm)	Cadmium (ppm)	Chromium (ppm)	Copper Conc (ppm)	Lead Conc (ppm)	Manganese (ppm)	Nickel Conc (ppm)	Zinc Conc (ppm)	Exceeds Tar	Exceeds EPA
20	40	600	10,000	1,500	500	200	16,000	Air Quality	Site Specific
200	2,000	600	100,000	5,000	500	28,000	160,000	Levels?	Trigger Levels?
< 17.2	< 17.2	< 172	< 86.0	< 17.2	< 86.0	< 86.0	< 344	No	No
< 17.3	< 17.3	< 173	< 86.4	< 17.3	< 86.4	< 86.4	< 346	No	No
< 17.3	< 17.3	< 173	< 86.6	< 17.3	< 86.6	< 86.6	< 346	No	No
< 17.3	< 17.3	< 173	< 86.4	< 17.3	< 86.4	< 86.4	< 346	No	No
< 17.3	< 17.3	< 173	< 86.4	< 17.3	< 86.4	< 86.4	< 346	No	No
< 17.3	< 17.3	< 173	< 86.6	17.8	< 86.6	< 86.6	< 346	No	No
< 18.2	< 18.2	< 182	< 91.2	< 18.2	< 91.2	< 91.2	< 365	No	No
< 17.9	< 17.9	< 179	< 89.7	< 17.9	< 89.7	< 89.7	< 359	No	No
< 18.0	< 18.0	< 180	< 90.0	< 18.0	< 90.0	< 90.0	< 360	No	No
< 17.3	< 17.3	< 173	< 86.6	18	< 86.6	< 86.6	< 346	No	No
< 17.2	< 17.2	< 172	< 86.0	21.3	< 86.0	< 86.0	< 344	No	No
< 17.3	< 17.3	< 173	170	56	< 86.3	< 86.3	< 345	No	No
< 17.3	< 17.3	< 173	< 86.4	22.1	< 86.4	< 86.4	< 346	No	No
< 17.3	< 17.3	< 173	< 86.7	30.8	< 86.7	< 86.7	< 347	No	No
< 17.3	< 17.3	< 173	94.7	38.4	< 86.7	< 86.7	< 347	No	No
< 17.3	< 17.3	< 173	< 86.7	< 17.3	< 86.7	< 86.7	< 347	No	No
< 17.6	< 17.6	< 176	< 88.0	53.8	< 88.0	< 88.0	< 352	No	No
< 17.8	< 17.8	< 178	< 88.9	59.1	< 88.9	< 88.9	< 356	No	No
< 17.6	< 17.6	< 176	< 87.8	66.1	< 87.8	< 87.8	< 351	No	No
< 17.3	< 17.3	< 173	< 86.6	26.7	< 86.6	< 86.6	< 346	No	No
< 17.3	< 17.3	< 173	< 86.4	25.1	< 86.4	< 86.4	< 346	No	No
< 17.5	< 17.5	< 175	< 87.6	29	< 87.6	< 87.6	< 350	No	No

CITY_21MC100_007132209

Lab Name	Field Sample ID	Sample Location	Date Collected	Volume Collected	Volume Unit	Lab Sample ID	Date Received
----------	-----------------	-----------------	----------------	------------------	-------------	---------------	---------------

Target Air Quality Levels
EPA Site Specific Trigger Levels

EMSL	3S 010606-100	TRINITY R	01/06/2006	0.980	Cubic Meters	0600327-000	01/09/2006
EMSL	3S 010606-147	HAMES STR	01/06/2006	0.958	Cubic Meters	0600327-000	01/09/2006
EMSL	3S 010606-1EENWICH S		01/06/2006	0.932	Cubic Meters	0600327-000	01/09/2006
EMSL	3S 010706-100	TRINITY R	01/07/2006	0.978	Cubic Meters	0600391-000	01/10/2006
EMSL	3S 010706-147	HAMES STR	01/07/2006	0.976	Cubic Meters	0600391-000	01/10/2006
EMSL	3S 010706-1EENWICH S		01/07/2006	0.976	Cubic Meters	0600391-000	01/10/2006
EMSL	3S 010806-100	TRINITY R	01/08/2006	0.956	Cubic Meters	0600527-000	01/11/2006
EMSL	3S 010806-147	HAMES STR	01/08/2006	0.946	Cubic Meters	0600527-000	01/11/2006
EMSL	3S 010806-1EENWICH S		01/08/2006	0.934	Cubic Meters	0600527-000	01/11/2006
EMSL	3S 010906-100	TRINITY R	01/09/2006	0.980	Cubic Meters	0600521-000	01/11/2006
EMSL	3S 010906-147	HAMES STR	01/09/2006	0.958	Cubic Meters	0600521-000	01/11/2006
EMSL	3S 010906-1EENWICH S		01/09/2006	0.932	Cubic Meters	0600521-000	01/11/2006
EMSL	3S 011006-100	TRINITY R	01/10/2006	0.986	Cubic Meters	0600617-000	01/12/2006
EMSL	3S 011006-147	HAMES STR	01/10/2006	0.980	Cubic Meters	0600617-000	01/12/2006
EMSL	3S 011006-1EENWICH S		01/10/2006	0.998	Cubic Meters	0600617-000	01/12/2006
EMSL	3S 011006-200	ION #2/DUPI	01/10/2006	0.984	Cubic Meters	0600617-000	01/12/2006
EMSL	3S 011106-100	TRINITY R	01/11/2006	0.966	Cubic Meters	0600733-000	01/13/2006
EMSL	3S 011106-147	HAMES STR	01/11/2006	0.918	Cubic Meters	0600733-000	01/13/2006
EMSL	3S 011106-1EENWICH S		01/11/2006	0.944	Cubic Meters	0600733-000	01/13/2006
EMSL	3S 011206-100	TRINITY R	01/12/2006	0.940	Cubic Meters	0600796-000	01/14/2006
EMSL	3S 011206-147	HAMES STR	01/12/2006	0.897	Cubic Meters	0600796-000	01/14/2006
EMSL	3S 011206-1EENWICH S		01/12/2006	0.928	Cubic Meters	0600796-000	01/14/2006

2nd Shift 01-06-05 to 01-12-06*** No Second Shift on Weekend - 1/7 and 1/8**

EMSL	GS 010606-100	TRINITY R	01/06/2006	0.960	Cubic Meters	0600324-000	01/09/2006
EMSL	GS 010606-147	HAMES STR	01/06/2006	0.960	Cubic Meters	0600324-000	01/09/2006
EMSL	GS 010606-1EENWICH S		01/06/2006	0.960	Cubic Meters	0600324-000	01/09/2006
*		#1-100 TRINITY ROOF			Cubic Meters		
*		#2- THAMES STREET			Cubic Meters		
*		#3 GREENWICH STREET			Cubic Meters		
*		#1-100 TRINITY ROOF			Cubic Meters		
*		#2- THAMES STREET			Cubic Meters		
*		#3 GREENWICH STREET			Cubic Meters		
EMSL	GS 010906-100	TRINITY R	01/09/2006	0.924	Cubic Meters	0600521-000	01/11/2006
EMSL	GS 010906-147	HAMES STR	01/09/2006	0.918	Cubic Meters	0600521-000	01/11/2006
EMSL	GS 010906-1EENWICH S		01/09/2006	0.922	Cubic Meters	0600521-000	01/11/2006
EMSL	GS 011006-100	TRINITY R	01/10/2006	0.976	Cubic Meters	0600620-000	01/12/2006
EMSL	GS 011006-147	HAMES STR	01/10/2006	0.930	Cubic Meters	0600620-000	01/12/2006
EMSL	GS 011006-1EENWICH S		01/10/2006	0.922	Cubic Meters	0600620-000	01/12/2006
EMSL	GS 011106-100	TRINITY R	01/11/2006	0.940	Cubic Meters	0600734-000	01/13/2006
EMSL	GS 011106-147	HAMES STR	01/11/2006	0.936	Cubic Meters	0600734-000	01/13/2006
EMSL	GS 011106-1EENWICH S		01/11/2006	0.926	Cubic Meters	0600734-000	01/13/2006
EMSL	GS 012106-100	TRINITY R	01/12/2006	0.934	Cubic Meters	0600794-000	01/14/2006
EMSL	GS 012106-147	HAMES STR	01/12/2006	0.948	Cubic Meters	0600794-000	01/14/2006

Date Analyzed	analytical Method	Concentration	Unit	Date Reported	Exceeds Target Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?
		10 ug/m3				
		10 ug/m3				
01/10/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/10/2006	No	No
01/10/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/10/2006	No	No
01/10/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/10/2006	No	No
01/12/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/13/2006	No	No
01/12/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/13/2006	No	No
01/12/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/13/2006	No	No
01/12/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/13/2006	No	No
01/12/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/13/2006	No	No
01/12/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/13/2006	No	No
01/12/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/13/2006	No	No
01/12/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/13/2006	No	No
01/12/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/13/2006	No	No
01/12/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/13/2006	No	No
01/13/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/16/2006	No	No
01/13/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/16/2006	No	No
01/13/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/16/2006	No	No
01/13/2006	OSH 7500 XFSilica-Quartz	5	ug/m3	01/16/2006	No	No
01/16/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/16/2006	No	No
01/16/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/16/2006	No	No
01/16/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/16/2006	No	No
01/17/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/18/2006	No	No
01/17/2006	OSH 7500 XFSilica-Quartz	<6	ug/m3	01/18/2006	No	No
01/17/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/18/2006	No	No

01/10/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/10/2006	No	No
01/10/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/10/2006	No	No
01/10/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/10/2006	No	No
	NIOSH 7500 XFSilica-Quartz		ug/m3			
	NIOSH 7500 XFSilica-Quartz		ug/m3			
	NIOSH 7500 XFSilica-Quartz		ug/m3			
	NIOSH 7500 XFSilica-Quartz		ug/m3			
	NIOSH 7500 XFSilica-Quartz		ug/m3			
	NIOSH 7500 XFSilica-Quartz		ug/m3			
01/12/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/13/2006	No	No
01/12/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/13/2006	No	No
01/12/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/13/2006	No	No
01/13/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/16/2006	No	No
01/13/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/16/2006	No	No
01/13/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/16/2006	No	No
01/16/2006	OSH 7500 XFSilica-Quartz	13	ug/m3	01/16/2006	Yes	Yes
01/16/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/16/2006	No	No
01/16/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/16/2006	No	No
01/17/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/18/2006	No	No
01/17/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/18/2006	No	No

Comments

EMSL GS 012106-1EENWICH S 01/12/2006 0.930 Cubic Meters 0600794-000 01/14/2006

01/17/2006	OSH 7500 XFSilica-Quartz	<5	ug/m3	01/18/2006	No	No
------------	--------------------------	----	-------	------------	----	----