NYC-WTC_00024251

NYC 9/11 Public Portal Document

CONFIDENTIAL,
SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008
CITY_21MC100_00342343

FIELD DATA COLLECTION/CHAIN-OF-CUSTODY RECORD : ASBESTOS ANALYSES ONLY--Co-Located Samples* **Sampling Date:**

OFFICE OF EMERGENCY PREPAREDNESS-USPHS
C/0: NEW YORK DEPARTMENT OF HEALTH
253 BROADWAY, 12TH FLOOR, NEW YORK, NY 10007
PH (212) 676-6323 FAX (212) 676-6326

ATTENTION LABORATORY: SEND RESULTS TO:

PROJECT REFERENCE NUMBER:
USPHS MISSION #12: RESIDENTIAL SAMPLING NEW YORK CITY

SAMPLING BLDG/LOCATION

ANALYSIS REQUESTED
(INVESTIGATOR: YOU MUST SPECIFY EITHER THE METHOD OR THE ANALYTE(S) FOR EACH)

TYPE OF SURFACE**
H = HARD SURFACE
CDP = CARPET, DEEP PILE
CS = CARPET, SHAG
CSP = CARPET, SHORT PILE
CTR = CARPET, THROW RUG

VIA: *(Please check)*
[X] Mail Originals to:
[X] E-MAIL to:
[X] Fax to:

ATTN: USPHS MISSION #12 RESIDENTIAL SAMPLING PH: (212) 442-6792
Mr. Sven Rodenbeck, Mail Stop E-32, 1600 Clifton Road, NE, Atlanta, GA 30333
LXW2@cdc.gov (Ms. Lynn Wilder, CIH)
ATTN: Mr. Sven Rodenbeck at (404) 498-0509 *and* USPHS Mission #12 at (212)676-6326

*Co-Located Sample Numbers marked with X

SAMPLING SITE	SAMPLE TYPE	SAMPLER TYPE 25-mm Cassette Pre-Sampling Flow	Post-Sampling Flow	SAMPLE NUMBER	START TIME	STOP TIME	TYPE OF SURFACE**	Airborne Asbestos fibers by PCM (NIOSH 7400) IF > 0.01f/cc, forward sample for TEM (NIOSH 7402)	Surface dust Asbestos Fibers by PLM (NIOSH 9002) IF <1%, forward sample for TEM (NIOSH 7402)	ADDITIONAL INFORMATION REGARDING SAMPLE
Outdoors	Airborne Asbestos	LPM	LPM	[R]A-O-X				X		Location:
Common Area	Airborne Asbestos	LPM	LPM	[R]A-C-X				X		Location:
Residence 1	Airborne Asbestos	LPM	LPM	[R]A-R1-X				X		Floor: Apt:
Residence 2	Airborne Asbestos	LPM	LPM	[R]A-R2-X				X		Floor: Apt:

RELINQUISHED BY:	TIME/DATE:	RELINQUISHED BY:	TIME/DATE:
(PRINCIPAL/FIELD INVESTIGATOR) RELINQUISHED BY:	TIME/DATE:	*(LABORATORY REVIEWER)* RELINQUISHED BY:	TIME/DATE:
(LABORATORY SAMPLE RECEIVING) RELINQUISHED BY:	TIME/DATE:	*(LABORATORY SUPERVISOR)*	
(ANALYST)			

SAMPLES SHIPPED TO:

COMPANY: EMSL Analytical, Inc.
ADDRESS: 307 West 38th Street
New York, NY 10018

ATTN: SAMPLE RECEIVING (Robert DeMaio)
PHONE: (856) 397-1901 (cell)
FAX: (856) 858-1292

CARRIER: EMSL courier
DATE:
TIME:
AIRBILL #:

NYC-WTC_00024251 9

CONFIDENTIAL, SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

CITY_21MC100_00342343 2

NYC 9/11 Public Portal Document

FIELD DATA COLLECTION/CHAIN-OF-CUSTODY RECORD : ASBESTOS ANALYSES ONLY--Co-Located Samples* **Sampling Date:**

OFFICE OF EMERGENCY PREPAREDNESS-USPHS
C/0: NEW YORK DEPARTMENT OF HEALTH
253 BROADWAY, 12TH FLOOR, NEW YORK, NY 10007
PH (212) 676-6323 FAX (212) 676-6326

ATTENTION LABORATORY: SEND RESULTS TO:

PROJECT REFERENCE NUMBER:
USPHS MISSION #12: RESIDENTIAL SAMPLING NEW YORK CITY

SAMPLING BLDG/LOCATION

VIA: (Please check)
[X] Mail Originals to:
[X] E-MAIL to:
[X] Fax to:

ATTN: USPHS MISSION #12 RESIDENTIAL SAMPLING PH: (212) 442-6792
Mr. Sven Rodenbeck, Mail Stop E-32, 1600 Clifton Road, NE, Atlanta, GA 30333
LXW2@cdc.gov (Ms. Lynn Wilder, CIH)
ATTN: Mr. Sven Rodenbeck at (404) 498-0509 *and* USPHS Mission #12 at (212)676-6326

ANALYSIS REQUESTED
(INVESTIGATOR: YOU MUST SPECIFY EITHER THE METHOD OR THE ANALYTE(S) FOR EACH

TYPE OF SURFACE**
H = HARD SURFACE
CDP = CARPET, DEEP PILE
CS = CARPET, SHAG
CSP = CARPET, SHORT PILE
CTR = CARPET, THROW RUG

*Co-Located Sample Numbers marked with X

SAMPLING SITE	SAMPLE TYPE	SAMPLER TYPE 25-mm Cassette Pre-Sampling Flow	Post-Sampling Flow	SAMPLE NUMBER	START TIME	STOP TIME	TYPE OF SURFACE**	Airborne Asbestos fibers by PCM (NIOSH 7400) IF > 0.01f/cc, forward sample for TEM (NIOSH 7402)	Surface dust Asbestos Fibers by PLM (NIOSH 9002) IF <1%, forward sample for TEM (NIOSH 7402)	ADDITIONAL INFORMATION REGARDING SAMPLE
Outdoors	Airborne Asbestos	LPM	LPM	[R]A-O-X				X		Location:
Common Area	Airborne Asbestos	LPM	LPM	[R]A-C-X				X		Location:
Residence 1	Airborne Asbestos	LPM	LPM	[R]A-R1-X				X		Floor: Apt:
Residence 2	Airborne Asbestos	LPM	LPM	[R]A-R2-X				X		Floor: Apt:

RELINQUISHED BY:	TIME/DATE:	RELINQUISHED BY:	TIME/DATE:
(PRINCIPAL/FIELD INVESTIGATOR) RELINQUISHED BY:	TIME/DATE:	*(LABORATORY REVIEWER)* RELINQUISHED BY:	TIME/DATE:
(LABORATORY SAMPLE RECEIVING) RELINQUISHED BY:	TIME/DATE:	*(LABORATORY SUPERVISOR)*	
(ANALYST)			

SAMPLES SHIPPED TO:

COMPANY: EMSL Analytical, Inc.
ADDRESS: 307 West 38th Street
New York, NY 10018

ATTN: SAMPLE RECEIVING (Robert DeMalo)
PHONE: (856) 397-1901 (cell)
FAX: (856) 858-1292
CARRIER: EMSL courier
DATE:
TIME:
AIRBILL #:

NYC-WTC_000242520

NYC 9/11 Public Portal Document

CONFIDENTIAL, SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

CITY_21MC100_00342343

FIELD DATA COLLECTION/CHAIN-OF-CUSTODY RECORD : ASBESTOS ANALYSES ONLY--Co-Located Samples* **Sampling Date:**

OFFICE OF EMERGENCY PREPAREDNESS-USPHS
C/0: NEW YORK DEPARTMENT OF HEALTH
253 BROADWAY, 12TH FLOOR, NEW YORK, NY 10007
PH (212) 676-6323 FAX (212) 676-6326

PROJECT REFERENCE NUMBER:
USPHS MISSION #12: RESIDENTIAL SAMPLING NEW YORK CITY

SAMPLING BLDG/LOCATION

ATTENTION LABORATORY: SEND RESULTS TO:

VIA: (Please check)
[X] Mail Originals to:
[X] E-MAIL to:
[X] Fax to:

ATTN: USPHS MISSION #12 RESIDENTIAL SAMPLING PH: (212) 442-6792
Mr. Sven Rodenbeck, Mail Stop E-32, 1600 Clifton Road, NE, Atlanta, GA 30333
LXW2@cdc.gov (Ms. Lynn Wilder, CIH)
ATTN: Mr. Sven Rodenbeck at (404) 498-0509 *and* USPHS Mission #12 at (212)676-6326

ANALYSIS REQUESTED
(INVESTIGATOR: YOU MUST SPECIFY EITHER THE METHOD OR THE ANALYTE(S) FOR EACH)

TYPE OF SURFACE**
H = HARD SURFACE
CDP = CARPET, DEEP PILE
CS = CARPET, SHAG
CSP = CARPET, SHORT PILE
CTR = CARPET, THROW RUG

*Co-Located Sample Numbers marked with X

SAMPLING SITE	SAMPLE TYPE	SAMPLER TYPE 25-mm Cassette Pre-Sampling Flow	Post-Sampling Flow	SAMPLE NUMBER	START TIME	STOP TIME	TYPE OF SURFACE**	Airborne Asbestos fibers by PCM (NIOSH 7400) IF > 0.01f/cc, forward sample for TEM (NIOSH 7402)	Surface dust Asbestos Fibers by PLM (NIOSH 9002) IF <1%, forward sample for TEM (NIOSH 7402)	ADDITIONAL INFORMATION REGARDING SAMPLE
Outdoors	Airborne Asbestos	LPM	LPM	[R]A-O-X				X		Location:
Common Area	Airborne Asbestos	LPM	LPM	[R]A-C-X				X		Location:
Residence 1	Airborne Asbestos	LPM	LPM	[R]A-R1-X				X		Floor: Apt:
Residence 2	Airborne Asbestos	LPM	LPM	[R]A-R2-X				X		Floor: Apt:

RELINQUISHED BY:	TIME/DATE:	RELINQUISHED BY:	TIME/DATE:
(PRINCIPAL/FIELD INVESTIGATOR) RELINQUISHED BY:	TIME/DATE:	*(LABORATORY REVIEWER)* RELINQUISHED BY:	TIME/DATE:
(LABORATORY SAMPLE RECEIVING) RELINQUISHED BY:	TIME/DATE:	*(LABORATORY SUPERVISOR)*	
(ANALYST)			

SAMPLES SHIPPED TO:

COMPANY: EMSL Analytical, Inc.
ADDRESS: 307 West 38th Street
New York, NY 10018
ATTN: SAMPLE RECEIVING (Robert DeMalo)
PHONE: (856) 397-1901 (cell)
FAX: (856) 858-1292
CARRIER: EMSL courier
DATE:
TIME:
AIRBILL #:

NYC-WTC_000242521

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008 CONFIDENTIAL,

CITY_21MC100_00342343 4

NYC 9/11 Public Portal Document

FIELD DATA COLLECTION/CHAIN-OF-CUSTODY RECORD : ASBESTOS ANALYSES ONLY--Co-Located Samples* **Sampling Date:**

OFFICE OF EMERGENCY PREPAREDNESS-USPHS
C/0: NEW YORK DEPARTMENT OF HEALTH
253 BROADWAY, 12TH FLOOR, NEW YORK, NY 10007
PH (212) 676-6323 FAX (212) 676-6326

PROJECT REFERENCE NUMBER:
USPHS MISSION #12: RESIDENTIAL SAMPLING NEW YORK CITY

SAMPLING BLDG/LOCATION

ANALYSIS REQUESTED
(INVESTIGATOR: YOU MUST SPECIFY EITHER THE METHOD OR THE ANALYTE(S) FOR EACH)

TYPE OF SURFACE**
H = HARD SURFACE
CDP = CARPET, DEEP PILE
CS = CARPET, SHAG
CSP = CARPET, SHORT PILE
CTR = CARPET, THROW RUG

ATTENTION LABORATORY: SEND RESULTS TO:

VIA: (Please check)
[X] Mail Originals to:
[X] E-MAIL to:
[X] Fax to:

ATTN: USPHS MISSION #12 RESIDENTIAL SAMPLING PH: (212) 442-6792
Mr. Sven Rodenbeck, Mail Stop E-32, 1600 Clifton Road, NE, Atlanta, GA 30333
LXW2@cdc.gov (Ms. Lynn Wilder, CIH)
ATTN: Mr. Sven Rodenbeck at (404) 498-0509 *and* USPHS Mission #12 at (212)676-6326

SAMPLING SITE	SAMPLE TYPE	SAMPLER TYPE 25-mm Cassette Pre-Sampling Flow	Post-Sampling Flow	SAMPLE NUMBER	START TIME	STOP TIME	TYPE OF SURFACE**	Airborne Asbestos fibers by PCM (NIOSH 7400) IF > 0.01f/cc, forward sample for TEM (NIOSH 7402)	Surface dust Asbestos Fibers by PLM (NIOSH 9002) IF <1%, forward sample for TEM (NIOSH 7402)	*Co-Located Sample Numbers marked with X / ADDITIONAL INFORMATION REGARDING SAMPLE
Outdoors	Airborne Asbestos	LPM	LPM	[R]A-O-X				X		Location:
Common Area	Airborne Asbestos	LPM	LPM	[R]A-C-X				X		Location:
Residence 1	Airborne Asbestos	LPM	LPM	[R]A-R1-X				X		Floor: Apt:
Residence 2	Airborne Asbestos	LPM	LPM	[R]A-R2-X				X		Floor: Apt:

RELINQUISHED BY:	TIME/DATE:	RELINQUISHED BY:	TIME/DATE:
(PRINCIPAL/FIELD INVESTIGATOR) RELINQUISHED BY:	TIME/DATE:	*(LABORATORY REVIEWER)* RELINQUISHED BY:	TIME/DATE:
(LABORATORY SAMPLE RECEIVING) RELINQUISHED BY:	TIME/DATE:	*(LABORATORY SUPERVISOR)*	
(ANALYST)			

SAMPLES SHIPPED TO:

COMPANY: EMSL Analytical, Inc.
ADDRESS: 307 West 38th Street
New York, NY 10018

ATTN: SAMPLE RECEIVING (Robert DeMalo)
PHONE: (856) 397-1901 (cell)
FAX: (856) 858-1292

CARRIER: EMSL courier
DATE:
TIME:
AIRBILL #:

NYC-WTC_000242522

NYC 9/11 Public Portal Document

CONFIDENTIAL, SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

CITY_21MC100_00342435

FIELD DATA COLLECTION/CHAIN-OF-CUSTODY RECORD : ASBESTOS ANALYSES ONLY–Co-Located Samples* **Sampling Date:**

OFFICE OF EMERGENCY PREPAREDNESS-USPHS
C/0: NEW YORK DEPARTMENT OF HEALTH
253 BROADWAY, 12TH FLOOR, NEW YORK, NY 10007
PH (212) 676-6323 FAX (212) 676-6326

ATTENTION LABORATORY: SEND RESULTS TO:

PROJECT REFERENCE NUMBER:
USPHS MISSION #12: RESIDENTIAL SAMPLING NEW YORK CITY

SAMPLING BLDG/LOCATION

ANALYSIS REQUESTED
(INVESTIGATOR: YOU MUST SPECIFY EITHER THE METHOD OR THE ANALYTE(S) FOR EACH

TYPE OF SURFACE**
H = HARD SURFACE
CDP = CARPET, DEEP PILE
CS = CARPET, SHAG
CSP = CARPET, SHORT PILE
CTR = CARPET, THROW RUG

VIA: (Please check)
[X] Mail Originals to: ATTN: USPHS MISSION #12 RESIDENTIAL SAMPLING PH: (212) 442-6792
Mr. Sven Rodenbeck, Mail Stop E-32, 1600 Clifton Road, NE, Atlanta, GA 30333
[X] E-MAIL to: LXW2@cdc.gov (Ms. Lynn Wilder, CIH)
[X] Fax to: ATTN: Mr. Sven Rodenbeck at (404) 498-0509 *and* USPHS Mission #12 at (212)676-6326

*Co-Located Sample Numbers marked with X

SAMPLING SITE	SAMPLE TYPE	SAMPLER TYPE 25-mm Cassette Pre-Sampling Flow	Post-Sampling Flow	SAMPLE NUMBER	START TIME	STOP TIME	TYPE OF SURFACE**	Airborne Asbestos fibers by PCM (NIOSH 7400) IF > 0.01f/cc, forward sample for TEM (NIOSH 7402)	Surface dust Asbestos Fibers by PLM (NIOSH 9002) IF <1%, forward sample for TEM (NIOSH 7402)	ADDITIONAL INFORMATION REGARDING SAMPLE
Outdoors	Airborne Asbestos	LPM	LPM	[R]A-O-X				X		Location:
Common Area	Airborne Asbestos	LPM	LPM	[R]A-C-X				X		Location:
Residence 1	Airborne Asbestos	LPM	LPM	[R]A-R1-X				X		Floor: Apt:
Residence 2	Airborne Asbestos	LPM	LPM	[R]A-R2-X				X		Floor: Apt:

RELINQUISHED BY:	TIME/DATE:	RELINQUISHED BY:	TIME/DATE:
(PRINCIPAL/FIELD INVESTIGATOR) RELINQUISHED BY:	TIME/DATE:	*(LABORATORY REVIEWER)* RELINQUISHED BY:	TIME/DATE:
(LABORATORY SAMPLE RECEIVING) RELINQUISHED BY:	TIME/DATE:	*(LABORATORY SUPERVISOR)*	
(ANALYST)			

SAMPLES SHIPPED TO:
COMPANY: EMSL Analytical, Inc.
ADDRESS: 307 West 38th Street
New York, NY 10018
ATTN: SAMPLE RECEIVING (Robert DeMalo)
PHONE: (856) 397-1901 (cell)
FAX: (856) 858-1292
CARRIER: EMSL courier
DATE:
TIME:
AIRBILL #:

NYC-WTC_000242523

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

CONFIDENTIAL,

CITY_21MC100_00342343

NYC 9/11 Public Portal Document

FIELD DATA COLLECTION/CHAIN-OF-CUSTODY RECORD : ASBESTOS ANALYSES ONLY--Co-Located Samples* **Sampling Date:**

OFFICE OF EMERGENCY PREPAREDNESS-USPHS
C/0: NEW YORK DEPARTMENT OF HEALTH
253 BROADWAY, 12TH FLOOR, NEW YORK, NY 10007
PH (212) 676-6323 FAX (212) 676-6326

PROJECT REFERENCE NUMBER:
USPHS MISSION #12: RESIDENTIAL SAMPLING NEW YORK CITY

SAMPLING BLDG/LOCATION

ATTENTION LABORATORY: SEND RESULTS TO:

VIA: (Please check)
[X] Mail Originals to:
[X] E-MAIL to:
[X] Fax to:

ATTN: USPHS MISSION #12 RESIDENTIAL SAMPLING PH: (212) 442-6792
Mr. Sven Rodenbeck, Mail Stop E-32, 1600 Clifton Road, NE, Atlanta, GA 30333
LXW2@cdc.gov (Ms. Lynn Wilder, CIH)
ATTN: Mr. Sven Rodenbeck at (404) 498-0509 *and* USPHS Mission #12 at (212)676-6326

ANALYSIS REQUESTED
(INVESTIGATOR: YOU MUST SPECIFY EITHER THE METHOD OR THE ANALYTE(S) FOR EACH

TYPE OF SURFACE**
H = HARD SURFACE
CDP = CARPET, DEEP PILE
CS = CARPET, SHAG
CSP = CARPET, SHORT PILE
CTR = CARPET, THROW RUG

*Co-Located Sample Numbers marked with X

SAMPLING SITE	SAMPLE TYPE	SAMPLER TYPE 25-mm Cassette Pre-Sampling Flow	Post-Sampling Flow	SAMPLE NUMBER	START TIME	STOP TIME	TYPE OF SURFACE**	Airborne Asbestos fibers by PCM (NIOSH 7400) IF > 0.01f/cc, forward sample for TEM (NIOSH 7402)	Surface dust Asbestos Fibers by PLM (NIOSH 9002) IF <1%, forward sample for TEM (NIOSH 7402)	ADDITIONAL INFORMATION REGARDING SAMPLE
Outdoors	Airborne Asbestos	LPM	LPM	[R]A-O-X				X		Location:
Common Area	Airborne Asbestos	LPM	LPM	[R]A-C-X				X		Location:
Residence 1	Airborne Asbestos	LPM	LPM	[R]A-R1-X				X		Floor: Apt:
Residence 2	Airborne Asbestos	LPM	LPM	[R]A-R2-X				X		Floor: Apt:

RELINQUISHED BY:	TIME/DATE:	RELINQUISHED BY:	TIME/DATE:
(PRINCIPAL/FIELD INVESTIGATOR) RELINQUISHED BY:	TIME/DATE:	*(LABORATORY REVIEWER)* RELINQUISHED BY:	TIME/DATE:
(LABORATORY SAMPLE RECEIVING) RELINQUISHED BY:	TIME/DATE:	*(LABORATORY SUPERVISOR)*	
(ANALYST)			

SAMPLES SHIPPED TO:

COMPANY: EMSL Analytical, Inc.
ADDRESS: 307 West 38th Street
New York, NY 10018
ATTN: SAMPLE RECEIVING (Robert DeMalo)
PHONE: (856) 397-1901 (cell)
FAX: (856) 858-1292
CARRIER: EMSL courier
DATE:
TIME:
AIRBILL #:

NYC-WTC_00024524

NYC 9/11 Public Portal Document

FIELD DATA COLLECTION/CHAIN-OF-CUSTODY RECORD : ASBESTOS ANALYSES ONLY--Co-Located Samples* **Sampling Date:**

OFFICE OF EMERGENCY PREPAREDNESS-USPHS
C/0: NEW YORK DEPARTMENT OF HEALTH
253 BROADWAY, 12TH FLOOR, NEW YORK, NY 10007
PH (212) 676-6323 FAX (212) 676-6326

ATTENTION LABORATORY: SEND RESULTS TO:

VIA: (Please check)
| X | Mail Originals to:
| X | E-MAIL to:
| X | Fax to:

ATTN: USPHS MISSION #12 RESIDENTIAL SAMPLING PH: (212) 442-6792
Mr. Sven Rodenbeck, Mail Stop E-32, 1600 Clifton Road, NE, Atlanta, GA 30333
LXW2@cdc.gov (Ms. Lynn Wilder, CIH)
ATTN: Mr. Sven Rodenbeck at (404) 498-0509 *and* USPHS Mission #12 at (212)676-6326

PROJECT REFERENCE NUMBER:
USPHS MISSION #12: RESIDENTIAL SAMPLING NEW YORK CITY

SAMPLING BLDG/LOCATION

ANALYSIS REQUESTED
(INVESTIGATOR: YOU MUST SPECIFY EITHER THE METHOD OR THE ANALYTE(S) FOR EACH

TYPE OF SURFACE**
H = HARD SURFACE
CDP = CARPET, DEEP PILE
CS = CARPET, SHAG
CSP = CARPET, SHORT PILE
CTR = CARPET, THROW RUG

***Co-Located Sample Numbers marked with X**

SAMPLING SITE	SAMPLE TYPE	SAMPLER TYPE 25-mm Cassette Pre-Sampling Flow	Post-Sampling Flow	SAMPLE NUMBER	START TIME	STOP TIME	TYPE OF SURFACE**	Airborne Asbestos fibers by PCM (NIOSH 7400) IF > 0.01f/cc, forward sample for TEM (NIOSH 7402)	Surface dust Asbestos Fibers by PLM (NIOSH 9002) IF <1%, forward sample for TEM (NIOSH 7402)	ADDITIONAL INFORMATION REGARDING SAMPLE
Outdoors	Airborne Asbestos	LPM	LPM	[R]A-O-X				X		Location:
Common Area	Airborne Asbestos	LPM	LPM	[R]A-C-X				X		Location:
Residence 1	Airborne Asbestos	LPM	LPM	[R]A-R1-X				X		Floor: Apt:
Residence 2	Airborne Asbestos	LPM	LPM	[R]A-R2-X				X		Floor: Apt:

RELINQUISHED BY:	TIME/DATE:	RELINQUISHED BY:	TIME/DATE:
(PRINCIPAL/FIELD INVESTIGATOR) RELINQUISHED BY:	TIME/DATE:	*(LABORATORY REVIEWER)* RELINQUISHED BY:	TIME/DATE:
(LABORATORY SAMPLE RECEIVING) RELINQUISHED BY:	TIME/DATE:	*(LABORATORY SUPERVISOR)*	
(ANALYST)			

SAMPLES SHIPPED TO:

COMPANY: EMSL Analytical, Inc.
ADDRESS: 307 West 38th Street
New York, NY 10018

ATTN: SAMPLE RECEIVING (Robert DeMalo)
PHONE: (856) 397-1901 (cell)
FAX: (856) 858-1292

CARRIER: EMSL courier
DATE:
TIME:
AIRBILL #:

CONFIDENTIAL,

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

CITY_21MC100_00342343 7

NYC-WTC_000242525

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

CONFIDENTIAL,

CITY_21MC100_00342343 8

NYC 9/11 Public Portal Document

FIELD DATA COLLECTION/CHAIN-OF-CUSTODY RECORD : ASBESTOS ANALYSES ONLY--Co-Located Samples* Sampling Date:

OFFICE OF EMERGENCY PREPAREDNESS-USPHS
C/0: NEW YORK DEPARTMENT OF HEALTH
253 BROADWAY, 12TH FLOOR, NEW YORK, NY 10007
PH (212) 676-6323 FAX (212) 676-6326

PROJECT REFERENCE NUMBER:
USPHS MISSION #12: RESIDENTIAL SAMPLING NEW YORK CITY

SAMPLING BLDG/LOCATION

ATTENTION LABORATORY: SEND RESULTS TO:

VIA: (Please check)
[X] Mail Originals to:
[X] E-MAIL to:
[X] Fax to:

ATTN: USPHS MISSION #12 RESIDENTIAL SAMPLING PH: (212) 442-6792
Mr. Sven Rodenbeck, Mail Stop E-32, 1600 Clifton Road, NE, Atlanta, GA 30333
LXW2@cdc.gov (Ms. Lynn Wilder, CIH)
ATTN: Mr. Sven Rodenbeck at (404) 498-0509 *and* USPHS Mission #12 at (212)676-6326

ANALYSIS REQUESTED
(INVESTIGATOR: YOU MUST SPECIFY EITHER THE METHOD OR THE ANALYTE(S) FOR EACH

TYPE OF SURFACE**
H = HARD SURFACE
CDP = CARPET, DEEP PILE
CS = CARPET, SHAG
CSP = CARPET, SHORT PILE
CTR = CARPET, THROW RUG

*Co-Located Sample Numbers marked with X

SAMPLING SITE	SAMPLE TYPE	SAMPLER TYPE 25-mm Cassette Pre-Sampling Flow	Post-Sampling Flow	SAMPLE NUMBER	START TIME	STOP TIME	TYPE OF SURFACE**	Airborne Asbestos fibers by PCM (NIOSH 7400) IF > 0.01f/cc, forward sample for TEM (NIOSH 7402)	Surface dust Asbestos Fibers by PLM (NIOSH 9002) IF <1%, forward sample for TEM (NIOSH 7402)	ADDITIONAL INFORMATION REGARDING SAMPLE
Outdoors	Airborne Asbestos	LPM	LPM	[R]A-O-X				X		Location:
Common Area	Airborne Asbestos	LPM	LPM	[R]A-C-X				X		Location:
Residence 1	Airborne Asbestos	LPM	LPM	[R]A-R1-X				X		Floor: Apt:
Residence 2	Airborne Asbestos	LPM	LPM	[R]A-R2-X				X		Floor: Apt:

RELINQUISHED BY:	TIME/DATE:	RELINQUISHED BY:	TIME/DATE:
(PRINCIPAL/FIELD INVESTIGATOR) RELINQUISHED BY:	TIME/DATE:	*(LABORATORY REVIEWER)* RELINQUISHED BY:	TIME/DATE:
(LABORATORY SAMPLE RECEIVING) RELINQUISHED BY:	TIME/DATE:	*(LABORATORY SUPERVISOR)*	
(ANALYST)			

SAMPLES SHIPPED TO:
COMPANY: EMSL Analytical, Inc.
ADDRESS: 307 West 38th Street
New York, NY 10018
ATTN: SAMPLE RECEIVING (Robert DeMalo)
PHONE: (856) 397-1901 (cell)
FAX: (856) 858-1292
CARRIER: EMSL courier
DATE:
TIME:
AIRBILL #: