NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	RESULTS IN STRUCTURES/MM^2	EPA GUIDELINE
10/09/01	4PM – 12AM	Pier 25 across from North exit of school	42.86	70 s/mm^2
		Pier 25 East side by unloading truck area	ND < 14.29	
10/10/01	12AM – 8AM	Pier 25 across from North exit of school	16.67	70 s/mm^2
		Pier 25 East side by unloading truck area	ND < 16.67	
	8AM – 4PM	Pier 25 across from North exit of school	16.67	
		Pier 25 East side by unloading truck area	ND < 16.67	
	4PM – 12AM	Pier 25 across from North exit of school	ND < 16.67	
		Pier 25 East side by unloading truck area	16.67	
10/11/01	12AM – 8AM	Pier 25 across from North exit of school	ND < 16.67	70 s/mm^2
		Pier 25 East side by unloading truck area	ND < 16.67	
	8AM – 4PM	Pier 25 across from North exit of school	16.67	
		Pier 25 East side by unloading truck area	16.67	
	4PM – 12AM	Pier 25 across from North exit of school	ND < 16.67	
		Pier 25 East side by unloading truck area	16.67	
10/12/01	12AM – 8AM	Pier 25 across from North exit of school	ND < 16.67	70 s/mm^2
		Pier 25 East side by unloading truck area	ND < 16.67	
	8AM – 4PM	Pier 25 across from North exit of school	ND < 16.67	
		Pier 25 East side by unloading truck area	ND < 16.67	
	4PM – 12AM	Pier 25 across from North exit of school	ND < 16.67	
		Pier 25 East side by unloading truck area	ND < 16.67	
10/13/01	12AM – 8AM	Pier 25 across from North exit of school	ND < 16.67	70 s/mm^2
		Pier 25 East side by unloading truck area	ND < 16.67	
	8AM – 4PM	Pier 25 across from North exit of school	ND < 16.67	
		Pier 25 East side by unloading truck area	ND < 16.67	
	4PM – 12AM	Pier 25 across from North exit of school	ND < 16.67	
		Pier 25 East side by unloading truck area	ND < 16.67	
10/14/01	12AM – 8AM	Pier 25 across from North exit of school	ND < 16.67	70 s/mm^2
		Pier 25 East side by unloading truck area	ND < 16.67	
	8AM – 4PM	Pier 25 across from North exit of school	ND < 16.67	
		Pier 25 East side by unloading truck area	ND < 16.67	
	4PM – 12AM	Pier 25 across from North exit of school	ND < 16.67	

Updated: December 2, 2001 12:45 PM

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008
CONFIDENTIAL,
CITY_21MC100_003487259

NYC-WTC_000246780

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	RESULTS IN STRUCTURES/MM^2	EPA GUIDELINE
		Pier 25 East side by unloading truck area	ND < 16.67	
10/15/01	12AM – 8AM	Pier 25 across from North exit of school	ND < 16.67	70 s/mm^2
		Pier 25 East side by unloading truck area	ND < 16.67	
	8AM – 4PM	Pier 25 across from North exit of school	ND < 16.67	
		Pier 25 East side by unloading truck area	ND < 16.67	
	4PM – 12AM	Pier 25 across from North exit of school	ND < 16.67	
		Pier 25 East side by unloading truck area	ND < 16.67	
10/16/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
10/17/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
10/18/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
10/19/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	

Updated: December 2, 2001 12:45 PM

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008
CONFIDENTIAL,
CITY_21MC100_003487260

NYC-WTC_000246781

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	RESULTS IN STRUCTURES/MM^2	EPA GUIDELINE
10/20/01	12AM – 8AM	Pier 25 - North entrance of HS/East	16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND <16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
10/21/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND <16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
10/22 /01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND <16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND <16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
10/23 /01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND <16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND <16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
10/24 /01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
10/25 /01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	

Updated: December 2, 2001 12:45 PM

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008 CONFIDENTIAL, CITY_21MC100_003487261

NYC-WTC_000246782

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	RESULTS IN STRUCTURES/MM^2	EPA GUIDELINE
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
10/26 /01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
10/27 /01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
10/28 /01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
10/29 /01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	

Updated: December 2, 2001 12:45 PM

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008
CONFIDENTIAL,
CITY_21MC100_003487262

NYC-WTC_000246783

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	RESULTS IN STRUCTURES/MM^2	EPA GUIDELINE
10/30 /01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
10/31/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/01/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/02/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/03/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/04/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	

Updated: December 2, 2001 12:45 PM

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008
CONFIDENTIAL,
CITY_21MC100_003487263

NYC-WTC_000246784

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	RESULTS IN STRUCTURES/MM^2	EPA GUIDELINE
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/05/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/06/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/07/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/08/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	16.67	
11/09/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	

Updated: December 2, 2001 12:45 PM

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008
CONFIDENTIAL,
CITY_21MC100_003487264

NYC-WTC_000246785

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	RESULTS IN STRUCTURES/MM^2	EPA GUIDELINE
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/10/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/11/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/12/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/13/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/14/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	

Updated: December 2, 2001 12:45 PM

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008 CONFIDENTIAL,

CITY_21MC100_003487265

NYC-WTC_000246786

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	RESULTS IN STRUCTURES/MM^2	EPA GUIDELINE
11/15/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/16/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/17/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/18/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/19/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/20/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	

Updated: December 2, 2001 12:45 PM

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008 CONFIDENTIAL, CITY_21MC100_003487266

NYC-WTC_000246787

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	RESULTS IN STRUCTURES/MM^2	EPA GUIDELINE
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/21/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/22/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/23/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/24/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/25/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	

Updated: December 2, 2001 12:45 PM

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008 CONFIDENTIAL, CITY_21MC100_003487267

NYC-WTC_000246788

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	RESULTS IN STRUCTURES/MM^2	EPA GUIDELINE
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/26/01	12AM – 8AM	Pier 25 - North entrance of HS/East	Not available	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/27/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/28/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/29/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
11/30/01	12AM – 8AM	Pier 25 - North entrance of HS/East	ND < 16.67	70 s/mm^2
		Pier 25 - North entrance of HS/West	ND < 16.67	
	8AM – 4PM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	
	4PM – 12AM	Pier 25 - North entrance of HS/East	ND < 16.67	
		Pier 25 - North entrance of HS/West	ND < 16.67	

Updated: December 2, 2001 12:45 PM

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008 CONFIDENTIAL, CITY_21MC100_003487268

NYC-WTC_000246789

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

ND = not detected

Regulatory standards: All samples were analyzed using transmission electron microscopy (TEM), which provides results that are specific for the presence of asbestos fibers. Using this method, the EPA guideline for acceptable concentrations is **70 structures per square millimeter (s/mm^2)**.

Copy to: Calvin Drayton, NYC OEM, fax# 212-245-0666

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008
CONFIDENTIAL,
CITY_21MC100_003487269

Updated: December 2, 2001 12:45 PM

NYC-WTC_000246790