NO QC EVALUATION HAS BEEN PERFORMED,
DATA VALIDITY IS UNSUBSTANTIATED
AND THE DATA SHOULD BE USED WITH DISCRETION
WTC TEDLAR BAG AIR ANALYSIS, TO-15 MODIFIED METHOD
DRAFT GC/MS Results for 11/17/01

File Name	NYC173	NYC174	NYC175	NYC178	NYC180	NYC176
Sample Location	Insturment Blank	Tedlar Bag Blank	Washing Tent	North Tower	South Tower	Austin Tobin Plaza
			Ambient Air	Plume	Plume	
Sample Number			A07111	A07112	A071113	A07114
Sample Height			Breathing Level	Ground Level	Ground Level	Breathing Level
Sample Volume		250 mL	250 mL	100 mL	100 mL	250 mL
Reporting Limit (RL)	20	20	20	20	20	20
Sample Conc. Units	ppb_v	ppb_v	ppb_v	ppb_v	ppb_v	ppb_v
Propylene	RL	RL	RL	170 ppb_v	350 ppb_v	RL
Freon 22	RL	RL	RL	32 ppb_v *	RL	RL
Dichlorodifluoromethane	RL	RL	RL	RL	RL	RL
Dichlorotetrafluoroethane	RL	RL	RL	RL	RL	RL
Chloromethane	RL	RL	RL	26 ppb_v	78 ppb_v	RL
Vinyl Chloride	RL	RL	RL	RL	RL	RL
1,3-Butadiene	RL	RL	RL	RL	RL	RL
Bromomethane	RL	RL	RL	RL	RL	RL
Chloroethane	RL	RL	RL	RL	RL	RL
Trichlorofluoromethane	RL	RL	RL	RL	RL	RL
Isopropyl Alcohol	RL	RL	RL	RL	RL	RL
Acetone	RL	RL	RL	180 ppb_v	800 ppb_v	RL
Trichlorotrifluoroethane	RL	RL	RL	RL	RL	RL
1,1-Dichloroethene	RL	RL	RL	RL	RL	RL
3-Chloropropene	RL	RL	RL	RL	RL	RL
Methylene Chloride	RL	RL	RL	RL	RL	RL
MTBE	RL	RL	RL	RL	RL	RL
trans-1,2-Dichloroethene	RL	RL	RL	RL	RL	RL
Hexane	RL	RL	RL	RL	RL	RL
1,1-Dichloroethane	RL	RL	RL	RL	RL	RL
Vinyl Acetate	RL	RL	RL	RL	RL	RL
2-Butanone	RL	RL	RL	30 ppb_v	230 ppb_v	RL
cis-1,2-Dichloroethene	RL	RL	RL	RL	RL	RL
Ethyl Acetate	RL	RL	RL	RL	RL	RL
Chloroform	RL	RL	RL	RL	RL	RL
Tetrahydrofuran	RL	RL	RL	RL	RL	RL
1,1,1-Trichloroethane	RL	RL	RL	RL	RL	RL
Cyclohexane	RL	RL	RL	RL	RL	RL
Carbon Tetrachloride	RL	RL	RL	RL	RL	RL
1,2-Dichloroethane	RL	RL	RL	RL	RL	RL
Benzene	RL	RL	RL	570 ppb_v	180 ppb_v	RL
Heptane	RL	RL	RL	RL	RL	RL
Trichloroethene	RL	RL	RL	RL	RL	RL
1,2-Dichloropropane	RL	RL	RL	RL	RL	RL
1,4-Dioxane	RL	RL	RL	RL	RL	RL
Methyl Isobutyl Ketone	RL	RL	RL	RL	RL	RL
cis-1,3-Dichloropropene	RL	RL	RL	RL	RL	RL
Toluene	RL	RL	RL	180 ppb_v	110 ppb_v	RL
trans-1,3-Dichloropropene	RL	RL	RL	RL	RL	RL
1,1,2-Trichloroethane	RL	RL	RL	RL	RL	RL
2-Hexanone	RL	RL	RL	RL	RL	RL
Tetrachloroethene	RL	RL	RL	RL	RL	RL
Dibromochloromethane	RL	RL	RL	RL	RL	RL
1,2-Dibromoethane	RL	RL	RL	RL	RL	RL
Chlorobenzene	RL	RL	RL	RL	RL	RL
Ethylbenzene	RL	RL	RL	220 ppb_v	48 ppb_v	RL
m&p-Xylenes	RL	RL	RL	RL	RL	RL
0-Xylene	RL	RL	RL	RL	RL	RL
Styrene	RL	RL	RL	65 ppb_v	30 ppb_v	RL
Bromoform	RL	RL	RL	RL	RL	RL
1,1,2,2-Tetrachloroethane	RL	RL	RL	RL	RL	RL
4-Ethyltoluene	RL	RL	RL	RL	RL	RL
1,3,5-Trimethylbenzene	RL	RL	RL	RL	RL	RL
1,2,4-Trimethylbenzene	RL	RL	RL	RL	RL	RL
1,3-Dichlorobenzene	RL	RL	RL	RL	RL	RL
1,4-Dichlorobenzene	RL	RL	RL	RL	RL	RL
Benzyl Chloride	RL	RL	RL	RL	RL	RL
1,2-Dichlorobenzene	RL	RL	RL	RL	RL	RL
1,2,4-Trichlorobenzene	RL	RL	RL	RL	RL	RL
Hexachloro-1,3-Butadiene	RL	RL	RL	RL	RL	RL

Note: * Estimated value