NYC 9/11 Public Portal Document

ATC ASSOCIATES INC - NEW YORK - BULK ASBESTOS ANALYSIS SHEET

104 East 25th Street, 10th Floor · New York, NY 10010 · Phone (212) 353 - 8280, FAX (212) 353 - 3599 or 8306

NVLAP 101187
ELAP 10879
Microscope OLYP BH-2

Client / Project NYC-BOE/M833/100 Trinity Place, NY, NY Project No. 14584-0865

Analysis Date 6/22/02 Analyst Milena Lowd Batch No. 20556

1 Field No. 05	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Brown Texture 6R	Morphology ____ Extinction ____	____ Chrysotile	____ Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity 4	RI ǁ ____ RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers 1 Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	TR Other Synthetic	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Bire ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☐ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

2 Field No. 06	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Tan Texture 6R	Morphology ____ Extinction ____	____ Chrysotile	____ Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity 4	RI ǁ ____ RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers 1 Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Bire ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☐ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

3 Field No. 07	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Gray Texture 6R	Morphology ____ Extinction ____	____ Chrysotile	____ Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity 4	RI ǁ ____ RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers 1 Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Bire ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☐ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

4 Field No. 08	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Gray Texture 6R	Morphology ____ Extinction ____	____ Chrysotile	____ Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity 4	RI ǁ ____ RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers 1 Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Bire ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☐ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008 CONFIDENTIAL,

CITY_21MC100_011533370

NYC-WTC_000258997