NYC 9/11 Public Portal Document

H.A. Bader Consultants, Inc.
88 Bleecker Street, Suite 4E
New York, New York 10012
(212) 475 - 4122

PROJECT NAME: DC 37
PROJECT ADDRESS: 125 Barclay Street, NY, NY.
TAKEN BY: RM + HB

ASBESTOS AIR SAMPLING

DATE 2001	SAMPLE LOCATION	PUMP NUMBER	SAMPLE NUMBER	FLOW RATE (L/MIN)	START TIME	STOP TIME	TOTAL TIME	TOTAL VOLUME	A	M	I	O	P	B	S	R	C	F	E
9/25	1st Floor	55	Δ1	10	1224	1429	125	1250	X					X					X
9/25	2nd Floor	64	Δ2	10	1221	1426	125	1250	X					X					X
9/25	3rd Floor	51	Δ3	10	1219	1442	143	1430	X					X					X
9/25	4th Floor	5	Δ4	10	1217	1441	144	1440	X					X					X
9/25	5th Floor	65	Δ5	10	1214	1439	145	1450	X					X					X
9/25	6th Floor	51	Δ6	10	940	1155	135	1350	X					X					X
9/25	7th Floor	64	Δ7	10	942	1159	137	1370	X					X					X
9/25	8th Floor	65	Δ8	10	946	1201	135	1350	X					X					X
9/25	9th Floor	5	Δ9	10	949	1202	133	1330	X					X					X
9/25	10th Floor	55	Δ10	10	950	1204	134	1340	X					X					X
9/25	Field Blank	—	Δ11	—	—	—	—	—											
9/25	Field Blank	—	Δ12	—	—	—	—	—											

A = Air Sampling
M = Micro-Vacuum Sampling
I = Inside Work Area
O = Outside Work Area
P = Pre Air Sampling
B = Baseline/Ambient
S = Preparation
R = During Removal
C = Cleanup
F = Final Air Test
E = Pumps Calibrated at Start/Finish

CITY_DEP_WORBY_CANNATA_SUBP_000005637

NYC-WTC_000282002