NYC-WTC_000286158

NYC 9/11 Public Portal Document

Renata **C**onsulting **S**ervices, Inc.
304 Edgemont Terrace Teaneck NJ 07666 201 692 7967 fax 201 678 1789

Certificate of Analysis

Client: Riverpoint, Inc
Client #: 101171

Project Location: WTC, NYC
Work Area: N/A

Analysis Date: October 12, 2001
RCS Project # 103

PCM Air Sample Analysis Summary

Lab ID	Client ID	Sample Description	Date Collected	Flow Rate [liters/min.]	Duration [minutes]	Volume [liters]	Fibers	Fields	Density [Fiber/mm^2]	Fiber Conc. [Fiber/cc]	LOD [Fiber/cc]
2651	011012	Park Place and Church	10/12/01	15.00	45	675.0	17.5	100	22.29	0.013	0.004
2652	021012	Park Place and Greenwich	10/12/01	14.50	45	652.5	13.0	100	16.56	0.010	0.004
2653	031012	Murray and Church	10/12/01	15.00	45	675.0	7.0	100	8.92	0.005	0.004
2654	041012	Murray and Greenwich	10/12/01	14.25	45	641.3	11.0	100	14.01	0.008	0.004
2664	051012	Fulton and Church	10/12/01	14.80	50	740.0	5.0	100	6.37	<LOD	0.004
2655	061012	Warren and North End	10/12/01	14.50	54	783.0	7.0	100	8.92	0.004	0.003
2656	071012	West Street and Warren	10/12/01	14.50	45	652.5	6.0	100	7.64	0.005	0.004
2670	081012	Gateway Plaza	10/12/01	14.80	47	695.6	3.0	100	3.82	<LOD	0.004
2669	091012	South End Avenue and Albany	10/12/01	14.80	49	725.2	5.0	100	6.37	<LOD	0.004
2671	101012	West and Albany	10/12/01	14.90	48	715.2	4.0	100	5.10	<LOD	0.004
2668	111012	Rector Place by park	10/12/01	14.75	48	708.0	5.0	100	6.37	<LOD	0.004
2666	121012	3rd Place and West End and Waterside	10/12/01	14.90	47	700.3	6.0	100	7.64	0.004	0.004
2667	131012	West end of West Thames	10/12/01	14.80	48	710.4	4.5	100	5.73	<LOD	0.004
2657	141012	Park Place and River Terrace	10/12/01	14.75	45	663.8	6.0	100	7.64	0.004	0.004
2658	151012	River Terrace and Chambers	10/12/01	14.50	45	652.5	9.0	100	11.46	0.007	0.004
2659	161012	River Terrace and Warren	10/12/01	15.00	45	675.0	4.0	100	5.10	<LOD	0.004
2660	171012	North End and Park Place	10/12/01	15.00	45	675.0	10.0	100	12.74	0.007	0.004
2661	181012	Vesey and River Terrace	10/12/01	15.00	45	675.0	6.0	100	7.64	0.004	0.004
2672	191012	Trinity Place and Thames	10/12/01	14.70	49	720.3	8.5	100	10.83	0.006	0.004
2665	201012	Vesey and West Broadway	10/12/01	14.85	49	727.7	9.0	100	11.46	0.006	0.004
2662	FB1	Field Blank 1	10/12/01	0.00	0	0.0	0.0	100	0.00	N/A	N/A
2663	FB2	Field Blank 2	10/12/01	0.00	0	0.0	0.0	100	0.00	N/A	N/A

ELAP ID No. 11750 Expires 12:01 AM, April 1, 2002 Analysis Method: Phase Contrast Microscopy, NIOSH Method 7400
Limit of Quantitation (LOQ) = 102 [Fiber/mm^2]
Limit of Detection (LOD) = 7 [Fiber/mm^2]

Analysis Performed By: Marek Pawlik
Marek Pawlik
Laboratory Director

CITY_21MC100_002967397