NYC 9/11 Public Portal Document

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205
BOHEMIA, N.Y. 11716
Phone: (631) 467-8477 Fax: (631) 467-6905

AMERICA'S TEST LAB!

Prepared Exclusively For:
NYCDEP-Emergency Response & Tech Assmt.
96-05 Horace Harding Expressway
Corona , NY 11368
(718) 595-4650
MR. M. FAWZY, DIRECTOR

PEDNEAULT ASSOCIATES, INC.
1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB NUMBER: 01090386

PROJECT ID : WORLD TRADE CENTER-5 Boro Sampling

DATE RECEIVED	RELEASE DATE	REPORT DATE
9/29/01	10/2/01	10/2/01

COLLECT DATE:	SAMPLE ID#:	MATRIX:	SAMPLE ORIGIN:
9/29/01 4:43 PM	01090386-001	AIR\GAS	BROADWAY AVE & 31st ST. , QUEENS

PARAMETER	METHOD	RESULT	UNITS
Aluminum (Al)	OSHA ID 121/125G	0.06	mg/m3
Antimony (Sb)	OSHA ID 121/125G	0.64	mg/m3
Arsenic (As)	OSHA ID 121/125G	0.11	mg/m3
Barium (Ba)	OSHA ID 121/125G	0.01	mg/m3
Beryllium (Be)	OSHA ID 121/125G	<0.01	mg/m3
Cadmium (Cd)	OSHA ID 121/125G	<0.01	mg/m3
Calcium (Ca)	OSHA ID 121/125G	1.55	mg/m3
Chromium (Cr)	OSHA ID 121/125G	<0.01	mg/m3
Copper (Cu)	OSHA ID 121/125G	0.03	mg/m3
Iron (Fe)	OSHA ID 121/125G	0.12	mg/m3
Lead (Pb)	OSHA ID 121/125G	<0.01	mg/m3
Magnesium (Mg)	OSHA ID 121/125G	0.31	mg/m3
Manganese (Mn)	OSHA ID 121/125G	<0.01	mg/m3
Mercury (Hg)	OSHA ID 121/245.5	<0.01	mg/m3
Nickel (Ni)	OSHA ID 121/125G	<0.01	mg/m3
Potassium (K)	OSHA ID 121/125G	0.05	mg/m3
Selenium (Se)	OSHA ID 121/125G	0.15	mg/m3
Silver (Ag)	OSHA ID 121/125G	<0.01	mg/m3
Sodium (Na)	OSHA ID 121/125G	2.47	mg/m3
Thallium (Tl)	OSHA ID 121/125G	0.02	mg/m3
Zinc (Zn)	OSHA ID 121/125G	<0.01	mg/m3

John Pedneault
Lab Director

Reported results are reflective of TOTAL, Metals @ 2L per min/15 min run.

NYS ELAP #10224
MWBE #46075

CITY_21MC100_011080367

NYC-WTC_000286223

Prepared Exclusively For:
NYCDEP-Emergency Response & Tech Assmt.
96-05 Horace Harding Expressway
Corona , NY 11368
(718) 595-4650
MR. M. FAWZY, DIRECTOR

PEDNEAULT ASSOCIATES, INC.
1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB NUMBER: 01090386

PROJECT ID : WORLD TRADE CENTER-5 Boro Sampling

DATE RECEIVED		RELEASE DATE	REPORT DATE
9/29/01		10/2/01	10/2/01
COLLECT DATE:	**SAMPLE ID#:**	**MATRIX:**	**SAMPLE ORIGIN:**
9/29/01 5:30 PM	01090386-002	AIR\GAS	138th St. & 3rd AVENUE, BRONX

PARAMETER	METHOD	RESULT	UNITS
Aluminum (Al)	OSHA ID 121/125G	0.01	mg/m3
Antimony (Sb)	OSHA ID 121/125G	0.34	mg/m3
Arsenic (As)	OSHA ID 121/125G	0.05	mg/m3
Barium (Ba)	OSHA ID 121/125G	0.01	mg/m3
Beryllium (Be)	OSHA ID 121/125G	<0.01	mg/m3
Cadmium (Cd)	OSHA ID 121/125G	<0.01	mg/m3
Calcium (Ca)	OSHA ID 121/125G	1.39	mg/m3
Chromium (Cr)	OSHA ID 121/125G	<0.01	mg/m3
Copper (Cu)	OSHA ID 121/125G	0.01	mg/m3
Iron (Fe)	OSHA ID 121/125G	0.07	mg/m3
Lead (Pb)	OSHA ID 121/125G	<0.01	mg/m3
Magnesium (Mg)	OSHA ID 121/125G	0.26	mg/m3
Manganese (Mn)	OSHA ID 121/125G	0.06	mg/m3
Mercury (Hg)	OSHA ID 121/245.5	<0.01	mg/m3
Nickel (Ni)	OSHA ID 121/125G	<0.01	mg/m3
Potassium (K)	OSHA ID 121/125G	0.02	mg/m3
Selenium (Se)	OSHA ID 121/125G	0.01	mg/m3
Silver (Ag)	OSHA ID 121/125G	0.01	mg/m3
Sodium (Na)	OSHA ID 121/125G	2.34	mg/m3
Thallium (Tl)	OSHA ID 121/125G	0.01	mg/m3
Zinc (Zn)	OSHA ID 121/125G	0.01	mg/m3

John Pedneault
Lab Director

Reported results are reflective of TOTAL, Metals @ 2L per min/15 min run.

NYS ELAP #10224
MWBE #46075

CITY_21MC100_011080368

NYC 9/11 Public Portal Document

Prepared Exclusively For:

NYCDEP-Emergency Response & Tech Assmt.

96-05 Horace Harding Expressway

Corona , NY 11368

(718) 595-4650

MR. M. FAWZY, DIRECTOR

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB NUMBER: 01090386

PROJECT ID : WORLD TRADE CENTER-5 Boro Sampling

DATE RECEIVED		RELEASE DATE	REPORT DATE
9/29/01		10/2/01	10/2/01
COLLECT DATE:	**SAMPLE ID#:**	**MATRIX:**	**SAMPLE ORIGIN:**
9/29/01 6:00 PM	01090386-003	AIR\GAS	CENTAL PARK N. & LENOX , MANHATTAN

PARAMETER	METHOD	RESULT	UNITS
Aluminum (Al)	OSHA ID 121/125G	0.02	mg/m3
Antimony (Sb)	OSHA ID 121/125G	0.20	mg/m3
Arsenic (As)	OSHA ID 121/125G	0.03	mg/m3
Barium (Ba)	OSHA ID 121/125G	0.01	mg/m3
Beryllium (Be)	OSHA ID 121/125G	<0.01	mg/m3
Cadmium (Cd)	OSHA ID 121/125G	<0.01	mg/m3
Calcium (Ca)	OSHA ID 121/125G	1.48	mg/m3
Chromium (Cr)	OSHA ID 121/125G	<0.01	mg/m3
Copper (Cu)	OSHA ID 121/125G	0.02	mg/m3
Iron (Fe)	OSHA ID 121/125G	0.05	mg/m3
Lead (Pb)	OSHA ID 121/125G	<0.01	mg/m3
Magnesium (Mg)	OSHA ID 121/125G	0.32	mg/m3
Manganese (Mn)	OSHA ID 121/125G	<0.01	mg/m3
Mercury (Hg)	OSHA ID 121/245.5	<0.01	mg/m3
Nickel (Ni)	OSHA ID 121/125G	<0.01	mg/m3
Potassium (K)	OSHA ID 121/125G	0.08	mg/m3
Selenium (Se)	OSHA ID 121/125G	0.03	mg/m3
Silver (Ag)	OSHA ID 121/125G	<0.01	mg/m3
Sodium (Na)	OSHA ID 121/125G	2.19	mg/m3
Thallium (Tl)	OSHA ID 121/125G	0.03	mg/m3
Zinc (Zn)	OSHA ID 121/125G	0.01	mg/m3

John Pedneault
Lab Director

Reported results are reflective of TOTAL, Metals @ 2L per min/15 min run.

NYS ELAP #10224
MWBE #46075

CITY_21MC100_011080369

NYC-WTC_000286225

Prepared Exclusively For:

NYCDEP-Emergency Response & Tech Assmt.

96-05 Horace Harding Expressway

Corona , NY 11368

(718) 595-4650

MR. M. FAWZY, DIRECTOR

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB NUMBER: 01090386

PROJECT ID : WORLD TRADE CENTER-5 Boro Sampling

DATE RECEIVED		RELEASE DATE	REPORT DATE
9/29/01		10/2/01	10/2/01
COLLECT DATE:	**SAMPLE ID#:**	**MATRIX:**	**SAMPLE ORIGIN:**
9/29/01 7:15 PM	01090386-004	AIR\GAS	BERRY ST. & NORTH 11th ST, BROOKLYN

PARAMETER	METHOD	RESULT	UNITS
Aluminum (Al)	OSHA ID 121/125G	0.03	mg/m3
Antimony (Sb)	OSHA ID 121/125G	0.12	mg/m3
Arsenic (As)	OSHA ID 121/125G	<0.01	mg/m3
Barium (Ba)	OSHA ID 121/125G	0.01	mg/m3
Beryllium (Be)	OSHA ID 121/125G	<0.01	mg/m3
Cadmium (Cd)	OSHA ID 121/125G	<0.01	mg/m3
Calcium (Ca)	OSHA ID 121/125G	1.62	mg/m3
Chromium (Cr)	OSHA ID 121/125G	<0.01	mg/m3
Copper (Cu)	OSHA ID 121/125G	0.03	mg/m3
Iron (Fe)	OSHA ID 121/125G	0.13	mg/m3
Lead (Pb)	OSHA ID 121/125G	<0.01	mg/m3
Magnesium (Mg)	OSHA ID 121/125G	0.34	mg/m3
Manganese (Mn)	OSHA ID 121/125G	<0.01	mg/m3
Mercury (Hg)	OSHA ID 121/245.5	<0.01	mg/m3
Nickel (Ni)	OSHA ID 121/125G	<0.01	mg/m3
Potassium (K)	OSHA ID 121/125G	0.15	mg/m3
Selenium (Se)	OSHA ID 121/125G	<0.01	mg/m3
Silver (Ag)	OSHA ID 121/125G	<0.01	mg/m3
Sodium (Na)	OSHA ID 121/125G	2.77	mg/m3
Thallium (Tl)	OSHA ID 121/125G	0.01	mg/m3
Zinc (Zn)	OSHA ID 121/125G	0.03	mg/m3

John Pedneault
Lab Director

Reported results are reflective of TOTAL, Metals @ 2L per min/15 min run.

NYS ELAP #10224
MWBE #46075

CITY_21MC100_011080370

Prepared Exclusively For:	***PEDNEAULT ASSOCIATES, INC.***
NYCDEP-Emergency Response & Tech Assmt.	*1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716*
96-05 Horace Harding Expressway	**LAB NUMBER:** 01090386
Corona , NY 11368	**PROJECT ID :** WORLD TRADE CENTER-5 Boro Sampling
(718) 595-4650	
MR. M. FAWZY, DIRECTOR	

DATE RECEIVED		**RELEASE DATE**	**REPORT DATE**
9/29/01		10/2/01	10/2/01
CO' LECT DATE:	**SAMPLE ID#:**	**MATRIX:**	**SAMPLE ORIGIN:**
9/29/01 7:53 PM	01090386-005	AIR\GAS	ATLANTIC AVE. & SMITH ST., BROOKLYN

PARAMETER	METHOD	RESULT	UNITS
Aluminum (Al)	OSHA ID 121/125G	0.04	mg/m3
Antimony (Sb)	OSHA ID 121/125G	0.20	mg/m3
Arsenic (As)	OSHA ID 121/125G	<0.01	mg/m3
Barium (Ba)	OSHA ID 121/125G	0.01	mg/m3
Beryllium (Be)	OSHA ID 121/125G	<0.01	mg/m3
Cadmium (Cd)	OSHA ID 121/125G	<0.01	mg/m3
Calcium (Ca)	OSHA ID 121/125G	1.76	mg/m3
Chromium (Cr)	OSHA ID 121/125G	0.01	mg/m3
Copper (Cu)	OSHA ID 121/125G	0.03	mg/m3
Iron (Fe)	OSHA ID 121/125G	0.96	mg/m3
Lead (Pb)	OSHA ID 121/125G	<0.01	mg/m3
Magnesium (Mg)	OSHA ID 121/125G	0.34	mg/m3
Manganese (Mn)	OSHA ID 121/125G	0.13	mg/m3
Mercury (Hg)	OSHA ID 121/245.5	<0.01	mg/m3
Nickel (Ni)	OSHA ID 121/125G	<0.01	mg/m3
Potassium (K)	OSHA ID 121/125G	0.12	mg/m3
Selenium (Se)	OSHA ID 121/125G	<0.01	mg/m3
Silver (Ag)	OSHA ID 121/125G	0.02	mg/m3
Sodium (Na)	OSHA ID 121/125G	<0.01	mg/m3
Thallium (Tl)	OSHA ID 121/125G	<0.01	mg/m3
Zinc (Zn)	OSHA ID 121/125G	0.02	mg/m3

John Pedneault
Lab Director

Reported results are reflective of TOTAL, Metals @ 2L per min/15 min run.

NYS ELAP #10224
MWBE #46075

NYC 9/11 Public Portal Document

Prepared Exclusively For:

NYCDEP-Emergency Response & Tech Assmt.
96-05 Horace Harding Expressway
Corona , NY 11368
(718) 595-4650
MR. M. FAWZY, DIRECTOR

PEDNEAULT ASSOCIATES, INC.
1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB NUMBER: 01090386

PROJECT ID : WORLD TRADE CENTER-5 Boro Sampling

DATE RECEIVED	RELEASE DATE	REPORT DATE
9/29/01	10/2/01	10/2/01

COLLECT DATE:	SAMPLE ID#:	MATRIX:	SAMPLE ORIGIN:
9/29/01 8:45 PM	01090386-006	AIR\GAS	BAY ST & VICTORY BLVD., STATEN ISLAND

PARAMETER	METHOD	RESULT	UNITS
Aluminum (Al)	OSHA ID 121/125G	<0.01	mg/m3
Antimony (Sb)	OSHA ID 121/125G	0.05	mg/m3
Arsenic (As)	OSHA ID 121/125G	<0.01	mg/m3
Barium (Ba)	OSHA ID 121/125G	0.01	mg/m3
Beryllium (Be)	OSHA ID 121/125G	<0.01	mg/m3
Cadmium (Cd)	OSHA ID 121/125G	<0.01	mg/m3
Calcium (Ca)	OSHA ID 121/125G	1.26	mg/m3
Chromium (Cr)	OSHA ID 121/125G	<0.01	mg/m3
Copper (Cu)	OSHA ID 121/125G	0.01	mg/m3
Iron (Fe)	OSHA ID 121/125G	0.05	mg/m3
Lead (Pb)	OSHA ID 121/125G	<0.01	mg/m3
Magnesium (Mg)	OSHA ID 121/125G	0.26	mg/m3
Manganese (Mn)	OSHA ID 121/125G	0.01	mg/m3
Mercury (Hg)	OSHA ID 121/245.5	<0.01	mg/m3
Nickel (Ni)	OSHA ID 121/125G	<0.01	mg/m3
Potassium (K)	OSHA ID 121/125G	0.03	mg/m3
Selenium (Se)	OSHA ID 121/125G	<0.01	mg/m3
Silver (Ag)	OSHA ID 121/125G	<0.01	mg/m3
Sodium (Na)	OSHA ID 121/125G	1.48	mg/m3
Thallium (Tl)	OSHA ID 121/125G	<0.01	mg/m3
Zinc (Zn)	OSHA ID 121/125G	<0.01	mg/m3

John Pedneault
Lab Director

Reported results are reflective of TOTAL, Metals @ 2L per min/15 min run.

NYS ELAP #10224
MWBE #46075

CITY_21MC100_011080372

NYC-WTC_000286228

Prepared Exclusively For:	***PEDNEAULT ASSOCIATES, INC.***
NYCDEP-Emergency Response & Tech Assmt.	*1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716*
96-05 Horace Harding Expressway	**LAB NUMBER:** 01090386
Corona , NY 11368	**PROJECT ID :** WORLD TRADE CENTER-5 Boro Sampling
(718) 595-4650	
MR. M. FAWZY, DIRECTOR	

DATE RECEIVED	RELEASE DATE	REPORT DATE
9/29/01	10/2/01	10/2/01

COLLECT DATE:	SAMPLE ID#:	MATRIX:	SAMPLE ORIGIN:
9/29/01 4:30 PM	01090386-007	AIR\GAS	TRIP BLANKS

PARAMETER	METHOD	RESULT	UNITS
Aluminum (Al)	OSHA ID 121/125G	<0.01	mg/m3
Antimony (Sb)	OSHA ID 121/125G	0.06	mg/m3
Arsenic (As)	OSHA ID 121/125G	<0.01	mg/m3
Barium (Ba)	OSHA ID 121/125G	0.02	mg/m3
Beryllium (Be)	OSHA ID 121/125G	<0.01	mg/m3
Cadmium (Cd)	OSHA ID 121/125G	<0.01	mg/m3
Calcium (Ca)	OSHA ID 121/125G	1.21	mg/m3
Chromium (Cr)	OSHA ID 121/125G	<0.01	mg/m3
Copper (Cu)	OSHA ID 121/125G	0.02	mg/m3
Iron (Fe)	OSHA ID 121/125G	0.02	mg/m3
Lead (Pb)	OSHA ID 121/125G	<0.01	mg/m3
Magnesium (Mg)	OSHA ID 121/125G	0.27	mg/m3
Manganese (Mn)	OSHA ID 121/125G	0.04	mg/m3
Mercury (Hg)	OSHA ID 121/245.5	<0.01	mg/m3
Nickel (Ni)	OSHA ID 121/125G	<0.01	mg/m3
Potassium (K)	OSHA ID 121/125G	<0.01	mg/m3
Selenium (Se)	OSHA ID 121/125G	0.02	mg/m3
Silver (Ag)	OSHA ID 121/125G	<0.01	mg/m3
Sodium (Na)	OSHA ID 121/125G	0.75	mg/m3
Thallium (Tl)	OSHA ID 121/125G	0.01	mg/m3
Zinc (Zn)	OSHA ID 121/125G	<0.01	mg/m3

John Pedneault
Lab Director

Reported results are reflective of TOTAL, Metals @ 2L per min/15 min run.

NYS ELAP #10224
MWBE #46075