NYC 9/11 Public Portal Document

DATE: 09/28/01

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
PERIMETER SAMPLES								
09/12/01	10912/A207001	GREENWICH & CHAMBERS ST.	AMBIENT	95	950		0.080	overload
09/12/01	10912/A207002	CENTRE & CHAMBERS ST.	AMBIENT	90	900		0.016	123.73
09/12/01	10912/A207003	SPRUCE & GOLD ST	AMBIENT	95	950		0.040	157.48
09/12/01	10912/A207004	BROADWAY & WORTH ST	AMBIENT	50	500		0.010	44.99
09/12/01	10912/A207005	W.BROADWAY & WORTH ST	AMBIENT	35	350		0.010	11.25
PERIMETER SAMPLES								
09/13/01	10913/A207001	MURRAY & CHURCH ST.	AMBIENT	25	375		0.220	overload
09/13/01	10913/A207002	FULTON & CHURCH ST.	AMBIENT	40	600		0.100	overload
09/13/01	10913/A207003	MURRAY & GREENWICH ST.	AMBIENT	40	600	0.008	<LOQ	
09/13/01	10913/A207005	LIBERTY & CHURCH ST.	AMBIENT	30	450	0.01	<LOQ	
09/13/01	10913/A207004	WASHINGTON & CEDAR ST.	AMBIENT	30	450	0.01	<LOQ	
PERIMETER SAMPLES								
09/14/01	10914/A003001	MURRAY & CHURCH ST.	AMBIENT	40	600	0.008	<LOQ	
09/14/01	10914/A003002	FULTON & CHURCH ST.	AMBIENT	40	600		0.007	
09/14/01	10914/A003007	MURRAY & GREENWICH ST.	AMBIENT	50	750	0.006	<LOQ	
09/14/01	10914/A003003	LIBERTY & CHURCH ST.	AMBIENT	40	600		0.020	14.32
09/14/01	10914/A003004	CEDAR & TRINTY PL	AMBIENT	39	585		0.027	overload
09/14/01	10914/A003008	MURRAY BETWEEN CHURCH & BROADWAY	AMBIENT	40	600		0.002	
09/14/01	10914/A003009	FULTON BETWEEN CHURCH & BROADWAY	AMBIENT	30	450	0.01	<LOQ	
HOT ZONE SAMPLES								
09/14/01	10914/A003005	1 LIBERTY PLAZA - APPROX. 50 FT FROM EXPLOSION	AMBIENT	50	750	0.007	<LOQ	
09/14/01	10914/A003006	PARK & GREENWICH ST.- APPROX. 50 FT. FROM EXPLOSION	AMBIENT	35	525		0.009	<6.56
DEP FACILITY								
09/14/01	10914/A207006	184 AVE D. DEP PUMPING STATION - FOUR BAY AREA	INDOOR	65	975		0.005	
PERIMETER SAMPLES								
09/15/01	10915/A307001	MURRAY & CHURCH ST.	AMBIENT	35	525		0.022	120.18
09/15/01	302-1	FULTON & CHURCH ST.	AMBIENT	40	600		0.034	overload
09/15/01	LAB3#2	MURRAY & GREENWICH ST.	AMBIENT	45	675		0.031	overload
09/15/01	LAB1#2	LIBERTY & BROADWAY	AMBIENT	50	750		0.008	overload
09/15/01	LAB3#3	CEDAR & BROADWAY	AMBIENT	30	450		0.033	overload
09/15/01	10915/A307003	BROADWAY & MURRAY ST	AMBIENT	30	450		0.045	overload
09/15/01	10915/A307002	MURRAY BETWEEN CHURCH & BROADWAY	AMBIENT	50	750		0.024	overload
09/15/01	LAB1#1	FULTON BETWEEN CHURCH & BROADWAY	AMBIENT	45	675		0.035	131.23
HOT ZONE SAMPLES								
09/15/01	LAB3#1	GREENWICH & PARK PL	AMBIENT	30	450		0.076	overload

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

CITY_DEP_WORBY_CANNATA_SUBP_000033480

NYC-WTC_000307306

NYC 9/11 Public Portal Document

DATE: 09/28/01

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
09/15/01	302-2	VESEY BETWEEN CHURCH & GREENWICH ST.	AMBIENT	40	450		0.035	overload
PERIMETER SAMPLES								
09/16/01	10916/A207003	MURRAY & CHURCH ST.	AMBIENT	30	450		0.030	78.74
09/16/01	302/002	FULTON & CHURCH ST.	AMBIENT	40	600		0.030	overload
09/16/01	LAB1#1	MURRAY & GREENWICH ST.	AMBIENT	45	675		0.013	78.74
09/16/01	10916/A307001	LIBERTY ST. & BROADWAY	AMBIENT	35	525		0.010	overload
09/16/01	10916/A307002	CEDAR ST. & BROADWAY	AMBIENT	40	600		0.030	overload
09/16/01	10916/A207004	MURRAY BETWEEN CHURCH & BROADWAY	AMBIENT	45	675		0.050	overload
09/16/01	302/003	FULTON BET WEEN CHURCH & BROADWAY	AMBIENT	40	600		0.030	121.69
HOT ZONE SAMPLES								
09/16/01	LAB1#2	WASHINGTON & PARK PL	AMBIENT	30	450		0.038	102.36
09/16/01	302/001	VESEY ST BETWEEN CHURCH & W.BROADWAY	AMBIENT	40	600		0.024	overload
INDOOR SAMPLES								
09/16/01	10916/A207001	CITY HALL, 2ND FL. OUTSIDE JULIE MENDIK'S OFFICE	INDOOR	120	1800		0.022	overload
09/16/01	10916/A207002	CITY HALL, 1ST FL - BLUE ROOM	INDOOR	120	1800		0.011	39.37
PERIMETER SAMPLES								
09/17/01	LAB1#1	MURRAY & CHURCH ST.	AMBIENT	45	675		0.013	43.74
09/17/01	302/001	FULTON & CHURCH ST.	AMBIENT	45	675		0.017	overload
09/17/01	LAB3#001	MURRAY & GREENWICH ST.	AMBIENT	45	675		0.012	61.24
09/17/01	10917/A307001	LIBERTY ST. & BROADWAY	AMBIENT	30	450		0.062	overload
HPD BUILDING								
09/17/01	LAB3#1	100 GOLD STREET - LOBBY	AMBIENT	60	900		0.006	22.50
09/17/01	LAB3#2	100 GOLD STREET - 9th FL	AMBIENT	60	900		0.004	<11.25
BATTERY PARK CITY								
09/17/01	10917/A100001	22 RIVER TERRACE, LOBBY	INDOOR	120	1800		0.004	
09/17/01	10917/A100002	22 RIVER TERRACE, 14th FL.	INDOOR	120	1800	0.002	<LOQ	
09/17/01	10917/A307003	41 RIVER TERRACE (TRIBECA POINT) - LOBBY	INDOOR	90	1350	0.002	<LOQ	
09/17/01	10917/A307004	41 RIVER TERRACE (TRIBECA POINT) -PHB	INDOOR	90	1350		0.003	
09/17/01	10917/A307002	400 CHAMBERS STREET (TRIBECA POINT) - LOBBY	INDOOR	120	1800		0.014	19.69
09/17/01	302/002	400 CHAMBERS STREET, 9TH FLOOR	INDOOR	120	1800		0.007	<19.69
09/17/01	302/003	WEST END OF WARREN STREET	AMBIENT	45	675		0.007	
PERIMETER SAMPLES								
09/18/01	10918/A003001	MURRAY & CHURCH ST.	AMBIENT	35	525		0.018	110.24
09/18/01	302/001	FULTON & CHURCH ST.	AMBIENT	40	600		0.027	overload
09/18/01	LAB3#1	MURRAY & GREENWICH ST.	AMBIENT	30	450		0.011	<7.87
09/18/01	10918/A207002	LIBERTY & CHURCH ST.	AMBIENT	30	450		0.021	overload

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

CITY_DEP_WORBY_CANNATA_SUBP_00003481

NYC-WTC_000307307

NYC 9/11 Public Portal Document

DATE: 09/28/01

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
09/18/01	10918/A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675		0.008	52.49
09/18/01	10918/A207001	WEST ST & VESEY ST.	AMBIENT	40	600		0.034	157.48
INDOOR SAMPLES								
09/18/01	10918/A307002	225 RECTOR PL - 11TH FLOOR	INDOOR	90	1350		0.044	overload
09/18/01	302/002	225 RECTOR PL - LOBBY	INDOOR	90	1350		0.030	Insuff. Materials
PERIMETER SAMPLES								
09/19/01	10919/A003001	MURRAY & CHURCH ST.	AMBIENT	45	675		0.014	122.48
09/19/01	302/001	FULTON & CHURCH ST.	AMBIENT	45	675		0.020	overload
09/19/01	10919/A100001	MURRAY & GREENWICH ST.	AMBIENT	40	600	0.008	<LOQ	
09/19/01	10919/A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675	0.007	<LOQ	
BATTERY PARK CITY NORTH END								
09/19/01	302/003	RIVER TERRACE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	
09/19/01	302/002	RIVER TERRACE & CHAMBERS ST	AMBIENT	45	675		0.012	6.75
09/19/01	LAB 3 #5	NORTH END AVE & VESEY ST.	AMBIENT	30	450		0.010	overload
09/19/01	LAB 3 #2	WEST ST & WARREN ST.	AMBIENT	30	450		0.030	149.61
09/19/01	10919/A307002	NORTH END AVE & PARK PL WEST	AMBIENT	45	675		0.050	<8.75
09/19/01	10919/A307003	RIVER TERRACE & VESEY ST	AMBIENT	45	675		0.012	17.50
SOUTH END								
09/19/01	10919/A307004	SOUTH END AVE & ALBANY ST	AMBIENT	45	675		0.013	overload
09/19/01	10919/A307005	RECTOR PL BY THE PARK	AMBIENT	45	675	0.007	<LOQ	
09/19/01	302/004	W. THAMES ST - ALONG WATERFRONT	AMBIENT	45	675	0.007	<LOQ	
09/19/01	302/005	THIRD PL & BATTERY PL - WATERSIDE	AMBIENT	45	675	0.007	<LOQ	
09/19/01	LAB 3 #3	WEST ST & ALBANY	AMBIENT	30	450		0.050	overload
09/19/01	LAB 3 #4	GATEWAY PLAZA PARK AVE	AMBIENT	30	450		0.010	31.50
PERIMETER SAMPLES								
09/20/01	10920/A003001	MURRAY & CHURCH ST.	AMBIENT	45	675	0.007	<LOQ	
09/20/01	302/001	FULTON & CHURCH ST.	AMBIENT	45	675	0.007	<LOQ	
09/20/01	LAB3 # 1	MURRAY & GREENWICH ST.	AMBIENT	30	450	0.01	<LOQ	
09/20/01	10920/A307001	WARREN ST. & NORTH END AVE	AMBIENT	45	675	0.007	<LOQ	
09/20/01	302/002	CEDAR & CHURCH STREETS	AMBIENT	45	675	0.007	<LOQ	
BATTERY PARK CITY NORTH END								
09/20/01	302/005	RIVER TERRACE AND PARK PLACE	AMBIENT	30	450	0.01	<LOQ	
09/20/01	302/006	RIVER TERRACE AND CHAMBERS ST.	AMBIENT	30	450	0.01	<LOQ	
09/20/01	LAB3 #4	WARREN ST. & NORTH END AVE	AMBIENT	30	450	0.01	<LOQ	
09/20/01	LAB3 #5	NORTH END AVE & RIVER TERRACE	AMBIENT	30	450	0.01	<LOQ	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

CITY_DEP_WORBY_CANNATA_SUBP_000033482

NYC-WTC_000307308

NYC 9/11 Public Portal Document

DATE: 09/28/01

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
09/20/01	10920/A307002	NORTH END AVENUE & PARK PL	AMBIENT	45	675	0.007	<LOQ	
09/20/01	10920/A307003	RIVER TERRACE AT THE PARK	AMBIENT	45	675	0.007	<LOQ	
SOUTH END								
09/20/01	10920/A307004	SOUTH END AVENUE AND ALBANY ST.	AMBIENT	45	675	0.007	<LOQ	
09/20/01	10920/A307005	RECTOR PLACE - AT THE PARK	AMBIENT	45	675	0.007	<LOQ	
09/20/01	302/003	WEST THAMES STREET	AMBIENT	35	525	0.009	<LOQ	
09/20/01	302/004	THIRD PLACE & BATTERY PL.	AMBIENT	30	450	0.01	<LOQ	
09/20/01	LAB3 #2	SOUTH END AVE. & THAMES ST.	AMBIENT	30	450	0.01	0.010	15.75
09/20/01	LAB3 #3	GATEWAY PLAZA PARK AVENUE	AMBIENT	35	525	0.009	<LOQ	
PERIMETER SAMPLES								
09/21/01	10921A040001	MURRAY & CHURCH ST.	AMBIENT	45	675	0.007	<LOQ	
09/21/01	302/001.	FULTON & CHURCH ST.	AMBIENT	45	675		0.008	<7.87
09/21/01	LAB3#1	MURRAY & GREENWICH ST.	AMBIENT	35	525	0.009	<LOQ	
09/21/01	10921A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675	0.007	<LOQ	
BATTERY PARK CITY NORTH END								
09/21/01	302/004	RIVER TERRACE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	
09/21/01	302/005	RIVER TERRACE & CHAMBERS ST	AMBIENT	45	675	0.007	<LOQ	
09/21/01	LAB3 #5	NORTH END AVE & RIVER TERRACE	AMBIENT	30	450		0.020	55.12
09/21/01	LAB3#2	WEST ST & WARREN ST.	AMBIENT	35	525		0.010	78.74
09/21/01	10921/A307002	NORTH END AVE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	
09/21/01	10921/A307003	RIVER TERRACE & VESEY ST	AMBIENT	45	675	0.007	<LOQ	
SOUTH END								
09/21/01	10921/A307004	SOUTH END AVE & ALBANY ST	AMBIENT	45	675	0.007	<LOQ	
09/21/01	10921/A307005	RECTOR PL BY THE PARK	AMBIENT	45	675	0.007	<LOQ	
09/21/01	302/003	W. THAMES ST - ALONG WATERFRONT	AMBIENT	40	600	0.008	<LOQ	
09/21/01	302/002	THIRD PL & BATTERY PL - WATERSIDE	AMBIENT	45	675		0.009	78.74
09/21/01	LAB 3 #4	WEST ST & ALBANY	AMBIENT	30	450		<0.011	
09/21/01	LAB 3 #3	GATEWAY PLAZA PARK AVE	AMBIENT	34	510		0.014	overload
PERIMETER SAMPLES								
09/22/01	10922A040001	MURRAY & CHURCH ST.	AMBIENT	40	600		0.010	<7.87
09/22/01	302/001.	FULTON & CHURCH ST.	AMBIENT	45	675		0.008	
09/22/01	LAB3#1	MURRAY & GREENWICH ST.	AMBIENT	30	450		<0.01	
09/22/01	10922A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675		0.009	<8.75
NORTH END								
09/22/01	302/004	RIVER TERRACE & PARK PL WEST	AMBIENT	45	675	<0.007	<LOQ	
09/22/01	302/005	RIVER TERRACE & CHAMBERS ST	AMBIENT	40	600		0.009	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

CITY_DEP_WORBY_CANNATA_SUBP_000033483

NYC-WTC_000307309

NYC 9/11 Public Portal Document

DATE: 09/28/01

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
09/22/01	LAB3 #5	NORTH END AVE & RIVER TERRACE	AMBIENT	30	450	0.01	<0.01	
09/22/01	LAB3#2	WEST ST & WARREN ST.	AMBIENT	30	450	0.01	<0.01	
09/22/01	10922/A307002	NORTH END AVE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	
09/22/01	10922/A307003	RIVER TERRACE & VESEY ST	AMBIENT	45	675	0.007	<LOQ	
SOUTH END								
09/22/01	10922/A307004	SOUTH END AVE & ALBANY ST	AMBIENT	45	675	0.007	<LOQ	
09/22/01	10922/A307005	RECTOR PL BY THE PARK	AMBIENT	45	675	0.007	<LOQ	
09/22/01	302/003	W. THAMES ST - ALONG WATERFRONT	AMBIENT	40	600	0.008	<0.008	
09/22/01	302/002	THIRD PL & BATTERY PL - WATERSIDE	AMBIENT	45	675	0.007	<LOQ	
09/22/01	LAB 3 #4	WEST ST & ALBANY	AMBIENT	40	600		0.010	23.62
09/22/01	LAB 3 #3	GATEWAY PLAZA PARK AVE	AMBIENT	35	525		0.010	<7.87
ST. JOHN'S UNIVERSITY								
09/22/01	10922A003001	101 MURRAY (LOBBY AREA - CAFETERIA)	INDOOR	120	1800		0.003	
09/22/01	10922A003002	101 MURRAY(2ND FLOOR BY ROOM 214)	INDOOR	120	1800	0.003	<0.003	
09/22/01	LAB3#6	101 MURRAY (6TH FLOOR)	INDOOR	120	1800	0.003	<0.003	
09/22/01	LAB3#7	101 MURRAY (10TH FLOOR)	INDOOR	120	1800	0.003	<0.003	
PERIMETER SAMPLES								
09/23/01	10923A040001	MURRAY & CHURCH ST.	AMBIENT	45	675	0.007	<LOQ	
09/23/01	302/001	FULTON & CHURCH ST.	AMBIENT	40	600		0.026	overload
09/23/01	LAB3#1	MURRAY & GREENWICH ST.	AMBIENT	30	450	0.01	<LOQ	
09/23/01	10923/A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675	0.007	<LOQ	
09/23/01	10923A040002	PARK PL. & CHURCH	AMBIENT	45	675		0.010	
09/23/01	302/006	PARK PL. & GREENWICH	AMBIENT	40	600		0.014	
09/23/01	10923A307004	TRINITY PL. & THAMES ST.	AMBIENT	45	675		0.013	overload
BATTERY PARK SAMPLES								
NORTH END								
09/23/01	302/004	RIVER TERRACE & PARK PL WEST	AMBIENT	40	600	0.008	<LOQ	
09/23/01	302/005	RIVER TERRACE & CHAMBERS ST	AMBIENT	40	600	0.008	<LOQ	
09/23/01	LAB3 #3	RIVER TERRACE PARK AREA	AMBIENT	35	525	0.009	<LOQ	
09/23/01	LAB3#2	WEST ST & WARREN ST.	AMBIENT	30	450	0.01	<LOQ	
09/23/01	10923/A307002	NORTH END AVE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	
09/23/01	10923/A307003	RIVER TERRACE & VESEY ST	AMBIENT	45	675	0.007	<LOQ	
SOUTH END								
09/23/01	10923/A307006	SOUTH END AVE & ALBANY ST	AMBIENT	45	675	0.007	<LOQ	
09/23/01	10923/A307005	RECTOR PL BY THE PARK	AMBIENT	45	675		0.029	61.24
09/23/01	302/002	W. THAMES ST - ALONG WATERFRONT	AMBIENT	40	600	0.008	<LOQ	
09/23/01	302/003	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	40	600	0.008	<LOQ	
09/23/01	LAB 3 #4	WEST ST & ALBANY	AMBIENT	30	450	0.01	<LOQ	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

CITY_DEP_WORBY_CANNATA_SUBP_000033484

NYC-WTC_000307310

NYC 9/11 Public Portal Document

DATE: 09/28/01

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
09/23/01	LAB 3 #5	GATEWAY PLAZA PARK AVE	AMBIENT	30	450	0.002	<LOQ	
PERIMETER SAMPLES								
09/24/01	10924A207001	MURRAY & CHURCH ST.	AMBIENT	45	675		0.017	35.00
09/24/01	10924A040001	MURRAY & GREENWICH ST.	AMBIENT	45	675		0.009	
09/24/01	10924A307001	PARK PL. & CHURCH	AMBIENT	45	675		0.007	
09/24/01	302/001	PARK PL. & GREENWICH	AMBIENT	40	600		0.012	<8.75
BATTERY PARK SAMPLES NORTH END								
09/24/01	302/002	RIVER TERRACE & PARK PL WEST	AMBIENT	40	600	0.008	<LOQ	
09/24/01	302/003	RIVER TERRACE & CHAMBERS ST	AMBIENT	40	600	0.008	<LOQ	
09/24/01	10924A040003	RIVER TERRACE PARK & WARREN ST.	AMBIENT	45	675		0.007	
09/24/01	10924A040002	WEST ST & WARREN ST.	AMBIENT	45	675		0.009	
09/24/01	10924A307005	NORTH END AVE & PARK PL WEST	AMBIENT	45	675		0.012	8.75
09/24/01	10924A307004	RIVER TERRACE & VESEY ST	AMBIENT	45	675	0.007	<LOQ	
SOUTH END								
09/24/01	10924A307002	SOUTH END AVE & ALBANY ST	AMBIENT	45	675		0.010	<8.75
09/24/01	10924A307003	RECTOR PL BY THE PARK	AMBIENT	45	675		0.039	131.23
09/24/01	302/004	W. THAMES ST - ALONG WATERFRONT	AMBIENT	40	600	0.008	<LOQ	
09/24/01	302/005	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	40	600	0.008	<LOQ	
09/24/01	10924A040004	WEST ST & ALBANY	AMBIENT	45	675		0.010	78.74
09/24/01	10924A040005	GATEWAY PLAZA PARK AVE	AMBIENT	30	450	0.011	<0.011	
PERIMETER SAMPLES								
09/25/01	10925A307002	MURRAY & CHURCH ST.	AMBIENT	45	675	0.007	<LOQ	
09/25/01	302/001	FULTON & CHURCH ST.	AMBIENT	40	600	0.008	<LOQ	
09/25/01	302/003	MURRAY & GREENWICH ST.	AMBIENT	45	675	0.007	<LOQ	
09/25/01	10925A307003	WARREN ST & NORTH END AVENUE	AMBIENT	40	600	0.008	<LOQ	
09/25/01	10925A307002	PARK PL. & CHURCH	AMBIENT	45	675		0.009	
09/25/01	302/002	PARK PL. & GREENWICH	AMBIENT	40	600		0.009	
09/25/01	10925A003001	TRINITY PL. & THAMES ST.	AMBIENT	40	600	0.008	<LOQ	
BATTERY PARK SAMPLES NORTH END								
09/25/01	302/004	RIVER TERRACE & PARK PL WEST	AMBIENT	40	600	0.008	<LOQ	
09/25/01	302/005	RIVER TERRACE & CHAMBERS ST	AMBIENT	45	675	0.007	<LOQ	
09/25/01	302/006	RIVER TERRACE PARK AREA	AMBIENT	45	675	0.007	<LOQ	
09/25/01	10925A307005	WEST ST & WARREN ST.	AMBIENT	45	675		0.012	
09/25/01	10925A307004	NORTH END AVE & PARK PL WEST	AMBIENT	45	675	0.008	<LOQ	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

CITY_DEP_WORBY_CANNATA_SUBP_000033485

NYC-WTC_000307311

NYC 9/11 Public Portal Document

DATE: 09/28/01

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
09/25/01	10925A307006	RIVER TERRACE & VESEY ST	AMBIENT	40	600	0.008	<LOQ	
SOUTH END								
09/25/01	302/009	SOUTH END AVE & ALBANY ST	AMBIENT	45	675	0.007	<LOQ	
09/25/01	302/010	RECTOR PL BY THE PARK	AMBIENT	45	675	0.007	<LOQ	
09/25/01	302/007	W. THAMES ST - ALONG WATERFRONT	AMBIENT	45	675	0.007	<LOQ	
09/25/01	302/008	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	45	675	0.007	<LOQ	
09/25/01	10925A003002	WEST ST & ALBANY	AMBIENT	40	600	0.008	<LOQ	
09/25/01	10925A003003	GATEWAY PLAZA PARK AVE	AMBIENT	40	600		0.008	
PERIMETER SAMPLES								
09/26/01	302/004	MURRAY & CHURCH ST.	AMBIENT	45	675		0.010	
09/26/01	302/005	FULTON & CHURCH ST.	AMBIENT	35	525		0.078	
09/26/01	302/003	MURRAY & GREENWICH ST.	AMBIENT	45	675		0.008	
09/26/01	10926A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675	0.007	<LOQ	
09/26/01	302/002	PARK PL. & CHURCH	AMBIENT	45	675		0.008	
09/26/01	302/001	PARK PL. & GREENWICH	AMBIENT	45	675		0.008	
09/26/01	10926A307004	TRINITY PL. & THAMES ST.	AMBIENT	35	525	0.009	<LOQ	
09/26/01	10926A307009	VESEY & WEST ST.	AMBIENT	45	675		0.011	
BATTERY PARK SAMPLES								
NORTH END								
09/26/01	302/008	RIVER TERRACE & PARK PL WEST	AMBIENT	35	525	0.009	<LOQ	
09/26/01	302009	RIVER TERRACE & CHAMBERS ST	AMBIENT	35	525		0.017	
09/26/01	302/010	RIVER TERRACE PARK AREA	AMBIENT	35	525	0.009	<LOQ	
09/26/01	302/011	WEST ST & WARREN ST.	AMBIENT	35	525	0.009	<LOQ	
09/26/01	10926A307002	NORTH END AVE & PARK PL WEST	AMBIENT	40	600	0.008	<LOQ	
09/26/01	10926A307003	RIVER TERRACE & VESEY ST	AMBIENT	35	525	0.009	<LOQ	
SOUTH END								
09/26/01	10926A307006	SOUTH END AVE & ALBANY ST	AMBIENT	35	525	0.009	<LOQ	
09/26/01	10926A307008	RECTOR PL BY THE PARK	AMBIENT	35	525	0.009	<LOQ	
09/26/01	302/006	W. THAMES ST - ALONG WATERFRONT	AMBIENT	35	525	0.009	<LOQ	
09/26/01	302/007	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	35	525	0.009	<LOQ	
09/26/01	10926A307007	WEST ST & ALBANY	AMBIENT	35	525		0.014	
09/26/01	10926A307005	GATEWAY PLAZA PARK AVE	AMBIENT	35	525		0.023	
PERIMETER SAMPLES								
09/27/01	302/001	PARK PL. & CHURCH	AMBIENT	35	525		0.050	
09/27/01	302/002	MURRAY & CHURCH ST.	AMBIENT	40	600		0.016	
09/27/01	302/003	PARK PL. & GREENWICH	AMBIENT	35	525		0.014	
09/27/01	302/004	MURRAY & GREENWICH ST.	AMBIENT	40	600	0.008	<LOQ	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

CITY_DEP_WORBY_CANNATA_SUBP_000033486

NYC-WTC_000307312

NYC 9/11 Public Portal Document

DATE: 09/28/01

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
09/27/01	302/005	FULTON & CHURCH ST.	AMBIENT	35	525		0.010	
09/27/01	302/006	TRINITY PL. & THAMES ST.	AMBIENT	35	525	0.009	<LOQ	
09/27/01	302/007	WARREN ST & NORTH END AVENUE	AMBIENT	35	525	0.009	<LOQ	
09/27/01	10927A207002	VESEY & WEST ST.	AMBIENT	35	525		0.018	
09/27/01	10927A207003	VESEY & WEST ST.	AMBIENT	35	525		0.016	
BATTERY PARK SAMPLES								
NORTH END								
09/27/01	302/008	RIVER TERRACE & PARK PL WEST	AMBIENT	35	525	0.009	<LOQ	
09/27/01	302/009	RIVER TERRACE & CHAMBERS ST	AMBIENT	35	525		0.014	
09/27/01	302/010	RIVER TERRACE PARK AREA	AMBIENT	35	525	0.009	<LOQ	
09/27/01	302/011	WEST ST & WARREN ST.	AMBIENT	35	525		0.009	
09/27/01	302/012	NORTH END AVE & PARK PL WEST	AMBIENT	35	525	0.009	<LOQ	
09/27/01	302/013	RIVER TERRACE & VESEY ST	AMBIENT	35	525	0.009	<LOQ	
SOUTH END								
09/27/01	LAB3-001	SOUTH END AVE & ALBANY ST	AMBIENT	40	600	0.008	<LOQ	
09/27/01	LAB3-002	RECTOR PL BY THE PARK	AMBIENT	35	525	0.009	<LOQ	
09/27/01	LAB3-003	W. THAMES ST - ALONG WATERFRONT	AMBIENT	40	600	0.008	<LOQ	
09/27/01	LAB3-004	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	45	675	0.007	<LOQ	
09/27/01	LAB3-005	WEST ST & ALBANY	AMBIENT	45	675	0.007	<LOQ	
09/27/01	LAB3-006	GATEWAY PLAZA PARK AVE	AMBIENT	35	525	0.009	<LOQ	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

CITY_DEP_WORBY_CANNATA_SUBP_000033487

NYC-WTC_000307313

NYC 9/11 Public Portal Document

WORLD TRADE CENTER AIR MONITORING TABLE

/01

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
09/16/01	10916/A207002	CITY HALL. 1ST FL - BLUE ROOM	INDOOR	120	1800		0.011	39.37
PERIMETER SAMPLES								
09/17/01	LAB1#1	MURRAY & CHURCH ST.	AMBIENT	45	675		0.013	43.74
09/17/01	302/001	FULTON & CHURCH ST.	AMBIENT	45	675		0.017	overload
09/17/01	LAB3#001	MURRAY & GREENWICH ST.	AMBIENT	45	675		0.012	61.24
09/17/01	10917/A307001	LIBERTY ST. & BROADWAY	AMBIENT	30	450		0.062	overload
HPD BUILDING								
09/17/01	LAB3#1	100 GOLD STREET - LOBBY	AMBIENT	60	900		0.006	22.50
09/17/01	LAB3#2	100 GOLD STREET - 9th FL	AMBIENT	60	900		0.006	<11.25
BATTERY PARK CITY								
09/17/01	10917/A100001	22 RIVER TERRACE, LOBBY	INDOOR	120	1800		0.004	
09/17/01	10917/A100002	22 RIVER TERRACE, 14th FL.	INDOOR	120	1800	0.002	<LOQ	
09/17/01	10917/A307003	41 RIVER TERRACE (TRIBECA POINT) - LOBBY	INDOOR	90	1350	0.002	<LOQ	
09/17/01	10917/A307004	41 RIVER TERRACE (TRIBECA POINT) -PHB	INDOOR	90	1350		0.003	
09/17/01	10917/A307002	400 CHAMBERS STREET (TRIBECA POINT) - LOBBY	INDOOR	120	1800		0.014	19.69
09/17/01	302/002	400 CHAMBERS STREET, 9TH FLOOR	INDOOR	120	1800		0.007	<19.69
09/17/01	302/003	WEST END OF WARREN STREET	AMBIENT	45	675		0.007	
PERIMETER SAMPLES								
09/18/01	10918/A003001	MURRAY & CHURCH ST.	AMBIENT	35	525		0.018	110.24
09/18/01	302/001	FULTON & CHURCH ST.	AMBIENT	40	600		0.027	overload
09/18/01	LAB3#1	MURRAY & GREENWICH ST.	AMBIENT	30	450		0.010	<7.87
09/18/01	10918/A207002	LIBERTY & CHURCH ST.	AMBIENT	30	450		0.021	overload
09/18/01	10918/A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675		0.008	52.49
09/18/01	10918/A207001	WEST ST & VESEY ST.	AMBIENT	40	600		0.034	157.48
INDOOR SAMPLES								

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

CITY_DEP_WORBY_CANNATA_SUBP_000033488

NYC-WTC_000307314

NYC 9/11 Public Portal Document

WORLD TRADE CENTER AIR MONITORING TABLE

/01

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
09/18/01	10918/A307002	225 RECTOR PL - 11TH FLOOR	INDOOR	90	1350		0.044	overload
09/18/01	302/002	225 RECTOR PL - LOBBY	INDOOR	90	1350		0.030	nsuff. Material
PERIMETER SAMPLES								
09/19/01	10919/A003001	MURRAY & CHURCH ST.	AMBIENT	45	675		0.014	122.48
09/19/01	302/001	FULTON & CHURCH ST.	AMBIENT	45	675		0.020	overload
09/19/01	10919/A100001	MURRAY & GREENWICH ST.	AMBIENT	40	600	0.008	<LOQ	
09/19/01	10919/A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675	0.007	<LOQ	
BATTERY PARK CITY								
NORTH END								
09/19/01	302/003	RIVER TERRACE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	
09/19/01	302/002	RIVER TERRACE & CHAMBERS ST	AMBIENT	45	675		0.012	6.75
09/19/01	LAB 3 #5	NORTH END AVE & VESEY ST.	AMBIENT	30	450		0.010	overload
09/19/01	LAB 3 #2	WEST ST & WARREN ST.	AMBIENT	30	450		0.030	149.61
09/19/01	10919/A307002	NORTH END AVE & PARK PL WEST	AMBIENT	45	675		0.050	<8.75
09/19/01	10919/A307003	RIVER TERRACE & VESEY ST	AMBIENT	45	675		0.012	17.50
SOUTH END								
09/19/01	10919/A307004	SOUTH END AVE & ALBANY ST	AMBIENT	45	675		0.013	overload
09/19/01	10919/A307005	RECTOR PL BY THE PARK	AMBIENT	45	675	0.007	<LOQ	
09/19/01	302/004	W. THAMES ST - ALONG WATERFRONT	AMBIENT	45	675	0.007	<LOQ	
09/19/01	302/005	THIRD PL & BATTERY PL - WATERSIDE	AMBIENT	45	675	0.007	<LOQ	
09/19/01	LAB 3 #3	WEST ST & ALBANY	AMBIENT	30	450		0.050	overload
09/19/01	LAB 3 #4	GATEWAY PLAZA PARK AREA	AMBIENT	30	450		0.010	31.50
PERIMETER SAMPLES								
09/20/01	10920/A003001	MURRAY & CHURCH ST.	AMBIENT	45	675	0.007	<LOQ	
09/20/01	302/001	FULTON & CHURCH ST.	AMBIENT	45	675	0.007	<LOQ	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

CITY_DEP_WORBY_CANNATA_SUBP_000033489

NYC-WTC_000307315

NYC 9/11 Public Portal Document

WORLD TRADE CENTER AIR MONITORING TABLE

/01

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
09/20/01	LAB3 #1	MURRAY & GREENWICH ST.	AMBIENT	30	450	0.01	<LOQ	
09/20/01	10920/A307001	WARREN ST. & NORTH END AVE	AMBIENT	45	675	0.007	<LOQ	
09/20/01	302/002	CEDAR & CHURCH STREETS	AMBIENT	45	675	0.007	<LOQ	
BATTERY PARK CITY								
NORTH END								
09/20/01	302/005	RIVER TERRACE AND PARK PLACE	AMBIENT	30	450	0.01	<LOQ	
09/20/01	302/006	RIVER TERRACE AND CHAMBERS ST.	AMBIENT	30	450	0.01	<LOQ	
09/20/01	LAB3 #4	WARREN ST. & NORTH END AVE	AMBIENT	30	450	0.01	<LOQ	
09/20/01	LAB3 #5	NORTH END AVE & RIVER TERRACE	AMBIENT	30	450	0.01	<LOQ	
09/20/01	10920/A307002	NORTH END AVENUE & PARK PL	AMBIENT	45	675	0.007	<LOQ	
09/20/01	10920/A307003	RIVER TERRACE AT THE PARK	AMBIENT	45	675	0.007	<LOQ	
SOUTH END								
09/20/01	10920/A307004	SOUTH END AVENUE AND ALBANY ST.	AMBIENT	45	675	0.007	<LOQ	
09/20/01	10920/A307005	RECTOR PLACE - AT THE PARK	AMBIENT	45	675	0.007	<LOQ	
09/20/01	302/003	WEST THAMES STREET	AMBIENT	35	525	0.009	<LOQ	
09/20/01	302/004	THIRD PLACE & BATTERY PL.	AMBIENT	30	450	0.01	<LOQ	
09/20/01	LAB3 #2	SOUTH END AVE. & THAMES ST.	AMBIENT	30	450	0.01	0.010	15.75
09/20/01	LAB3 #3	GATEWAY PLAZA PARK AREA	AMBIENT	35	525	0.009	<LOQ	
PERIMETER SAMPLES								
09/21/01	10921A040001	MURRAY & CHURCH ST.	AMBIENT	45	675	0.007	<LOQ	
09/21/01	302/001.	FULTON & CHURCH ST.	AMBIENT	45	675		0.008	<7.87
09/21/01	LAB3#1	MURRAY & GREENWICH ST.	AMBIENT	35	525	0.009	<LOQ	
09/21/01	10921A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675	0.007	<LOQ	
BATTERY PARK CITY								
NORTH END								
09/21/01	302/004	RIVER TERRACE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

CITY_DEP_WORBY_CANNATA_SUBP_00003490

NYC-WTC_000307316

NYC 9/11 Public Portal Document

WORLD TRADE CENTER AIR MONITORING TABLE

/01

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
09/21/01	302/005	RIVER TERRACE & CHAMBERS ST	AMBIENT	45	675	0.007	<LOQ	
09/21/01	LAB3 #5	NORTH END AVE & RIVER TERRACE	AMBIENT	30	450		0.020	55.12
09/21/01	LAB3#2	WEST ST & WARREN ST.	AMBIENT	35	525		0.010	78.74
09/21/01	10921/A307002	NORTH END AVE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	
09/21/01	10921/A307003	RIVER TERRACE & VESEY ST	AMBIENT	45	675	0.007	<LOQ	
SOUTH END								
09/21/01	10921/A307004	SOUTH END AVE & ALBANY ST	AMBIENT	45	675	0.007	<LOQ	
09/21/01	10921/A307005	RECTOR PL BY THE PARK	AMBIENT	45	675	0.007	<LOQ	
09/21/01	302/003	W. THAMES ST - ALONG WATERFRONT	AMBIENT	40	600	0.008	<LOQ	
09/21/01	302/002	THIRD PL & BATTERY PL - WATERSIDE	AMBIENT	45	675		0.009	78.74
09/21/01	LAB 3 #4	WEST ST & ALBANY	AMBIENT	30	450		<0.011	
09/21/01	LAB 3 #3	GATEWAY PLAZA PARK AREA	AMBIENT	34	510		0.014	overload
PERIMETER SAMPLES								
09/22/01	10922A040001	MURRAY & CHURCH ST.	AMBIENT	40	600		0.010	<7.87
09/22/01	302/001.	FULTON & CHURCH ST.	AMBIENT	45	675		0.008	
09/22/01	LAB3#1	MURRAY & GREENWICH ST.	AMBIENT	30	450		<0.01	
09/22/01	10922A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675		0.009	<8.75
NORTH END								
09/22/01	302/004	RIVER TERRACE & PARK PL WEST	AMBIENT	45	675	<0.007	<LOQ	
09/22/01	302/005	RIVER TERRACE & CHAMBERS ST	AMBIENT	40	600		0.009	
09/22/01	LAB3 #3	WARREN & RIVER TERRACE PARK AREA	AMBIENT	30	450	0.01	<0.01	
09/22/01	LAB3#2	WEST ST & WARREN ST.	AMBIENT	30	450	0.01	<0.01	
09/22/01	10922/A307002	NORTH END AVE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	
09/22/01	10922/A307003	RIVER TERRACE & VESEY ST	AMBIENT	45	675	0.007	<LOQ	
SOUTH END								
09/22/01	10922/A307004	SOUTH END AVE & ALBANY ST	AMBIENT	45	675	0.007	<LOQ	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

CITY_DEP_WORBY_CANNATA_SUBP_000033491

NYC-WTC_000307317

NYC 9/11 Public Portal Document

WORLD TRADE CENTER AIR MONITORING TABLE

/01

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
09/22/01	10922/A307005	RECTOR PL BY THE PARK	AMBIENT	45	675	0.007	<LOQ	
09/22/01	302/002	THIRD PL & BATTERY PL - WATERSIDE	AMBIENT	45	675	0.007	<LOQ	
09/22/01	302/003	W. THAMES ST - ALONG WATERFRONT	AMBIENT	40	600	0.008	<0.008	
09/22/01	LAB 3 #4	WEST ST & ALBANY	AMBIENT	40	600		0.010	23.62
09/22/01	LAB 3 #5	GATEWAY PLAZA PARK AREA	AMBIENT	35	525		0.010	6.67
ST. JOHN'S UNIVERSITY								
09/22/01	10922A003001	101 MURRAY (LOBBY AREA - CAFETERIA)	INDOOR	120	1800		0.003	
09/22/01	10922A003002	101 MURRAY(2ND FLOOR BY ROOM 214)	INDOOR	120	1800	0.003	<0.003	
09/22/01	LAB3#6	101 MURRAY (6TH FLOOR)	INDOOR	120	1800	0.003	<0.003	
09/22/01	LAB3#7	101 MURRAY (10TH FLOOR)	INDOOR	120	1800	0.003	<0.003	
PERIMETER SAMPLES								
09/23/01	10923A040001	MURRAY & CHURCH ST.	AMBIENT	45	675	0.007	<LOQ	
09/23/01	302/001	FULTON & CHURCH ST.	AMBIENT	40	600		0.026	overload
09/23/01	LAB3#1	MURRAY & GREENWICH ST.	AMBIENT	30	450	0.01	<LOQ	
09/23/01	10923/A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675	0.007	<LOQ	
09/23/01	10923A040002	PARK PL. & CHURCH	AMBIENT	45	675		0.010	<8.00
09/23/01	302/006	PARK PL. & GREENWICH	AMBIENT	40	600		0.014	7.27
09/23/01	10923A307004	TRINITY PL. & THAMES ST.	AMBIENT	45	675		0.013	overload
BATTERY PARK SAMPLES								
NORTH END								
09/23/01	302/004	RIVER TERRACE & PARK PL WEST	AMBIENT	40	600	0.008	<LOQ	
09/23/01	302/005	RIVER TERRACE & CHAMBERS ST	AMBIENT	40	600	0.008	<LOQ	
09/23/01	LAB3 #3	RIVER TERRACE PARK AREA BETWEEEN PARK PL & WARR	AMBIENT	35	525	0.009	<LOQ	
09/23/01	LAB3#2	WEST ST & WARREN ST.	AMBIENT	30	450	0.008	<LOQ	
09/23/01	10923/A307002	NORTH END AVE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	
09/23/01	10923/A307003	RIVER TERRACE & VESEY ST	AMBIENT	45	675	0.007	<LOQ	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

CITY_DEP_WORBY_CANNATA_SUBP_000033492

NYC-WTC_000307318

NYC 9/11 Public Portal Document

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
SOUTH END								
09/23/01	10923/A307006	SOUTH END AVE & ALBANY ST	AMBIENT	45	675	0.007	<LOQ	
09/23/01	10923/A307005	RECTOR PL BY THE PARK	AMBIENT	45	675		0.029	61.24
09/23/01	302/002	W. THAMES ST - ALONG WATERFRONT	AMBIENT	40	600	0.008	<LOQ	
09/23/01	302/003	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	40	600	0.008	<LOQ	
09/23/01	LAB 3 #4	WEST ST & ALBANY	AMBIENT	30	450	0.01	<LOQ	
09/23/01	LAB 3 #5	GATEWAY PLAZA PARK AREA	AMBIENT	30	450	0.002	<LOQ	
PERIMETER SAMPLES								
09/24/01	10924A207001	MURRAY & CHURCH ST.	AMBIENT	45	675		0.017	35.00
09/24/01	10924A040001	MURRAY & GREENWICH ST.	AMBIENT	45	675		0.009	
09/24/01	10924A307001	PARK PL. & CHURCH	AMBIENT	45	675		0.007	
09/24/01	302/001	PARK PL. & GREENWICH	AMBIENT	40	600		0.012	<8.75
BATTERY PARK SAMPLES								
NORTH END								
09/24/01	302/002	RIVER TERRACE & PARK PL WEST	AMBIENT	40	600	0.008	<LOQ	
09/24/01	302/003	RIVER TERRACE & CHAMBERS ST	AMBIENT	40	600	0.008	<LOQ	
09/24/01	10924A040003	RIVER TERRACE PARK AREA BETWEEEN PARK PL & WARR	AMBIENT	45	675		0.007	
09/24/01	10924A040002	WEST ST & WARREN ST.	AMBIENT	45	675		0.009	
09/24/01	10924/A307005	NORTH END AVE & PARK PL WEST	AMBIENT	45	675		0.012	8.75
09/24/01	10924/A307004	RIVER TERRACE & VESEY ST	AMBIENT	45	675	0.007	<LOQ	
SOUTH END								
09/24/01	10924/A307002	SOUTH END AVE & ALBANY ST	AMBIENT	45	675		0.010	<8.75
09/24/01	10924A307003	RECTOR PL BY THE PARK	AMBIENT	45	675		0.039	131.23
09/24/01	302/004	W. THAMES ST - ALONG WATERFRONT	AMBIENT	40	600	0.008	<LOQ	
09/24/01	302/005	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	40	600	0.008	<LOQ	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

CITY_DEP_WORBY_CANNATA_SUBP_000033493

NYC-WTC_000307319

NYC 9/11 Public Portal Document

WORLD TRADE CENTER AIR MONITORING TABLE

/01

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
09/24/01	10924/A040004	WEST ST & ALBANY	AMBIENT	45	675		0.010	78.74
09/24/01	10924A040005	GATEWAY PLAZA PARK AREA	AMBIENT	30	450	0.011	<0.011	
PERIMETER SAMPLES								
09/25/01	10925A307002	MURRAY & CHURCH ST.	AMBIENT	45	675	0.007	<LOQ	
09/25/01	302/001	FULTON & CHURCH ST.	AMBIENT	40	600	0.008	<LOQ	
09/25/01	302/003	MURRAY & GREENWICH ST.	AMBIENT	45	675	0.007	<LOQ	
09/25/01	10925A307003	WARREN ST & NORTH END AVENUE	AMBIENT	40	600	0.008	<LOQ	
09/25/01	10925A307001	PARK PL. & CHURCH	AMBIENT	45	675		0.009	
09/25/01	302/002	PARK PL. & GREENWICH	AMBIENT	40	600		0.009	
09/25/01	10925A003001	TRINITY PL. & THAMES ST.	AMBIENT	40	600	0.008	<LOQ	
BATTERY PARK SAMPLES								
NORTH END								
09/25/01	302/004	RIVER TERRACE & PARK PL WEST	AMBIENT	40	600	0.008	<LOQ	
09/25/01	302/005	RIVER TERRACE & CHAMBERS ST	AMBIENT	45	675	0.007	<LOQ	
09/25/01	302/006	RIVER TERRACE PARK AREA BETWEEEN PARK PL & WARR	AMBIENT	45	675	0.007	<LOQ	
09/25/01	10925A307005	WEST ST & WARREN ST.	AMBIENT	45	675		0.012	8.00
09/25/01	10925A307004	NORTH END AVE & PARK PL WEST	AMBIENT	45	675	0.008	<LOQ	
09/25/01	10925A307006	RIVER TERRACE & VESEY ST	AMBIENT	40	600	0.008	<LOQ	
SOUTH END								
09/25/01	302/009	SOUTH END AVE & ALBANY ST	AMBIENT	45	675	0.007	<LOQ	
09/25/01	302/010	RECTOR PL BY THE PARK	AMBIENT	45	675	0.007	<LOQ	
09/25/01	302/007	W. THAMES ST - ALONG WATERFRONT	AMBIENT	45	675	0.007	<LOQ	
09/25/01	302/008	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	45	675	0.007	<LOQ	
09/25/01	10925A003002	WEST ST & ALBANY	AMBIENT	40	600	0.008	<LOQ	
09/25/01	10925A003003	GATEWAY PLAZA PARK AREA	AMBIENT	40	600		0.008	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

CITY_DEP_WORBY_CANNATA_SUBP_000033494

NYC-WTC_000307320

NYC 9/11 Public Portal Document

WORLD TRADE CENTER AIR MONITORING TABLE

/01

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
PERIMETER SAMPLES								
09/26/01	302/004	MURRAY & CHURCH ST.	AMBIENT	45	675		0.010	<8.00
09/26/01	302/005	FULTON & CHURCH ST.	AMBIENT	35	525		0.078	<6.67
09/26/01	302/003	MURRAY & GREENWICH ST.	AMBIENT	45	675		0.008	
09/26/01	10926A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675	0.007	<LOQ	
09/26/01	302/002	PARK PL. & CHURCH	AMBIENT	45	675		0.008	
09/26/01	302/001	PARK PL. & GREENWICH	AMBIENT	45	675		0.011	<8.00
09/26/01	10926A307004	TRINITY PL. & THAMES ST.	AMBIENT	35	525	0.009	<LOQ	
09/26/01	10926A307009	VESEY & WEST ST.	AMBIENT	45	675		0.011	16.00
BATTERY PARK SAMPLES								
NORTH END								
09/26/01	302/008	RIVER TERRACE & PARK PL WEST	AMBIENT	35	525	0.009	<LOQ	
09/26/01	302009	RIVER TERRACE & CHAMBERS ST	AMBIENT	35	525		0.017	<6.67
09/26/01	302/010	RIVER TERRACE PARK AREA BETWEEN PARK PL & WARR	AMBIENT	35	525	0.009	<LOQ	
09/26/01	302/011	WEST ST & WARREN ST.	AMBIENT	35	525	0.009	<LOQ	
09/26/01	10926A307002	NORTH END AVE & PARK PL WEST	AMBIENT	40	600	0.008	<LOQ	
09/26/01	10926A307003	RIVER TERRACE & VESEY ST	AMBIENT	35	525	0.009	<LOQ	
SOUTH END								
09/26/01	10926A307006	SOUTH END AVE & ALBANY ST	AMBIENT	35	525	0.009	<LOQ	
09/26/01	10926A307008	RECTOR PL BY THE PARK	AMBIENT	35	525	0.009	<LOQ	
09/26/01	302/006	W. THAMES ST - ALONG WATERFRONT	AMBIENT	35	525	0.009	<LOQ	
09/26/01	302/007	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	35	525	0.009	<LOQ	
09/26/01	10926A307007	WEST ST & ALBANY	AMBIENT	35	525		0.014	20.00
09/26/01	10926A307005	GATEWAY PLAZA PARK AREA	AMBIENT	35	525		0.023	13.33
PERIMETER SAMPLES								
09/27/01	302/001	PARK PL. & CHURCH	AMBIENT	35	525		0.050	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

CITY_DEP_WORBY_CANNATA_SUBP_000033495

NYC-WTC_000307321

NYC 9/11 Public Portal Document

WORLD TRADE CENTER AIR MONITORING TABLE

/01

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
09/27/01	302/002	MURRAY & CHURCH ST.	AMBIENT	40	600		0.016	
09/27/01	302/003	PARK PL. & GREENWICH	AMBIENT	35	525		0.014	
09/27/01	302/004	MURRAY & GREENWICH ST.	AMBIENT	40	600	0.008	<LOQ	
09/27/01	302/005	FULTON & CHURCH ST.	AMBIENT	35	525		0.010	
09/27/01	302/006	TRINITY PL. & THAMES ST.	AMBIENT	35	525	0.009	<LOQ	
09/27/01	302/007	WARREN ST & NORTH END AVENUE	AMBIENT	35	525	0.009	<LOQ	
09/27/01	10927A207002	VESEY & WEST ST.	AMBIENT	35	525		0.018	60.00
09/27/01	10927A207003	VESEY & WEST ST.	AMBIENT	35	525		0.016	60.00
BATTERY PARK SAMPLES								
NORTH END								
09/27/01	302/008	RIVER TERRACE & PARK PL WEST	AMBIENT	35	525	0.009	<LOQ	
09/27/01	302/009	RIVER TERRACE & CHAMBERS ST	AMBIENT	35	525		0.014	
09/27/01	302/010	RIVER TERRACE PARK AREA BETWEEEN PARK PL & WARR	AMBIENT	35	525	0.009	<LOQ	
09/27/01	302/011	WEST ST & WARREN ST.	AMBIENT	35	525		0.009	
09/27/01	302/012	NORTH END AVE & PARK PL WEST	AMBIENT	35	525	0.009	<LOQ	
09/27/01	302/013	RIVER TERRACE & VESEY ST	AMBIENT	35	525	0.009	<LOQ	
SOUTH END								
09/27/01	LAB3-001	SOUTH END AVE & ALBANY ST	AMBIENT	40	600	0.008	<LOQ	
09/27/01	LAB3-002	RECTOR PL BY THE PARK	AMBIENT	35	525	0.009	<LOQ	
09/27/01	LAB3-003	W. THAMES ST - ALONG WATERFRONT	AMBIENT	40	600	0.008	<LOQ	
09/27/01	LAB3-004	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	45	675	0.007	<LOQ	
09/27/01	LAB3-005	WEST ST & ALBANY	AMBIENT	45	675	0.007	<LOQ	
09/27/01	LAB3-006	GATEWAY PLAZA PARK AREA	AMBIENT	35	525	0.009	<LOQ	
PERIMETER SAMPLES								
09/28/01	10928A307001	PARK PL. & CHURCH	AMBIENT	35	525	0.009	<LOQ	
09/28/01	10928A307004	MURRAY & CHURCH ST.	AMBIENT	35	525	0.009	<LOQ	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

CITY_DEP_WORBY_CANNATA_SUBP_000033496

NYC-WTC_000307322

NYC 9/11 Public Portal Document

WORLD TRADE CENTER AIR MONITORING TABLE

/01

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
09/28/01	10928A307002	PARK PL. & GREENWICH	AMBIENT	35	525	0.009	<LOQ	
09/28/01	10928A307003	MURRAY & GREENWICH ST.	AMBIENT	35	525	0.009	<LOQ	
09/28/01	302/001	FULTON & CHURCH ST.	AMBIENT	35	525		0.059	
09/28/01	302/002	TRINITY PL. & THAMES ST.	AMBIENT	35	525		0.036	
09/28/01	10928A307005	WARREN ST & NORTH END AVENUE	AMBIENT	35	525	0.009	<LOQ	
BATTERY PARK SAMPLES								
NORTH END								
09/28/01	10928A307007	RIVER TERRACE & PARK PL WEST	AMBIENT	35	525	0.009	<LOQ	
09/28/01	10928A307006	RIVER TERRACE & CHAMBERS ST	AMBIENT	35	525	0.009	<LOQ	
09/28/01	10928A307009	WEST ST & WARREN ST.	AMBIENT	35	525	0.009	<LOQ	
09/28/01	302/004	NORTH END AVE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	
09/28/01	10928A307008	RIVER TERRACE & VESEY ST	AMBIENT	45	675	0.007	<LOQ	
SOUTH END								
09/28/01	LAB3-005	SOUTH END AVE & ALBANY ST	AMBIENT	35	525		0.012	
09/28/01	LAB3-004	RECTOR PL BY THE PARK	AMBIENT	40	600	0.008	<LOQ	
09/28/01	LAB3-001	W. THAMES ST - ALONG WATERFRONT	AMBIENT	35	525	0.009	<LOQ	
09/28/01	LAB3-002	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	40	600	0.008	<LOQ	
09/28/01	302/003	WEST ST AVE & ALBANY	AMBIENT	35	525		0.020	
09/28/01	LAB3-006	GATEWAY PLAZA PARK AREA	AMBIENT	35	525	0.009	<LOQ	
09/28/01	302/005	REAR COURTYARD GATEWAY PLAZA	AMBIENT	35	525	0.009	<LOQ	
09/28/01	302/006	PROMENADE IN FRONT OF STEAMER LANDING	AMBIENT	35	525	0.009	<LOQ	
09/28/01	LAB3-003	THIRD PL & W. THAMES AREA	AMBIENT	35	525	0.009	<LOQ	
PERIMETER SAMPLES								
09/29/01	302/004	PARK PL. & CHURCH	AMBIENT	35	525		0.020	16.00

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

TRIAL VERSION

CITY_DEP_WORBY_CANNATA_SUBP_000033497

NYC-WTC_000307323

NYC 9/11 Public Portal Document

WORLD TRADE CENTER AIR MONITORING TABLE

/01

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
09/29/01	302/003	MURRAY & CHURCH ST.	AMBIENT	35	525		0.041	40.00
09/29/01	302/002	PARK PL. & GREENWICH	AMBIENT	35	525	0.009	<LOQ	
09/29/01	302/001	MURRAY & GREENWICH ST.	AMBIENT	35	525	0.009	<LOQ	
09/29/01	302/005	FULTON & CHURCH ST.	AMBIENT	35	525		0.015	<8.00
09/29/01	302/007	TRINITY PL. & THAMES ST.	AMBIENT	35	525		0.058	
09/29/01	LAB-006	WARREN ST & NORTH END AVENUE	AMBIENT	35	525	0.009	<LOQ	
BATTERY PARK SAMPLES								
NORTH END								
09/29/01	10929A003003	RIVER TERRACE & PARK PL WEST	AMBIENT	35	525	0.007	<LOQ	
09/29/01	10929A003001	RIVER TERRACE & CHAMBERS ST	AMBIENT	45	675	0.007	<LOQ	
09/29/01	10929A003002	RIVER TERRACE PARK AREA BETWEEEN PARK PL & WARR	AMBIENT	45	675	0.007	<LOQ	
09/29/01	302/008	WEST ST & WARREN ST.	AMBIENT	35	525	0.008	<LOQ	
09/29/01	10929A003004	RIVER TERRACE & VESEY ST	AMBIENT	45	675	0.007	<LOQ	
SOUTH END								
09/29/01	LAB3-005	SOUTH END AVE & ALBANY ST	AMBIENT	35	525		0.020	6.67
09/29/01	LAB3-004	RECTOR PL BY THE PARK	AMBIENT	35	525	0.009	<LOQ	
09/29/01	LAB3-002	W. THAMES ST PARK AREA - ALONG WATERFRONT	AMBIENT	35	525		0.013	<6.67
09/29/01	LAB3-001	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	35	525		0.015	<6.67
09/29/01	302/006	WEST ST & ALBANY	AMBIENT	35	525		0.082	80.00
09/29/01	LAB3-007	GATEWAY PLAZA PARK AREA	AMBIENT	45	675		0.020	
09/29/01	LAB3-003	THIRD PL & W. THAMES AREA	AMBIENT	40	600	0.008	<LOQ	
PERIMETER SAMPLES								
09/30/01	302/004	PARK PL. & CHURCH	AMBIENT	35	525		0.024	
09/30/01	302/003	MURRAY & CHURCH ST.	AMBIENT	35	525		0.042	
09/30/01	302/002	PARK PL. & GREENWICH	AMBIENT	35	525	0.009	<LOQ	
09/30/01	302/001	MURRAY & GREENWICH ST.	AMBIENT	35	525	0.009	<LOQ	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

CITY_DEP_WORBY_CANNATA_SUBP_000033498

NYC-WTC_000307324

NYC 9/11 Public Portal Document

WORLD TRADE CENTER AIR MONITORING TABLE

/01

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
09/30/01	302/005	FULTON & CHURCH ST.	AMBIENT	35	525		0.011	
09/30/01	10930A307/005	TRINITY PL. & THAMES ST.	AMBIENT	45	675		0.076	
09/30/01	10930A307/001	WARREN ST & NORTH END AVENUE	AMBIENT	35	525	0.009	<LOQ	
BATTERY PARK SAMPLES								
NORTH END								
09/30/01	10930A307/007	RIVER TERRACE & PARK PL WEST	AMBIENT	35	525	0.009	<LOQ	
09/30/01	10930A307/006	RIVER TERRACE & CHAMBERS ST	AMBIENT	35	525	0.009	<LOQ	
09/30/01	10930A307/003	RIVER TERRACE PARK AREA BETWEEEN PARK PL & WARR	AMBIENT	30	450	0.011	<LOQ	
09/30/01	10930A307/002	WEST ST & WARREN ST.	AMBIENT	35	525	0.009	<LOQ	
09/30/01	LAB3/001	RIVER TERRACE & VESEY ST	AMBIENT	40	600	0.008	<LOQ	
SOUTH END								
09/30/01	LAB3/003	SOUTH END AVE & ALBANY ST	AMBIENT	35	525		0.031	
09/30/01	LAB3/004	RECTOR PL BY THE PARK	AMBIENT	35	525		0.020	
09/30/01	LAB3/006	W. THAMES ST PARK AREA - ALONG WATERFRONT	AMBIENT	35	525		0.009	
09/30/01	LAB3/005	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	35	525		0.015	
09/30/01	10930A307/004	WEST ST & ALBANY	AMBIENT	35	525		0.022	
09/30/01	LAB3/002	GATEWAY PLAZA PARK AREA	AMBIENT	40	600	0.008	<LOQ	
PERIMETER SAMPLES								
10/01/01	302/003	PARK PL. & CHURCH	AMBIENT	35	525	0.009	<LOQ	
10/01/01	302/004	MURRAY & CHURCH ST.	AMBIENT	35	525	0.009	<LOQ	
10/01/01	302/001	PARK PL. & GREENWICH	AMBIENT	35	525	0.009	<LOQ	
10/01/01	302/002	MURRAY & GREENWICH ST.	AMBIENT	35	525	0.009	<LOQ	
10/01/01	302/005	FULTON & CHURCH ST.	AMBIENT	35	525		0.035	
10/01/01	302/006	TRINITY PL. & THAMES ST.	AMBIENT	45	675		0.015	
10/01/01	1101A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675	0.007	<LOQ	
BATTERY PARK SAMPLES								

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

CITY_DEP_WORBY_CANNATA_SUBP_000033499

NYC-WTC_000307325

NYC 9/11 Public Portal Document

WORLD TRADE CENTER - AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
NORTH END								
10/01/01	1101/RTKA3070	RIVER TERRACE & PARK PL WEST	AMBIENT	45	600	0.008	<LOQ	
10/01/01	1101/RTKA3070	RIVER TERRACE & CHAMBERS ST	AMBIENT	45	675	0.007	<LOQ	
10/01/01	1101/RTKA3070	RIVER TERRACE PARK AREA BETWEEEN PARK PL & WARR	AMBIENT	45	675	0.007	<LOQ	
10/01/01	1101/RTKA3070	NORTH END AVE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	
10/01/01	1101/RTKA3070	WARREN ST & NORTH END AVE	AMBIENT	45	675	0.007	<LOQ	
10/01/01	LAB3-006	RIVER TERRACE & VESEY ST	AMBIENT	35	525	0.009	<LOQ	
SOUTH END								
10/01/01	LAB3-002	SOUTH END AVE & ALBANY ST	AMBIENT	35	525	0.009	<LOQ	
10/01/01	LAB3-003	RECTOR PL BY THE PARK	AMBIENT	35	525	0.009	<LOQ	
10/01/01	LAB3-001	W. THAMES ST PARK AREA - ALONG WATERFRONT	AMBIENT	35	525	0.009	<LOQ	
10/01/01	LAB3-004	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	40	600	0.008	<LOQ	
10/01/01	1101/RTKA3070	WEST ST & ALBANY	AMBIENT	40	600		0.012	
10/01/01	LAB3-005	GATEWAY PLAZA PARK AREA	AMBIENT	35	525	0.009	<LOQ	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

CITY_DEP_WORBY_CANNATA_SUBP_00003500

NYC-WTC_000307326