NYC 9/11 Public Portal Document

ATC ASSOCIATES INC - NEW YORK BULK ASBESTOS ANALYSIS SHEET

104 East 25th Street, 10th Floor . New York, NY 10010 · Phone (212) 353 - 8280, FAX (212) 353 - 3599 or 8306

NVLAP 101187
ELAP 10879
Microscope OLYP BH-2

HS FOR ECONOMICS & FINANCE (M833)

Client / Project NYC-BOE / 100 TRINITY PLACE, NEW YORK, NY 10006 Project No. 14584-0790

Analysis Date 10/04/01 Analyst E. A. CARTER(S) Batch No. 19579

1 Field No. 45	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color ____ Texture ____	Morphology ____ Extinction ____	____ Chrysotile	✓ Cellulose	✓ Mineral Filler	____ Organic
Recommended ☐	Homogenity ____	RI ∥ ____ RI ⊥ ____	____ Amosite	✓ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers ____ Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments: Dust Sample			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☐ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☒ OTHER ☐ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

2 Field No. 46	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color ____ Texture ____	Morphology ____ Extinction ____	____ Chrysotile	✓ Cellulose	✓ Mineral Filler	____ Organic
Recommended ☐	Homogenity ____	RI ∥ ____ RI ⊥ ____	____ Amosite	✓ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers ____ Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments: Dust Sample			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☐ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☒ OTHER ☐ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

3 Field No. 47	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color ____ Texture ____	Morphology ____ Extinction ____	____ Chrysotile	✓ Cellulose	✓ Mineral Filler	____ Organic
Recommended ☐	Homogenity ____	RI ∥ ____ RI ⊥ ____	____ Amosite	✓ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers ____ Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments: Dust Sample			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☐ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☒ OTHER ☐ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

4 Field No. 48	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color ____ Texture ____	Morphology ____ Extinction ____	____ Chrysotile	✓ Cellulose	✓ Mineral Filler	____ Organic
Recommended ☐	Homogenity ____	RI ∥ ____ RI ⊥ ____	____ Amosite	✓ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers ____ Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments: Dust Sample			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☐ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☒ OTHER ☐ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

CITY_21MC100_003274869

NYC-WTC_000330146