NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

OCTOBER 2001

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm^2	S/cc*	EPA GUIDELINE
10/09/01	4PM – 12AM	Pier 25 across from North exit of school	**2**	**1**	42.86	0.0128	70 s/mm^2
		Pier 25 East side by unloading truck area	0	0	NSD < 14.29	<0.0043	
10/10/01	12AM – 8AM	Pier 25 across from North exit of school	0	0	NSD < 16.60	<0.0049	70 s/mm^2
		Pier 25 East side by unloading truck area	0	0	NSD < 16.60	<0.0046	
	8AM – 4PM	Pier 25 across from North exit of school	**1**	0	16.67	0.0045	
		Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	
		Pier 25 East side by unloading truck area	**1**	0	16.67	0.0045	
10/11/01	12AM – 8AM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 across from North exit of school	**1**	0	16.67	0.0047	
		Pier 25 East side by unloading truck area	0	**1**	16.67	0.0047	
	4PM – 12AM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	
		Pier 25 East side by unloading truck area	**1**	0	16.67	0.0045	
10/12/01	12AM – 8AM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	
		Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	
		Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	
10/13/01	12AM – 8AM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	
		Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	
		Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	
10/14/01	12AM – 8AM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	
		Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	

Updated: May 28, 2002 12:45 PM

CITY_21MC100_003258630

NYC-WTC_000339489

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm^2	S/cc*	EPA GUIDELINE
		Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	
10/15/01	12AM – 8AM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0044	
		Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0044	
	4PM – 12AM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	
		Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	
10/16/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/17/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	1	16.67	0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/18/01	12AM – 8AM	Pier 25 - North entrance of HS/East	No report	No report	No report	No report	70 s/mm^2
		Pier 25 - North entrance of HS/West	No report	No report	No report	No report	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0044	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0044	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/19/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	1	0	16.67	0.0044	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0044	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/20/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	1	16.67	0.0045	70 s/mm^2

Updated: May 28, 2002 12:45 PM

CITY_21MC100_003258631

NYC-WTC_000339490

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm²	S/cc*	EPA GUIDELINE
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/21/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/22/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/23/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0046	70 s/mm²
		Pier 25 - North entrance of HS/West	1	0	16.67	0.0046	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/24/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/25/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	

Updated: May 28, 2002 12:45 PM

CITY_21MC100_003258632

NYC-WTC_000339491

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm^2	S/cc*	EPA GUIDELINE
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/26/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/27/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/28/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0047	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0047	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/29/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/30/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	

Updated: May 28, 2002 12:45 PM

CITY_21MC100_003258633

NYC-WTC_000339492

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm^2	S/cc*	EPA GUIDELINE
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/31/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	

CITY_21MC100_003258634

NYC-WTC_000339493

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

NOVEMBER 2001

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm^2	S/cc*	EPA GUIDELINE
11/01/01	12AM – 8AM	Pier 25 - North entrance of HS/East	No report	No report	No report	No report	70 s/mm^2
		Pier 25 - North entrance of HS/West	No report	No report	No report	No report	
	8AM – 4PM	Pier 25 - North entrance of HS/East	No report	No report	No report	No report	
		Pier 25 - North entrance of HS/West	No report	No report	No report	No report	
	4PM – 12AM	Pier 25 - North entrance of HS/East	No report	No report	No report	No report	
		Pier 25 - North entrance of HS/West	No report	No report	No report	No report	
11/02/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/03/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/04/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/05/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/06/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2

CITY_21MC100_003258635

NYC-WTC_000339494

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm²	S/cc*	EPA GUIDELINE
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/07/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	1	0	16.67	0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/08/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	1	16.67	0.0045	
11/09/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	No Report	No Report	No Report	No Report	
		Pier 25 - North entrance of HS/West	No Report	No Report	No Report	No Report	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/10/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/11/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	

Updated: May 28, 2002 12:45 PM

CITY_21MC100_003258636

NYC-WTC_000339495

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm^2	S/cc*	EPA GUIDELINE
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/12/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/13/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/14/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/15/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/16/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	

Updated: May 28, 2002 12:45 PM

CITY_21MC100_00325863 7

NYC-WTC_000339496

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm^2	S/cc*	EPA GUIDELINE
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/17/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/18/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/19/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/20/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/21/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/22/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2

Updated: May 28, 2002 12:45 PM

CITY_21MC100_003258638

NYC-WTC_000339497

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm^2	S/cc*	EPA GUIDELINE
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/23/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/24/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	No Report	No Report	No Report	No Report	
		Pier 25 - North entrance of HS/West	No Report	No Report	No Report	No Report	
11/25/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/26/01	12AM – 8AM	Pier 25 - North entrance of HS/East	No Report	No Report	No Report	No Report	70 s/mm^2
		Pier 25 - North entrance of HS/West	No Report	No Report	No Report	No Report	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/27/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	

Updated: May 28, 2002 12:45 PM

CITY_21MC100_003258639

NYC-WTC_000339498

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm^2	S/cc*	EPA GUIDELINE
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/28/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/29/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/30/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	

CITY_21MC100_003258640

NYC-WTC_000339499

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DECEMBER 2001

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm^2	S/cc*	EPA GUIDELINE
12/01/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/02/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/03/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/04/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.51	<0.0050	
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.51	<0.0050	
12/05/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.51	<0.0050	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.51	<0.0050	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/06/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2

Updated: May 28, 2002 12:45 PM

CITY_21MC100_003258641

NYC-WTC_000339500

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm²	S/cc*	EPA GUIDELINE
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.51	<0.0047	
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.51	<0.0047	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 15.87	<0.0043	
		Pier 25 - North entrance of HS/West	0	0	NSD < 15.87	<0.0043	
12/07/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 15.87	<0.0045	70 s/mm²
		Pier 25 - North entrance of HS/West	0	0	NSD < 15.87	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/08/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/09/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0049	70 s/mm²
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0049	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0049	
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0049	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0049	
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0049	
12/10/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0049	70 s/mm²
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0049	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0049	
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0049	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0049	
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0049	
12/11/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0049	70 s/mm²
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0050	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0050	

Updated: May 28, 2002 12:45 PM

CITY_21MC100_003258642

NYC-WTC_000339501

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm^2	S/cc*	EPA GUIDELINE
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0050	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0050	
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0050	
12/12/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0050	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	, 0	NSD < 18.52	<0.0050	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0050	
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0050	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0050	
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0050	
12/13/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/14/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/15/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/16/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	

Updated: May 28, 2002 12:45 PM

CITY_21MC100_003258643

NYC-WTC_000339502

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm^2	S/cc*	EPA GUIDELINE
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/17/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	, 0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/18/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/ West	0	0	NSD < 16.67	<0.0045	
12/19/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/20/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/21/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/22/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2

Updated: May 28, 2002 12:45 PM

CITY_21MC100_003258644

NYC-WTC_000339503

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm^2	S/cc*	EPA GUIDELINE
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/23/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/24/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	No Report	No Report	No Report	No Report	
		Pier 25 - North entrance of HS/West	No Report	No Report	No Report	No Report	

CITY_21MC100_003258645

Updated: May 28, 2002 12:45 PM

NYC-WTC_000339504

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

JANUARY 2002

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm^2	S/cc*	EPA GUIDELINE
01/02/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/03/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	, 0	NSD < 20.00	<0.0043	
01/04/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/05/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/06/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/07/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/08/02	7 AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/09/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/10/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/11/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/12/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/13/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/14/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/15/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/16/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/17/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0045	70 s/mm^2

Updated: May 28, 2002 12:45 PM

CITY_21MC100_00325864

NYC-WTC_000339505

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm^2	S/cc*	EPA GUIDELINE
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0045	
01/21/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/22/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	, 0	NSD < 20.00	<0.0043	
01/23/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/24/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/25/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/26/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/27/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/28/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/29/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/30/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/31/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	

CITY_21MC100_003258647

Updated: May 28, 2002 12:45 PM

NYC-WTC_000339506

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

FEBRUARY 2002

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	St/mm^2	S/cc*	EPA GUIDELINE
02/01/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/02/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/03/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/04/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/05/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/06/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/07/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/08/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/09/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/10/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/11/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/12/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/13/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/14/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/15/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	

Updated: May 28, 2002 12:45 PM

CITY_21MC100_003258648

NYC-WTC_000339507

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	St/mm^2	S/cc*	EPA GUIDELINE
02/16/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/17/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/18/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	, 0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/19/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/20/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/21/02	7AM – 5PM	Pier 25 - North entrance of HS/East	No report	No report			70 s/mm^2
		Pier 25 - North entrance of HS/West	No report	No report			
02/22/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/23/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/24/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/25/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/26/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/27/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/28/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	

CITY_21MC100_003258649

Updated: May 28, 2002 12:45 PM

NYC-WTC_000339508

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

MARCH 2002

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	St/mm^2	S/cc*	EPA GUIDELINE
03/01/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/02/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/03/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
¾/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/05/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/06/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/07/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/08/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/09/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
03/10/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/11/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
03/12/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/13/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0047	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0047	
03/14/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/15/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0045	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0046	
03/16/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2

Updated: May 28, 2002 12:45 PM

CITY_21MC100_003258650

NYC-WTC_000339509

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	St/mm^2	S/cc*	EPA GUIDELINE
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/17/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/18/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/19/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0045	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0045	
03/20/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
03/21/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/22/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/23/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0040	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0040	
03/24/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/25/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/26/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/27/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/28/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/29/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
03/30/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
3/31/02	7 AM – 5 PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm^2
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
03/21/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2

Updated: May 28, 2002 12:45 PM

CITY_21MC100_003258651

NYC-WTC_000339510

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	St/mm^2	S/cc*	EPA GUIDELINE
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	

CITY_21MC100_00325865 2

Updated: May 28, 2002 12:45 PM

NYC-WTC_000339511

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

APRIL 2002

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	St/mm^2	S/cc*	EPA GUIDELINE
04/01/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/02/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
04/03/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/04/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
04/05/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/06/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
04/07/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
04/08/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	N/A	N/A	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	N/A	N/A	
04/09/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/10/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/11/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/12/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/13/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/14/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/15/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/16/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2

Updated: May 28, 2002 12:45 PM

CITY_21MC100_003258653

NYC-WTC_000339512

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	St/mm^2	S/cc*	EPA GUIDELINE
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/17/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0042	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0042	
04/18/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0040	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0040	
04/19/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/20/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/21/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/22/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0042	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0042	
04/23/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/24/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/25/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 40.00	<0.0086	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/26/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/27/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/28/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/29/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/30/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	

Updated: May 28, 2002 12:45 PM

CITY_21MC100_003258654

NYC-WTC_000339513

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

MAY 2002

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	St/mm^2	S/cc*	EPA GUIDELINE
05/01/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/02/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/03/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/04/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/05/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	
05/06/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/07/02	7AM – 5PM	Pier 25 - North entrance of HS/East	No report	No report			70 s/mm^2
		Pier 25 - North entrance of HS/West	No report	No report			
05/08/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/09/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/10/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/11/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/12/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	
05/13/02	7AM – 5PM	Pier 25 - North entrance of HS/East	No report	No report			70 s/mm^2
		Pier 25 - North entrance of HS/West	No report	No report			
05/14/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/15/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/16/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2

Updated: May 28, 2002 12:45 PM

CITY_21MC100_003258655

NYC-WTC_000339514

NYC 9/11 Public Portal Document

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	St/mm^2	S/cc*	EPA GUIDELINE
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/17/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/18/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/19/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/20/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm^2
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	

NSD = no structures detected

Regulatory standards: All samples were analyzed using transmission electron microscopy (TEM), which provides results that are specific for the presence of asbestos fibers. Using this method, the EPA guideline for acceptable concentrations is **70 structures per square millimeter (s/mm^2)**.

\\hp\wtc_docs\stuyvesant air monitoring results\table of air results for stuyvesant.doc

CITY_21MC100_0032586S6

Updated: May 28, 2002 12:45 PM

NYC-WTC_000339515