NYC 9/11 Public Portal Document

PSC ANALYTICAL SERVICES

INDUSTRIAL HYGIENE ENVIRONMENTAL TESTING

• EPA/NVLAP 101262-0 • NY DOH/NELAC 10903 • NJ DEP PA020
• AIHA ACCREDITATION NO. 100439 • PA DEP 06-353 • CT DPH PH-0238
• NC DENR 599

Analytical Results
for
ATC Associates

WorkOrder: R02060264
Client Reference: 19125-0279, Mercury

Analyte	Concentration (ug)	Concentration (mg/m³)	Concentration (ppm)	Limit of Detection (ug)	Test Method	Date Analyzed /Analyst
Client ID: ATC-0604-234M-Hg1	**Lab ID:** -01A	**Date Sampled:** 6/4/2002		**Matrix:** HTBE		**Air Vol.(L):** 120
Mercury	0.0268	0.000223	--	0.01	N6009M	06/11/2002 JDC
Client ID: ATC-0604-234M-Hg2	**Lab ID:** -02A	**Date Sampled:** 6/4/2002		**Matrix:** HTBE		**Air Vol.(L):** 120
Mercury	0.0258	0.000215	--	0.01	N6009M	06/11/2002 JDC
Client ID: ATC-0604-234M-Hg3	**Lab ID:** -03A	**Date Sampled:** 6/4/2002		**Matrix:** HTBE		**Air Vol.(L):** 120
Mercury	0.0270	0.000225	--	0.01	N6009M	06/11/2002 JDC
Client ID: ATC-0604-234M-Hg4	**Lab ID:** -04A	**Date Sampled:** 6/4/2002		**Matrix:** HTBE		**Air Vol.(L):** 120
Mercury	0.0262	0.000218	--	0.01	N6009M	06/11/2002 JDC
Client ID: ATC-0604-234M-Hg5	**Lab ID:** -05A	**Date Sampled:** 6/4/2002		**Matrix:** HTBE		**Air Vol.(L):** NA
Mercury	0.0260	--	--	0.01	N6009M	06/11/2002 JDC

(a) Analysis indicates possible breakthrough; back section result is greater than 0% of the front section result.

General Notes:
<: Less than the indicated limit of detection (LOD).
--: Information not available or not applicable.
Back sections were checked and showed no significant breakthrough.

CITY_21MC100_000463460

NYC-WTC_000375331