NYC 9/11 Public Portal Document

ATC ASSOCIATES INC.

104 East 25th St., 10th Floor
New York, New York 10010
www.atc-enviro.com
212.353.8280
Fax 212.353.8306

March 20, 2002

Mr. Bernard P. Orlan
Director, Environmental Health and Safety
New York City Board of Education
28-11 Queens Plaza North
Long Island City, NY 11101

Re: Air Sampling for Hydrocarbons
P. S. 150M
ATC Project No. 15-19125-0289

Dear Mr. Orlan:

ATC Associates, Inc. (ATC) is pleased to provide this report of the results of air sampling for hydrocarbon compounds conducted on March 11, 2002, at the referenced school. The New York City Board of Education (BOE) requested this sampling at the recommendation of Environ Corp., the consultant to the parents association.

Scope of Work

ATC collected three (3) samples for hydrocarbon compounds (HC) at specified locations. Samples were collected for a minimum of ten (10) hours using activated coconut shell charcoal tubes connected to battery-powered sampling pumps at a flow rate of 0.2 liters per minute. Pumps were calibrated before and after each sampling period. Two (2) samples were collected from outside the building and one (1) was collected inside. One blank tube was also submitted. The samples were sent to PSC Analytical Services, Inc., an American Industrial Hygiene Association-accredited laboratory in Reading, PA. Analysis was performed by capillary gas chromatography/flame ionization detection (OSHA Method 7).

Tenzin Namgyal and Wagdi Abdelshahid, Industrial Hygienists from ATC's New York City office, collected the samples.

Each sample was analyzed for a panel of sixteen (16) specific HC compounds. These compounds were: pentane, acetone, methylene chloride, hexane, chloroform, methyl chloroform, benzene, 1,2-dichloroethane, trichloroethylene, toluene, perchloroetyhylene (tetrachloroethylene), chlorobenzene, ethylbenzene, styrene, cumene and xylenes. In addition, two non-identified peaks, total other A- hydrocarbons and total other B-hydrocarbons, were reported. The A-hydrocarbons are those, such as gasoline or light alcohols, with boiling points less than that of benzene (176°F). The B-hydrocarbons are those, such as mineral spirits or petroleum naphtha, with boiling points greater than that of benzene. A copy of the analytical report is attached.

The sampling locations were the Plaza (Outdoors), the Main Lobby and the Roof.

NYC-WTC_000375615

NYC 9/11 Public Portal Document

Results

None of the HCs in the panel were present above the limits of detection for the analyses.

ATC appreciates the opportunity to provide this indoor air quality service to the BOE. Please call me at (212) 353-8280 extension 212 if you have any questions.

Sincerely,
ATC Associates, Inc.

James R. Cohn, CIH, CSP
Regional Manager
Industrial Hygiene Division

Attachment

NYC-WTC_000375616