NYC 9/11 Public Portal Document

ATHENICA
ENVIRONMENTAL SERVICES INC.
Tel. (718) 784-7490
Fax. (718) 784-4085

AIRBORNE ASBESTOS ANALYSIS BY TRANSMISSION ELECTRON MICROSCOPY

CLIENT: Warren & Panzer Engineers, P.C.
LABORATORY ID #: T02-09-020
ANALYT. METHODOLOGY: AHERA
FILTER TYPE: M.C.E.
AVERAGE G.O. AREA (mm^2): 0.013771

PROJECT: NYC DEP, 101 Maiden Lane
DATE OF REPORT: 09/08/02
DATE OF ANALYSIS: 09/08/02
EFFECTIVE FILTER AREA (mm^2): 385

LABORATORY RESULTS

CLIENT #	LAB. ID #	LOCATION	VOLUME (lt)	G.O.'s ANALYZED	AREA ANALYZED (mm^2)	ANALYT. SENSITIV. (struct./cm^3)	TOTAL ASBESTOS AIR CONC. (struct./cm^3)	TOTAL ASBESTOS FILTER CONC. (str./mm^2)	AIR CONC. FOR STRUCT. 0.5≤S<5μm	AIR CONC. FOR STRUCT. S≥5.0μm	ASBEST. TYPE CHRYS.	AMPHIB. ASBEST TYPE SPECIFY
01	T02-09-020-2164	On Pearl St. left side	1800	4	0.0551	0.0039	<0.0039	<18.15	NA	NA	NA	NA
02	T02-09-020-2165	On Pearl St. right side	1800	4	0.0551	0.0039	<0.0039	<18.15	NA	NA	NA	NA
03	T02-09-020-2166	On Maiden Lane left side	1800	4	0.0551	0.0039	<0.0039	<18.15	NA	NA	NA	NA
04	T02-09-020-2167	On Maiden Lane center	1800	4	0.0551	0.0039	<0.0039	<18.15	NA	NA	NA	NA
05	T02-09-020-2168	On Maiden Lane right side	1800	4	0.0551	0.0039	<0.0039	<18.15	NA	NA	NA	NA

ANALYST
E. Stoukri

LABORATORY DIRECTOR
Spiro Domaris

LABORATORY CERTIFICATION NUMBERS: NVLAP 101958, ELAP 10955

- Air sampling cassettes will be stored for sixty (60) days. AES Inc., should be notified within this time frame for a true duplicate analysis.
- If AES Inc., did not conduct the sampling, the reported airborne concentration was derived based on information provided by the client. Under these circumstances, the air concentration data is supplied solely for the convenience of the client.
- The report relates only to items tested. This report must not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. Test reports may not be reproduced except in full and with prior approval of AES Inc.
- The liability of Athenica Environmental Services Inc. with respect to the services charged, shall in no event exceed the amount of the invoice.

09/09/2002 11:33 FAX 718 784 4085
003
CONFIDENTIAL INSURANCE INFORMATION.
SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008
CITY_21MC100_002187812
NYC-WTC_000409042