NYC 9/11 Public Portal Document

ATC ASSOCIATES INC.

104 East 25th St., 10th Floor
New York, New York 10010
www.atc-enviro.com
212.353.8280
Fax 212.353.8306

December 27, 2002

Mr. Bernard P. Orlan
New York City Department of Education
Director, Environmental Health & Safety Unit
28-11 Queens Plaza North
Long Island City, NY 11101

Re: Limited settled dust bulk sampling for fiberglass @
H.S. for Leadership & Public Service (M894)
90 Trinity Place
New York, New York 10006
ATC Project No.: 15-14584-0864

Dear Mr. Orlan:

At your request, ATC Associates, Inc. representative Mr.Herant Antonyan visited the High School for Leadership and Public Service (M894) located at 90 Trinity Place, New York, NY 10006 on December 26, 2002. The purpose of the site visit was to perform a settled dust bulk sampling to be analyzed for fiberglass fiber content on areas indicated by the NYC-DOE sampling protocol for the school. These areas are the following:

- 1st Floor Lobby
- Cafeteria
- Auditorium
- Two random classrooms
- Third floor hallway
- Fifth floor hallway
- Seventh floor hallway
- Ninth floor hallway
- Thirteenth floor hallway

Bulk samples of settled dust to be analyzed for fiberglass fiber content were collected only from locations where there was sufficient amount of settled dust for bulk sampling and analysis. The purpose of the dust bulk sampling is to determine if settled dust in the school contains fiberglass fibers.

CONFIDENTIAL, CITY_21MC100_011771324
SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

NYC-WTC_000411370

NYC 9/11 Public Portal Document

As per your request, a total of ten (10) settled dust bulk samples were collected from the aforementioned areas and were analyzed utilizing Polarized Light Microscopy (PLM).

Analytical results indicated that none of the ten (10) collected settled dust bulk samples contain fiberglass fibers.

The settled dust bulk sampling performed was limited to testing for fiberglass in locations outlined in the school's NYC-DOE approved sampling protocol.

Attached please find the following:

- Settled dust bulk sample chain of custody form and laboratory results
- Laboratory and personnel certificates

If you have any questions or require additional information regarding this limited settled dust bulk sampling, please do not hesitate to contact me at (212) 353-8280 extension #211.

Sincerely,

Yiannis Efstathiou
Senior Project Manager

NYC-WTC_000411371