Field Samp	Sample No.	npling Locat	ection Start	Work Shift	ple Volume	Analyte	alytical Meth	Lab	mple Receiv	ME Concent	xceeds Targ	Exceeds EPA	
		Target Air Quality Levels								0.0009	Air Quality	Site Specific	Comments
		EPA Site Specific Trigger Levels								N/A	Levels?	Trigger Levels	?
GS022406-0	030606129-0	#1 100 TRINI	2/24/2006	Abatement	2.916	Asbestos	PCME	EMSL	2/27/2006	< 0.00085	No	No	
GS022406-0	030606129-0	#2 THAMES	2/24/2006	Abatement	2.622	Asbestos	PCME	EMSL	2/27/2006	< 0.00094	No	No	
GS022406-0	030606129-0	#3 GREENW	2/24/2006	Abatement	2.772	Asbestos	PCME	EMSL	2/27/2006	< 0.00089	No	No	
GS022506-0	030606131-0	# 1- 100 TRI	2/25/2006	Abatement	2.904	Asbestos	PCME	EMSL	2/27/2006	< 0.00085	No	No	
GS022506-0	030606131-0	# 2 - THAME	2/25/2006	Abatement	2.886	Asbestos	PCME	EMSL	2/27/2006	< 0.00086	No	No	
GS022506-0	030606131-0	# 3 GREENV	2/25/2006	Abatement	2.742	Asbestos	PCME	EMSL	2/27/2006	< 0.00090	No	No	
GS022606-0	030606130-0	# 1- 100 TRI	2/26/2006	Abatement	2.916	Asbestos	PCME	EMSL	2/27/2006	< 0.00085	No	No	
GS022606-0	030606130-0	# 2 - THAME	2/26/2006	Abatement	2.856	Asbestos	PCME	EMSL	2/27/2006	< 0.00086	No	No	
GS022606-0	030606130-0	# 3 GREENV	2/26/2006	Abatement	2.778	Asbestos	PCME	EMSL	2/27/2006	< 0.00089	No	No	
GS022706-0	030606232-0	# 1- 100 TRI	2/27/2006	Abatement	2.964	Asbestos	PCME	EMSL	2/28/2006	< 0.00083	No	No	
GS022706-0	030606232-0	# 2 - THAME	2/27/2006	Abatement	2.910	Asbestos	PCME	EMSL	2/28/2006	< 0.00085	No	No	
GS022706-0	030606232-0	# 3 GREENV	2/27/2006	Abatement	2.904	Asbestos	PCME	EMSL	2/28/2006	< 0.00085	No	No	
GS022806-0	030606355-0	# 1- 100 TRI	2/28/2006	Abatement	2.892	Asbestos	PCME	EMSL	3/1/2006	< 0.00085	No	No	
GS022806-0	030606355-0	# 2- THAMES	2/28/2006	Abatement	2.916	Asbestos	PCME	EMSL	3/1/2006	< 0.00085	No	No	
GS022806-0	030606355-0	# 3- GREEN	2/28/2006	Abatement	2.880	Asbestos	PCME	EMSL	3/1/2006	< 0.00086	No	No	
GS022806-1	030606355-0	DUPLICATE	2/28/2006	Abatement	2.964	Asbestos	PCME	EMSL	3/1/2006	< 0.00083	No	No	
GS030106-0	030606512-0	#1-100 TRINI	3/1/2006	Abatement	3.036	Asbestos	PCME	EMSL	3/2/2006	< 0.00081	No	No	
GS030106-0	030606512-0	#2-THAMES	3/1/2006	Abatement	2.958	Asbestos	PCME	EMSL	3/2/2006	< 0.00083	No	No	
GS030106-0	030606512-0	#3-GREENW	3/1/2006	Abatement	2.844	Asbestos	PCME	EMSL	3/2/2006	< 0.00087	No	No	
GS030206-0	030606625-0001	#1-100 TRINI	3/2/2006	Abatement	2.910	Asbestos	PCME	EMSL	3/3/2006	< 0.00085	No	No	
GS030206-0	030606625-0002	#2-THAMES	3/2/2006	Abatement	2.916	Asbestos	PCME	EMSL	3/3/2006	< 0.00085	No	No	
GS030206-0	030606625-0003	#3-GREENW	3/2/2006	Abatement	2.868	Asbestos	PCME	EMSL	3/3/2006	< 0.00086	No	No	
2nd Shift 02-24-06 to 03-02-06. No second Shift 2-25 through 2-27.													
2GS022406-0	030606132-0	#1 100 TRINI	2/24/2006	Abatement	3.066	Asbestos	PCME	EMSL	2/27/2006	< 0.00080	No	No	
2GS022406-0	030606132-0	#2 THAMES	2/24/2006	Abatement	2.970	Asbestos	PCME	EMSL	2/27/2006	< 0.00083	No	No	
2GS022406-0	030606132-0	#3 GREENW	2/24/2006	Abatement	3.042	Asbestos	PCME	EMSL	2/27/2006	< 0.00081	No	No	
		# 1- 100 TRI	NITY ROOF	Abatement		Asbestos	PCME	EMSL					
		# 2 - THAME	S STREET	Abatement		Asbestos	PCME	EMSL					
		# 3 GREENW	ICH STREE	Abatement		Asbestos	PCME	EMSL					
		# 1- 100 TRI	NITY ROOF	Abatement		Asbestos	PCME	EMSL					
		# 2 - THAME	S STREET	Abatement		Asbestos	PCME	EMSL					
		# 3 GREENW	ICH STREE	Abatement		Asbestos	PCME	EMSL					
		# 1- 100 TRI	NITY ROOF	Abatement		Asbestos	PCME	EMSL					
		# 2 - THAME	S STREET	Abatement		Asbestos	PCME	EMSL					
		# 3 GREENW	ICH STREE	Abatement		Asbestos	PCME	EMSL					
2GS022806-0	030606362-0	# 1- 100 TRI	2/28/2006	Abatement	2.046	Asbestos	PCME	EMSL	3/1/2006	< 0.00080	No	No	
2GS022806-0	030606362-0	# 2- THAMES	2/28/2006	Abatement	2.046	Asbestos	PCME	EMSL	3/1/2006	< 0.00080	No	No	
2GS022806-0	030606362-0	# 3- GREEN	2/28/2006	Abatement	2.760	Asbestos	PCME	EMSL	3/1/2006	< 0.00083	No	No	
2GS030106-0	030606511-0	#1-100 TRINI	3/1/2006	Abatement	2.916	Asbestos	PCME	EMSL	3/2/2006	< 0.00085	No	No	
2GS030106-0	030606511-0	#2-THAMES	3/1/2006	Abatement	2.910	Asbestos	PCME	EMSL	3/2/2006	< 0.00085	No	No	
2GS030106-0	030606511-0	#3-GREENW	3/1/2006	Abatement	2.898	Asbestos	PCME	EMSL	3/2/2006	< 0.00079	No	No	
2GS030206-0	606627-0001	#1-100 TRINI	3/2/2006	Abatement	2.916	Asbestos	PCME	EMSL	3/3/2006	< 0.00085	No	No	
2GS030206-0	606627-0002	#2-THAMES	3/2/2006	Abatement	2.910	Asbestos	PCME	EMSL	3/3/2006	< 0.00085	No	No	
2GS030206-0	606627-0003	#3-GREENW	3/2/2006	Abatement	2.898	Asbestos	PCME	EMSL	3/3/2006	< 0.00085	No	No	

NYC-WTC_000424036

NYC 9/11 Public Portal Document

Field Samp	Sample No.	npling Locat	llection Dat	Work Shift	ple Volume	Analyte	alytical Meth	Lab	mple Receiv	RA Concent
				Target Air Quality Levels						N/A
				EPA Site Specific Trigger Levels						70
GS022406-0	030606129-0	#1 100 TRINI	2/24/2006	Abatement	2.916	Asbestos	TEM EPA 40	EMSL	2/27/2006	<13
GS022406-0	030606129-0	#2 THAMES	2/24/2006	Abatement	2.622	Asbestos	TEM EPA 40	EMSL	2/27/2006	<13
GS022406-0	030606129-0	#3 GREENW	2/24/2006	Abatement	2.772	Asbestos	TEM EPA 40	EMSL	2/27/2006	<13
GS022506-0	030606131-0	# 1- 100 TRIN	2/25/2006	Abatement	2.904	Asbestos	TEM EPA 40	EMSL	2/27/2006	< 13
GS022506-0	030606131-0	# 2 - THAMES	2/25/2006	Abatement	2.886	Asbestos	TEM EPA 40	EMSL	2/27/2006	< 13
GS022506-0	030606131-0	# 3 GREENW	2/25/2006	Abatement	2.742	Asbestos	TEM EPA 40	EMSL	2/27/2006	< 13
GS022606-0	030606130-0	# 1- 100 TRIN	2/26/2006	Abatement	2.916	Asbestos	TEM EPA 40	EMSL	2/27/2006	< 13
GS022606-0	030606130-0	# 2 - THAMES	2/26/2006	Abatement	2.856	Asbestos	TEM EPA 40	EMSL	2/27/2006	< 13
GS022606-0	030606130-0	# 3 GREENW	2/26/2006	Abatement	2.778	Asbestos	TEM EPA 40	EMSL	2/27/2006	< 13
GS022706-0	030606232-0	# 1- 100 TRIN	2/27/2006	Abatement	2.964	Asbestos	TEM EPA 40	EMSL	2/28/2006	< 13
GS022706-0	030606232-0	# 2 - THAMES	2/27/2006	Abatement	2.910	Asbestos	TEM EPA 40	EMSL	2/28/2006	< 13
GS022706-0	030606232-0	# 3 GREENW	2/27/2006	Abatement	2.904	Asbestos	TEM EPA 40	EMSL	2/28/2006	< 13
GS022806-0	030606355-0	# 1- 100 TRIN	2/28/2006	Abatement	2.892	Asbestos	TEM EPA 40	EMSL	3/1/2006	< 13
GS022806-0	030606355-0	# 2- THAMES	2/28/2006	Abatement	2.916	Asbestos	TEM EPA 40	EMSL	3/1/2006	< 13
GS022806-0	030606355-0	# 3- GREEN	2/28/2006	Abatement	2.880	Asbestos	TEM EPA 40	EMSL	3/1/2006	< 13
GS022806-1	030606355-0	DUPLICATE	2/28/2006	Abatement	2.964	Asbestos	TEM EPA 40	EMSL	3/1/2006	< 13
GS030106-0	030606512-0	#1-100 TRINI	3/1/2006	Abatement	3.036	Asbestos	TEM EPA 40	EMSL	3/2/2006	< 13
GS030106-0	030606512-0	#2-THAMES	3/1/2006	Abatement	2.958	Asbestos	TEM EPA 40	EMSL	3/2/2006	< 13
GS030106-0	030606512-0	#3-GREENW	3/1/2006	Abatement	2.844	Asbestos	TEM EPA 40	EMSL	3/2/2006	< 13
GS030206-0	030606625-0001	#1-100 TRINI	3/2/2006	Abatement	2.910	Asbestos	TEM EPA 40	EMSL	3/3/2006	< 13
GS030206-0	030606625-0002	#2-THAMES	3/2/2006	Abatement	2.916	Asbestos	TEM EPA 40	EMSL	3/3/2006	< 13
GS030206-0	030606625-0003	#3-GREENW	3/2/2006	Abatement	2.868	Asbestos	TEM EPA 40	EMSL	3/3/2006	< 13

2nd Shift 02-24-06 to 03-02-06. No second Shift 2-25 through 2-27.

2GS022406-0	030606132-0	#1 100 TRINI	2/24/2006	Abatement	3.066	Asbestos	TEM EPA 40	EMSL	2/27/2006	<13
2GS022406-0	030606132-0	#2 THAMES	2/24/2006	Abatement	2.970	Asbestos	TEM EPA 40	EMSL	2/27/2006	<13
2GS022406-0	030606132-0	#3 GREENW	2/24/2006	Abatement	3.042	Asbestos	TEM EPA 40	EMSL	2/27/2006	<13
		# 1- 100 TRINITY ROOF		Abatement		Asbestos	TEM EPA 40	EMSL		
		# 2 - THAMES STREET		Abatement		Asbestos	TEM EPA 40	EMSL		

CITY_DEP_WORBY_CANNATA_SUBP_00071601

NYC 9/11 Public Portal Document

xceeds Targe Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?
No	No
No	No
No	No

NYC 9/11 Public Portal Document

	# 3 GREENWICH STREE	Abatement		Asbestos	TEM EPA 40 EMSL			
	# 1- 100 TRINITY ROOF	Abatement		Asbestos	TEM EPA 40 EMSL			
	# 2 - THAMES STREET	Abatement		Asbestos	TEM EPA 40 EMSL			
	# 3 GREENWICH STREE	Abatement		Asbestos	TEM EPA 40 EMSL			
	# 1- 100 TRINITY ROOF	Abatement		Asbestos	TEM EPA 40 EMSL			
	# 2 - THAMES STREET	Abatement		Asbestos	TEM EPA 40 EMSL			
	# 3 GREENWICH STREE	Abatement		Asbestos	TEM EPA 40 EMSL			
2GS022806-(030606362-0	# 1- 100 TRI	2/28/2006	Abatement	2.046	Asbestos	TEM EPA 40 EMSL	3/1/2006	< 9.6
2GS022806-(030606362-0	# 2- THAMES	2/28/2006	Abatement	2.046	Asbestos	TEM EPA 40 EMSL	3/1/2006	< 9.6
2GS022806-(030606362-0	# 3- GREEN\	2/28/2006	Abatement	2.760	Asbestos	TEM EPA 40 EMSL	3/1/2006	< 13
2GS030106-(030606511-0	#1-100 TRINI	3/1/2006	Abatement	2.916	Asbestos	TEM EPA 40 EMSL	3/2/2006	< 13
2GS030106-(030606511-0	#2-THAMES	3/1/2006	Abatement	2.910	Asbestos	TEM EPA 40 EMSL	3/2/2006	< 13
2GS030106-(030606511-0	#3-GREENW	3/1/2006	Abatement	2.898	Asbestos	TEM EPA 40 EMSL	3/2/2006	< 13
2GS030206-(030606627-0	#1-100 TRINI	3/2/2006	Abatement	2.916	Asbestos	TEM EPA 40 EMSL	3/3/2006	< 13
2GS030206-(030606627-0	#2-THAMES	3/2/2006	Abatement	2.910	Asbestos	TEM EPA 40 EMSL	3/3/2006	< 13
2GS030206-(030606627-0	#3-GREENW	3/2/2006	Abatement	2.898	Asbestos	TEM EPA 40 EMSL	3/3/2006	< 13

NYC-WTC_000424038

CITY_DEP_WORBY_CANNATA_SUBP_00071603

NYC 9/11 Public Portal Document

NO NO NO NO NO NO NO NO NO

NO NO NO NO NO NO NO NO NO

Field Samp	mpling Locat	me Reading	tion time (mi	Analyte	alytical Meth	Instrument	late PM 2.5	xceeds Targ Air Quality Levels?	Exceeds EPA Site Specific rigger Levels?	Comments
			Target Air Quality Levels				40			
			EPA Site Specific Trigger Levels				65			
22406-EBAM	- 100 Trinity I	2/24/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	8.53	No	No	
22406-EBAM2	- Thames S	2/24/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	12.02	No	No	
22406-EBAM	- Greenwich	2/24/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	9.81	No	No	
22406-TEOM	- 100 Trinity I	2/24/2006	1440	Particulate 2.5t	Real-time	RTEOM PM 2.5	8.95	No	No	
22506-EBAM	- 100 Trinity I	2/25/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	7.24	No	No	
22506-EBAM2	- Thames S	2/25/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	8.09	No	No	
22506-EBAM	- Greenwich	2/25/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	6.97	No	No	
22506-TEOM	- 100 Trinity I	2/25/2006	1440	Particulate 2.5t	Real-time	RTEOM PM 2.5	7.55	No	No	
22606-TEOM	- 100 Trinity I	2/26/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	5.99	No	No	
22606-TEOM2	- Thames S	2/26/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	3.86	No	No	
22606-TEOM	- Greenwich	2/26/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	5.58	No	No	
22606-TEOM	- 100 Trinity I	2/26/2006	1440	Particulate 2.5t	Real-time	RTEOM PM 2.5	4.89	No	No	
22706-EBAM	- 100 Trinity I	2/27/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	7.89	No	No	
22706-EBAM2	- Thames S	2/27/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	9.99	No	No	
22706-EBAM	- Greenwich	2/27/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	8.29	No	No	
22706-TEOM	- 100 Trinity I	2/27/2006	1440	Particulate 2.5t	Real-time	RTEOM PM 2.5	7.81	No	No	
22806-EBAM	- 100 Trinity I	2/28/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	10.4	No	No	
22806-EBAM2	- Thames S	2/28/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	15.97	No	No	
22806-EBAM	- Greenwich	2/28/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	12.42	No	No	
22806-TEOM	- 100 Trinity I	2/28/2006	1440	Particulate 2.5t	Real-time	RTEOM PM 2.5	9.15	No	No	
30106-EBAM	- 100 Trinity I	3/1/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	7.79	No	No	
30106-EBAM2	- Thames S	3/1/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	10.4	No	No	
30106-EBAM	- Greenwich	3/1/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	9.38	No	No	
30106-TEOM	- 100 Trinity I	3/1/2006	1440	Particulate 2.5t	Real-time	RTEOM PM 2.5	8.46	No	No	
30206-EBAM	- 100 Trinity I	3/2/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	15.11	No	No	
30206-EBAM2	- Thames S	3/2/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	18.81	No	No	
30206-EBAM	- Greenwich	3/2/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	18.76	No	No	
30206-TEOM	- 100 Trinity I	3/2/2006	1440	Particulate 2.5t	Real-time	RTEOM PM 2.5	12.83	No	No	

CITY_DEP_WORBY_CANNATA_SUBP_000071605

Field Samp	pling Locat	me Reading	ion time (mi	Analyte	alytical Meth	Instrument	late PM 10 (
		Target Air Quality Levels					150
		EPA Site Specific Trigger Levels					150
)22406-EBAM	- 100 Trinity I	2/24/2006	1440	Particulate 10	Real-time Re	One EBAM PI	22.56
)22406-EBAM2	- Thames S	2/24/2006	1440	Particulate 10	Real-time Re	One EBAM PI	12.02
)22406-EBAM	- Greenwich	2/24/2006	1440	Particulate 10	Real-time Re	One EBAM PI	29.61
)22406-TEOM	- Greenwich	2/24/2006	1440	Particulate 10	Real-time Re	TEOM PM 10	16.7
)22506-EBAM	- 100 Trinity I	2/25/2006	1440	Particulate 10	Real-time Re	One EBAM PI	15.31
)22506-EBAM2	- Thames S	2/25/2006	1440	Particulate 10	Real-time Re	One EBAM PI	8.09
)22506-EBAM	- Greenwich	2/25/2006	1440	Particulate 10	Real-time Re	One EBAM PI	17.57
)22506-TEOM	- Greenwich	2/25/2006	1440	Particulate 10	Real-time Re	TEOM PM 10	13.23
)22606-EBAM	- 100 Trinity I	2/26/2006	1440	Particulate 10	Real-time Re	One EBAM PI	11.44
)22606-EBAM2	- Thames S	2/26/2006	1440	Particulate 10	Real-time Re	One EBAM PI	3.86
)22606-EBAM	- Greenwich	2/26/2006	1440	Particulate 10	Real-time Re	One EBAM PI	17.91
)22606-TEOM	- Greenwich	2/26/2006	1440	Particulate 10	Real-time Re	TEOM PM 10	13.6
)22706-EBAM	- 100 Trinity I	2/27/2006	1440	Particulate 10	Real-time Re	One EBAM PI	14.27
)22706-EBAM2	- Thames S	2/27/2006	1440	Particulate 10	Real-time Re	One EBAM PI	9.99
)22706-EBAM	- Greenwich	2/27/2006	1440	Particulate 10	Real-time Re	One EBAM PI	16.55
)22706-TEOM	- Greenwich	2/27/2006	1440	Particulate 10	Real-time Re	TEOM PM 10	13.75
)22806-EBAM	- 100 Trinity I	2/28/2006	1440	Particulate 10	Real-time Re	One EBAM PI	20.02
)22806-EBAM2	- Thames S	2/28/2006	1440	Particulate 10	Real-time Re	One EBAM PI	15.97
)22806-EBAM	- Greenwich	2/28/2006	1440	Particulate 10	Real-time Re	One EBAM PI	20.26
)22806-TEOM	- Greenwich	2/28/2006	1440	Particulate 10	Real-time Re	TEOM PM 10	14.07
)30106-EBAM	- 100 Trinity I	3/1/2006	1440	Particulate 10	Real-time Re	One EBAM PI	14.60
)30106-EBAM2	- Thames S	3/1/2006	1440	Particulate 10	Real-time Re	One EBAM PI	10.40
)30106-EBAM	- Greenwich	3/1/2006	1440	Particulate 10	Real-time Re	One EBAM PI	18.02
)30106-TEOM	- Greenwich	3/1/2006	1440	Particulate 10	Real-time Re	TEOM PM 10	22.82
)30206-EBAM	- 100 Trinity I	3/2/2006	1440	Particulate 10	Real-time Re	One EBAM PI	21.44
)30206-EBAM2	- Thames S	3/2/2006	1440	Particulate 10	Real-time Re	One EBAM PI	18.81
)30206-EBAM	- Greenwich	3/2/2006	1440	Particulate 10	Real-time Re	One EBAM PI	30.04
)30206-TEOM	- Greenwich	3/2/2006	1440	Particulate 10	Real-time Re	TEOM PM 10	12.91

xceeds Targe Air Quality Levels?	Exceeds EPA Site Specific igger Levels?	Comments
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	

Lab Name	eld Sample	mpling Locat	ection Start	ple Volume	Volume unit	ab Sample Ib	o date receiv	Date Analy	alytical Meth	Parameter
Target Air Quality Levels										
EPA Site Specific Trigger Levels										
BRL	GS 022406-05	#1 - Trinity Roof	02/24/2006	0.57117	m3	06BR0292-01	03/01/2006	03/04/2006	EPA 324/1631	Hg
BRL	GS 022406-06	#2 - Thames Street	02/24/2006	0.5752	m3	06BR0292-02	03/01/2006	03/04/2006	EPA 324/1631	Hg
BRL	GS 022406-07	#3 - Greenwich Street	02/24/2006	0.5724	m3	06BR0292-03	03/01/2006	03/04/2006	EPA 324/1631	Hg
BRL	GS 022506-05	#1- Trinity Roof	02/25/2006	0.56327	m3	06BR0293-01	03/01/2006	03/04/2006	EPA 324/1631	Hg
BRL	GS 022506-06	#2 - Thames Street	02/25/2006	0.5712	m3	06BR0293-02	03/01/2006	03/04/2006	EPA 324/1631	Hg
BRL	GS 022506-07	#3 - Greenwich Street	02/25/2006	0.5708	m3	06BR0293-03	03/01/2006	03/04/2006	EPA 324/1631	Hg
BRL	GS 022606-05	#1 - Trinity Roof	02/26/2006	0.570	m3	06BR0294-01	03/01/2006	03/04/2006	EPA 324/1631	Hg
BRL	GS 022606-06	#2 - Thames Street	02/26/2006	0.5692	m3	06BR0294-02	03/01/2006	03/04/2006	EPA 324/1631	Hg
BRL	GS 022606-07	#3 - Greenwich Street	02/26/2006	0.5688	m3	06BR0294-03	03/01/2006	03/04/2006	EPA 324/1631	Hg
BRL	GS 022706-05	#1- Trinity Roof	02/27/2006	0.5756	m3	06BR0295-01	03/01/2006	03/04/2006	EPA 324/1631	Hg
BRL	GS 022706-06	#2 - Thames Street	02/27/2006	0.56959	m3	06BR0295-02	03/01/2006	03/04/2006	EPA 324/1631	Hg
BRL	GS 022706-07	#3 - Greenwich Street	02/27/2006	0.578	m3	06BR0295-03	03/01/2006	03/04/2006	EPA 324/1631	Hg

CITY_DEP_WORBY_CANNATA_SUBP_000071608

oncentratio	Unit	ate Reporte	xceeds Targ Air Quality Levels?	xceeds EPA Site Specific igger Levels?	Comments
300 ng/m3					
3000 ng/m3					
< 5.6	ng/m3	03/06/2006	No	No	
< 5.6	ng/m3	03/06/2006	No	No	
< 5.6	ng/m3	03/06/2006	No	No	
< 5.7	ng/m3	03/06/2006	No	No	
< 5.6	ng/m3	03/06/2006	No	No	
< 5.6	ng/m3	03/06/2006	No	No	
< 5.6	ng/m3	03/06/2006	No	No	
< 5.6	ng/m3	03/06/2006	No	No	
< 5.6	ng/m3	03/06/2006	No	No	
< 5.6	ng/m3	03/06/2006	No	No	
< 5.6	ng/m3	03/06/2006	No	No	
< 5.5	ng/m3	03/06/2006	No	No	

CITY_DEP_WORBY_CANNATA_SUBP_000071609

BRL	GS 022806-05	#1 - 100 Trinity Roof	02/28/2006	0.5752	m3	06BR0300-01	03/02/2006	03/05/2006	EPA 324/1631	Hg
BRL	GS 022806-06	#2 - Thames Street	02/28/2006	0.5676	m3	06BR0300-02	03/02/2006	03/05/2006	EPA 324/1631	Hg
BRL	GS 022806-07	#3 - Greenwich Street	02/28/2006	0.5748	m3	06BR0300-03	03/02/2006	03/05/2006	EPA 324/1631	Hg
BRL	GS 022806-18	Duplicate	02/28/2006	0.5736	m3	06BR0300-05	03/02/2006	03/05/2006	EPA 324/1631	Hg
BRL	GS 030106-05	#1 - 100 Trinity Roof	03/01/2006	0.570	m3	06BR0316-01	03/03/2006	03/06/2006	EPA 324/1631	Hg
BRL	GS 030106-06	#2 - Thames Street	03/01/2006	0.55692	m3	06BR0316-02	03/03/2006	03/06/2006	EPA 324/1631	Hg
BRL	GS 030106-07	#3 - Greenwich Street	03/01/2006	0.5613	m3	06BR0316-03	03/03/2006	03/06/2006	EPA 324/1631	Hg
BRL	GS 030206-05	#1 - 100 Trinity Roof	03/02/2006	0.5776	m3	06BR0322-01	03/06/2006	03/08/2006	EPA 324/1631	Hg
BRL	GS 030206-06	#2 - Thames Street	03/02/2006	0.56722	m3	06BR0322-02	03/06/2006	03/08/2006	EPA 324/1631	Hg
BRL	07	Street	03/02/2006	0.56564	m3	03	03/06/2006	03/08/2006	324/1631	Hg

CITY_DEP_WORBY_CANNATA_SUBP_000071610

NYC 9/11 Public Portal Document

< 5.6 ng/m3	03/07/2006	No	No
< 5.6 ng/m3	03/07/2006	No	No
< 5.6 ng/m3	03/07/2006	No	No
< 5.6 ng/m3	03/07/2006	No	No
< 5.6 ng/m3	03/08/2006	No	No
< 5.7 ng/m3	03/08/2006	No	No
< 5.7 ng/m3	03/08/2006	No	No
< 26.0 ng/m3	03/09/2006	No	No
< 5.6 ng/m3	03/09/2006	No	No
< 5.7 ng/m3	03/09/2006	No	No

NYC-WTC_000424046

CITY_DEP_WORBY_CANNATA_SUBP_00071611

Mercury Lumex RA 915+ Running Daa = sampling station (60 sec avg) b = perimeter walk (120 sec avg
all readings are in ng/m^3 AM = first reading of dayPM = last reading of day
Target air quality level: 300 ng/m^3 #1 - Trinity #2 - Thames#3 - Greenwich
USEPA site specific mercury trigger level: 3000 ng/m^3

Time	Location #1a	Location # 1	Location # 2	Location # 2	Location # 3	Location # 3b	Exceedance
2/24/06 AM	9.7	9.8	11.5	12.3	15.7	16.8	**No**
2/24/06 PM	10.2	11.2	12.8	14.1	17.5	18.3	**No**
2/25/06 AM	10.3	9.8	14.2	14.5	19.3	20.9	**No**
2/25/06 PM	10.5	10.2	14.3	13.3	19.7	20.8	**No**
2/26/06 AM	8	8.4	14.3	14.3	20	20.7	**No**
2/26/06 PM	9.2	9.3	10.5	11.3	19.5	21.8	**No**
2/27/06 AM	8.3	9.5	12.5	12.8	19.2	20.2	**No**
2/27/06 PM	11	11.1	14.7	15.4	17.3	18.1	**No**
2/28/06 AM	10.2	10.8	11.8	11.2	16.7	17.8	**No**
2/28/06 PM	10.5	10.4	14.5	14.7	16.7	17.3	**No**
03/01/06 AM	9.3	11	13.2	13.1	15.5	17.9	**No**
03/01/06 PM	10.8	11.1	13.5	13	18.5	20.6	**No**
03/02/06 AM	8.2	8.6	12.3	12.4	19.5	20.3	**No**
03/02/06 PM	9.7	10.1	10.8	10.6	11.8	15.3	**No**

NYC 9/11 Public Portal Document

)

NYC-WTC_000424049

NYC 9/11 Public Portal Document

Airtek Field	Sample No.	Sampling Lo	Collection S	Sample Volu	Analyte	Analytical M	Lab	Lab Sample	Antimony Co	Barium Con
				Target Air Quality Levels					5,000	5,000
				EPA Site Specific Trigger Levels					14,000	5,000
GS022406-0	G6C020231C	1 - Trinity St	2/24/2006	5.78	Metals	6020	STL		< 34.6	< 1730
GS022406-1	G6C020231C	2 - Thames S	2/24/2006	5.748	Metals	6020	STL		< 34.8	< 1740
GS022406-1	G6C020231C	- Greenwich	2/24/2006	5.704	Metals	6020	STL		< 35.1	< 1750
GS022506-0	G6C020249C	1 - Trinity St	2/25/2006	5.708	Metals	6020	STL		< 35	< 1750
GS022506-1	G6C020249C	2 - Thames S	2/25/2006	5.712	Metals	6020	STL		< 35	< 1750
GS022506-1	G6C020249C	- Greenwich	2/25/2006	5.708	Metals	6020	STL		< 35	< 1750
GS022606-0	G6C020239C	1 - Trinity St	2/26/2006	5.724	Metals	6020	STL		< 34.9	< 1750
GS022606-1	G6C020239C	2 - Thames S	2/26/2006	5.7	Metals	6020	STL		< 35.1	< 1750
GS022606-1	G6C020239C	- Greenwich	2/26/2006	5.692	Metals	6020	STL		< 35.1	< 1760
GS022706-0	G6C020243C	1 - Trinity St	2/27/2006	5.768	Metals	6020	STL		< 34.7	< 1730
GS022706-1	G6C020243C	2 - Thames S	2/27/2006	5.772	Metals	6020	STL		< 34.6	< 1730
GS022706-1	G6C020243C	- Greenwich	2/27/2006	5.788	Metals	6020	STL		< 34.6	< 1730
GS022806-0	G6C020255C	1 - Trinity St	2/28/2006	5.744	Metals	6020	STL		< 34.8	< 1740
GS022806-1	G6C020255C	2 - Thames S	2/28/2006	5.756	Metals	6020	STL		< 34.7	< 1740
GS022806-1	G6C020255C	- Greenwich	2/28/2006	5.748	Metals	6020	STL		< 34.8	< 1740
GS022806-1	G6C020255C	Duplicate	2/28/2006	5.748	Metals	6020	STL		< 34.8	< 1740
GS030106-0	G6C030287C	1 - Trinity St	3/1/2006	5.629	Metals	6020	STL		< 35.5	< 1780
GS030106-1	G6C030287C	2 - Thames S	3/1/2006	5.72	Metals	6020	STL		< 35	< 1750
GS030106-1	G6C030287C	- Greenwich	3/1/2006	5.68	Metals	6020	STL		< 35.2	< 1760
GS030206-0	G6C040213C	1 - Trinity St	3/2/2006	5.788	Metals	6020	STL		< 34.6	< 1730
GS030206-1	G6C040213C	2 - Thames S	3/2/2006	5.756	Metals	6020	STL		< 34.7	< 1740
GS030206-1	G6C040213C	- Greenwich	3/2/2006	5.736	Metals	6020	STL		< 34.9	< 1740

CITY_DEP_WORBY_CANNATA_SUBP_000071614

NYC-WTC_000424050

NYC 9/11 Public Portal Document

Beryllium Co (ug/m3)	Cadmium Co	Chromium (T	Copper Con	Lead Concer	Manganese	Nickel Conc	Zinc Concer	Exceeds Tar	Exceeds EPA	
20	40	600	10,000	1,500	500	200	16,000	Air Quality	Site Specific	Comments
200	2,000	600	100,000	5,000	500	28,000	160,000	Levels?	Trigger Levels?	
< 17.3	< 17.3	< 173	< 86.5	< 17.3	< 86.5	< 86.5	< 346	No	No	
< 17.4	< 17.4	< 174	< 87	< 17.4	< 87	< 87	<348	No	No	
< 17.5	< 17.5	< 175	< 87.6	< 17.5	< 87.6	< 87.6	< 351	No	No	
< 17.5	< 17.5	< 175	< 87.6	< 17.5	< 87.6	< 87.6	< 350	No	No	
< 17.5	< 17.5	< 175	< 87.5	< 17.5	< 87.5	< 87.5	< 350	No	No	
< 17.5	< 17.5	< 175	< 87.6	< 17.5	< 87.6	< 87.6	< 350	No	No	
< 17.5	< 17.5	< 175	< 87.4	< 17.5	< 87.4	< 87.4	< 349	No	No	
< 17.5	< 17.5	< 175	< 87.7	< 17.5	< 87.7	< 87.7	< 351	No	No	
< 17.6	< 17.6	< 176	< 87.8	< 17.6	< 87.8	< 87.8	< 351	No	No	
< 17.3	< 17.3	< 173	< 86.7	67.8	< 86.7	< 86.7	< 347	No	No	
< 17.3	< 17.3	< 173	< 86.6	28.4	< 86.6	< 86.6	< 346	No	No	
< 17.3	< 17.3	< 173	89.4	61.4	< 86.4	< 86.4	< 346	No	No	
< 17.4	< 17.4	< 174	< 87	42.5	< 87	< 87	< 348	No	No	
< 17.4	< 17.4	< 174	< 86.9	< 17.4	< 86.9	< 86.9	< 347	No	No	
< 17.4	< 17.4	< 174	< 87	20.6	< 87	< 87	< 348	No	No	
< 17.4	< 17.4	< 174	< 87	45.1	< 87	< 87	< 348	No	No	
< 17.8	< 17.8	< 178	< 88.8	< 17.8	< 88.8	< 88.8	< 355	No	No	
< 17.5	< 17.5	< 175	< 87.4	< 17.5	< 87.4	< 87.4	< 350	No	No	
< 17.6	< 17.6	< 176	< 88	33	< 88	< 88	< 352	No	No	
< 17.3	< 17.3	< 173	< 86.4	< 17.3	< 86.4	< 86.4	< 346	No	No	
< 17.4	< 17.4	< 174	< 86.9	< 17.4	< 86.9	< 86.9	< 347	No	No	
< 17.4	< 17.4	< 174	< 87.2	< 17.4	< 87.2	< 87.2	< 349	No	No	

CITY_DEP_WORBY_CANNATA_SUBP_00071615

Lab Name	eld Sample	mple Locati	ate Collecte	ume Collect	Volume Unit	ab Sample I	ate Receive
			Target Air Quality Levels				
			EPA Site Specific Trigger Levels				
EMSL	GS 024206-10	TRINITY R	02/24/2006	0.972	Cubic Meters	0603733-00(	02/28/2006
EMSL	GS 024206-14	THAMES STR	02/24/2006	0.958	Cubic Meters	0603733-00(	02/28/2006
EMSL	GS 024206-1!	EENWICH S	02/24/2006	0.944	Cubic Meters	0603733-00(	02/28/2006
EMSL	GS 025206-10	TRINITY R	02/25/2006	0.968	Cubic Meters	0603734-00(	02/28/2006
EMSL	GS 025206-14	THAMES STR	02/25/2006	0.946	Cubic Meters	0603734-00(	02/28/2006
EMSL	GS 025206-1!	EENWICH S	02/25/2006	0.914	Cubic Meters	0603734-00(	02/28/2006
EMSL	GS 026206-10	TRINITY R	02/26/2006	0.970	Cubic Meters	0603731-00(	02/28/2006
EMSL	GS 026206-14	THAMES STR	02/26/2006	0.944	Cubic Meters	0603731-00(	02/28/2006
EMSL	GS 026206-1!	EENWICH S	02/26/2006	0.920	Cubic Meters	0603731-00(	02/28/2006
EMSL	GS 027206-10	TRINITY R	02/27/2006	0.970	Cubic Meters	0603823-00(	03/01/2006
EMSL	GS 027206-14	THAMES STR	02/27/2006	0.944	Cubic Meters	0603823-00(	03/01/2006
EMSL	GS 027206-1!	EENWICH S	02/27/2006	0.920	Cubic Meters	0603823-00(	03/01/2006
EMSL	GS 022806-10	TRINITY R	02/28/2006	0.976	Cubic Meters	0603885-00(	03/02/2006
EMSL	GS 022806-14	THAMES STR	02/28/2006	0.962	Cubic Meters	0603885-00(	03/02/2006
EMSL	GS 022806-1!	EENWICH S	02/28/2006	0.970	Cubic Meters	0603885-00(	03/02/2006
EMSL	GS 022806-2(	DUPLICATE	02/28/2006	1.000	Cubic Meters	0603885-00(	03/02/2006
EMSL	GS 030106-10	TRINITY R	03/01/2006	1.014	Cubic Meters	0603972-00(	03/03/2006
EMSL	GS 030106-14	THAMES STR	03/01/2006	0.980	Cubic Meters	0603972-00(	03/03/2006
EMSL	GS 030106-1!	EENWICH S	03/01/2006	0.952	Cubic Meters	0603972-00(	03/03/2006
EMSL	GS 030206-10	TRINITY R	03/02/2006	0.964	Cubic Meters	0604047-00(	03/04/2006
EMSL	GS 030206-14	THAMES STR	03/02/2006	0.966	Cubic Meters	0604047-00(	03/04/2006
EMSL	GS 030206-1!	EENWICH S	03/02/2006	0.954	Cubic Meters	0604047-00(	03/05/2006

Note 1 - Secondary quartz peak used for Station 2 sample due to suspected primary peak interference

2nd Shift 02-24-06 to 03-02-06. No second Shift 2-25 through 2-27.

EMSL	GS 024206-10	TRINITY R	02/24/2006	1.020	Cubic Meters	0603736-00(	02/28/2006
EMSL	GS 024206-14	THAMES STR	02/24/2006	0.986	Cubic Meters	0603736-00(	02/28/2006
EMSL	GS 024206-1!	EENWICH S	02/24/2006	0.996	Cubic Meters	0603736-00(	02/28/2006
	#1-100	TRINITY R	02/25/2006		Cubic Meters		
	#2-	THAMES STR	02/25/2006		Cubic Meters		
	#3	GREENWICH S	02/25/2006		Cubic Meters		
	#1-100	TRINITY R	02/26/2006		Cubic Meters		
	#2-	THAMES STR	02/26/2006		Cubic Meters		
	#3	GREENWICH S	02/26/2006		Cubic Meters		
	#1-100	TRINITY R	02/27/2006		Cubic Meters		
	#2-	THAMES STR	02/27/2006		Cubic Meters		
	#3	GREENWICH S	02/27/2006		Cubic Meters		
EMSL	GS 022806-10	TRINITY R	02/28/2006	0.976	Cubic Meters	0603887-00(	03/02/2006
EMSL	GS 022806-1	THAMES STR	02/28/2006	0.962	Cubic Meters	0603887-00(	03/02/2006
EMSL	GS 022806-1	EENWICH S	02/28/2006	0.970	Cubic Meters	0603887-00(	03/02/2006
EMSL	GS 030106-10	TRINITY R	03/01/2006	0.970	Cubic Meters	0603968-00(	03/03/2006
EMSL	GS 030106-1	THAMES STR	03/01/2006	0.968	Cubic Meters	0603968-00(	03/03/2006
EMSL	GS 030106-1	EENWICH S	03/01/2006	0.964	Cubic Meters	0603968-00(	03/03/2006
EMSL	GS 030206-10	TRINITY R	03/02/2006	0.970	Cubic Meters	0604045-00(	03/04/2006
EMSL	GS 030206-1	THAMES STR	03/02/2006	0.968	Cubic Meters	0604045-00(	03/04/2006

Date Analyzed	Analytical Meth	Parameter Nan	Concentratio	Unit	Date Reporte	Exceeds Tar Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?
			10 ug/m3				
			10 ug/m3				
03/02/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/03/2006	No	No
03/02/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/03/2006	No	No
03/02/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/03/2006	No	No
03/03/2006	OSH 7500 XF	Silica-Quartz	< 21	ug/m3	03/03/2006		
03/03/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/03/2006	No	No
03/03/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/03/2006	No	No
03/02/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/03/2006	No	No
03/02/2006	OSH 7500 XF	Silica-Quartz	5	ug/m3	03/03/2006	No	No
03/02/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/03/2006	No	No
03/02/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/03/2006	No	No
03/02/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/03/2006	No	No
03/02/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/03/2006	No	No
03/03/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/06/2006	No	No
03/03/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/06/2006	No	No
03/03/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/06/2006	No	No
03/03/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/06/2006	No	No
03/03/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/06/2006	No	No
03/03/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/06/2006	No	No
03/03/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/06/2006	No	No
03/06/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/07/2006	No	No
03/03/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/07/2006	No	No
03/03/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/07/2006	No	No
03/02/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/03/2006	No	No
03/02/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/03/2006	No	No
03/02/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/03/2006	No	No
02/24/2006	OSH 7500 XF	Silica-Quartz					
02/24/2006	OSH 7500 XF	Silica-Quartz					
02/24/2006	OSH 7500 XF	Silica-Quartz					
02/24/2006	OSH 7500 XF	Silica-Quartz					
02/24/2006	OSH 7500 XF	Silica-Quartz					
02/24/2006	OSH 7500 XF	Silica-Quartz					
02/24/2006	OSH 7500 XF	Silica-Quartz					
02/24/2006	OSH 7500 XF	Silica-Quartz					
02/24/2006	OSH 7500 XF	Silica-Quartz					
03/03/2006	OSH 7500 XF	Silica-Quartz	< 7	ug/m3	03/06/2006	No	No
03/03/2006	OSH 7500 XF	Silica-Quartz	< 7	ug/m3	03/06/2006	No	No
03/03/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/06/2006	No	No
03/03/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/06/2006	No	No
03/03/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/06/2006	No	No
03/03/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/06/2006	No	No
03/06/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/07/2006	No	No
03/03/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/07/2006	No	No

NYC 9/11 Public Portal Document

Comments
See Note 1

NYC 9/11 Public Portal Document

EMSL	GS 030206-1EENWICH S	03/02/2006	0.964	Cubic Meters	0604045-00(	03/05/2006

03/03/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/07/2006	**No**	**No**