Field Samp	Sample No.	npling Locat	ection Start	Work Shift	ple Volume	Analyte	alytical Meth	Lab	mple Receiv	ME Concent	xceeds Targ	Exceeds EPA	
			Target Air Quality Levels							0.0009	Air Quality	Site Specific	Comments
			EPA Site Specific Trigger Levels							N/A	Levels?	Trigger Levels	?
GS031006-0	030607644-0	#1 100 TRINI	3/10/2006	Abatement	2.922	Asbestos	PCME	EMSL	3/13/2006	< 0.00084	No	No	
GS031006-0	030607644-0	#2 THAMES	3/10/2006	Abatement	2.898	Asbestos	PCME	EMSL	3/13/2006	< 0.00085	No	No	
GS031006-0	030607644-0	#3 GREENW	3/10/2006	Abatement	2.886	Asbestos	PCME	EMSL	3/13/2006	Not Analyzed			See Note 1
GS031106-0	030607646-0	# 1- 100 TRI	3/11/2006	Abatement	2.922	Asbestos	PCME	EMSL	3/13/2006	< 0.00084	No	No	
GS031106-0	030607646-0	# 2 - THAME:	3/11/2006	Abatement	2.892	Asbestos	PCME	EMSL	3/13/2006	< 0.00085	No	No	
GS031106-0	030607646-0	# 3 GREENV	3/11/2006	Abatement	2.904	Asbestos	PCME	EMSL	3/13/2006	< 0.00085	No	No	
GS031206-0	030607642-0	# 1- 100 TRI	3/12/2006	Abatement	2.874	Asbestos	PCME	EMSL	3/13/2006	< 0.00086	No	No	
GS031206-0	030607642-0	# 2 - THAME:	3/12/2006	Abatement	2.940	Asbestos	PCME	EMSL	3/13/2006	< 0.00084	No	No	
GS031206-0	030607642-0	# 3 GREENV	3/12/2006	Abatement	2.934	Asbestos	PCME	EMSL	3/13/2006	< 0.00084	No	No	
GS031306-0	030607772-0	# 1- 100 TRI	3/13/2006	Abatement	2.892	Asbestos	PCME	EMSL	3/14/2006	< 0.00085	No	No	
GS031306-0	030607772-0	# 2 - THAME:	3/13/2006	Abatement	2.910	Asbestos	PCME	EMSL	3/14/2006	< 0.00085	No	No	
GS031306-0	030607772-0	# 3 GREENV	3/13/2006	Abatement	2.898	Asbestos	PCME	EMSL	3/14/2006	< 0.00085	No	No	
GS031406-0	030607909-0	# 1- 100 TRI	3/14/2006	Abatement	2.910	Asbestos	PCME	EMSL	3/15/2006	< 0.00085	No	No	
GS031406-0	030607909-0	# 2- THAMES	3/14/2006	Abatement	2.886	Asbestos	PCME	EMSL	3/15/2006	< 0.00079	No	No	
GS031406-0	030607909-0	# 3- GREEN	3/14/2006	Abatement	2.880	Asbestos	PCME	EMSL	3/15/2006	< 0.00079	No	No	
GS031406-1	030607909-0	DUPLICATE	3/14/2006	Abatement	2.862	Asbestos	PCME	EMSL	3/15/2006	< 0.00080	No	No	
GS031506-0	030608017-0	#1-100 TRINI	3/15/2006	Abatement	2.916	Asbestos	PCME	EMSL	3/16/2006	< 0.00085	No	No	
GS031506-0	030608017-0	#2-THAMES	3/15/2006	Abatement	2.916	Asbestos	PCME	EMSL	3/16/2006	< 0.00085	No	No	
GS031506-0	030608017-0	#3-GREENW	3/15/2006	Abatement	2.910	Asbestos	PCME	EMSL	3/16/2006	< 0.00085	No	No	
GS031606-0	030608212-0	#1-100 TRINI	3/16/2006	Abatement	3.018	Asbestos	PCME	EMSL	3/17/2006	< 0.00082	No	No	
GS031606-0	030608212-0	#2-THAMES	3/16/2006	Abatement	2.952	Asbestos	PCME	EMSL	3/17/2006	< 0.00084	No	No	
GS031606-0	030608212-0	#3-GREENW	3/16/2006	Abatement	2.916	Asbestos	PCME	EMSL	3/17/2006	< 0.00085	No	No	
Note 1: Filter blown													
2nd shift 03-10-06 to 03-16-06. No second shift worked 3/10 to 3/12.													
		#1 100 TRINI	3/10/2006	Abatement		Asbestos	PCME	EMSL					
		#2 THAMES	3/10/2006	Abatement		Asbestos	PCME	EMSL					
		#3 GREENW	3/10/2006	Abatement		Asbestos	PCME	EMSL					
		# 1- 100 TRI	3/11/2006	Abatement		Asbestos	PCME	EMSL					
		# 2 - THAME:	3/11/2006	Abatement		Asbestos	PCME	EMSL					
		# 3 GREENV	3/11/2006	Abatement		Asbestos	PCME	EMSL					
		# 1- 100 TRI	3/12/2006	Abatement		Asbestos	PCME	EMSL					
		# 2 - THAME:	3/12/2006	Abatement		Asbestos	PCME	EMSL					
		# 3 GREENV	3/12/2006	Abatement		Asbestos	PCME	EMSL					
2GS031306-(	030607771-0	# 1- 100 TRI	3/13/2006	Abatement	2.670	Asbestos	PCME	EMSL	3/14/2006	< 0.00079	No	No	
2GS031306-(	030607771-0	# 2 - THAME:	3/13/2006	Abatement	2.652	Asbestos	PCME	EMSL	3/14/2006	< 0.00080	No	No	
2GS031306-(	030607771-0	# 3 GREENV	3/13/2006	Abatement	2.640	Asbestos	PCME	EMSL	3/14/2006	< 0.00080	No	No	
2GS031406-(	030607911-0	# 1- 100 TRI	3/14/2006	Abatement	2.550	Asbestos	PCME	EMSL	3/15/2006	< 0.00089	No	No	
2GS031406-(	030607911-0	# 2- THAMES	3/14/2006	Abatement	2.568	Asbestos	PCME	EMSL	3/15/2006	< 0.00089	No	No	
2GS031406-(	030607911-0	# 3- GREEN	3/14/2006	Abatement	2.556	Asbestos	PCME	EMSL	3/15/2006	< 0.00089	No	No	
2GS031506-(	030608022-0	#1-100 TRINI	3/15/2006	Abatement	2.544	Asbestos	PCME	EMSL	3/16/2006	< 0.00083	No	No	
2GS031506-(	030608022-0	#2-THAMES	3/15/2006	Abatement	2.538	Asbestos	PCME	EMSL	3/16/2006	< 0.00083	No	No	
2GS031506-(	030608022-0	#3-GREENW	3/15/2006	Abatement	2.814	Asbestos	PCME	EMSL	3/16/2006	< 0.00081	No	No	
2GS031606-(	030608214-0	#1-100 TRINI	3/16/2006	Abatement	2.424	Asbestos	PCME	EMSL	3/17/2006	< 0.00081	No	No	
2GS031606-(	030608214-0	#2-THAMES	3/16/2006	Abatement	2.418	Asbestos	PCME	EMSL	3/17/2006	< 0.00082	No	No	
2GS031606-(	030608214-0	#3-GREENW	3/16/2006	Abatement	2.532	Asbestos	PCME	EMSL	3/17/2006	< 0.00084	No	No	

Field Samp	Sample No.	npling Locat	ollection Dat	Work Shift	ple Volume	Analyte	alytical Meth	Lab	mple Receiv	RA Concent
				Target Air Quality Levels						N/A
				EPA Site Specific Trigger Levels						70
GS031006-0	030607644-0#1 100 TRINI		3/10/2006	Abatement	2.922	Asbestos	TEM EPA 40	EMSL	3/13/2006	<13
GS031006-0	030607644-0#2 THAMES :		3/10/2006	Abatement	2.898	Asbestos	TEM EPA 40	EMSL	3/13/2006	<13
GS031006-0	030607644-0#3 GREENW		3/10/2006	Abatement	2.886	Asbestos	TEM EPA 40	EMSL	3/13/2006	Not Analyzed
GS031106-0	030607646-0# 1- 100 TRIN		3/11/2006	Abatement	2.922	Asbestos	TEM EPA 40	EMSL	3/13/2006	< 13
GS031106-0	030607646-0# 2 - THAMES		3/11/2006	Abatement	2.892	Asbestos	TEM EPA 40	EMSL	3/13/2006	< 13
GS031106-0	030607646-0# 3 GREENW		3/11/2006	Abatement	2.904	Asbestos	TEM EPA 40	EMSL	3/13/2006	< 13
GS031206-0	030607642-0# 1- 100 TRIN		3/12/2006	Abatement	2.874	Asbestos	TEM EPA 40	EMSL	3/13/2006	< 13
GS031206-0	030607642-0# 2 - THAMES		3/12/2006	Abatement	2.940	Asbestos	TEM EPA 40	EMSL	3/13/2006	< 13
GS031206-0	030607642-0# 3 GREENW		3/12/2006	Abatement	2.934	Asbestos	TEM EPA 40	EMSL	3/13/2006	< 13
GS031306-0	030607772-0# 1- 100 TRIN		3/13/2006	Abatement	2.892	Asbestos	TEM EPA 40	EMSL	3/14/2006	< 13
GS031306-0	030607772-0# 2 - THAMES		3/13/2006	Abatement	2.910	Asbestos	TEM EPA 40	EMSL	3/14/2006	< 13
GS031306-0	030607772-0# 3 GREENW		3/13/2006	Abatement	2.898	Asbestos	TEM EPA 40	EMSL	3/14/2006	< 13
GS031406-0	030607909-0# 1- 100 TRIN		3/14/2006	Abatement	2.910	Asbestos	TEM EPA 40	EMSL	3/15/2006	< 13
GS031406-0	030607909-0# 2- THAMES		3/14/2006	Abatement	2.886	Asbestos	TEM EPA 40	EMSL	3/15/2006	< 13
GS031406-0	030607909-0# 3- GREENV		3/14/2006	Abatement	2.880	Asbestos	TEM EPA 40	EMSL	3/15/2006	< 13
GS031406-1	030607909-0 DUPLICATE		3/14/2006	Abatement	2.862	Asbestos	TEM EPA 40	EMSL	3/15/2006	< 13
GS031506-0	030608017-0#1-100 TRINI		3/15/2006	Abatement	2.916	Asbestos	TEM EPA 40	EMSL	3/16/2006	< 13
GS031506-0	030608017-0#2-THAMES		3/15/2006	Abatement	2.916	Asbestos	TEM EPA 40	EMSL	3/16/2006	< 13
GS031506-0	030608017-0#3-GREENW		3/15/2006	Abatement	2.910	Asbestos	TEM EPA 40	EMSL	3/16/2006	< 13
GS031606-0	030608212-0#1-100 TRINI		3/16/2006	Abatement	3.018	Asbestos	TEM EPA 40	EMSL	3/17/2006	< 13
GS031606-0	030608212-0#2-THAMES		3/16/2006	Abatement	2.952	Asbestos	TEM EPA 40	EMSL	3/17/2006	< 13
GS031606-0	030608212-0#3-GREENW		3/16/2006	Abatement	2.916	Asbestos	TEM EPA 40	EMSL	3/17/2006	< 13

Note 1: Filter blown

2nd shift 03-10-06 to 03-16-06. No second shift worked 3/10 to 3/12.

#1 100 TRINI	3/10/2006	Abatement	Asbestos	TEM EPA 40	EMSL
#2 THAMES :	3/10/2006	Abatement	Asbestos	TEM EPA 40	EMSL
#3 GREENW	3/10/2006	Abatement	Asbestos	TEM EPA 40	EMSL
# 1- 100 TRIN	3/11/2006	Abatement	Asbestos	TEM EPA 40	EMSL
# 2 - THAMES	3/11/2006	Abatement	Asbestos	TEM EPA 40	EMSL
# 3 GREENW	3/11/2006	Abatement	Asbestos	TEM EPA 40	EMSL
# 1- 100 TRIN	3/12/2006	Abatement	Asbestos	TEM EPA 40	EMSL

CITY_DEP_WORBY_CANNATA_SUBP_000085400

xceeds Targe Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?
No	No
No	No
See Note 1	
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No

CITY_DEP_WORBY_CANNATA_SUBP_000085401

NYC 9/11 Public Portal Document

# 2 - THAMES	3/12/2006	Abatement		Asbestos	TEM EPA 40 EMSL		
# 3 GREENW	3/12/2006	Abatement		Asbestos	TEM EPA 40 EMSL		
2GS031306-(030607771-0# 1- 100 TRIN	3/13/2006	Abatement	2.670	Asbestos	TEM EPA 40 EMSL	3/14/2006	< 13
2GS031306-(030607771-0# 2 - THAMES	3/13/2006	Abatement	2.652	Asbestos	TEM EPA 40 EMSL	3/14/2006	< 13
2GS031306-(030607771-0# 3 GREENW	3/13/2006	Abatement	2.640	Asbestos	TEM EPA 40 EMSL	3/14/2006	< 13
2GS031406-(030607911-0# 1- 100 TRIN	3/14/2006	Abatement	2.550	Asbestos	TEM EPA 40 EMSL	3/15/2006	< 13
2GS031406-(030607911-0# 2- THAMES	3/14/2006	Abatement	2.568	Asbestos	TEM EPA 40 EMSL	3/15/2006	< 13
2GS031406-(030607911-0# 3- GREENV	3/14/2006	Abatement	2.556	Asbestos	TEM EPA 40 EMSL	3/15/2006	< 13
2GS031506-(030608022-0#1-100 TRINI	3/15/2006	Abatement	2.544	Asbestos	TEM EPA 40 EMSL	3/16/2006	< 11
2GS031506-(030608022-0#2-THAMES	3/15/2006	Abatement	2.538	Asbestos	TEM EPA 40 EMSL	3/16/2006	< 11
2GS031506-(030608022-0#3-GREENW	3/15/2006	Abatement	2.814	Asbestos	TEM EPA 40 EMSL	3/16/2006	< 13
2GS031606-(030608214-0#1-100 TRINI	3/16/2006	Abatement	2.424	Asbestos	TEM EPA 40 EMSL	3/17/2006	< 11
2GS031606-(030608214-0#2-THAMES	3/16/2006	Abatement	2.418	Asbestos	TEM EPA 40 EMSL	3/17/2006	< 11
2GS031606-(030608214-0#3-GREENW	3/16/2006	Abatement	2.532	Asbestos	TEM EPA 40 EMSL	3/17/2006	< 13

CITY_DEP_WORBY_CANNATA_SUBP_000085402

NYC 9/11 Public Portal Document

No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No

CITY_DEP_WORBY_CANNATA_SUBP_000085403

Field Samp	mpling Locat	me Reading	tion time (mi	Analyte	alytical Meth	Instrument	late PM 2.5	xceeds Targ Air Quality Levels?	Exceeds EPA Site Specific rigger Levels?	Comments
			Target Air Quality Levels				40			
			EPA Site Specific Trigger Levels				65			
31006-EBAM	- 100 Trinity I	3/10/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	12.49	No	No	
31006-EBAM2	- Thames S	3/10/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	16.58	No	No	
31006-EBAM	- Greenwich	3/10/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	15.27	No	No	
31006-TEOM	- 100 Trinity I	3/10/2006	1440	Particulate 2.5t	Real-time	RTEOM PM 2.5	15.26	No	No	
31106-EBAM	- 100 Trinity I	3/11/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	10.01	No	No	
31106-EBAM2	- Thames S	3/11/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	11.06	No	No	
31106-EBAM	- Greenwich	3/11/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	11.90	No	No	
31106-TEOM	- 100 Trinity I	3/11/2006	1440	Particulate 2.5t	Real-time	RTEOM PM 2.5	13.24	No	No	
31206-TEOM	- 100 Trinity I	3/12/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	16.42	No	No	
31206-TEOM2	- Thames S	3/12/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	20.10	No	No	
31206-TEOM	- Greenwich	3/12/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	18.54	No	No	
31206-TEOM	- 100 Trinity I	3/12/2006	1440	Particulate 2.5t	Real-time	RTEOM PM 2.5	16.28	No	No	
31306-EBAM	- 100 Trinity I	3/13/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	26.67	No	No	
31306-EBAM2	- Thames S	3/13/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	31.59	No	No	
31306-EBAM	- Greenwich	3/13/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	35.74	No	No	
31306-TEOM	- 100 Trinity I	3/13/2006	1440	Particulate 2.5t	Real-time	RTEOM PM 2.5	25.25	No	No	
31406-EBAM	- 100 Trinity I	3/14/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	12.57	No	No	
31406-EBAM2	- Thames S	3/14/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	20.37	No	No	
31406-EBAM	- Greenwich	3/14/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	15.43	No	No	
31406-TEOM	- 100 Trinity I	3/14/2006	1440	Particulate 2.5t	Real-time	RTEOM PM 2.5	12.64	No	No	
31506-EBAM	- 100 Trinity I	3/15/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	8.40	No	No	
31506-EBAM2	- Thames S	3/15/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	8.83	No	No	
31506-EBAM	- Greenwich	3/15/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	6.81	No	No	
31506-TEOM	- 100 Trinity I	3/15/2006	1440	Particulate 2.5t	Real-time	RTEOM PM 2.5	8.27	No	No	
31606-EBAM	- 100 Trinity I	3/16/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	7.83	No	No	
31606-EBAM2	- Thames S	3/16/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	7.92	No	No	
31606-EBAM	- Greenwich	3/16/2006	1440	Particulate 2.5t	Real-time	One EBAM PM	7.69	No	No	
31606-TEOM	- 100 Trinity I	3/16/2006	1440	Particulate 2.5t	Real-time	RTEOM PM 2.5	8.19	No	No	

CITY_DEP_WORBY_CANNATA_SUBP_000085404

Field Samp	pling Locat	me Reading	ion time (mi	Analyte	alytical Meth	Instrument	late PM 10 (
		Target Air Quality Levels					150
		EPA Site Specific Trigger Levels					150
)31006-EBAM	- 100 Trinity I	3/10/2006	1440	Particulate 10	Real-time Re	One EBAM PI	35.19
)31006-EBAM2	- Thames S	3/10/2006	1440	Particulate 10	Real-time Re	One EBAM PI	30.69
)31006-EBAM	- Greenwich	3/10/2006	1440	Particulate 10	Real-time Re	One EBAM PI	27.49
)31006-TEOM	- Greenwich	3/10/2006	1440	Particulate 10	Real-time Re	TEOM PM 10	21.91
)31106-EBAM	- 100 Trinity I	3/11/2006	1440	Particulate 10	Real-time Re	One EBAM PI	17.68
)31106-EBAM2	- Thames S	3/11/2006	1440	Particulate 10	Real-time Re	One EBAM PI	19.08
)31106-EBAM	- Greenwich	3/11/2006	1440	Particulate 10	Real-time Re	One EBAM PI	18.62
)31106-TEOM	- Greenwich	3/11/2006	1440	Particulate 10	Real-time Re	TEOM PM 10	14.56
)31206-EBAM	- 100 Trinity I	3/12/2006	1440	Particulate 10	Real-time Re	One EBAM PI	26.17
)31206-EBAM2	- Thames S	3/12/2006	1440	Particulate 10	Real-time Re	One EBAM PI	29.59
)31206-EBAM	- Greenwich	3/12/2006	1440	Particulate 10	Real-time Re	One EBAM PI	36.76
)31206-TEOM	- Greenwich	3/12/2006	1440	Particulate 10	Real-time Re	TEOM PM 10	12.01
)31306-EBAM	- 100 Trinity I	3/13/2006	1440	Particulate 10	Real-time Re	One EBAM PI	53.98
)31306-EBAM2	- Thames S	3/13/2006	1440	Particulate 10	Real-time Re	One EBAM PI	62.15
)31306-EBAM	- Greenwich	3/13/2006	1440	Particulate 10	Real-time Re	One EBAM PI	53.76
)31306-TEOM	- Greenwich	3/13/2006	1440	Particulate 10	Real-time Re	TEOM PM 10	23.33
)31406-EBAM	- 100 Trinity I	3/14/2006	1440	Particulate 10	Real-time Re	One EBAM PI	27.10
)31406-EBAM2	- Thames S	3/14/2006	1440	Particulate 10	Real-time Re	One EBAM PI	42.67
)31406-EBAM	- Greenwich	3/14/2006	1440	Particulate 10	Real-time Re	One EBAM PI	33.91
)31406-TEOM	- Greenwich	3/14/2006	1440	Particulate 10	Real-time Re	TEOM PM 10	14.98
)31506-EBAM	- 100 Trinity I	3/15/2006	1440	Particulate 10	Real-time Re	One EBAM PI	14.92
)31506-EBAM2	- Thames S	3/15/2006	1440	Particulate 10	Real-time Re	One EBAM PI	40.80
)31506-EBAM	- Greenwich	3/15/2006	1440	Particulate 10	Real-time Re	One EBAM PI	20.26
)31506-TEOM	- Greenwich	3/15/2006	1440	Particulate 10	Real-time Re	TEOM PM 10	10.83
)31606-EBAM	- 100 Trinity I	3/16/2006	1440	Particulate 10	Real-time Re	One EBAM PI	14.42
)31606-EBAM2	- Thames S	3/16/2006	1440	Particulate 10	Real-time Re	One EBAM PI	15.99
)31606-EBAM	- Greenwich	3/16/2006	1440	Particulate 10	Real-time Re	One EBAM PI	14.60
)31606-TEOM	- Greenwich	3/16/2006	1440	Particulate 10	Real-time Re	TEOM PM 10	9.32

xceeds Targ Air Quality Levels?	Exceeds EPA Site Specific igger Levels?	Comments
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	
No	No	

Lab Name	eld Sample	mpling Locat	ection Start	ple Volume	Volume unit	ab Sample Ib	o date receiv	Date Analy	alytical Meth	Parameter
Target Air Quality Levels										
EPA Site Specific Trigger Levels										
BRL	GS 031006-05	#1 - 100 Trinity Roof	03/10/2006	0.5784	m3	06BR0359-01	03/14/2006	03/15/2006	EPA 324/1631	Hg
BRL	GS 031006-06	#2 - Thames Street	03/10/2006	0.57156	m3	06BR0359-02	03/14/2006	03/15/2006	EPA 324/1631	Hg
BRL	GS 031006-07	#3 - Greenwich Street	03/10/2006	0.580	m3	06BR0359-03	03/14/2006	03/15/2006	EPA 324/1631	Hg
BRL	GS 031106-05	#1 - 100 Trinity Roof	03/11/2006	0.5676	m3	06BR0360-01	03/14/2006	03/15/2006	EPA 324/1631	Hg
BRL	GS 031106-06	#2 - Thames Street	03/11/2006	0.560505	m3	06BR0360-02	03/14/2006	03/15/2006	EPA 324/1631	Hg
BRL	GS 031106-07	#3 - Greenwich Street	03/11/2006	0.5664	m3	06BR0360-03	03/14/2006	03/15/2006	EPA 324/1631	Hg
BRL	GS 031206-05	#1 - 100 Trinity Roof	03/12/2006	0.5768	m3	06BR0361-01	03/14/2006	03/15/2006	EPA 324/1631	Hg
BRL	GS 031206-06	#2 - Thames Street	03/12/2006	0.5688	m3	06BR0361-02	03/14/2006	03/15/2006	EPA 324/1631	Hg
BRL	GS 031206-07	#3 - Greenwich Street	03/12/2006	0.5776	m3	06BR0361-03	03/14/2006	03/15/2006	EPA 324/1631	Hg
BRL	GS 031306-05	#1 - 100 Trinity Roof	03/13/2006	0.56959	m3	06BR0371-01	03/15/2006	03/17/2006	EPA 324/1631	Hg
BRL	GS 031306-06	#2 - Thames Street	03/13/2006	0.57078	m3	06BR0371-02	03/15/2006	03/17/2006	EPA 324/1631	Hg
BRL	GS 031306-07	#3 - Greenwich Street	03/13/2006	0.5772	m3	06BR0371-03	03/15/2006	03/17/2006	EPA 324/1631	Hg

CITY_DEP_WORBY_CANNATA_SUBP_000085407

oncentratio	Unit	ate Reporte	xceeds Targ Air Quality Levels?	xceeds EPA Site Specific igger Levels?	Comments
300 ng/m3					
3000 ng/m3					
< 5.5	ng/m3	03/17/2006	No	No	
< 5.6	ng/m3	03/17/2006	No	No	
< 5.5	ng/m3	03/17/2006	No	No	
< 5.6	ng/m3	03/17/2006	No	No	
< 5.7	ng/m3	03/17/2006	No	No	
< 5.7	ng/m3	03/17/2006	No	No	
< 5.5	ng/m3	03/17/2006	No	No	
< 5.6	ng/m3	03/17/2006	No	No	
< 5.5	ng/m3	03/17/2006	No	No	
~ 8.0	ng/m3	03/20/2006	No	No	
~ 6.4	ng/m3	03/20/2006	No	No	
~ 6.5	ng/m3	03/20/2006	No	No	

CITY_DEP_WORBY_CANNATA_SUBP_000085408

NYC 9/11 Public Portal Document

BRL	GS 031406-05	#1 - 100 Trinity Roof	03/14/2006	0.55893	m3	06BR0380-01	03/16/2006	03/20/2006	EPA 324/1631	Hg
BRL	GS 031406-06	#2 - Thames Street	03/14/2006	0.5676	m3	06BR0380-02	03/16/2006	03/20/2006	EPA 324/1631	Hg
BRL	GS 031406-07	#3 - Greenwich Street	03/14/2006	0.568	m3	06BR0380-03	03/16/2006	03/20/2006	EPA 324/1631	Hg
BRL	GS 031406-18	Duplicate	03/14/2006	0.5688	m3	06BR0380-05	03/16/2006	03/20/2006	EPA 324/1631	Hg
BRL	GS 031506-05	#1 - 100 Trinity Roof	03/15/2006	0.5764	m3	06BR0395-01	03/17/2006	03/21/2006	EPA 324/1631	Hg
BRL	GS 031506-06	#2 - Thames Street	03/15/2006	0.576	m3	06BR0395-02	03/17/2006	03/21/2006	EPA 324/1631	Hg
BRL	GS 031506-07	#3 - Greenwich Street	03/15/2006	0.5744	m3	06BR0395-03	03/17/2006	03/21/2006	EPA 324/1631	Hg
BRL	GS 031606-05	#1 - 100 Trinity Roof	03/16/2006	0.5708	m3	06BR0401-01	03/20/2006	03/22/2006	EPA 324/1631	Hg
BRL	GS 031606-06	#2 - Thames Street	03/16/2006	0.55887	m3	06BR0401-02	03/20/2006	03/22/2006	EPA 324/1631	Hg
BRL	07	Street	03/16/2006	0.5732	m3	03	03/20/2006	03/22/2006	324/1631	Hg

CITY_DEP_WORBY_CANNATA_SUBP_000085409

< 5.7 ng/m3	03/21/2006	No	No
< 5.6 ng/m3	03/21/2006	No	No
< 5.6 ng/m3	03/21/2006	No	No
< 5.6 ng/m3	03/21/2006	No	No
< 5.6 ng/m3	03/22/2006	No	No
< 5.6 ng/m3	03/22/2006	No	No
< 5.6 ng/m3	03/22/2006	No	No
< 5.6 ng/m3	03/23/2006	No	No
< 5.7 ng/m3	03/23/2006	No	No
< 5.6 ng/m3	03/23/2006	No	No

CITY_DEP_WORBY_CANNATA_SUBP_000085410

Mercury Lumex RA 915+ Running Daa = sampling station (60 sec avg) b = perimeter walk (120 sec avg
all readings are in ng/m^3 AM = first reading of dayPM = last reading of day
Target air quality level: 300 ng/m^3 #1 - Trinity #2 - Thames#3 - Greenwich
USEPA site specific mercury trigger level: 3000 ng/m^3

Time	Location #1	Location # 1	Location # 2	Location # 2	Location # 3	Location # 3b	Exceedance
03/10/06 AM	11	11.8	14.3	14.3	16.8	19.7	**No**
03/10/06 PM	13	12.3	13.8	12.7	20.3	22.8	**No**
03/11/06 AM	11	11	13	12.2	18.8	19.8	**No**
03/11/06 PM	11	11.4	13.7	13.1	17.7	19.2	**No**
03/12/06 AM	10.7	11.5	13.7	13.5	16.8	18.3	**No**
03/12/06 PM	11.3	11.3	16	14.9	19.7	19.2	**No**
03/13/06 AM	11.5	11	13.3	12.5	16.7	18.3	**No**
03/13/06 PM	10	11.3	13.8	13.3	18	20.3	**No**
03/14/06 AM	11.3	12	14.3	14.1	20.3	27.2	**No**
03/14/06 PM	12	13.2	14.8	15.9	19.2	26.7	**No**
03/15/06 AM	10.2	10.1	14	13.3	19.8	20.3	**No**
03/15/06 PM	11.3	10.1	15	15.5	19.7	20.3	**No**
03/16/06 AM	10.8	11.3	14.2	15.7	18.8	19.8	**No**
03/16/06 PM	9.2	9.3	13	13.8	19.7	20.6	**No**

NYC 9/11 Public Portal Document

CITY_DEP_WORBY_CANNATA_SUBP_000085412

Airtek Field	Sample No.	Sampling Lo	Collection S	Sample Volu	Analyte	Analytical M	Lab	Lab Sample	Antimony Co	Barium Con
			Target Air Quality Levels						5,000	5,000
			EPA Site Specific Trigger Levels						14,000	5,000
GS031006-0	G6C140208(	1 - Trinity St	3/10/2006	5.784	Metals	6020	STL		< 34.6	< 1730
GS031006-1	G6C140208(	2 - Thames S	3/10/2006	5.8	Metals	6020	STL		< 34.5	< 1720
GS031006-1	G6C140208(	- Greenwich	3/10/2006	5.792	Metals	6020	STL		< 34.5	< 1730
GS031106-0	G6C140214(	1 - Trinity St	3/11/2006	5.672	Metals	6020	STL		< 35.3	< 1760
GS031106-1	G6C140214(	2 - Thames S	3/11/2006	5.664	Metals	6020	STL		< 35.3	< 1760
GS031106-1	G6C140214(	- Greenwich	3/11/2006	5.66	Metals	6020	STL		< 35.3	< 1770
GS031206-0	G6C140203(	1 - Trinity St	3/12/2006	5.764	Metals	6020	STL		< 34.7	< 1730
GS031206-1	G6C140203(	2 - Thames S	3/12/2006	5.752	Metals	6020	STL		< 34.8	< 1740
GS031206-1	G6C140203(	- Greenwich	3/12/2006	5.772	Metals	6020	STL		< 34.6	< 1730
GS031306-0	G6C150181(	1 - Trinity St	3/13/2006	5.772	Metals	6020	STL		< 34.6	< 1730
GS031306-1	G6C150181(	2 - Thames S	3/13/2006	5.78	Metals	6020	STL		< 34.6	< 1730
GS031306-1	G6C150181(	- Greenwich	3/13/2006	5.78	Metals	6020	STL		< 34.6	< 1730
GS031406-0	G6C160206(	1 - Trinity St	3/14/2006	5.656	Metals	6020	STL		< 35.4	< 1770
GS031406-1	G6C160206(	2 - Thames S	3/14/2006	5.668	Metals	6020	STL		< 35.3	< 1760
GS031406-1	G6C160206(	- Greenwich	3/14/2006	5.668	Metals	6020	STL		< 35.3	< 1760
GS031406-1	G6C160206(	Duplicate	3/14/2006	5.712	Metals	6020	STL		< 35	< 1750
GS031506-0	G6C170178(	1 - Trinity St	3/15/2006	5.768	Metals	6020	STL		< 34.7	< 1730
GS031506-1	G6C170178(	2 - Thames S	3/15/2006	5.768	Metals	6020	STL		< 34.7	< 1730
GS031506-1	G6C170178(	- Greenwich	3/15/2006	5.748	Metals	6020	STL		< 34.8	< 1740
GS031606-0	G6C200127(	1 - Trinity St	3/16/2006	5.708	Metals	6020	STL		< 35	< 1750
GS031606-1	G6C200127(	2 - Thames S	3/16/2006	5.724	Metals	6020	STL		< 34.9	< 1750
GS031606-1	G6C200127(	- Greenwich	3/16/2006	5.732	Metals	6020	STL		< 34.9	< 1740

CITY_DEP_WORBY_CANNATA_SUBP_000085413

Beryllium Conc (ng/m3)	Cadmium Conc	Chromium (T	Copper Conc	Lead Concen	Manganese	Nickel Conc	Zinc Concen	Exceeds Tar Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?	Comments
20	40	600	10,000	1,500	500	200	16,000			
200	2,000	600	100,000	5,000	500	28,000	160,000			
< 17.3	< 17.3	< 173	< 86.4	< 17.3	< 86.4	< 86.4	< 346	No	No	
< 17.2	< 17.2	< 172	< 86.2	< 17.2	< 86.2	< 86.2	< 345	No	No	
< 17.3	< 17.3	< 173	< 86.3	24.6	< 86.3	< 86.3	< 345	No	No	
< 17.6	< 17.6	< 176	< 88.2	< 17.6	< 88.2	< 88.2	< 353	No	No	
< 17.6	< 17.6	< 176	< 88.3	< 17.6	< 88.3	< 88.3	< 353	No	No	
< 17.7	< 17.7	< 177	< 88.3	22.7	< 88.3	< 88.3	< 353	No	No	
< 17.3	< 17.3	< 173	< 86.7	< 17.3	< 86.7	< 86.7	< 347	No	No	
< 17.4	< 17.4	< 174	< 86.9	< 17.4	< 86.9	< 86.9	< 348	No	No	
< 17.3	< 17.3	< 173	< 86.6	< 17.3	< 86.6	< 86.6	< 346	No	No	
< 17.3	< 17.3	< 173	< 86.6	23.9	< 86.6	< 86.6	< 346	No	No	
< 17.3	< 17.3	< 173	< 86.5	< 17.3	< 86.5	< 86.5	< 346	No	No	
< 17.3	< 17.3	< 173	< 86.5	23.2	< 86.5	< 86.5	< 346	No	No	
< 17.7	< 17.7	< 177	< 88.4	< 17.7	< 88.4	< 88.4	< 354	No	No	
< 17.6	< 17.6	< 176	< 88.2	< 17.6	< 88.2	< 88.2	< 353	No	No	
< 17.6	< 17.6	< 176	< 88.2	21.7	< 88.2	< 88.2	< 353	No	No	
< 17.5	< 17.5	< 175	< 87.5	< 17.5	< 87.5	< 87.5	< 350	No	No	
< 17.3	< 17.3	< 173	< 86.7	< 17.3	< 86.7	< 86.7	< 347	No	No	
< 17.3	< 17.3	< 173	< 86.7	< 17.3	< 86.7	< 86.7	< 347	No	No	
< 17.4	< 17.4	< 174	< 87	< 17.4	< 87	< 87	< 348	No	No	
< 17.5	< 17.5	< 175	< 87.6	< 17.5	< 87.6	< 87.6	< 350	No	No	
< 17.5	< 17.5	< 175	< 87.4	< 17.5	< 87.4	< 87.4	< 349	No	No	
< 17.4	< 17.4	< 174	< 87.2	20.6	< 87.2	< 87.2	< 349	No	No	

CITY_DEP_WORBY_CANNATA_SUBP_000085414

Lab Name	eld Sample	mple Locati	ate Collecte	lume Collect	Volume Unit	ab Sample I	ate Receive
			Target Air Quality Levels				
			EPA Site Specific Trigger Levels				
EMSL	GS 031006-10	0 TRINITY R	03/10/2006	0.968	Cubic Meters	0604683-00(	03/14/2006
EMSL	GS 031006-1(	THAMES STR	03/10/2006	0.938	Cubic Meters	0604683-00(	03/14/2006
EMSL	GS 031006-1!	EENWICH S	03/10/2006	0.976	Cubic Meters	0604683-00(	03/14/2006
EMSL	GS 031106-10	0 TRINITY R	03/11/2006	0.984	Cubic Meters	0604692-00(	03/14/2006
EMSL	GS 031106-1(	THAMES STR	03/11/2006	0.966	Cubic Meters	0604692-00(	03/14/2006
EMSL	GS 031106-1!	EENWICH S	03/11/2006	0.976	Cubic Meters	0604692-00(	03/14/2006
EMSL	GS 031206-10	0 TRINITY R	03/12/2006	0.968	Cubic Meters	0604679-00(	03/14/2006
EMSL	GS 031206-1(	THAMES STR	03/12/2006	0.938	Cubic Meters	0604679-00(	03/14/2006
EMSL	GS 031206-1!	EENWICH S	03/12/2006	0.976	Cubic Meters	0604679-00(	03/14/2006
EMSL	GS 031306-10	0 TRINITY R	03/13/2006	0.964	Cubic Meters	0604795-00(	03/15/2006
EMSL	GS 031306-1(	THAMES STR	03/13/2006	0.982	Cubic Meters	0604795-00(	03/15/2006
EMSL	GS 031306-1!	EENWICH S	03/13/2006	0.968	Cubic Meters	0604795-00(	03/15/2006
EMSL	GS 031406-10	0 TRINITY R	03/14/2006	0.972	Cubic Meters	0604858-00(	03/16/2006
EMSL	GS 031406-1(	THAMES STR	03/14/2006	0.966	Cubic Meters	0604858-00(	03/16/2006
EMSL	GS 031406-1!	EENWICH S	03/14/2006	0.956	Cubic Meters	0604858-00(	03/16/2006
EMSL	GS 031506-10	0 TRINITY R	03/15/2006	0.970	Cubic Meters	0604943-00(	03/17/2006
EMSL	GS 031506-1(	THAMES STR	03/15/2006	0.968	Cubic Meters	0604943-00(	03/17/2006
EMSL	GS 031506-1!	EENWICH S	03/15/2006	0.956	Cubic Meters	0604943-00(	03/17/2006
EMSL	GS 031606-10	0 TRINITY R	03/16/2006	1.014	Cubic Meters	0605021-00(	03/18/2006
EMSL	GS 031606-1(	THAMES STR	03/16/2006	0.992	Cubic Meters	0605021-00(	03/18/2006
EMSL	GS 031606-1!	EENWICH S	03/16/2006	0.976	Cubic Meters	0605021-00(	03/18/2006

Note 1: Exceedance report submitted to EPA.

2nd shift 03-10-06 to 03-16-06. No second shift worked 3/10 to 3/12.

		#1-100 TRINITY R	03/10/2006		Cubic Meters	0604181-00(	
		#2- THAMES STR	03/10/2006		Cubic Meters	0604181-00(	
		#3 GREENWICH S	03/10/2006		Cubic Meters	0604181-00(	
		#1-100 TRINITY R	03/11/2006		Cubic Meters	0603473-00(	
		#2- THAMES STR	03/11/2006		Cubic Meters	0603473-00(	
		#3 GREENWICH S	03/11/2006		Cubic Meters	0603473-00(	
		#1-100 TRINITY R	03/12/2006		Cubic Meters	0603463-00(	
		#2- THAMES STR	03/12/2006		Cubic Meters	0603463-00(	
		#3 GREENWICH S	03/12/2006		Cubic Meters	0603463-00(	
EMSL	GS 031306-10	0 TRINITY R	03/13/2006	0.890	Cubic Meters	0604794-00(	03/15/2006
EMSL	GS 031306-1(	THAMES STR	03/13/2006	0.882	Cubic Meters	0604794-00(	03/15/2006
EMSL	GS 031306-1!	EENWICH S	03/13/2006	0.880	Cubic Meters	0604794-00(	03/15/2006
EMSL	GS 031406-10	0 TRINITY R	03/14/2006	0.848	Cubic Meters	0604857-00(	03/16/2006
EMSL	GS 031406-1(	THAMES STR	03/14/2006	0.856	Cubic Meters	0604857-00(	03/16/2006
EMSL	GS 031406-1!	EENWICH S	03/14/2006	0.888	Cubic Meters	0604857-00(	03/16/2006
EMSL	GS 031506-10	0 TRINITY R	03/15/2006	0.846	Cubic Meters	0604936-00(	03/17/2006
EMSL	GS 031506-1(	THAMES STR	03/15/2006	0.842	Cubic Meters	0604936-00(	03/17/2006
EMSL	GS 031506-1!	EENWICH S	03/15/2006	0.940	Cubic Meters	0604936-00(	03/17/2006
EMSL	GS 031606-10	0 TRINITY R	03/16/2006	0.806	Cubic Meters	0605022-00(	03/18/2006
EMSL	GS 031606-1(	THAMES STR	03/16/2006	0.808	Cubic Meters	0605022-00(	03/18/2006
EMSL	GS 031606-1!	EENWICH S	03/16/2006	0.802	Cubic Meters	0605022-00(	03/18/2006

ate Analyze	alytical Meth	rameter Nar	Concentratic	Unit	ate Reporte	Exceeds Tar Air Quality Levels?	Exceeds EPA Site Specific Trigger Levels?
			10 ug/m3				
			10 ug/m3				
03/16/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/17/2006	**No**	**No**
03/16/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/17/2006	**No**	**No**
03/16/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/17/2006	**No**	**No**
03/16/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/17/2006	**No**	**No**
03/16/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/17/2006	**No**	**No**
03/16/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/17/2006	**No**	**No**
03/16/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/17/2006	**No**	**No**
03/16/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/17/2006	**No**	**No**
03/16/2006	OSH 7500 XF	Silica-Quartz	14	ug/m3	03/17/2006	**Yes**	**Yes**
03/17/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/20/2006	**No**	**No**
03/17/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/20/2006	**No**	**No**
03/17/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/20/2006	**No**	**No**
03/20/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/21/2006	**No**	**No**
03/20/2006	OSH 7500 XF	Silica-Quartz	7	ug/m3	03/21/2006	**No**	**No**
03/20/2006	OSH 7500 XF	Silica-Quartz	6	ug/m3	03/21/2006	**No**	**No**
03/21/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/22/2006	**No**	**No**
03/21/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/22/2006	**No**	**No**
03/21/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/22/2006	**No**	**No**
03/22/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/23/2006	**No**	**No**
03/22/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/23/2006	**No**	**No**
03/22/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/23/2006	**No**	**No**

	NIOSH 7500 XF	Silica-Quartz					
	NIOSH 7500 XF	Silica-Quartz					
	NIOSH 7500 XF	Silica-Quartz					
	NIOSH 7500 XF	Silica-Quartz					
	NIOSH 7500 XF	Silica-Quartz					
	NIOSH 7500 XF	Silica-Quartz					
	NIOSH 7500 XF	Silica-Quartz					
	NIOSH 7500 XF	Silica-Quartz					
	NIOSH 7500 XF	Silica-Quartz					
03/17/2006	OSH 7500 XF	Silica-Quartz	< 6	ug/m3	03/20/2006	**No**	**No**
03/17/2006	OSH 7500 XF	Silica-Quartz	< 6	ug/m3	03/20/2006	**No**	**No**
03/17/2006	OSH 7500 XF	Silica-Quartz	< 6	ug/m3	03/20/2006	**No**	**No**
03/20/2006	OSH 7500 XF	Silica-Quartz	< 6	ug/m3	03/21/2006	**No**	**No**
03/20/2006	OSH 7500 XF	Silica-Quartz	< 6	ug/m3	03/21/2006	**No**	**No**
03/20/2006	OSH 7500 XF	Silica-Quartz	< 6	ug/m3	03/21/2006	**No**	**No**
03/21/2006	OSH 7500 XF	Silica-Quartz	< 6	ug/m3	03/22/2006	**No**	**No**
03/21/2006	OSH 7500 XF	Silica-Quartz	< 6	ug/m3	03/22/2006	**No**	**No**
03/21/2006	OSH 7500 XF	Silica-Quartz	< 5	ug/m3	03/22/2006	**No**	**No**
03/22/2006	OSH 7500 XF	Silica-Quartz	< 6	ug/m3	03/23/2006	**No**	**No**
03/22/2006	OSH 7500 XF	Silica-Quartz	< 6	ug/m3	03/23/2006	**No**	**No**
03/22/2006	OSH 7500 XF	Silica-Quartz	< 6	ug/m3	03/23/2006	**No**	**No**

NYC 9/11 Public Portal Document

Comments

See Note 1