Certificate of Analysis

Certificate Nc2J0576

CLIENT INFORMATION		LABORATORY INFORMATION	
Attention:	Fred Usbeck	**Contact:**	Martin Dea
Client Name:	PHILIP ANALYTICAL SERVICES	**Project:**	AN022771
Address:	4418,Pottville Pike Reading, Pensylvanie 19605-1286	**Date Received:** **Date Reported:** **Date Revised:**	2002/10/16 2002/11/29
Fax Number:	610-921-9667	**Revision Number:**	0
Phone Number:	1-800-345-4026	**No. of pages:**	24

Project: SW 8290
Project Desc: PO#10295-R02100400
Sampled by: PHILIP ANALYTICAL SERVICES-PA

Approved by: _____
Martin Dea, Chemist
Project manager

Verified by:_____
Éric Fortin, Chemist
Inorganic Manager

Verified by:_____
Stephan Obarewicz, Chemist
High Resolution Manager

file # =DEP00250876.XLS
Revision No. 0

Certificate of Analysis

Certificate Nc2J0576

CLIENT INFORMATION		LABORATORY INFORMATION	
Attention:	Fred Usbeck	**Contact:**	Martin Dea
Client Name:	PHILIP ANALYTICAL SERVICES	**Project:**	AN022771
Address:	4418,Pottville Pike	**Date Received:**	2002/10/16
	Reading, Pensylvanie	**Date Reported:**	2002/11/29
	19605-1286	**Date Revised:**	
Fax Number:	610-921-9667	**Revision Number:**	0
Phone Number:	1-800-345-4026	**No. of pages:**	24

Project: SW 8290
Project Desc: PO#10295-R02100400
Sampled by: PHILIP ANALYTICAL SERVICES-PA

Approved by: _____
Martin Dea, Chemist
Project manager

Verified by:_____
Éric Fortin, Chemist
Inorganic Manager

Verified by:_____
Stephan Obarewicz, Chemist
High Resolution Manager

CONFIDENTIAL CLAUSE

ge is intended only for the use of the individual or entity to which it is addressed,and may contain information that is privileged, and exempt from disclosure under applicable law. Any other distribution, copying or disclosure is strictly prohibited. If you have in error,please notify us immediately by telephone,and return the original transmission to us by mail, without making a copy. Thank you !

file # =DEP00250876.XLS
Revision No. 0

PSC Services Analytiques

All work recorded herein has been done in accordance with normal professional standards using accepted testing methodologies, quality assurance and quality control procedures except where otherwise agreed to by the client and testing company in writing. Any and all use of these test results shall be limited to the actual cost of the pertinent analysis done.
There is no other warranty expressed or implied . Your samples will be retained at PSC Analytical Services for a period of six weeks from date of reception or as per contract.
This report may not be reproduced except in its entirety, without the written authorization of PSC Analytical Services. Reference material results are under control statistically unless otherwise specified (RM).
The enclosed guidelines and criterias are provided for information purposes only.
In case of desparity between the guidelines and criterias provided and the official version, these are the valid one.

Organic analyses are not corrected for extraction recovery standards except for PCDD/F and PCB's (congeners).
Batch and run dates for subcontracted analyses are reported only when available; if not, the date of reception of the certificate by fax is reported.
Methods used by PSC Analytical Services are based upon those found in 'Standard Methods for the Examination of Water and Wastewater', Nineteenth Edition. Other methods are based on the principles of MENV or EPA methodologies.
See the confirmation analysis report in the appendix at the end of this report for the list of the methods used, and the list of parameters analyzed by subcontracting laboratories.
Please contact your project manager for additionnals informations.

NOTES:
- = not analyzed
< = less than Reported Detection Limit (RDL)
NA = Not Applicable
RDL = Reported Detection Limit
Solids data is based on dry weight (unless otherwise specified).

Comments:

PSC Analytical Services
Certificate of Analysis

	R02100403	R02100403	R02100403
Client ID:	01A	01A	01A
Lab No.:	039106 02	039106 02	039106 02
Date Sampled:	02/10/09	02/10/09	02/10/09
Matrix:			

Component	RDL	Units		TEF	# of Isomers	RDL
Dioxins and furans						
2,3,7,8-Cl4DBF	0.21	pg	2.6	0.26		0.30
2,3,7,8-Cl4DBD	0.52	"	<0.52	<0.52		0.38
1,2,3,7,8-Cl5DBF	0.62	"	<0.62	<0.031		0.54
2,3,4,7,8-Cl5DBF	0.41	"	<0.41	<0.20		0.52
1,2,3,7,8-Cl5DBD	0.48	"	<0.48	<0.24		0.66
1,2,3,4,7,8-Cl6DBF	0.57	"	<0.57	<0.057		0.39
1,2,3,6,7,8-Cl6DBF	0.53	"	<0.53	<0.053		0.36
2,3,4,6,7,8-Cl6DBF	0.62	"	<0.62	<0.062		0.42
1,2,3,7,8,9-Cl6DBF	0.68	"	<0.68	<0.068		0.46
1,2,3,4,7,8-Cl6DBD	0.39	"	<0.39	<0.039		0.28
1,2,3,6,7,8-Cl6DBD	0.36	"	<0.36	<0.036		0.26
1,2,3,7,8,9-Cl6DBD	0.35	"	<0.35	<0.035		0.26
1,2,3,4,6,7,8-Cl7DBF	7.4	"	<7.4	<0.074		110
1,2,3,4,7,8,9-Cl7DBF	8.5	"	<8.5	<0.085		130
1,2,3,4,6,7,8-Cl7DBD	0.64	"	1.7	0.017		0.68
1,2,3,4,6,7,8,9-Cl8DBF	0.42	"	1.5	0.0015		1.3
1,2,3,4,6,7,8,9-Cl8DBD	0.71	"	26	0.026		0.50
TEF		pg		0.31		
EPA Requested TEQs				**< 1.06**		
MAX TEF		"		< 1.8		
Units Ng/m²				**< 0.11**		
ΣT4CDF	0.21	pg	10		8	0.30
ΣP5CDF	0.42	"	0.76		1	0.54
ΣH6CDF	0.57	"	<0.57		0	0.39
ΣH7CDF	7.9	"	<7.9		0	120
OCDF	0.42	"	1.5		1	1.3
ΣT4CDD	0.53	"	8.9		3	0.38
ΣP5CDD	0.48	"	<0.48		0	0.66
ΣH6CDD	0.36	"	<0.36		0	0.26
ΣH7CDD	0.64	"	3.2		2	0.68
OCDD	0.71	"	26		1	0.50
Surrogate Recoveries		%				
2,3,7,8-T4CDF-13C12			84			
2,3,7,8-T4CDD-13C12			76			
1,2,3,7,8-P5CDF-13C12			82			
1,2,3,7,8-P5CDD-13C12			85			
1,2,3,6,7,8-H6CDF-13C12			76			
1,2,3,6,7,8-H6CDD-13C12			75			
1,2,3,4,6,7,8-H7CDF-13C12			82			
1,2,3,4,6,7,8-H7CDD-13C12			93			
OCDD-13C12			75			

Certificate No:2J0576
nh

file # =DEP00250876.XLS
Revision No. 0

NYC 9/11 Public Portal Document

PSC Analytical Services
Certificate of Analysis

	R02100403	R02100403	R02100403
Client ID:	01A	01A	01A
Lab No.:	039106 02	039106 02	039106 02
Date Sampled:	02/10/09	02/10/09	02/10/09
Matrix:			

Component	RDL	Units	TEF	# of Isomers	RDL

CITY_21MC100_011991953

NYC-WTC_000435623

PSC Analytical Services
Certificate of Analysis

	R02100403 02A			R02100403 03A	R02100403 03A	R02100403 03A
Client ID:						
Lab No.:	039107 02			039108 02	039108 02	039108 02
Date Sampled:	02/10/09			02/10/09	02/10/09	02/10/09
Matrix:						
Component	**# of Isomers**	**RDL**	**Units**		**TEF**	**# of Isomers**
Dioxins and furans						
2,3,7,8-Cl4DBF		0.38	pg	1.2	0.12	
2,3,7,8-Cl4DBD		0.48	"	<0.48	<0.48	
1,2,3,7,8-Cl5DBF		0.52	"	<0.52	<0.026	
2,3,4,7,8-Cl5DBF		0.50	"	<0.50	<0.25	
1,2,3,7,8-Cl5DBD		0.54	"	<0.54	<0.27	
1,2,3,4,7,8-Cl6DBF		0.47	"	<0.47	<0.047	
1,2,3,6,7,8-Cl6DBF		0.44	"	<0.44	<0.044	
2,3,4,6,7,8-Cl6DBF		0.52	"	<0.52	<0.052	
1,2,3,7,8,9-Cl6DBF		0.56	"	<0.56	<0.056	
1,2,3,4,7,8-Cl6DBD		0.77	"	<0.77	<0.077	
1,2,3,6,7,8-Cl6DBD		0.71	"	<0.71	<0.071	
1,2,3,7,8,9-Cl6DBD		0.69	"	<0.69	<0.069	
1,2,3,4,6,7,8-Cl7DBF		36	"	<36	<0.36	
1,2,3,4,7,8,9-Cl7DBF		41	"	<41	<0.41	
1,2,3,4,6,7,8-Cl7DBD		0.60	"	<0.60	<0.0060	
1,2,3,4,6,7,8,9-Cl8DBF		0.62	"	<0.62	<0.00062	
1,2,3,4,6,7,8,9-Cl8DBD		7.6	"	<7.6	<0.0076	
TEF			pg		0.12	
EPA Requested TEQs					**< 1.21**	
MAX TEF			"		< 2.3	
Units Ng/m²					**< 0.12**	
ΣT4CDF	1	0.38	pg	1.2		1
ΣP5CDF	0	0.52	"	<0.52		0
ΣH6CDF	0	0.47	"	<0.47		0
ΣH7CDF	0	38	"	<38		0
OCDF	0	0.62	"	<0.62		0
ΣT4CDD	0	0.48	"	1.3		1
ΣP5CDD	0	0.54	"	<0.54		0
ΣH6CDD	0	0.71	"	<0.71		0
ΣH7CDD	0	0.52	"	<0.52		0
OCDD	1	7.6	"	<7.6		0
Surrogate Recoveries			%			
2,3,7,8-T4CDF-13C12				90		
2,3,7,8-T4CDD-13C12				86		
1,2,3,7,8-P5CDF-13C12				89		
1,2,3,7,8-P5CDD-13C12				91		
1,2,3,6,7,8-H6CDF-13C12				79		
1,2,3,6,7,8-H6CDD-13C12				82		
1,2,3,4,6,7,8-H7CDF-13C12				84		
1,2,3,4,6,7,8-H7CDD-13C12				91		
OCDD-13C12				79		

Certificate No:2J0576
nh

file # =DEP00250876.XLS
Revision No. 0

NYC 9/11 Public Portal Document

PSC Analytical Services
Certificate of Analysis

R02100403		R02100403	R02100403	R02100403	
02A	***Client ID:***	03A	03A	03A	
039107 02	***Lab No.:***	039108 02	039108 02	039108 02	
02/10/09	***Date Sampled:***	02/10/09	02/10/09	02/10/09	
	Matrix:				

Component	**# of Isomers**	**RDL**	**Units**	**TEF**

CITY_21MC100_011991955

NYC-WTC_000435625

PSC Analytical Services
Certificate of Analysis

	R02100403 04A	R02100403 04A		R02100403 05A	R02100403 05A
			Client ID:	05A	
	039109 02	039109 02	***Lab No.:***	039110 02	039110 02
	02/10/09	02/10/09	***Date Sampled:***	02/10/09	02/10/09
			Matrix:		

Component	**TEF**	**# of Isomers**	**RDL**	**Units**			**TEF**
Dioxins and furans							
2,3,7,8-Cl4DBF	<0.056		0.58	pg	<0.58		<0.058
2,3,7,8-Cl4DBD	<6.0		0.34	"	0.38		0.38
1,2,3,7,8-Cl5DBF	<0.065		0.51	"	0.56		0.028
2,3,4,7,8-Cl5DBF	<0.62		0.49	"	<0.49		<0.24
1,2,3,7,8-Cl5DBD	<0.73		0.46	"	<0.46		<0.23
1,2,3,4,7,8-Cl6DBF	<0.11		0.72	"	<0.72		<0.072
1,2,3,6,7,8-Cl6DBF	<0.099		0.30	"	<0.30		<0.030
2,3,4,6,7,8-Cl6DBF	0.21		0.45	"	<0.45		<0.045
1,2,3,7,8,9-Cl6DBF	<0.13		0.62	"	<0.62		<0.062
1,2,3,4,7,8-Cl6DBD	<0.23		0.60	"	<0.60		<0.060
1,2,3,6,7,8-Cl6DBD	<0.21		0.55	"	<0.55		<0.055
1,2,3,7,8,9-Cl6DBD	<0.21		0.54	"	<0.54		<0.054
1,2,3,4,6,7,8-Cl7DBF	<0.22		1.8	"	<1.8		<0.018
1,2,3,4,7,8,9-Cl7DBF	<0.14		1.2	"	<1.2		<0.012
1,2,3,4,6,7,8-Cl7DBD	0.090		0.74	"	<0.74		<0.0074
1,2,3,4,6,7,8,9-Cl8DBF	0.0064		0.87	"	1.2		0.0012
1,2,3,4,6,7,8,9-Cl8DBD	0.078		3.1	"	<3.1		<0.0031
TEF	0.38			pg			0.41
EPA Requested TEQs	**4.79**					**<**	**0.91**
MAX TEF	9.2			"		<	1.4
Units Ng/m^2	**0.48**					**<**	**0.09**
ΣT4CDF		11	0.23	pg	<0.23		
ΣP5CDF		1	0.51	"	0.56		
ΣH6CDF		2	0.57	"	<0.57		
ΣH7CDF		0	1.1	"	<1.1		
OCDF		1	0.87	"	1.2		
ΣT4CDD		5	0.34	"	0.38		
ΣP5CDD		2	0.46	"	<0.46		
ΣH6CDD		0	0.55	"	<0.55		
ΣH7CDD		2	0.74	"	<0.74		
OCDD		1	3.1	"	<3.1		
Surrogate Recoveries				%			
2,3,7,8-T4CDF-13C12					94		
2,3,7,8-T4CDD-13C12					82		
1,2,3,7,8-P5CDF-13C12					80		
1,2,3,7,8-P5CDD-13C12					72		
1,2,3,6,7,8-H6CDF-13C12					58		
1,2,3,6,7,8-H6CDD-13C12					70		
1,2,3,4,6,7,8-H7CDF-13C12					48		
1,2,3,4,6,7,8-H7CDD-13C12					88		
OCDD-13C12					66		

Certificate No:2J0576
nh

file # =DEP00250876.XLS
Revision No. 0

PSC Analytical Services
Certificate of Analysis

	R02100403 04A	R02100403 04A		R02100403 05A	R02100403 05A
	039109 02	039109 02	***Client ID:***		
	02/10/09	02/10/09	***Lab No.:***	039110 02	039110 02
			Date Sampled:	02/10/09	02/10/09
			Matrix:		
Component	**TEF**	**# of Isomers**	**RDL**	**Units**	**TEF**

PSC Analytical Services
Certificate of Analysis

	R02100403 06A 039111 02 02/10/09	R02100403 06A 039111 02 02/10/09	R02100403 06A 039111 02 02/10/09			R02100403 07A 039112 02 02/10/09
				Client ID:		
				Lab No.:		
				Date Sampled:		
				Matrix:		
Component		**TEF**	**# of Isomers**	**RDL**	**Units**	
Dioxins and furans						
2,3,7,8-Cl4DBF	<1.4	<0.14		0.65	pg	0.95
2,3,7,8-Cl4DBD	<0.94	<0.94		0.54	"	<0.54
1,2,3,7,8-Cl5DBF	<1.5	<0.073		0.41	"	<0.41
2,3,4,7,8-Cl5DBF	<1.4	<0.70		0.39	"	<0.39
1,2,3,7,8-Cl5DBD	<1.4	<0.68		0.89	"	<0.89
1,2,3,4,7,8-Cl6DBF	<2.5	<0.25		0.51	"	<0.51
1,2,3,6,7,8-Cl6DBF	<2.3	<0.23		0.47	"	<0.47
2,3,4,6,7,8-Cl6DBF	<2.7	<0.27		0.55	"	<0.55
1,2,3,7,8,9-Cl6DBF	<3.0	<0.30		0.60	"	<0.60
1,2,3,4,7,8-Cl6DBD	<3.9	<0.39		0.85	"	<0.85
1,2,3,6,7,8-Cl6DBD	<3.6	<0.36		0.79	"	<0.79
1,2,3,7,8,9-Cl6DBD	<3.5	<0.35		0.77	"	<0.77
1,2,3,4,6,7,8-Cl7DBF	<96	<0.96		13	"	<13
1,2,3,4,7,8,9-Cl7DBF	<110	<1.1		15	"	<15
1,2,3,4,6,7,8-Cl7DBD	<3.7	<0.037		0.69	"	1.3
1,2,3,4,6,7,8,9-Cl8DBF	<3.0	<0.0030		6.7	"	<6.7
1,2,3,4,6,7,8,9-Cl8DBD	<5.9	<0.0060		1.3	"	11
TEF		0			pg	
EPA Requested TEQs	<	**3.40**				<
MAX TEF	<	6.8			"	<
Units Ng/m²	<	**0.34**				<
ΣT4CDF	<0.76		0	0.65	pg	0.95
ΣP5CDF	<1.5		0	0.41	"	<0.41
ΣH6CDF	<2.7		0	0.55	"	<0.55
ΣH7CDF	<100		0	14	"	<14
OCDF	<3.0		0	6.7	"	<6.7
ΣT4CDD	<0.94		0	0.54	"	<0.54
ΣP5CDD	<1.4		0	0.89	"	<0.89
ΣH6CDD	<3.6		0	0.79	"	<0.79
ΣH7CDD	<3.7		0	0.69	"	2.3
OCDD	<6.0		0	1.3	"	11
Surrogate Recoveries					%	
2,3,7,8-T4CDF-13C12	108					92
2,3,7,8-T4CDD-13C12	90					80
1,2,3,7,8-P5CDF-13C12	70					80
1,2,3,7,8-P5CDD-13C12	60					76
1,2,3,6,7,8-H6CDF-13C12	66					76
1,2,3,6,7,8-H6CDD-13C12	74					74
1,2,3,4,6,7,8-H7CDF-13C12	48					90
1,2,3,4,6,7,8-H7CDD-13C12	86					96
OCDD-13C12	62					82

Certificate No:2J0576
nh

file # =DEP00250876.XLS
Revision No. 0

PSC Analytical Services
Certificate of Analysis

R02100403 06A 039111 02 02/10/09	R02100403 06A 039111 02 02/10/09	R02100403 06A 039111 02 02/10/09		***Client ID:***	R02100403 07A
				Lab No.:	039112 02
				Date Sampled:	02/10/09
				Matrix:	

Component	TEF	# of Isomers	RDL	Units

NYC 9/11 Public Portal Document

PSC Analytical Services
Certificate of Analysis

	R02100403	R02100403	R02100403		
Client ID:	08A	08A	08A		***Client ID:***
Lab No.:	039113 02	039113 02	039113 02		***Lab No.:***
e Sampled:	02/10/09	02/10/09	02/10/09		***Date Sampled:***
Matrix:					***Matrix:***
Component	**Units**		**TEF**	**# of Isomers**	**RDL**	**Units**
Dioxins and furans						
2,3,7,8-Cl4DBF	pg	<1.7	<0.17		0.48	pg
2,3,7,8-Cl4DBD	"	<0.57	<0.57		0.79	"
1,2,3,7,8-Cl5DBF	"	<0.74	<0.037		0.78	"
2,3,4,7,8-Cl5DBF	"	<0.71	<0.36		0.60	"
1,2,3,7,8-Cl5DBD	"	<0.66	<0.33		0.81	"
1,2,3,4,7,8-Cl6DBF	"	<1.0	<0.10		0.84	"
1,2,3,6,7,8-Cl6DBF	"	<0.97	<0.097		0.78	"
2,3,4,6,7,8-Cl6DBF	"	<1.1	<0.11		0.92	"
1,2,3,7,8,9-Cl6DBF	"	<1.2	<0.12		0.99	"
1,2,3,4,7,8-Cl6DBD	"	<0.82	<0.082		0.66	"
1,2,3,6,7,8-Cl6DBD	"	<0.76	<0.076		0.61	"
1,2,3,7,8,9-Cl6DBD	"	<0.74	<0.074		0.60	"
1,2,3,4,6,7,8-Cl7DBF	"	<11	<0.11		56	"
1,2,3,4,7,8,9-Cl7DBF	"	<13	<0.13		2.4	"
1,2,3,4,6,7,8-Cl7DBD	"	2.0	0.020		0.72	"
1,2,3,4,6,7,8,9-Cl8DBF	"	1.6	0.0016		1.3	"
1,2,3,4,6,7,8,9-Cl8DBD	"	21	0.021		3.3	"
TEF	pg		0.043			pg
EPA Requested TEQs		**<**	**1.22**			
MAX TEF	"	<	2.4			"
Units Ng/m²		**<**	**0.12**			
ΣT4CDF	pg	1.6		2	0.48	pg
ΣP5CDF	"	<0.74		0	0.63	"
ΣH6CDF	"	<1.1		0	0.92	"
ΣH7CDF	"	<12		0	60	"
OCDF	"	1.6		1	1.3	"
ΣT4CDD	"	2.3		2	0.79	"
ΣP5CDD	"	<0.66		0	0.81	"
ΣH6CDD	"	<0.76		0	0.61	"
ΣH7CDD	"	4.0		2	0.59	"
OCDD	"	21		1	3.3	"
Surrogate Recoveries	%					%
2,3,7,8-T4CDF-13C12		96				
2,3,7,8-T4CDD-13C12		80				
1,2,3,7,8-P5CDF-13C12		84				
1,2,3,7,8-P5CDD-13C12		80				
1,2,3,6,7,8-H6CDF-13C12		58				
1,2,3,6,7,8-H6CDD-13C12		72				
1,2,3,4,6,7,8-H7CDF-13C12		54				
1,2,3,4,6,7,8-H7CDD-13C12		96				
OCDD-13C12		84				

CITY_21MC100_011991960

NYC-WTC_000435630

PSC Analytical Services
Certificate of Analysis

	R02100403	R02100403	R02100403		
Client ID:	08A	08A	08A		***Client ID:***
Lab No.:	039113 02	039113 02	039113 02		***Lab No.:***
e Sampled:	02/10/09	02/10/09	02/10/09		***Date Sampled:***
Matrix:					***Matrix:***
Component	**Units**	**TEF**	**# of Isomers**	**RDL**	**Units**

PSC Analytical Services
Certificate of Analysis

	R02100403	R02100403	R02100403
Client ID:	10A	10A	10A
Lab No.:	039115 02	039115 02	039115 02
Date Sampled:	02/10/09	02/10/09	02/10/09
Matrix:			

Component	RDL	Units		TEF	# of Isomers	RDL
Dioxins and furans						
2,3,7,8-Cl4DBF	1.6	pg	<1.6	<0.16		0.79
2,3,7,8-Cl4DBD	1.1	"	<1.1	<1.1		1.4
1,2,3,7,8-Cl5DBF	1.7	"	<1.7	<0.083		0.78
2,3,4,7,8-Cl5DBF	1.6	"	<1.6	<0.80		0.48
1,2,3,7,8-Cl5DBD	1.5	"	<1.5	<0.76		1.9
1,2,3,4,7,8-Cl6DBF	1.3	"	<1.3	<0.13		2.1
1,2,3,6,7,8-Cl6DBF	1.2	"	<1.2	<0.12		1.9
2,3,4,6,7,8-Cl6DBF	1.4	"	<1.4	<0.14		2.3
1,2,3,7,8,9-Cl6DBF	1.6	"	<1.6	<0.16		2.5
1,2,3,4,7,8-Cl6DBD	2.3	"	<2.3	<0.23		1.7
1,2,3,6,7,8-Cl6DBD	2.2	"	<2.2	<0.22		1.6
1,2,3,7,8,9-Cl6DBD	2.1	"	<2.1	<0.21		1.5
1,2,3,4,6,7,8-Cl7DBF	130	"	<130	<1.3		170
1,2,3,4,7,8,9-Cl7DBF	160	"	<160	<1.6		200
1,2,3,4,6,7,8-Cl7DBD	6.4	"	<6.4	<0.064		2.1
1,2,3,4,6,7,8,9-Cl8DBF	4.3	"	<4.3	<0.0043		6.7
1,2,3,4,6,7,8,9-Cl8DBD	2.2	"	13	0.013		1.5
TEF		pg		0.013		
EPA Requested TEQs			**<**	**3.56**		
MAX TEF		"	<	7.1		
Units Ng/m²			**<**	**0.36**		
ΣT4CDF	0.46	pg	2.0		2	0.79
ΣP5CDF	1.7	"	<1.7		0	0.50
ΣH6CDF	1.3	"	<1.3		0	2.1
ΣH7CDF	150	"	<150		0	180
OCDF	4.3	"	<4.3		0	6.7
ΣT4CDD	1.1	"	6.9		2	1.4
ΣP5CDD	1.5	"	<1.5		0	1.9
ΣH6CDD	2.2	"	<2.2		0	1.6
ΣH7CDD	6.4	"	<6.4		0	2.1
OCDD	2.2	"	13		1	1.5
Surrogate Recoveries		%				
2,3,7,8-T4CDF-13C12			94			
2,3,7,8-T4CDD-13C12			66			
1,2,3,7,8-P5CDF-13C12			64			
1,2,3,7,8-P5CDD-13C12			50			
1,2,3,6,7,8-H6CDF-13C12			102			
1,2,3,6,7,8-H6CDD-13C12			78			
1,2,3,4,6,7,8-H7CDF-13C12			100			
1,2,3,4,6,7,8-H7CDD-13C12			82			
OCDD-13C12			60			

NYC 9/11 Public Portal Document

PSC Analytical Services
Certificate of Analysis

	R02100403	R02100403	R02100403
Client ID:	10A	10A	10A
Lab No.:	039115 02	039115 02	039115 02
Date Sampled:	02/10/09	02/10/09	02/10/09
Matrix:			

Component	RDL	Units	TEF	# of Isomers	RDL

Certificate No:2J0576
nh

file # =DEP00250876.XLS
Revision No. 0

CITY_21MC100_011991963

NYC-WTC_000435633

PSC Analytical Services
Certificate of Analysis

	R02100403 11A			R02100403 12A	R02100403 12A	R02100403 12A
Client ID:						
Lab No.:	039116 02			039117 02	039117 02	039117 02
Date Sampled:	02/10/09			02/10/09	02/10/09	02/10/09
Matrix:						
Component	**# of Isomers**	**RDL**	**Units**		**TEF**	**# of Isomers**
Dioxins and furans						
2,3,7,8-Cl4DBF		0.99	pg	2.2	0.22	
2,3,7,8-Cl4DBD		1.3	"	<1.3	<1.3	
1,2,3,7,8-Cl5DBF		0.99	"	<0.99	<0.049	
2,3,4,7,8-Cl5DBF		0.95	"	<0.95	<0.48	
1,2,3,7,8-Cl5DBD		2.5	"	<2.5	<1.2	
1,2,3,4,7,8-Cl6DBF		2.2	"	<2.2	<0.22	
1,2,3,6,7,8-Cl6DBF		2.1	"	<2.1	<0.21	
2,3,4,6,7,8-Cl6DBF		2.4	"	<2.4	<0.24	
1,2,3,7,8,9-Cl6DBF		2.6	"	<2.6	<0.26	
1,2,3,4,7,8-Cl6DBD		1.9	"	<1.9	<0.19	
1,2,3,6,7,8-Cl6DBD		1.8	"	<1.8	<0.18	
1,2,3,7,8,9-Cl6DBD		1.7	"	<1.7	<0.17	
1,2,3,4,6,7,8-Cl7DBF		250	"	<250	<2.5	
1,2,3,4,7,8,9-Cl7DBF		290	"	<290	<2.9	
1,2,3,4,6,7,8-Cl7DBD		3.5	"	<3.5	<0.035	
1,2,3,4,6,7,8,9-Cl8DBF		3.7	"	20	0.020	
1,2,3,4,6,7,8,9-Cl8DBD		3.9	"	7.3	0.0073	
TEF			pg		0.24	
EPA Requested TEQs					< **5.12**	
MAX TEF			"		< 10	
Units Ng/m²					< **0.51**	
ΣT4CDF	2	0.99	pg	2.2		1
ΣP5CDF	0	0.99	"	<0.99		0
ΣH6CDF	0	2.2	"	<2.2		0
ΣH7CDF	0	270	"	<270		0
OCDF	0	3.7	"	20		1
ΣT4CDD	0	1.7	"	5.8		2
ΣP5CDD	0	2.5	"	<2.5		0
ΣH6CDD	0	1.8	"	<1.8		0
ΣH7CDD	2	3.5	"	<3.5		0
OCDD	1	3.9	"	7.3		1
Surrogate Recoveries			%			
2,3,7,8-T4CDF-13C12				88		
2,3,7,8-T4CDD-13C12				70		
1,2,3,7,8-P5CDF-13C12				64		
1,2,3,7,8-P5CDD-13C12				52		
1,2,3,6,7,8-H6CDF-13C12				76		
1,2,3,6,7,8-H6CDD-13C12				78		
1,2,3,4,6,7,8-H7CDF-13C12				62		
1,2,3,4,6,7,8-H7CDD-13C12				84		
OCDD-13C12				58		

NYC 9/11 Public Portal Document

PSC Analytical Services
Certificate of Analysis

R02100403		R02100403	R02100403	R02100403	
11A	***Client ID:***	12A	12A	12A	
039116 02	***Lab No.:***	039117 02	039117 02	039117 02	
02/10/09	***Date Sampled:***	02/10/09	02/10/09	02/10/09	
	Matrix:				

Component	**# of Isomers**	**RDL**	**Units**	**TEF**

CITY_21MC100_011991965

NYC-WTC_000435635

PSC Analytical Services
Certificate of Analysis

	R02100403 13A	R02100403 13A		R02100403 14A	R02100403 14A
			Client ID:		
	039118 02	039118 02	***Lab No.:***	039119 02	039119 02
	02/10/09	02/10/09	***Date Sampled:***	02/10/09	02/10/09
			Matrix:		

Component	TEF	# of Isomers	RDL	Units		TEF
Dioxins and furans						
2,3,7,8-Cl4DBF	0.18		0.34	pg	7.0	0.70
2,3,7,8-Cl4DBD	0.72		0.92	"	2.7	2.7
1,2,3,7,8-Cl5DBF	0.035		0.78	"	<0.78	<0.039
2,3,4,7,8-Cl5DBF	<0.27		1.7	"	<1.7	<0.83
1,2,3,7,8-Cl5DBD	<0.27		1.8	"	<1.8	<0.92
1,2,3,4,7,8-Cl6DBF	0.044		0.82	"	<0.82	<0.082
1,2,3,6,7,8-Cl6DBF	<0.026		0.76	"	<0.76	<0.076
2,3,4,6,7,8-Cl6DBF	<0.031		0.89	"	<0.89	<0.089
1,2,3,7,8,9-Cl6DBF	<0.037		0.37	"	<0.37	<0.037
1,2,3,4,7,8-Cl6DBD	<0.059		2.0	"	<2.0	<0.20
1,2,3,6,7,8-Cl6DBD	<0.055		1.8	"	<1.8	<0.18
1,2,3,7,8,9-Cl6DBD	<0.054		1.8	"	<1.8	<0.18
1,2,3,4,6,7,8-Cl7DBF	<0.13		110	"	<110	<1.1
1,2,3,4,7,8,9-Cl7DBF	<0.14		130	"	<130	<1.3
1,2,3,4,6,7,8-Cl7DBD	0.0068		6.1	"	<6.1	<0.061
1,2,3,4,6,7,8,9-Cl8DBF	<0.00083		11	"	<11	<0.011
1,2,3,4,6,7,8,9-Cl8DBD	0.0041		39	"	<39	<0.039
TEF	0.99			pg		3.4
EPA Requested TEQs	**1.55**					**< 6.00**
MAX TEF	2.1			"		< 8.6
Units Ng/m^2	**0.15**					**< 0.60**
ΣT4CDF		3	0.34	pg	24	
ΣP5CDF		2	0.79	"	4.0	
ΣH6CDF		1	0.89	"	<0.89	
ΣH7CDF		0	120	"	<120	
OCDF		0	11	"	<11	
ΣT4CDD		3	0.92	"	22	
ΣP5CDD		3	1.8	"	9.9	
ΣH6CDD		0	1.8	"	39	
ΣH7CDD		1	5.4	"	<5.4	
OCDD		1	39	"	<39	
Surrogate Recoveries				%		
2,3,7,8-T4CDF-13C12					86	
2,3,7,8-T4CDD-13C12					61	
1,2,3,7,8-P5CDF-13C12					47	
1,2,3,7,8-P5CDD-13C12					36	
1,2,3,6,7,8-H6CDF-13C12					91	
1,2,3,6,7,8-H6CDD-13C12					56	
1,2,3,4,6,7,8-H7CDF-13C12					66	
1,2,3,4,6,7,8-H7CDD-13C12					44	
OCDD-13C12					30	

Certificate No:2J0576
nh

file # =DEP00250876.XLS
Revision No. 0

NYC 9/11 Public Portal Document

PSC Analytical Services
Certificate of Analysis

R02100403	R02100403		R02100403	R02100403
13A	13A	***Client ID:***	14A	14A
039118 02	039118 02	***Lab No.:***	039119 02	039119 02
02/10/09	02/10/09	***Date Sampled:***	02/10/09	02/10/09
		Matrix:		

Component	TEF	# of Isomers	RDL	Units	TEF

PSC Analytical Services
Certificate of Analysis

	R02100403 15A 039120 02 02/10/09	R02100403 15A 039120 02 02/10/09	R02100403 15A 039120 02 02/10/09			R02100403 16A 039121 02 02/10/09
				Client ID:		16A
				Lab No.:		039121 02
				Date Sampled:		02/10/09
				Matrix:		
Component		**TEF**	**# of Isomers**	**RDL**	**Units**	
Dioxins and furans						
2,3,7,8-Cl4DBF	2.1	0.21		3.4	pg	<3.4
2,3,7,8-Cl4DBD	<0.60	<0.60		0.50	"	<0.50
1,2,3,7,8-Cl5DBF	0.94	0.047		0.48	"	0.52
2,3,4,7,8-Cl5DBF	<0.87	<0.44		0.76	"	<0.76
1,2,3,7,8-Cl5DBD	<1.1	<0.56		0.91	"	<0.91
1,2,3,4,7,8-Cl6DBF	<1.1	<0.11		0.57	"	1.2
1,2,3,6,7,8-Cl6DBF	<1.0	<0.10		0.64	"	<0.64
2,3,4,6,7,8-Cl6DBF	<1.2	<0.12		0.34	"	<0.34
1,2,3,7,8,9-Cl6DBF	<1.3	<0.13		0.37	"	<0.37
1,2,3,4,7,8-Cl6DBD	<1.5	<0.15		0.97	"	<0.97
1,2,3,6,7,8-Cl6DBD	<1.4	<0.14		0.90	"	<0.90
1,2,3,7,8,9-Cl6DBD	<1.3	<0.13		0.88	"	<0.88
1,2,3,4,6,7,8-Cl7DBF	<69	<0.69		30	"	<30
1,2,3,4,7,8,9-Cl7DBF	<79	<0.79		3.9	"	<3.9
1,2,3,4,6,7,8-Cl7DBD	<2.1	<0.021		3.0	"	<3.0
1,2,3,4,6,7,8,9-Cl8DBF	<3.5	<0.0035		3.8	"	37
1,2,3,4,6,7,8,9-Cl8DBD	<5.6	<0.0056		11	"	<11
TEF		0.25			pg	
EPA Requested TEQs	<	**2.23**				<
MAX TEF	<	4.2			"	<
Units Ng/m²	<	**0.22**				<
ΣT4CDF	3.2		3	0.31	pg	9.5
ΣP5CDF	0.94		1	0.48	"	3.8
ΣH6CDF	<1.2		0	0.62	"	1.2
ΣH7CDF	<74		0	32	"	<32
OCDF	<3.5		0	3.8	"	37
ΣT4CDD	3.9		2	0.49	"	12
ΣP5CDD	<1.1		0	1.1	"	1.6
ΣH6CDD	<1.4		0	0.90	"	<0.90
ΣH7CDD	<2.1		0	1.6	"	2.5
OCDD	<5.6		0	11	"	<11
Surrogate Recoveries					%	
2,3,7,8-T4CDF-13C12	91					98
2,3,7,8-T4CDD-13C12	75					82
1,2,3,7,8-P5CDF-13C12	63					73
1,2,3,7,8-P5CDD-13C12	45					58
1,2,3,6,7,8-H6CDF-13C12	103					119
1,2,3,6,7,8-H6CDD-13C12	81					89
1,2,3,4,6,7,8-H7CDF-13C12	82					96
1,2,3,4,6,7,8-H7CDD-13C12	82					74
OCDD-13C12	57					51

Certificate No:2J0576
nh

file # =DEP00250876.XLS
Revision No. 0

NYC 9/11 Public Portal Document

PSC Analytical Services
Certificate of Analysis

R02100403	R02100403	R02100403			R02100403
15A	15A	15A	***Client ID:***		16A
039120 02	039120 02	039120 02	***Lab No.:***		039121 02
02/10/09	02/10/09	02/10/09	***Date Sampled:***		02/10/09
			Matrix:		

Component	**TEF**	**# of Isomers**	**RDL**	**Units**

PSC Analytical Services
Certificate of Analysis

	R02100403	R02100403	R02100403		
Client ID:	17A	17A	17A		***Client ID:***
Lab No.:	039122 02	039122 02	039122 02		***Lab No.:***
e Sampled:	02/10/09	02/10/09	02/10/09		***Date Sampled:***
Matrix:					***Matrix:***
Component	**Units**		**TEF**	**# of Isomers**	**RDL**	**Units**
Dioxins and furans						
2,3,7,8-Cl4DBF	pg	<2.2	<0.22		0.45	pg
2,3,7,8-Cl4DBD	"	<0.51	<0.51		0.55	"
1,2,3,7,8-Cl5DBF	"	<0.74	<0.037		0.56	"
2,3,4,7,8-Cl5DBF	"	<0.75	<0.37		0.54	"
1,2,3,7,8-Cl5DBD	"	<1.3	<0.65		0.74	"
1,2,3,4,7,8-Cl6DBF	"	<1.7	<0.17		0.57	"
1,2,3,6,7,8-Cl6DBF	"	<1.6	<0.16		0.53	"
2,3,4,6,7,8-Cl6DBF	"	<1.9	<0.19		0.62	"
1,2,3,7,8,9-Cl6DBF	"	<2.1	<0.21		0.67	"
1,2,3,4,7,8-Cl6DBD	"	<1.6	<0.16		1.7	"
1,2,3,6,7,8-Cl6DBD	"	<1.5	<0.15		1.5	"
1,2,3,7,8,9-Cl6DBD	"	<1.4	<0.14		1.4	"
1,2,3,4,6,7,8-Cl7DBF	"	<2.7	<0.027		67	"
1,2,3,4,7,8,9-Cl7DBF	"	<2.9	<0.029		77	"
1,2,3,4,6,7,8-Cl7DBD	"	4.3	0.043		1.2	"
1,2,3,4,6,7,8,9-Cl8DBF	"	<3.2	<0.0033		12	"
1,2,3,4,6,7,8,9-Cl8DBD	"	36	0.036		1.2	"
TEF	pg		0.079			pg
EPA Requested TEQs		**<**	**1.59**			
MAX TEF	"	<	3.1			"
Units Ng/m²		**<**	**0.16**			
ΣT4CDF	pg	4.7		4	0.45	pg
ΣP5CDF	"	<0.77		0	0.56	"
ΣH6CDF	"	<1.9		0	0.62	"
ΣH7CDF	"	<100		0	72	"
OCDF	"	<3.2		0	12	"
ΣT4CDD	"	1.8		1	0.55	"
ΣP5CDD	"	<1.3		0	0.74	"
ΣH6CDD	"	<1.5		0	0.80	"
ΣH7CDD	"	4.3		1	1.2	"
OCDD	"	36		1	1.2	"
Surrogate Recoveries	%					%
2,3,7,8-T4CDF-13C12		90				
2,3,7,8-T4CDD-13C12		77				
1,2,3,7,8-P5CDF-13C12		69				
1,2,3,7,8-P5CDD-13C12		53				
1,2,3,6,7,8-H6CDF-13C12		49				
1,2,3,6,7,8-H6CDD-13C12		52				
1,2,3,4,6,7,8-H7CDF-13C12		36				
1,2,3,4,6,7,8-H7CDD-13C12		59				
OCDD-13C12		50				

Certificate No:2J0576
nh

file # =DEP00250876.XLS
Revision No. 0

PSC Analytical Services
Certificate of Analysis

	R02100403	R02100403	R02100403		
Client ID:	17A	17A	17A		***Client ID:***
Lab No.:	039122 02	039122 02	039122 02		***Lab No.:***
e Sampled:	02/10/09	02/10/09	02/10/09		***Date Sampled:***
Matrix:					***Matrix:***
Component	**Units**	**TEF**	**# of Isomers**	**RDL**	**Units**

PSC Analytical Services
Laboratory Method Blanks

Component	RDL	Units	BLANK	TEF	# of Isomers	MR	RDL	Units
Batch Code:			**1104NZ01**					
2,3,7,8-Cl4DBF	0.12	pg	0.50	0.050		106%	0.34	pg
2,3,7,8-Cl4DBD	0.22	"	<0.22	<0.22		117%	0.59	"
1,2,3,7,8-Cl5DBF	0.21	"	0.31	0.015		116%	0.34	"
2,3,4,7,8-Cl5DBF	0.15	"	<0.15	<0.076		97%	0.33	"
1,2,3,7,8-Cl5DBD	0.38	"	<0.38	<0.19		96%	0.58	"
1,2,3,4,7,8-Cl6DBF	0.13	"	<0.13	<0.013		114%	0.50	"
1,2,3,6,7,8-Cl6DBF	0.12	"	0.15	0.015		105%	0.47	"
2,3,4,6,7,8-Cl6DBF	0.14	"	<0.14	<0.014		116%	0.55	"
1,2,3,7,8,9-Cl6DBF	0.15	"	<0.15	<0.015		119%	0.59	"
1,2,3,4,7,8-Cl6DBD	0.094	"	<0.094	<0.0094		102%	0.58	"
1,2,3,6,7,8-Cl6DBD	0.13	"	0.18	0.018		99%	0.53	"
1,2,3,7,8,9-Cl6DBD	0.11	"	<0.11	<0.011		99%	0.52	"
1,2,3,4,6,7,8-Cl7DBF	0.81	"	<0.81	<0.0081		105%	0.90	"
1,2,3,4,7,8,9-Cl7DBF	0.62	"	<0.62	<0.0062		52%	1.0	"
1,2,3,4,6,7,8-Cl7DBD	0.20	"	2.0	0.0020		102%	0.77	"
1,2,3,4,6,7,8,9-Cl8DBF	0.32	"	0.69	0.00069		125%	0.48	"
1,2,3,4,6,7,8,9-Cl8DBD	0.28	"	14	0.014		108%	1.6	"
FET				0.13				
FET MAX				<0.70				
ΣT4CDF	0.12	pg	0.50		1	106%	0.34	pg
ΣP5CDF	0.21	"	0.31		1	107%	0.34	"
ΣH6CDF	0.13	"	0.15		1	109%	0.50	"
ΣH7CDF	0.58	"	<0.58		0	79%	0.97	"
OCDF	0.32	"	0.69		1	125%	0.48	"
ΣT4CDD	0.20	"	<0.20		0	117%	0.59	"
ΣP5CDD	0.38	"	<0.38		0	96%	0.58	"
ΣH6CDD	0.12	"	0.46		2	100%	0.53	"
ΣH7CDD	0.20	"	3.7		2	102%	0.77	"
OCDD	0.28	"	14		1	108%	1.7	"
Surrogate Recoveries		%						%
2,3,7,8-T4CDF-13C12			88					
2,3,7,8-T4CDD-13C12			80					
1,2,3,7,8-P5CDF-13C12			91					
1,2,3,7,8-P5CDD-13C12			85					
1,2,3,6,7,8-H6CDF-13C12			76					
1,2,3,6,7,8-H6CDD-13C12			80					
1,2,3,4,6,7,8-H7CDF-13C12			84					
1,2,3,4,6,7,8-H7CDD-13C12			96					
OCDD-13C12			74					

Certificate No:2J0576
nh

file # =DEP00250876.XLS
Revision No. 0

PSC Analytical Services
Laboratory Method Blanks

Component	BLANK		# of Isomers	MR	RDL	Units	BLANK	
Batch Code:	**1108NZ01**	**TEF**					**1113NZ01**	**TEF**
2,3,7,8-Cl4DBF	0.62	0.062		103%	0.42	pg	1.4	0.14
2,3,7,8-Cl4DBD	<0.59	<0.59		118%	0.80	"	<0.80	<0.81
1,2,3,7,8-Cl5DBF	<0.34	<0.017		116%	0.69	"	<0.69	<0.035
2,3,4,7,8-Cl5DBF	<0.33	<0.17		105%	0.47	"	<0.47	<0.23
1,2,3,7,8-Cl5DBD	<0.58	<0.29		94%	0.57	"	<0.57	<0.28
1,2,3,4,7,8-Cl6DBF	<0.50	<0.050		98%	0.31	"	<0.31	<0.031
1,2,3,6,7,8-Cl6DBF	<0.47	<0.047		105%	0.57	"	<0.57	<0.057
2,3,4,6,7,8-Cl6DBF	<0.55	<0.055		164%	0.65	"	<0.65	<0.065
1,2,3,7,8,9-Cl6DBF	<0.59	<0.059		158%	0.37	"	<0.37	<0.037
1,2,3,4,7,8-Cl6DBD	<0.58	<0.058		90%	0.68	"	<0.68	<0.068
1,2,3,6,7,8-Cl6DBD	<0.53	<0.053		104%	0.63	"	<0.63	<0.063
1,2,3,7,8,9-Cl6DBD	<0.52	<0.052		108%	0.61	"	<0.61	<0.061
1,2,3,4,6,7,8-Cl7DBF	<0.90	<0.0090		104%	0.92	"	<0.92	<0.0092
1,2,3,4,7,8,9-Cl7DBF	<1.0	<0.010		166%	0.50	"	<0.50	<0.0050
1,2,3,4,6,7,8-Cl7DBD	<0.77	<0.0077		101%	0.72	"	<0.72	<0.0072
1,2,3,4,6,7,8,9-Cl8DBF	0.92	0.00092		86%	0.55	"	2.5	0.0025
1,2,3,4,6,7,8,9-Cl8DBD	<1.6	<0.0017		103%	3.5	"	<3.5	<0.0035
FET		0.063						0.14
FET MAX		<1.5						<1.9
ΣT4CDF	0.62		1	103%	0.42	pg	1.4	
ΣP5CDF	<0.34		0	111%	0.48	"	<0.48	
ΣH6CDF	<0.50		0	131%	0.34	"	<0.34	
ΣH7CDF	<0.97		0	135%	0.47	"	<0.47	
OCDF	0.92		1	86%	0.55	"	2.5	
ΣT4CDD	<0.59		0	118%	0.42	"	<0.42	
ΣP5CDD	<0.58		0	94%	0.57	"	<0.57	
ΣH6CDD	<0.53		0	101%	0.63	"	<0.63	
ΣH7CDD	<0.77		0	101%	0.72	"	<0.72	
OCDD	<1.7		0	103%	3.5	"	<3.5	
Surrogate Recoveries						%		
2,3,7,8-T4CDF-13C12	82						99	
2,3,7,8-T4CDD-13C12	76						84	
1,2,3,7,8-P5CDF-13C12	82						80	
1,2,3,7,8-P5CDD-13C12	80						66	
1,2,3,6,7,8-H6CDF-13C12	62						83	
1,2,3,6,7,8-H6CDD-13C12	74						84	
1,2,3,4,6,7,8-H7CDF-13C12	64						69	
1,2,3,4,6,7,8-H7CDD-13C12	90						91	
OCDD-13C12	78						71	

PSC Analytical Services
Laboratory Method Blanks

Component Batch Code:	# of Isomers	MR
2,3,7,8-Cl4DBF		108%
2,3,7,8-Cl4DBD		124%
1,2,3,7,8-Cl5DBF		119%
2,3,4,7,8-Cl5DBF		103%
1,2,3,7,8-Cl5DBD		98%
1,2,3,4,7,8-Cl6DBF		107%
1,2,3,6,7,8-Cl6DBF		113%
2,3,4,6,7,8-Cl6DBF		119%
1,2,3,7,8,9-Cl6DBF		114%
1,2,3,4,7,8-Cl6DBD		104%
1,2,3,6,7,8-Cl6DBD		113%
1,2,3,7,8,9-Cl6DBD		107%
1,2,3,4,6,7,8-Cl7DBF		114%
1,2,3,4,7,8,9-Cl7DBF		105%
1,2,3,4,6,7,8-Cl7DBD		120%
1,2,3,4,6,7,8,9-Cl8DBF		118%
1,2,3,4,6,7,8,9-Cl8DBD		111%

	FET FET MAX	
ΣT4CDF	1	108%
ΣP5CDF	0	111%
ΣH6CDF	0	113%
ΣH7CDF	0	110%
OCDF	1	118%
ΣT4CDD	0	124%
ΣP5CDD	0	98%
ΣH6CDD	0	108%
ΣH7CDD	0	120%
OCDD	0	111%

Surrogate Recoveries

2,3,7,8-T4CDF-13C12
2,3,7,8-T4CDD-13C12
1,2,3,7,8-P5CDF-13C12
1,2,3,7,8-P5CDD-13C12
1,2,3,6,7,8-H6CDF-13C12
1,2,3,6,7,8-H6CDD-13C12
1,2,3,4,6,7,8-H7CDF-13C12
1,2,3,4,6,7,8-H7CDD-13C12
OCDD-13C12

PSC Analytical Services
Summary of Analysis Prep. Dates

Batch Code:	**1104NZ01**	**1108NZ01**	**1108NZ01**	**1113NZ01**
2,3,7,8-Cl4DBF etc	039106 02	039109 02	039115 02	039118 02
	039107 02	039110 02	039116 02	039119 02
	039108 02	039111 02	039117 02	039120 02
	039112 02			039121 02
	039113 02			039122 02
	039114 02			039123 02
Date Analyzed:	11/21/2002	11/22/2002	11/21/2002	11/22/2002
Date Prepared:	11/4/2002	11/8/2002	11/8/2002	11/13/2002

Batch Code:	**1104NZ01**	**1108NZ01**	**1108NZ01**	**1113NZ01**
ΣT4CDF etc.	039106 02	039109 02	039115 02	039118 02
	039107 02	039110 02	039116 02	039119 02
	039108 02	039111 02	039117 02	039120 02
	039112 02			039121 02
	039113 02			039122 02
	039114 02			039123 02
Date Analyzed:	11/21/2002	11/22/2002	11/21/2002	11/22/2002
Date Prepared:	11/4/2002	11/8/2002	11/8/2002	11/13/2002

NYC 9/11 Public Portal Document

ZEL - Testers's Comments and Sample Notepad Summary

039106 02	2378/	039106 02	2,3,7,8-Cl4-Dibenzofuran	0.2122	0.21
039107 02	2378/	039106 02	1,2,3,7,8-Cl5-Dibenzofuran	0.4245	0.42
039108 02	2378/	039106 02	1,2,3,4,6,7,8,9-Cl8-Dibenzofurar	0.4172	0.42
039109 02	2378/	039106 02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	0.6363	0.64
039110 02	2378/	039106 02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	0.7148	0.71
039111 02	2378/	039106 02	Total Tetrachlorodibenzofurans	0.2122	0.21
039112 02	2378/	039106 02	Total Tetrachlorodibenzo-p-dioxi	0.525	0.53
039113 02	2378/	039106 02	Total Pentachlorodibenzofurans	0.4245	0.42
039114 02	2378/	039106 02	Total Heptachlorodibenzo-p-diox	0.6363	0.64
039115 02	2378/	039107 02	2,3,7,8-Cl4-Dibenzofuran	0.3019	0.3
039116 02	2378/	039107 02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	0.5028	0.5
039117 02	2378/	039107 02	Total Tetrachlorodibenzofurans	0.3019	0.3
039118 02	2378/	039108 02	2,3,7,8-Cl4-Dibenzofuran	0.3773	0.38
039119 02	2378/	039108 02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	0.5232	0.52
039120 02	2378/	039108 02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	0.7368	0.74
039121 02	2378/	039108 02	Total Tetrachlorodibenzofurans	0.3773	0.38
039122 02	2378/	039108 02	Total Tetrachlorodibenzo-p-dioxi	0.4786	0.48
039123 02	2378/	039109 02	2,3,4,6,7,8-Cl6-Dibenzofuran	1.1613	1.2
		039109 02	1,2,3,4,6,7,8-Cl7-Dibenzofuran	8.8156	8.8
		039109 02	1,2,3,4,7,8,9-Cl7-Dibenzofuran	10.1551	10
ZN		039109 02	1,2,3,4,6,7,8,9-Cl8-Dibenzofurar	2.2412	2.2
--		039109 02	2,3,7,8-Cl4-Dibenzo-p-dioxin	1.3056	1.3
		039109 02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	2.0741	2.1
039106 02		039109 02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	5.7423	5.7
TC=2378AHRF E		039109 02	Total Tetrachlorodibenzofurans	0.5633	0.56
2,3,7,8-Cl4-Diber		039109 02	Total Tetrachlorodibenzo-p-dioxi	1.3056	1.3
----------		039109 02	Total Pentachlorodibenzofurans	1.2935	1.3
Posted by EGAG		039109 02	Total Pentachlorodibenzo-p-diox	1.4633	1.5
TC=2378AHRF E		039109 02	Total Hexachlorodibenzofurans	1.1613	1.2
1,2,3,7,8-Cl5-Dib		039109 02	Total Heptachlorodibenzo-p-diox	2.0741	2.1
TC=02/11/21 BC		039110 02	2,3,7,8-Cl4-Dibenzofuran	0.2307	0.23
1,2,3,7,8-PeCDF		039110 02	1,2,3,7,8-Cl5-Dibenzofuran	0.5052	0.51
----------		039110 02	1,2,3,4,7,8-Cl6-Dibenzofuran	0.5247	0.52
Posted by EGAG		039110 02	1,2,3,6,7,8-Cl6-Dibenzofuran	0.4882	0.49
TC=2378AHRF E		039110 02	2,3,4,6,7,8-Cl6-Dibenzofuran	0.5709	0.57
1,2,3,4,6,7,8,9-C		039110 02	1,2,3,4,6,7,8-Cl7-Dibenzofuran	1.0023	1
----------		039110 02	1,2,3,4,6,7,8,9-Cl8-Dibenzofurar	0.8742	0.87
Posted by EGAG		039110 02	2,3,7,8-Cl4-Dibenzo-p-dioxin	0.3383	0.34
TC=2378AHRF E		039110 02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	1.1975	1.2
1,2,3,4,6,7,8-Cl7		039110 02	Total Tetrachlorodibenzo-p-dioxi	0.3383	0.34
----------		039110 02	Total Pentachlorodibenzofurans	0.5052	0.51
Posted by EGAG		039111 02	2,3,7,8-Cl4-Dibenzofuran	0.7595	0.76
TC=2378AHRF E		039111 02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	3.0517	3.1

file # =DEP00250876.XLS
Revision No. 0

CITY_21MC100_011991976

NYC-WTC_000435646

1,2,3,4,6,7,8,9-C	039112	02	2,3,7,8-Cl4-Dibenzofuran	0.6542	0.65
----------	039112	02	1,2,3,4,6,7,8,9-Cl8-Dibenzofurar	0.6253	0.63
Posted by EGAG	039112	02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	0.6911	0.69
TC=PCDDAHRF	039112	02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	1.2935	1.3
Total Tetrachloro	039112	02	Total Tetrachlorodibenzofurans	0.6542	0.65
----------	039112	02	Total Heptachlorodibenzo-p-diox	0.6911	0.69
Posted by EGAG	039113	02	2,3,7,8-Cl4-Dibenzofuran	0.5305	0.53
TC=PCDDAHRF	039113	02	1,2,3,4,6,7,8,9-Cl8-Dibenzofurar	0.7151	0.72
Total Tetrachloro	039113	02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	0.8462	0.85
----------	039113	02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	1.5837	1.6
Posted by EGAG	039113	02	Total Tetrachlorodibenzofurans	0.5305	0.53
TC=PCDDAHRF	039113	02	Total Tetrachlorodibenzo-p-dioxi	0.5748	0.57
Total Pentachlor	039113	02	Total Heptachlorodibenzo-p-diox	0.8462	0.85
----------	039114	02	2,3,7,8-Cl4-Dibenzofuran	0.476	0.48
Posted by EGAG	039114	02	1,2,3,7,8-Cl5-Dibenzofuran	0.6265	0.63
TC=PCDDAHRF	039114	02	1,2,3,4,7,8,9-Cl7-Dibenzofuran	64.08	64
Total Heptachlor	039114	02	1,2,3,4,6,7,8,9-Cl8-Dibenzofurar	1.1425	1.1
----------	039114	02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	0.5892	0.59
Posted by EGAG	039114	02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	1.253	1.3
039107 02	039114	02	Total Tetrachlorodibenzofurans	0.476	0.48
TC=2378AHRF E	039115	02	2,3,7,8-Cl4-Dibenzofuran	0.4638	0.46
2,3,7,8-Cl4-Diber	039115	02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	2.1688	2.2
----------	039115	02	Total Tetrachlorodibenzofurans	0.4638	0.46
Posted by EGAG	039115	02	Total Tetrachlorodibenzo-p-dioxi	1.1374	1.1
TC=2378AHRF E	039116	02	2,3,7,8-Cl4-Dibenzofuran	0.7944	0.79
1,2,3,4,6,7,8,9-C	039116	02	1,2,3,7,8-Cl5-Dibenzofuran	0.4977	0.5
----------	039116	02	1,2,3,4,6,7,8,9-Cl8-Dibenzofurar	3.4639	3.5
Posted by EGAG	039116	02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	2.1158	2.1
TC=PCDDAHRF	039116	02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	1.4561	1.5
Total Tetrachloro	039116	02	Total Tetrachlorodibenzofurans	0.7944	0.79
----------	039116	02	Total Heptachlorodibenzo-p-diox	2.1158	2.1
Posted by EGAG	039117	02	2,3,7,8-Cl4-Dibenzofuran	0.9916	0.99
039108 02	039117	02	1,2,3,4,6,7,8,9-Cl8-Dibenzofurar	3.6545	3.7
TC=2378AHRF E	039117	02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	3.8696	3.9
2,3,7,8-Cl4-Diber	039117	02	Total Tetrachlorodibenzofurans	0.9916	0.99
----------	039117	02	Total Tetrachlorodibenzo-p-dioxi	1.653	1.7
Posted by EGAG	039118	02	2,3,7,8-Cl4-Dibenzofuran	0.2882	0.29
TC=2378AHRF E	039118	02	1,2,3,7,8-Cl5-Dibenzofuran	0.5472	0.55
1,2,3,4,6,7,8-Cl7	039118	02	2,3,4,7,8-Cl5-Dibenzofuran	0.5266	0.53
TC=NZ01 BC=02	039118	02	1,2,3,4,7,8-Cl6-Dibenzofuran	0.2828	0.28
1,2,3,4,6,7,8-Hp(	039118	02	1,2,3,4,6,7,8,9-Cl8-Dibenzofurar	0.5054	0.51
----------	039118	02	2,3,7,8-Cl4-Dibenzo-p-dioxin	0.3001	0.3
Posted by EGAG	039118	02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	0.4314	0.43

NYC 9/11 Public Portal Document

TC=2378AHRF E	039118 02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	0.4175	0.42
1,2,3,4,6,7,8,9-C	039118 02	Total Tetrachlorodibenzofurans	0.2882	0.29
TC=NZ01 BC=02	039118 02	Total Tetrachlorodibenzo-p-dioxi	0.3001	0.3
1,2,3,4,6,7,8,9-C	039118 02	Total Pentachlorodibenzofurans	0.5472	0.55
----------	039118 02	Total Pentachlorodibenzo-p-diox	0.542	0.54
Posted by EGAG	039118 02	Total Hexachlorodibenzofurans	0.308	0.31
TC=PCDDAHRF	039118 02	Total Heptachlorodibenzo-p-diox	0.4314	0.43
Total Tetrachloro	039118 02	2,3,7,8-Cl4-Dibenzofuran	0.2882	0.29
----------	039119 02	2,3,7,8-Cl4-Dibenzofuran	0.3419	0.34
Posted by EGAG	039119 02	2,3,4,7,8-Cl5-Dibenzofuran	0.816	0.82
TC=PCDDAHRF	039119 02	2,3,7,8-Cl4-Dibenzo-p-dioxin	0.9178	0.92
Total Tetrachloro	039119 02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	5.3803	5.4
----------	039119 02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	8.0578	8.1
Posted by EGAG	039119 02	Total Tetrachlorodibenzofurans	0.3419	0.34
039109 02	039119 02	Total Tetrachlorodibenzo-p-dioxi	0.9178	0.92
	039119 02	Total Pentachlorodibenzofurans	0.785	0.79
TC=2378AHRF E	039119 02	Total Pentachlorodibenzo-p-diox	1.8321	1.8
2,3,4,6,7,8-Cl6-D	039119 02	Total Hexachlorodibenzo-p-dioxi	1.8399	1.8
----------	039119 02	2,3,7,8-Cl4-Dibenzofuran	0.3419	0.34
Posted by EGAG	039120 02	2,3,7,8-Cl4-Dibenzofuran	0.377	0.38
TC=2378AHRF E	039120 02	1,2,3,7,8-Cl5-Dibenzofuran	0.9091	0.91
1,2,3,4,6,7,8-Cl7	039120 02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	1.7389	1.7
TC=NZ01 BC=02	039120 02	Total Tetrachlorodibenzofurans	0.377	0.38
1,2,3,4,6,7,8-Hp(	039120 02	Total Tetrachlorodibenzo-p-dioxi	0.599	0.6
----------	039120 02	Total Pentachlorodibenzofurans	0.909	0.91
Posted by EGAG	039120 02	2,3,7,8-Cl4-Dibenzofuran	0.377	0.38
TC=2378AHRF E	039121 02	2,3,7,8-Cl4-Dibenzofuran	0.3144	0.31
1,2,3,4,7,8,9-Cl7	039121 02	1,2,3,7,8-Cl5-Dibenzofuran	0.4788	0.48
TC=NZ01 BC=02	039121 02	2,3,4,7,8-Cl5-Dibenzofuran	0.4608	0.46
1,2,3,4,7,8,9-Hp(	039121 02	1,2,3,4,7,8-Cl6-Dibenzofuran	0.5702	0.57
----------	039121 02	1,2,3,6,7,8-Cl6-Dibenzofuran	0.5305	0.53
Posted by EGAG	039121 02	1,2,3,4,7,8,9-Cl7-Dibenzofuran	34.4171	34
TC=2378AHRF E	039121 02	1,2,3,4,6,7,8,9-Cl8-Dibenzofurar	3.7832	3.8
1,2,3,4,6,7,8,9-C	039121 02	2,3,7,8-Cl4-Dibenzo-p-dioxin	0.4896	0.49
----------	039121 02	1,2,3,7,8-Cl5-Dibenzo-p-dioxin	1.1451	1.1
Posted by EGAG	039121 02	1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox	1.6095	1.6
TC=2378AHRF E	039121 02	1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di	3.0948	3.1
2,3,7,8-Cl4-Diber	039121 02	Total Tetrachlorodibenzofurans	0.3144	0.31
TC=02/11/22 BC	039121 02	Total Tetrachlorodibenzo-p-dioxi	0.4896	0.49
2,3,7,8-TCDD NI	039121 02	Total Pentachlorodibenzofurans	0.4788	0.48
----------	039121 02	Total Pentachlorodibenzo-p-diox	1.145	1.1
Posted by EGAG	039121 02	Total Hexachlorodibenzofurans	0.62	0.62
TC=2378AHRF E	039121 02	Total Heptachlorodibenzo-p-diox	1.61	1.6

CITY_21MC100_011991978

NYC-WTC_000435648

1,2,3,4,6,7,8-Cl7 039122 02 2,3,7,8-Cl4-Dibenzofuran 0.3588 0.36
---------- 039122 02 1,2,3,7,8-Cl5-Dibenzofuran 0.7746 0.77
Posted by EGAG 039122 02 1,2,3,4,6,7,8-Cl7-Dibenzofuran 97.6019 98
TC=2378AHRF E 039122 02 1,2,3,4,7,8,9-Cl7-Dibenzofuran 112.4324 110
1,2,3,4,6,7,8,9-C 039122 02 1,2,3,4,6,7,8,9-Cl8-Dibenzofurar 29.557 30
---------- 039122 02 1,2,3,4,6,7,8-Cl7-Dibenzo-p-diox 1.645 1.6
Posted by EGAG 039122 02 1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di 5.8162 5.8
TC=PCDDAHRF 039122 02 Total Tetrachlorodibenzofurans 0.3588 0.36
Total Tetrachloro 039122 02 Total Tetrachlorodibenzo-p-dioxi 0.5103 0.51
---------- 039122 02 Total Heptachlorodibenzo-p-diox 1.645 1.6
Posted by EGAG 039123 02 2,3,7,8-Cl4-Dibenzofuran 0.454 0.45
TC=PCDDAHRF 039123 02 1,2,3,7,8-Cl5-Dibenzofuran 0.5647 0.56
Total Tetrachloro 039123 02 2,3,4,7,8-Cl5-Dibenzofuran 0.5434 0.54
---------- 039123 02 1,2,3,6,7,8-Cl6-Dibenzofuran 0.5282 0.53
Posted by EGAG 039123 02 2,3,4,6,7,8-Cl6-Dibenzofuran 0.6177 0.62
TC=PCDDAHRF 039123 02 2,3,7,8-Cl4-Dibenzo-p-dioxin 0.5503 0.55
Total Pentachlor 039123 02 1,2,3,4,7,8-Cl6-Dibenzo-p-dioxin 0.8692 0.87
---------- 039123 02 1,2,3,6,7,8-Cl6-Dibenzo-p-dioxin 0.804 0.8
Posted by EGAG 039123 02 1,2,3,7,8,9-Cl6-Dibenzo-p-dioxin 0.7838 0.78
TC=PCDDAHRF 039123 02 1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-di 1.1788 1.2
Total Pentachlor 039123 02 Total Tetrachlorodibenzofurans 0.454 0.45
---------- 039123 02 Total Tetrachlorodibenzo-p-dioxi 0.5503 0.55
Posted by EGAG 039123 02 Total Pentachlorodibenzofurans 0.5647 0.56
TC=PCDDAHRF 039123 02 Total Hexachlorodibenzofurans 0.6177 0.62
Total Hexachlorodibenzofurans MDL = 1.1613

Posted by EGAGNON on 11:08:44 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Heptachlorodibenzo-p-dioxins MDL = 2.0741

Posted by EGAGNON on 11:08:46 02/11/29
039110 02
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.2307
TC=02/11/22 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-TCDF NDR

Posted by EGAGNON on 09:12:28 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.5052

Posted by EGAGNON on 09:12:28 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1

NYC 9/11 Public Portal Document

1,2,3,4,7,8-Cl6-Dibenzofuran MDL = 0.5247
TC=02/11/22 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,7,8-HxCDF NDR

Posted by EGAGNON on 09:12:29 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,6,7,8-Cl6-Dibenzofuran MDL = 0.4882
TC=02/11/22 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,6,7,8-HxCDF NDR

Posted by EGAGNON on 09:12:29 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,4,6,7,8-Cl6-Dibenzofuran MDL = 0.5709
TC=02/11/22 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,4,6,7,8-HxCDF NDR

Posted by EGAGNON on 09:12:30 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzofuran MDL = 1.0023
TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-HpCDF NDR

Posted by EGAGNON on 09:12:30 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 0.8742

Posted by EGAGNON on 09:12:31 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzo-p-dioxin MDL = 0.3383

Posted by EGAGNON on 09:12:31 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 1.1975
TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin OCDD NDR

Posted by EGAGNON on 09:12:32 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.3383

Posted by EGAGNON on 09:12:33 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Pentachlorodibenzofurans MDL = 0.5052

CITY_21MC100_011991980

NYC-WTC_000435650

NYC 9/11 Public Portal Document

039111 02
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.7595
TC=02/11/22 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-TCDF NDR

Posted by EGAGNON on 09:12:35 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 3.0517
TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin OCDD NDR

039112 02
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.6542

Posted by EGAGNON on 09:12:38 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 0.6253
TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran OCDF NDR

Posted by EGAGNON on 09:12:39 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 0.6911

Posted by EGAGNON on 09:12:39 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 1.2935

Posted by EGAGNON on 09:12:40 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.6542

Posted by EGAGNON on 09:12:40 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Heptachlorodibenzo-p-dioxins MDL = 0.6911
039113 02
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.5305
TC=02/11/22 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-TCDF NDR

CITY_21MC100_011991981

NYC-WTC_000435651

NYC 9/11 Public Portal Document

Posted by EGAGNON on 09:12:43 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 0.7151

Posted by EGAGNON on 09:12:43 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 0.8462

Posted by EGAGNON on 09:12:44 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 1.5837

Posted by EGAGNON on 09:12:44 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.5305

Posted by EGAGNON on 09:12:45 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.5748

Posted by EGAGNON on 09:12:45 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Heptachlorodibenzo-p-dioxins MDL = 0.8462

039114 02
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.4760

Posted by EGAGNON on 09:12:48 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.6265
TC=02/11/22 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,7,8-PeCDF NDR

Posted by EGAGNON on 09:12:49 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,7,8,9-Cl7-Dibenzofuran MDL = 64.0800
TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,7,8,9-HpCDF NDR

Posted by EGAGNON on 09:12:50 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1

CITY_21MC100_011991982

NYC-WTC_000435652

NYC 9/11 Public Portal Document

1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 1.1425
TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran OCDF NDR

Posted by EGAGNON on 09:12:51 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 0.5892
TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-HpCDD NDR

Posted by EGAGNON on 09:12:52 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 1.2530
TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin OCDD NDR

Posted by EGAGNON on 09:12:52 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.4760

039115 02
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.4638
TC=02/11/21 BC=02/11/04:NZ01 RC=02/11/21:SO01 1
2,3,7,8-TCDF NDR

Posted by EGAGNON on 14:20:46 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 2.1688

Posted by EGAGNON on 14:20:47 02/11/27
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.4638

Posted by EGAGNON on 14:20:48 02/11/27
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 1.1374

Posted by EGAGNON on 14:20:48 02/11/27
039116 02
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.7944

CITY_21MC100_011991983

NYC-WTC_000435653

NYC 9/11 Public Portal Document

Posted by EGAGNON on 14:20:51 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.4977
TC=02/11/21 BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,7,8-PeCDF NDR

Posted by EGAGNON on 14:20:52 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 3.4639
TC=NZ01 BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran OCDF NDR

Posted by EGAGNON on 14:20:53 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 2.1158

Posted by EGAGNON on 14:20:54 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 1.4561

Posted by EGAGNON on 14:20:54 02/11/27
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.7944

Posted by EGAGNON on 14:20:55 02/11/27
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
Total Heptachlorodibenzo-p-dioxins MDL = 2.1158

Posted by EGAGNON on 14:20:57 02/11/27
039117 02
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.9916

Posted by EGAGNON on 14:20:59 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 3.6545

Posted by EGAGNON on 14:21:00 02/11/27
TC=2378AHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 3.8696

Posted by EGAGNON on 14:21:00 02/11/27

CITY_21MC100_011991984

NYC-WTC_000435654

NYC 9/11 Public Portal Document

TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.9916

Posted by EGAGNON on 14:21:01 02/11/27
TC=PCDDAHRF BC=02/11/04:NZ01 RC=02/11/21:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 1.6530

Posted by EGAGNON on 14:21:02 02/11/27
039118 02
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.2882

Posted by EGAGNON on 09:12:55 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.5472

Posted by EGAGNON on 09:12:56 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,4,7,8-Cl5-Dibenzofuran MDL = 0.5266
TC=02/11/22 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,4,7,8-PeCDF NDR

Posted by EGAGNON on 09:12:56 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,7,8-Cl6-Dibenzofuran MDL = 0.2828

Posted by EGAGNON on 09:12:57 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 0.5054
TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran OCDF NDR

Posted by EGAGNON on 09:12:58 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzo-p-dioxin MDL = 0.3001

Posted by EGAGNON on 09:12:59 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 0.4314

Posted by EGAGNON on 09:13:00 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 0.4175

CITY_21MC100_011991985

NYC-WTC_000435655

NYC 9/11 Public Portal Document

Posted by EGAGNON on 09:13:00 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.2882

Posted by EGAGNON on 09:13:01 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.3001

Posted by EGAGNON on 09:13:01 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Pentachlorodibenzofurans MDL = 0.5472

Posted by EGAGNON on 09:13:01 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Pentachlorodibenzo-p-dioxins MDL = 0.5420

Posted by EGAGNON on 09:13:03 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Hexachlorodibenzofurans MDL = 0.3080

Posted by EGAGNON on 09:13:03 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Heptachlorodibenzo-p-dioxins MDL = 0.4314

Posted by EGAGNON on 09:13:04 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.2882

039119 02
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.3419

Posted by EGAGNON on 09:13:06 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,4,7,8-Cl5-Dibenzofuran MDL = 0.8160
TC=02/11/22 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,4,7,8-PeCDF NDR

Posted by EGAGNON on 09:13:07 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzo-p-dioxin MDL = 0.9178

CITY_21MC100_011991986

NYC-WTC_000435656

Posted by EGAGNON on 09:13:08 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 5.3803
TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-HpCDD NDR

Posted by EGAGNON on 09:13:09 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 8.0578
TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin OCDD NDR

Posted by EGAGNON on 09:13:10 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.3419

Posted by EGAGNON on 09:13:11 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.9178

Posted by EGAGNON on 09:13:12 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Pentachlorodibenzofurans MDL = 0.7850

Posted by EGAGNON on 09:13:13 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Pentachlorodibenzo-p-dioxins MDL = 1.8321

Posted by EGAGNON on 09:13:14 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Hexachlorodibenzo-p-dioxins MDL = 1.8399

Posted by EGAGNON on 09:13:15 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.3419

039120 02
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.3770

Posted by EGAGNON on 09:13:18 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.9091

NYC 9/11 Public Portal Document

Posted by EGAGNON on 09:13:18 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 1.7389
TC=NZ01 BC=02/11/08:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin OCDD NDR

Posted by EGAGNON on 09:13:19 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.3770

Posted by EGAGNON on 09:13:20 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.5990

Posted by EGAGNON on 09:13:21 02/11/29
TC=PCDDAHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
Total Pentachlorodibenzofurans MDL = 0.9090

Posted by EGAGNON on 09:13:21 02/11/29
TC=2378AHRF BC=02/11/08:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.3770

039121 02
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.3144
TC=02/11/22 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran RT

Posted by EGAGNON on 11:41:53 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.4788

Posted by EGAGNON on 11:41:53 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
2,3,4,7,8-Cl5-Dibenzofuran MDL = 0.4608
TC=02/11/22 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
2,3,4,7,8-PeCDF NDR

Posted by EGAGNON on 11:41:54 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,7,8-Cl6-Dibenzofuran MDL = 0.5702

CITY_21MC100_011991988

NYC-WTC_000435658

NYC 9/11 Public Portal Document

Posted by EGAGNON on 11:41:54 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,6,7,8-Cl6-Dibenzofuran MDL = 0.5305
TC=02/11/22 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,6,7,8-HxCDF NDR

Posted by EGAGNON on 11:41:55 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,7,8,9-Cl7-Dibenzofuran MDL = 34.4171
TC=NZ01 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,7,8,9-HpCDF NDR

Posted by EGAGNON on 11:41:56 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 3.7832

Posted by EGAGNON on 11:41:57 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzo-p-dioxin MDL = 0.4896
TC=02/11/22 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
2,3,7,8-TCDD NDR

Posted by EGAGNON on 11:41:58 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,7,8-Cl5-Dibenzo-p-dioxin MDL = 1.1451
TC=NZ01 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,7,8-PeCDD NDR

Posted by EGAGNON on 11:41:58 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 1.6095
TC=NZ01 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-HpCDD NDR

Posted by EGAGNON on 11:41:59 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 3.0948
TC=NZ01 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin OCDD NDR

Posted by EGAGNON on 11:42:00 02/11/29
TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.3144

CITY_21MC100_011991989

NYC-WTC_000435659

NYC 9/11 Public Portal Document

Posted by EGAGNON on 11:42:02 02/11/29
TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.4896

Posted by EGAGNON on 11:42:05 02/11/29
TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
Total Pentachlorodibenzofurans MDL = 0.4788

Posted by EGAGNON on 11:42:06 02/11/29
TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
Total Pentachlorodibenzo-p-dioxins MDL = 1.1450

Posted by EGAGNON on 11:42:07 02/11/29
TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
Total Hexachlorodibenzofurans MDL = 0.6200

Posted by EGAGNON on 11:42:08 02/11/29
TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
Total Heptachlorodibenzo-p-dioxins MDL = 1.6100

Posted by EGAGNON on 11:42:08 02/11/29
039122 02
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.3588
TC=02/11/22 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
2,3,7,8-TCDF NDR

Posted by EGAGNON on 11:42:13 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.7746
TC=02/11/22 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,7,8-PeCDF NDR

Posted by EGAGNON on 11:42:15 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzofuran MDL = 97.6019
TC=NZ01 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-HpCDF NDR

Posted by EGAGNON on 11:42:16 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,7,8,9-Cl7-Dibenzofuran MDL = 112.4324

CITY_21MC100_011991990

NYC-WTC_000435660

NYC 9/11 Public Portal Document

TC=NZ01 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,7,8,9-HpCDF NDR

Posted by EGAGNON on 11:42:17 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran MDL = 29.5570
TC=NZ01 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzofuran S\N

Posted by EGAGNON on 11:42:18 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8-Cl7-Dibenzo-p-dioxin MDL = 1.6450

Posted by EGAGNON on 11:42:20 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 5.8162

Posted by EGAGNON on 11:42:20 02/11/29
TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.3588

Posted by EGAGNON on 11:42:21 02/11/29
TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.5103

Posted by EGAGNON on 11:42:21 02/11/29
TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
Total Heptachlorodibenzo-p-dioxins MDL = 1.6450

Posted by EGAGNON on 11:42:22 02/11/29
039123 02
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzofuran MDL = 0.4540

Posted by EGAGNON on 11:42:25 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,7,8-Cl5-Dibenzofuran MDL = 0.5647

Posted by EGAGNON on 11:42:26 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
2,3,4,7,8-Cl5-Dibenzofuran MDL = 0.5434

Posted by EGAGNON on 11:42:27 02/11/29

CITY_21MC100_011991991

NYC-WTC_000435661

NYC 9/11 Public Portal Document

TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,6,7,8-Cl6-Dibenzofuran MDL = 0.5282

Posted by EGAGNON on 11:42:28 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
2,3,4,6,7,8-Cl6-Dibenzofuran MDL = 0.6177

Posted by EGAGNON on 11:42:29 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
2,3,7,8-Cl4-Dibenzo-p-dioxin MDL = 0.5503

Posted by EGAGNON on 11:42:30 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,7,8-Cl6-Dibenzo-p-dioxin MDL = 0.8692
TC=NZ01 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,7,8-HxCDD NDR

Posted by EGAGNON on 11:42:30 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,6,7,8-Cl6-Dibenzo-p-dioxin MDL = 0.8040
TC=NZ01 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,6,7,8-HxCDD NDR

Posted by EGAGNON on 11:42:31 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,7,8,9-Cl6-Dibenzo-p-dioxin MDL = 0.7838
TC=NZ01 BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,7,8,9-HxCDD NDR

Posted by EGAGNON on 11:42:31 02/11/29
TC=2378AHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
1,2,3,4,6,7,8,9-Cl8-Dibenzo-p-dioxin MDL = 1.1788

Posted by EGAGNON on 11:42:32 02/11/29
TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzofurans MDL = 0.4540

Posted by EGAGNON on 11:42:32 02/11/29
TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
Total Tetrachlorodibenzo-p-dioxins MDL = 0.5503

Posted by EGAGNON on 11:42:33 02/11/29
TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1

CITY_21MC100_011991992

NYC-WTC_000435662

NYC 9/11 Public Portal Document

Total Pentachlorodibenzofurans MDL = 0.5647

Posted by EGAGNON on 11:42:33 02/11/29
TC=PCDDAHRF BC=02/11/13:NZ01 RC=02/11/22:SO01 1
Total Hexachlorodibenzofurans MDL = 0.6177

Posted by EGAGNON on 11:42:34 02/11/29

T2 TEST RESULTS SUMMARY

CITY_21MC100_011991993

NYC-WTC_000435663

PARAMETER

ENGLISH
MDEA
SPIKE
NORMAL
TEF
9
2
39106
39107
39108
39109
39110
39111
39112
39113
39114
39115
39116
39117
39118
39119
39120
39121
39122
39123

file # =DEP00250876.XLS
Revision No. 0