FROM:
"Mark Terjesen" <terjesen15@atc-enviro.com>

TO:
Christopher D'Andrea

COPIED:
borlan@nycboe.net; mhemida@nycboe.net

DATE:
03/26/2002 06:37:57 PM

SUBJECT:
RE: Summary of Lead Wipe Sample Results - Downtown Schools

Attached is the summary of lead wipe sample analysis results for downtown schools as well as a location breakdown for each as requested. Please note that these documents include updated results for wipe samples collected this past week and should replace the original documents we sent previously. Should you have any questions or require additional information please do not hesitate to contact me.

Mark Terjesen
ATC Associates Inc.
212-353-8280, ext. 266

-----Original Message-----
From: Christopher D'Andrea [mailto:cdandrea@health.nyc.gov]
Sent: Monday, March 25, 2002 6:41 AM
To: terjesen15@atc-enviro.com
Subject: RE: Summary of Lead Wipe Sample Results - Downtown Schools

great thanks mark

>>> "Mark Terjesen" <terjesen15@atc-enviro.com> 03/25/02 12:00PM >>>
Yes. We'll breakdown information as requested and email it to you by the end of the day (Monday)or early tommorrow. Please let me know if you need any additional information regarding these samples.

Mark Terjesen
ATC Associates Inc.
212-353-8280, ext. 266

-----Original Message-----
From: Christopher D'Andrea [mailto:cdandrea@health.nyc.gov]
Sent: Friday, March 22, 2002 9:09 AM
To: terjesen15@atc-enviro.com
Cc: andreou15@atc-enviro.com; parpounas15@atc-enviro.com; Jessica Leighton; Nancy Jeffery; borlan@nycboe.net; mhemida@nycboe.net
Subject: Re: Summary of Lead Wipe Sample Results - Downtown Schools

NYC 9/11 Public Portal Document

Thanks again Mark for providing me with this information, it was helpful. I need a further breakdown of the data. I need to know, How many windowsill samples were taken and how many elevations there were; How many floor samples were taken and the number of elevations; Of the floor samples how many were collected from hallways/lobbies, entry points into the school, and classrooms, and the number of elevations for
each.

Is this something you can provide me with?

>>> "Mark Terjesen" <terjesen15@atc-enviro.com> 03/15/02 05:40PM >>>
Attached are individual summaries for Lead Wipe samples taken at each of the
six (6) downtown schools as requested. Results have been compared to HUD
clearance criteria following lead abatement work (i.e. 40 ug/sq. ft. - Floor; 250 ug/sq. ft. - window sills and 800 ug/sq. ft. - window wells).
Feel free to call me should you have any questions or require additional
information.

Mark Terjesen
ATC Associates Inc.
212-353-8280, ext. 266

NYC-WTC_000436877