NYC 9/11 Public Portal Document

Air Monitoring in Lower Manhattan

Site #	Date	Location Sampled	PCM Results (f/cc)	TEMS Results (s/sq. mm)
16	12/11/01	PARK PL. & CHURCH	0.005	-
16	12/10/01	PARK PL. & CHURCH	0.005	-
16	12/9/01	PARK PL. & CHURCH	<LOQ	-
16	12/8/01	PARK PL. & CHURCH	0.005	-
16	12/7/01	PARK PL. & CHURCH	<LOQ	-
16	12/6/01	PARK PL. & CHURCH	<LOQ	-
16	12/5/01	PARK PL. & CHURCH	0.009	-
16	12/4/01	PARK PL. & CHURCH	0.005	-
16	12/3/01	PARK PL. & CHURCH	0.006	-
16	12/2/01	PARK PL. & CHURCH	0.006	-
16	12/1/01	PARK PL. & CHURCH	0.006	-
16	11/30/01	PARK PL. & CHURCH	0.007	-
16	11/29/01	PARK PL. & CHURCH	0.005	-
16	11/28/01	PARK PL. & CHURCH	0.007	-
16	11/27/01	PARK PL. & CHURCH	0.006	-
16	11/26/01	PARK PL. & CHURCH	0.005	-
16	11/25/01	PARK PL. & CHURCH	0.005	-
16	11/24/01	PARK PL. & CHURCH	0.005	-
16	11/23/01	PARK PL. & CHURCH	<LOQ	-
16	11/22/01	PARK PL. & CHURCH	0.005	-
16	11/21/01	PARK PL. & CHURCH	<LOQ	-
16	11/20/01	PARK PL. & CHURCH	0.005	-
16	11/19/01	PARK PL. & CHURCH	0.008	-
16	11/18/01	PARK PL. & CHURCH	0.009	-
16	11/17/01	PARK PL. & CHURCH	<LOQ	-
16	11/16/01	PARK PL. & CHURCH	<LOQ	-
16	11/15/01	PARK PL. & CHURCH	0.007	-
16	11/14/01	PARK PL. & CHURCH	0.006	-
16	11/13/01	PARK PL. & CHURCH	0.005	-

NYC-WTC_000445720

16	11/12/01	PARK PL. & CHURCH	<LOQ	-
16	11/11/01	PARK PL. & CHURCH	<LOQ	-
16	11/10/01	PARK PL. & CHURCH	0.005	-
16	11/9/01	PARK PL. & CHURCH	0.004	-
16	11/8/01	PARK PL. & CHURCH	0.005	-
16	11/7/01	PARK PL. & CHURCH	0.007	-
16	11/6/01	PARK PL. & CHURCH	0.005	-
16	11/5/01	PARK PL. & CHURCH	0.009	-
16	11/4/01	PARK PL. & CHURCH	<LOQ	-
16	11/3/01	PARK PL. & CHURCH	<LOQ	-
16	11/2/01	PARK PL. & CHURCH	<LOQ	-
16	11/1/01	PARK PL. & CHURCH	0.006	-
16	10/31/01	PARK PL. & CHURCH	0.004	-
16	10/30/01	PARK PL. & CHURCH	0.006	-
16	10/29/01	PARK PL. & CHURCH	<LOQ	-
16	10/28/01	PARK PL. & CHURCH	<LOQ	-
16	10/27/01	PARK PL. & CHURCH	0.006	-
16	10/26/01	PARK PL. & CHURCH	0.005	-
16	10/25/01	PARK PL. & CHURCH	<LOQ	-
16	10/24/01	PARK PL. & CHURCH	0.006	-
16	10/23/01	PARK PL. & CHURCH	<LOQ	-
16	10/22/01	PARK PL. & CHURCH	0.005	-
16	10/21/01	PARK PL. & CHURCH	<LOQ	-
16	10/20/01	PARK PL. & CHURCH	0.008	-
16	10/19/01	PARK PL. & CHURCH	0.007	-
16	10/18/01	PARK PL. & CHURCH	0.005	-
16	10/17/01	PARK PL. & CHURCH	0.015	<10
16	10/16/01	PARK PL. & CHURCH	0.004	-
16	10/15/01	PARK PL. & CHURCH	0.005	-
16	10/14/01	PARK PL. & CHURCH	<LOQ	-
16	10/13/01	PARK PL. & CHURCH	0.007	-
16	10/12/01	PARK PL. & CHURCH	0.013	<10
16	10/11/01	PARK PL. & CHURCH	0.004	-
16	10/10/01	PARK PL. & CHURCH	0.006	-
16	10/9/01	PARK PL. & CHURCH	0.011	<10

16	10/8/01	PARK PL. & CHURCH	0.009	-
16	10/7/01	PARK PL. & CHURCH	0.004	-
16	10/6/01	PARK PL. & CHURCH	0.006	-
16	10/5/01	PARK PL. & CHURCH	0.007	-
16	10/4/01	PARK PL. & CHURCH	<LOQ	-
16	10/3/01	PARK PL. & CHURCH	<LOQ	-
16	10/2/01	PARK PL. & CHURCH	<LOQ	-
16	10/1/01	PARK PL. & CHURCH	<LOQ	-
16	9/30/01	PARK PL. & CHURCH	0.024	19.69
16	9/29/01	PARK PL. & CHURCH	0.020	<10
16	9/28/01	PARK PL. & CHURCH	<LOQ	-
16	9/27/01	PARK PL. & CHURCH	0.050	<10
16	9/26/01	PARK PL. & CHURCH	0.008	-
16	9/25/01	PARK PL. & CHURCH	0.009	-
16	9/24/01	PARK PL. & CHURCH	0.007	-
16	9/23/01	PARK PL. & CHURCH	0.010	<10

Notes:
PCM = phase contrast microscopy
f/cc = fibers per cubic centimeter
LOQ = Limit of Quantification
TEM = transmission electron microscopy
s/sq. mm = structures per square millimeter
Overload = Indicates that the sampling filter was clogged and the sample could not be read with laboratory analysis.

The information contained in this database should be considered provisional and may be subject to adjustment upon final analysis.

< back next >